



### OG Cannabis Products LLC

929 East 4500 South  
Millcreek, UT 84117  
(801) 792-8415

### OG Cannabis Products Amber Rose Bath Soak (AR1 / 1)

<b>Order ID#:</b>	<b>20210512-866</b>	Sample date:	12-May-2021
Lab Code#:	LC-20210512-2220	Date received:	18-May-2021
Product Type:	Personal care	Completed:	2-Jun-2021
Unit Amt. (g):	85.0486	Report expires:	2-Jun-2022
Lot #/Batch #:	AR1 / 1		

### SAFETY ANALYSIS

<b>PASS</b> Microbials	<b>PASS</b> Mycotoxins	<b>PASS</b> Metals	<b>PASS</b> Pesticides	<b>PASS</b> Solvents
---------------------------	---------------------------	-----------------------	---------------------------	-------------------------

### CANNABINOIDS

**Analysis Batch:** WO-21051807  
**Analysis Date:** Friday, May 21, 2021

**Test Method:** SOP 6.6  
**Instrument:** Agilent HPLC, Instrument 33

Analyte	% <sup>a</sup>	mg/g	mg/unit
THCA-A	ND	ND	ND
Δ9-THC	ND	ND	ND
CBDA	0.0350	0.3502	29.78
CBD	0.0103	0.1029	8.754
CBN	ND	ND	ND
CBDV	ND	ND	ND
Δ8-THC	ND	ND	ND
THCV	ND	ND	ND
CBG	0.0036	0.03550	3.019
CBGA	0.0450	0.4496	38.24
CBC	0.0010	0.00999	0.8496
<b>Total:</b>	<b>0.095</b>	<b>0.948</b>	<b>80.64</b>

**Total THC<sup>b</sup>**

**ND**


**Total CBD<sup>c</sup>**

**34.9 mg**

**TOTAL<sup>d</sup>**

**80.6 mg**

#### Profile (mg/unit)



<sup>a</sup> Detection Level = 0.0006% by dry-weight.

<sup>b</sup> Total THC is calculated as %THC + (%THCA × 0.877).

<sup>c</sup> Total CBD is calculated as %CBD + (%CBDA × 0.877).

<sup>d</sup> Absolute sum of all cannabinoids above the level of detection.

#### Comments:

3 oz unit = 85.0486 grams



#### Authorization

Steven Perez, Laboratory Director  
Approval Date: 2-Jun-2021

Test results are based solely upon the test article submitted to Americanna Laboratories, LLC in the condition it was received. Americanna Laboratories, LLC warrants that all analytical work was conducted in a professional manner in accordance with the requirements of ISO/IEC 17025:2017, such as comparison to Certified Reference Materials and NIST traceable Reference Standards. This report shall not be reproduced, except in its entirety, without the written approval of Americanna Laboratories, LLC. Test results are confidential unless explicitly waived. Void after 1 year from test end date.

NA=Not Available or Applicable, ND=Not Detected, NT=Not Tested, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure.

- continued -



### OG Cannabis Products LLC

929 East 4500 South  
Millcreek, UT 84117  
(801) 792-8415

### OG Cannabis Products Amber Rose Bath Soak (AR1 / 1)

<b>Order ID#:</b>	<b>20210512-866</b>	Sample date:	12-May-2021
<b>Lab Code#:</b>	LC-20210512-2220	Date received:	18-May-2021
<b>Product Type:</b>	Personal care	Completed:	2-Jun-2021
<b>Unit Amt. (g):</b>	85.0486	Report expires:	2-Jun-2022
<b>Lot #/Batch #:</b>	AR1 / 1		

### MICROBIAL CONTAMINANTS

<b>Analysis Batch:</b>	WO-21051808	<b>Test Method:</b>	SOP 6.11
<b>Analysis Date:</b>	Wednesday, May 19, 2021	<b>Instrument:</b>	Agilent AriaMX, Instrument 43

TEST	REPORT	RESULT	SPECIFICATION
Shiga toxin-producing E.coli (STEC)	Pass	Not present	Not present in 1 g
Salmonella	Pass	Not present	Not present in 1 g
Listeria	Pass	Not present	Not present in 1 g

### MYCOTOXINS

<b>Analysis Batch:</b>	WO-21051809	<b>Test Method:</b>	SOP 6.7
<b>Analysis Date:</b>	Tuesday, May 25, 2021	<b>Instrument:</b>	Agilent LC-MS/MS, Instrument 32

ANALYTE	REPORT	RESULT	ACTION LIMIT	LOD	UNIT
Aflatoxin, Total	Pass	ND	0.020	0.005	µg/g
Ochratoxin A	Pass	ND	0.020	0.005	µg/g

\* Total Aflatoxin includes B1, B2, G1 and G2.

### HEAVY METALS

<b>Analysis Batch:</b>	WO-21051811	<b>Test Method:</b>	SOP 6.10
<b>Analysis Date:</b>	Wednesday, May 26, 2021	<b>Instrument:</b>	Agilent ICP/MS, Instrument 37

ELEMENT	REPORT	RESULT	ACTION LIMIT	LOD	UNIT
Lead	Pass	ND	0.50	0.050	µg/g
Arsenic	Pass	ND	1.5	0.050	µg/g
Mercury	Pass	ND	3.0	0.005	µg/g
Cadmium	Pass	ND	0.50	0.050	µg/g

### Comments:

None.

### Authorization



Steven Perez, Laboratory Director  
Approval Date: 2-Jun-2021

Test results are based solely upon the test article submitted to Americanna Laboratories, LLC in the condition it was received. Americanna Laboratories, LLC warrants that all analytical work was conducted in a professional manner in accordance with the requirements of ISO/IEC 17025:2017, such as comparison to Certified Reference Materials and NIST traceable Reference Standards. This report shall not be reproduced, except in its entirety, without the written approval of Americanna Laboratories, LLC. Test results are confidential unless explicitly waived. Void after 1 year from test end date.

NA=Not Available or Applicable, ND=Not Detected, NT=Not Tested, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure.

- continued -



### OG Cannabis Products LLC

929 East 4500 South  
Millcreek, UT 84117  
(801) 792-8415

### OG Cannabis Products Amber Rose Bath Soak (AR1 / 1)

<b>Order ID#:</b>	<b>20210512-866</b>	Sample date:	12-May-2021
<b>Lab Code#:</b>	LC-20210512-2220	Date received:	18-May-2021
<b>Product Type:</b>	Personal care	Completed:	2-Jun-2021
<b>Unit Amt. (g):</b>	85.0486	Report expires:	2-Jun-2022
<b>Lot #/Batch #:</b>	AR1 / 1		

### PESTICIDES

Analyte	Action Level	Result (µg/g)
Abamectin	0.30	ND - Pass
Acephate	3.00	ND - Pass
Acequinocyl	2.00	ND - Pass
Acetamiprid	3.00	ND - Pass
Aldicarb	0.10	ND - Pass
Azoxystrobin	3.00	ND - Pass
Bifenazate	3.00	ND - Pass
Bifenthrin*	0.50	ND - Pass
Boscalid*	3.00	ND - Pass
Captan	3.00	ND - Pass
Carbaryl	0.50	ND - Pass
Carbofuran	0.10	ND - Pass
Chlorantraniliprole	3.00	ND - Pass
Chlordane*	0.10	ND - Pass
Chlorfenapyr	0.05	ND - Pass
Chlormequat chloride	3.00	ND - Pass
Chlorpyrifos*	0.10	ND - Pass
Clofentazine	0.50	ND - Pass
Coumaphos	0.10	ND - Pass
Cyfluthrin*	1.00	ND - Pass
Cypermethrin*	1.00	ND - Pass
Daminozide	0.10	ND - Pass
Diazinon	0.20	ND - Pass
Dichlorvos	0.10	ND - Pass
Dimethoate	0.10	ND - Pass
Dimethomorph (I/II)	3.00	ND - Pass
Ethoprophos	0.10	ND - Pass
Etofenprox	0.10	ND - Pass
Etoxazole	1.50	ND - Pass
Fenhexamid	3.00	ND - Pass
Fenoxycarb	0.10	ND - Pass
Fenpyroximate	2.00	ND - Pass
Fipronil	0.10	ND - Pass
Fonicamid	2.00	ND - Pass

Analyte	Action Level	Result (µg/g)
Fludioxonil	3.00	ND - Pass
Hexythiazox	2.00	ND - Pass
Imazalil	0.10	ND - Pass
Imidacloprid	3.00	ND - Pass
Kresoxim methyl	1.00	ND - Pass
Malathion	2.00	ND - Pass
Metalaxyl	3.00	ND - Pass
Methiocarb	0.10	ND - Pass
Methomyl	0.10	ND - Pass
Methyl parathion*	0.10	ND - Pass
Mevinphos (I/II)	0.10	ND - Pass
Myclobutanil	3.00	ND - Pass
Naled	0.50	ND - Pass
Oxamyl	0.50	ND - Pass
Pacloutrazol	0.10	ND - Pass
Pentachloronitrobenzene*	0.20	ND - Pass
Permethrin*	1.00	ND - Pass
Phosmet	0.20	ND - Pass
Piperonyl butoxide	3.00	ND - Pass
Prallethrin	0.40	ND - Pass
Propiconazole	1.00	ND - Pass
Propoxur	0.10	ND - Pass
Pyrethrins	1.00	ND - Pass
Pyridaben	3.00	ND - Pass
Spinetoram (J/L)	3.00	ND - Pass
Spinosad A + D	3.00	ND - Pass
Spiromesifen	3.00	ND - Pass
Spirotetramat	3.00	ND - Pass
Spiroxamine (I/II)	0.10	ND - Pass
Tebuconazole	1.00	ND - Pass
Thiacloprid	0.10	ND - Pass
Thiamethoxam	1.00	ND - Pass
Trifloxystrobin	3.00	ND - Pass

\* Denotes analysis by GC-MS/MS

**Analysis Batch:** WO-21051809  
**Analysis Date (LC):** Tuesday, May 25, 2021  
**Analysis Date (GC):** Monday, May 24, 2021

**Test Method:** SOP 6.7  
**Instrument:** Agilent LC-MS/MS, Instrument 32  
**Instrument:** Agilent GC-MS/MS, Instrument 34

### Comments:

None.

### Authorization



Steven Perez, Laboratory Director  
Approval Date: 2-Jun-2021

Test results are based solely upon the test article submitted to Americanna Laboratories, LLC in the condition it was received. Americanna Laboratories, LLC warrants that all analytical work was conducted in a professional manner in accordance with the requirements of ISO/IEC 17025:2017, such as comparison to Certified Reference Materials and NIST traceable Reference Standards. This report shall not be reproduced, except in its entirety, without the written approval of Americanna Laboratories, LLC. Test results are confidential unless explicitly waived. Void after 1 year from test end date.

NA=Not Available or Applicable, ND=Not Detected, NT=Not Tested, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure.

- continued -



### OG Cannabis Products LLC

929 East 4500 South  
Millcreek, UT 84117  
(801) 792-8415

### OG Cannabis Products Amber Rose Bath Soak (AR1 / 1)

<b>Order ID#:</b>	<b>20210512-866</b>	Sample date:	12-May-2021
Lab Code#:	LC-20210512-2220	Date received:	18-May-2021
Product Type:	Personal care	Completed:	2-Jun-2021
Unit Amt. (g):	85.0486	Report expires:	2-Jun-2022
Lot #/Batch #:	AR1 / 1		

### WATER DETERMINATIONS

#### Water Activity

**Analysis Batch:** WO-21051810  
**Analysis Date:** 25-May-2021  
**Result (a<sub>w</sub>):** 0.4429  
**Instrument:** I40

#### % Moisture

**Analysis Batch:** WO-21051810  
**Analysis Date:** 25-May-2021  
**Result (%):** 3.89  
**Instrument:** E15

### RESIDUAL SOLVENTS

Analyte	Action Level	Result (µg/g)
1,2-Dichloroethane	5	ND - Pass
Acetone	5000	ND - Pass
Acetonitrile	410	ND - Pass
Benzene	2	ND - Pass
Butane	2000	ND - Pass
Chloroform	60	ND - Pass
Ethanol	5000	ND - Pass
Ethyl Acetate	5000	ND - Pass
Ethyl Ether	5000	ND - Pass
Ethylene Oxide	5	ND - Pass

Analyte	Action Level	Result (µg/g)
Heptane	5000	ND - Pass
Hexane	290	ND - Pass
Isopropyl Alcohol	500	ND - Pass
Methanol	3000	ND - Pass
Methylene Chloride	600	ND - Pass
Pentane	5000	ND - Pass
Propane	2100	ND - Pass
Toluene	890	ND - Pass
Trichloroethylene	80	ND - Pass
Xylenes, Total	2170	ND - Pass

LOD = 20 µg/g

**Analysis Batch:** WO-21051812  
**Analysis Date:** Saturday, May 22, 2021

**Test Method:** SOP 6.8  
**Instrument:** Agilent GC-FID/MS, Instrument 36

#### Comments:

None.

#### Authorization

Steven Perez, Laboratory Director  
Approval Date: 2-Jun-2021



Test results are based solely upon the test article submitted to Americanna Laboratories, LLC in the condition it was received. Americanna Laboratories, LLC warrants that all analytical work was conducted in a professional manner in accordance with the requirements of ISO/IEC 17025:2017, such as comparison to Certified Reference Materials and NIST traceable Reference Standards. This report shall not be reproduced, except in its entirety, without the written approval of Americanna Laboratories, LLC. Test results are confidential unless explicitly waived. Void after 1 year from test end date.

NA=Not Available or Applicable, ND=Not Detected, NT=Not Tested, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure.

- end of report -