

OG Cannabis Products LLC

929 East 4500 South
Millcreek, UT 84117
(801) 792-8415

Personal Intimate Lubrication Cream (CS1 / 1)

Order ID#:	20210512-866	Sample date:	12-May-2021
Lab Code#:	LC-20210512-2222	Date received:	18-May-2021
Product Type:	Topical	Completed:	2-Jun-2021
Unit Amt. (g):	28.3495	Report expires:	2-Jun-2022
Lot #/Batch #:	CS1 / 1		



SAFETY ANALYSIS

PASS Microbials	PASS Mycotoxins	PASS Metals	PASS Pesticides	PASS Solvents
---------------------------	---------------------------	-----------------------	---------------------------	-------------------------

CANNABINOIDS

Analysis Batch: WO-21051807
Analysis Date: Friday, May 21, 2021


Test Method: SOP 6.6
Instrument: Agilent HPLC, Instrument 33

Analyte	% ^a	mg/g	mg/unit
THCA-A	ND	ND	ND
Δ9-THC	ND	ND	ND
CBDA	0.0200	0.1997	5.660
CBD	ND	ND	ND
CBN	ND	ND	ND
CBDV	ND	ND	ND
Δ8-THC	ND	ND	ND
THCV	ND	ND	ND
CBG	0.0032	0.03162	0.8964
CBGA	0.0317	0.3167	8.978
CBC	ND	ND	ND
Total:	0.055	0.5480	15.53

Total THC^b
ND

Total CBD^c
4.96 mg

TOTAL^d
15.5 mg



^a Detection Level = 0.0006% by dry-weight.

^b Total THC is calculated as %THC + (%THCA × 0.877).

^c Total CBD is calculated as %CBD + (%CBDA × 0.877).

^d Absolute sum of all cannabinoids above the level of detection.

Comments:

1 oz. = 28.3495 grams

Authorization




Steven Perez, Laboratory Director
Approval Date: 2-Jun-2021

Test results are based solely upon the test article submitted to Americanna Laboratories, LLC in the condition it was received. Americanna Laboratories, LLC warrants that all analytical work was conducted in a professional manner in accordance with the requirements of ISO/IEC 17025:2017, such as comparison to Certified Reference Materials and NIST traceable Reference Standards. This report shall not be reproduced, except in its entirety, without the written approval of Americanna Laboratories, LLC. Test results are confidential unless explicitly waived. Void after 1 year from test end date.

ND=Not Detected, NT=Not Tested, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure.

- continued -



OG Cannabis Products LLC

929 East 4500 South
Millcreek, UT 84117
(801) 792-8415

Personal Intimate Lubrication Cream (CS1 / 1)

Order ID#:	20210512-866	Sample date:	12-May-2021
Lab Code#:	LC-20210512-2222	Date received:	18-May-2021
Product Type:	Topical	Completed:	2-Jun-2021
Unit Amt. (g):	28.3495	Report expires:	2-Jun-2022
Lot #/Batch #:	CS1 / 1		



MICROBIAL CONTAMINANTS

Analysis Batch:	WO-21051808	Test Method:	SOP 6.11
Analysis Date:	Wednesday, May 19, 2021	Instrument:	Agilent AriaMX, Instrument 43

TEST	REPORT	RESULT	SPECIFICATION
Shiga toxin-producing E.coli (STEC)	Pass	Not present	Not present in 1 g
Salmonella	Pass	Not present	Not present in 1 g
Listeria	Pass	Not present	Not present in 1 g

MYCOTOXINS

Analysis Batch:	WO-21051809	Test Method:	SOP 6.7
Analysis Date:	Tuesday, May 25, 2021	Instrument:	Agilent LC-MS/MS, Instrument 32

ANALYTE	REPORT	RESULT	ACTION LIMIT	LOD	UNIT
Aflatoxin, Total	Pass	ND	0.020	0.005	µg/g
Ochratoxin A	Pass	ND	0.020	0.005	µg/g

* Total Aflatoxin includes B1, B2, G1 and G2.

HEAVY METALS

Analysis Batch:	WO-21051811	Test Method:	SOP 6.10
Analysis Date:	Wednesday, May 26, 2021	Instrument:	Agilent ICP/MS, Instrument 37

ELEMENT	REPORT	RESULT	ACTION LIMIT	LOD	UNIT
Lead	Pass	ND	0.50	0.050	µg/g
Arsenic	Pass	ND	1.5	0.050	µg/g
Mercury	Pass	ND	3.0	0.005	µg/g
Cadmium	Pass	ND	0.50	0.050	µg/g

Comments:

None.

Authorization




Steven Perez, Laboratory Director
Approval Date: 2-Jun-2021

Test results are based solely upon the test article submitted to Americanna Laboratories, LLC in the condition it was received. Americanna Laboratories, LLC warrants that all analytical work was conducted in a professional manner in accordance with the requirements of ISO/IEC 17025:2017, such as comparison to Certified Reference Materials and NIST traceable Reference Standards. This report shall not be reproduced, except in its entirety, without the written approval of Americanna Laboratories, LLC. Test results are confidential unless explicitly waived. Void after 1 year from test end date.

NA=Not Available or Applicable, ND=Not Detected, NT=Not Tested, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure.

- continued -



OG Cannabis Products LLC

929 East 4500 South
Millcreek, UT 84117
(801) 792-8415

Personal Intimate Lubrication Cream (CS1 / 1)

Order ID#:	20210512-866	Sample date:	12-May-2021
Lab Code#:	LC-20210512-2222	Date received:	18-May-2021
Product Type:	Topical	Completed:	2-Jun-2021
Unit Amt. (g):	28.3495	Report expires:	2-Jun-2022
Lot #/Batch #:	CS1 / 1		

PESTICIDES

Analyte	Action Level	Result (µg/g)
Abamectin	0.30	ND - Pass
Acephate	3.00	ND - Pass
Acequinocyl	2.00	ND - Pass
Acetamiprid	3.00	ND - Pass
Aldicarb	0.10	ND - Pass
Azoxystrobin	3.00	ND - Pass
Bifenazate	3.00	ND - Pass
Bifenthrin*	0.50	ND - Pass
Boscalid*	3.00	ND - Pass
Captan	3.00	ND - Pass
Carbaryl	0.50	ND - Pass
Carbofuran	0.10	ND - Pass
Chlorantraniliprole	3.00	ND - Pass
Chloridane*	0.10	ND - Pass
Chlorfenapyr	0.05	ND - Pass
Chloromequat chloride	3.00	ND - Pass
Chlorpyrifos*	0.10	ND - Pass
Clofentezine	0.50	ND - Pass
Coumaphos	0.10	ND - Pass
Cyfluthrin*	1.00	ND - Pass
Cypermethrin*	1.00	ND - Pass
Daminozide	0.10	ND - Pass
Diazinon	0.20	ND - Pass
Dichlorvos	0.10	ND - Pass
Dimethoate	0.10	ND - Pass
Dimethomorph (I/II)	3.00	ND - Pass
Ethoprophos	0.10	ND - Pass
Etofenprox	0.10	ND - Pass
Etoxazole	1.50	ND - Pass
Fenhexamid	3.00	ND - Pass
Fenoxycarb	0.10	ND - Pass
Fenpyroximate	2.00	ND - Pass
Fipronil	0.10	ND - Pass
Flonicamid	2.00	ND - Pass

Analyte	Action Level	Result (µg/g)
Fludioxonil	3.00	ND - Pass
Hexythiazox	2.00	ND - Pass
Imazalil	0.10	ND - Pass
Imidacloprid	3.00	ND - Pass
Kresoxim methyl	1.00	ND - Pass
Malathion	2.00	ND - Pass
Metalaxyl	3.00	ND - Pass
Methiocarb	0.10	ND - Pass
Methomyl	0.10	ND - Pass
Methyl parathion*	0.10	ND - Pass
Mevinphos (I/II)	0.10	ND - Pass
Myclobutanil	3.00	ND - Pass
Naled	0.50	ND - Pass
Oxamyl	0.50	ND - Pass
Pacllobutrazol	0.10	ND - Pass
Pentachloronitrobenzene*	0.20	ND - Pass
Permethrin*	1.00	ND - Pass
Phosmet	0.20	ND - Pass
Piperonyl butoxide	3.00	ND - Pass
Prallethrin	0.40	ND - Pass
Propiconazole	1.00	ND - Pass
Propoxur	0.10	ND - Pass
Pyrethrins	1.00	ND - Pass
Pyridaben	3.00	ND - Pass
Spinetoram (J/L)	3.00	ND - Pass
Spinosad A + D	3.00	ND - Pass
Spiromesifen	3.00	ND - Pass
Spirotetramat	3.00	ND - Pass
Spiroxamine (I/II)	0.10	ND - Pass
Tebuconazole	1.00	ND - Pass
Thiacloprid	0.10	ND - Pass
Thiamethoxam	1.00	ND - Pass
Trifloxystrobin	3.00	ND - Pass

* Denotes analysis by GC-MS/MS

Analysis Batch: WO-21051809
Analysis Date (LC): Tuesday, May 25, 2021
Analysis Date (GC): Monday, May 24, 2021

Test Method: SOP 6.7
Instrument: Agilent LC-MS/MS, Instrument 32
Instrument: Agilent GC-MS/MS, Instrument 34

Comments:

None.

Authorization


Steven Perez, Laboratory Director
Approval Date: 2-Jun-2021



Test results are based solely upon the test article submitted to Americanna Laboratories, LLC in the condition it was received. Americanna Laboratories, LLC warrants that all analytical work was conducted in a professional manner in accordance with the requirements of ISO/IEC 17025:2017, such as comparison to Certified Reference Materials and NIST traceable Reference Standards. This report shall not be reproduced, except in its entirety, without the written approval of Americanna Laboratories, LLC. Test results are confidential unless explicitly waived. Void after 1 year from test end date.

NA=Not Available or Applicable, ND=Not Detected, NT=Not Tested, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure.

- continued -



OG Cannabis Products LLC

929 East 4500 South
Millcreek, UT 84117
(801) 792-8415

Personal Intimate Lubrication Cream (CS1 / 1)

Order ID#:	20210512-866	Sample date:	12-May-2021
Lab Code#:	LC-20210512-2222	Date received:	18-May-2021
Product Type:	Topical	Completed:	2-Jun-2021
Unit Amt. (g):	28.3495	Report expires:	2-Jun-2022
Lot #/Batch #:	CS1 / 1		

WATER DETERMINATIONS

Water Activity

Analysis Batch: WO-21051810
Analysis Date: 25-May-2021
Result (a_w): 0.6871
Instrument: I40

% Moisture

Analysis Batch: WO-21051810
Analysis Date: 25-May-2021
Result (%): 5.19
Instrument: E15

RESIDUAL SOLVENTS

Analyte	Action Level	Result (µg/g)
1,2-Dichloroethane	5	ND - Pass
Acetone	5000	ND - Pass
Acetonitrile	410	ND - Pass
Benzene	2	ND - Pass
Butane	2000	ND - Pass
Chloroform	60	ND - Pass
Ethanol	5000	274.3 - Pass
Ethyl Acetate	5000	ND - Pass
Ethyl Ether	5000	ND - Pass
Ethylene Oxide	5	ND - Pass

LOD = 20 µg/g

Analyte	Action Level	Result (µg/g)
Heptane	5000	ND - Pass
Hexane	290	ND - Pass
Isopropyl Alcohol	500	ND - Pass
Methanol	3000	ND - Pass
Methylene Chloride	600	ND - Pass
Pentane	5000	ND - Pass
Propane	2100	ND - Pass
Toluene	890	ND - Pass
Trichloroethylene	80	ND - Pass
Xylenes, Total	2170	ND - Pass

Analysis Batch: WO-21051812
Analysis Date: Saturday, May 22, 2021

Test Method: SOP 6.8
Instrument: Agilent GC-FID/MS, Instrument 36

Comments:

None.

Authorization



Steven Perez, Laboratory Director

Approval Date: 2-Jun-2021

Test results are based solely upon the test article submitted to Americanna Laboratories, LLC in the condition it was received. Americanna Laboratories, LLC warrants that all analytical work was conducted in a professional manner in accordance with the requirements of ISO/IEC 17025:2017, such as comparison to Certified Reference Materials and NIST traceable Reference Standards. This report shall not be reproduced, except in its entirety, without the written approval of Americanna Laboratories, LLC. Test results are confidential unless explicitly waived. Void after 1 year from test end date.

NA=Not Available or Applicable, ND=Not Detected, NT=Not Tested, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure.

- end of report -