

Wetting SURF SIDE Agent

MONTCO PRODUCTS CORPORATION BOX 251 BEAR CREEK, PA. 18602

(TEL.) 1-800-401-0411 (FAX) 570-235-6204 MONTCOPRODUCTS.COM

GOLF COURSE TREATMENT SCHEDULE

YEARLY DOSAGE RATES

GREENS & TEES: For initial application, start the season early with 16oz/1000sq ft. on your best greens. In season, apply weekly or bi-monthly at the rate of 2-4 oz. per 1000sq ft. on greens, tees, and fairways. Add iron, nitrogen, biostimulants, seaweed, etc. For monthly treatments, put 3 gal. Surf Side 37 in the 100 to 160 gal. spray tank and cover 6 average greens. Follow with syringe or normal watering.

LOCALIZED DRY SPOTS: For the worst of the LDS, mix 6-8oz of Surf Side 37 in 5gal warm water and pour directly onto the LDS. If needed, punch holes to speed up penetration. Drench all turfgrass areas not up-to-standard with 2 quarts Surf Side 37 in 100 gal. water. Watering-in is not necessary. Use hose nozzle or gun. Drench greens, collars, approaches. For heavy mat & thatch, drench to soil interface. With a follow-up syringe, the drench rate can be increased to 2 gal. in 100 gal. water.

FAIRWAYS: Apply 4-8 oz. /1000 sq. ft. monthly. Adjust rates to your conditions. For best results, apply during a steady rain. Problem fairways respond to a maximum rate of 6 gal. Surf Side 37 per acre. Best applied in a steady rain using no less than 100 gal. water in the spray tank. Should the rain stop, follow closely with normal fairway irrigation.

SURF SIDE PELLETT: 8oz/98% active. Don't syringe without them. Keep control of localized dry spots. Revitalize hard-to-wet areas.

SODDING: Surf Side PELLETT'S jumpstart sod and speed return to play. Pellets help knit sod to soil base and move free moisture from soil interface. Pellets promote rooting across interfacial barrier. When laying washed sod, do not use Pellets for all water during establishment.

SEEDING / OVERSEEDING: Add 1quart per acre Surf Side 37 to injector tank at pump station with other nutrients. Inject the solution during the germination period. Aids rewetting dry soil from renovation, gives quicker, more uniform germination and stronger seedlings.

FERTIGATION: Proportion Surf Side 37 in 1:1000 to 1:8000 parts water.


LARGE POTS-TRANSPLANTING FOLIAGE PLANTS: Water-in trees and shrubs with drench solution of 10 oz. Surf Side 37 in 3-6 gal. water per foot of ball. Maximum application rate: 2 times yearly.

HYDRO SEED: Use 1 quart Surf Side 37 in 500 gal. water, provide quicker, more uniform germination.

INJECTION SYSTEMS: Superintendents do pump 70% active Surf Side 37 directly into the irrigation line. However, temperatures above 60° F are required to maintain a flowable viscosity for the suction side of pump. To make a stable solution, the recommended ration for one night's irrigation is 2 parts water to 1 part Surf Side 37. Pour surfactant slowly with constant paddle agitation. Add a nutrient brew of your choice. A bi-monthly application saves on surfactant usage and beats a monthly application in terms of turf quality. For sudden hot, dry, prolonged weather, pump 30 gal. Surf Side 37 on an 18-hole golf course during one night's irrigation.

TANK MIXING: Add Surf Side 37 to spray tank after agitation blades are covered. Do not pour surfactant in screen when tank is full. If product jells in screen, cut with hot water and return to tank. When premixing Surf Side 37 with chemicals, dilute surfactant to a minimum 2 parts water to 1 part surfactant.

WINTER STORAGE: Freezing will not harm product. Thaw until fluid.



Surf Side 37

WARNING
Mild Skin/Eye Irritant
Harmful if Swallowed

Wash hands with soap and warm water after handling. Do not eat, drink or smoke when using this product. Dispose of contents/container in accordance with local, state and federal regulations. See Safety Data Sheet for more information.

First aid:

General: Call a doctor if you feel unwell.
If swallowed: Do NOT induce vomiting. Keep at rest and seek medical attention.
Skin contact: Remove contaminated clothing and wash before reuse. Wash skin thoroughly with soap and warm water.
Eye contact: Immediately flush with copious amounts of fresh water for at least 10 minutes. Seek medical attention if irritation persists.

Montco Products Corp., 878 Railroad Ln., Bear Creek, PA, 18602 Phone: 1-800-401-0411

Non-ionic Soil Surfactant

CONTAINS NON-PLANT FOOD INGREDIENTS:

PRINCIPAL FUNCTIONING AGENTS:

ACTIVE INGREDIENTS:

Nonylphenol Ethoxylate..... 36.8%
Polyethylene Glycol..... 16.7%
Alkoxylate..... 15.4%

INERT INGREDIENTS..... 31.1%

US Volume US Weight

<input type="checkbox"/> 5 gal	46 lbs.
<input type="checkbox"/> 30 gal	275 lbs.
<input type="checkbox"/> 52 gal	477 lbs.

LOT NO:

STORAGE AND DISPOSAL

Store in original container only. Keep container tightly closed; do not allow water to be introduced into the contents of container. Do not contaminate water sources with wash-water runoff from cleaning of equipment. Store material in dry area away from heat and open flame.

For technical information and Safety Data Sheet (SDS), contact Montco Products at 1-800-401-0411 or visit our website at www.montcoproducts.com. Information regarding the contents and levels of metals in this product is available at <http://www.aapfco.org/metals.html>

CONDITIONS OF SALE LIMITATIONS OF LIABILITY AND REMEDIES MONTCO PRODUCTS

The seller is not responsible for varying product performance, injury to applied crops, or damage to other crops, animals, people, or the environment caused by extraordinary weather, unusual precipitation, or failure to follow label directions or good application practices. This product should only be applied according to the label directions by a professional both trained and educated in the use of agricultural chemicals. The seller warrants that this product conforms to the chemical description on the label. The seller makes no other warranties, expressed or implied, concerning the product, including warranties of merchantability or fitness for any purpose. In no event shall any claim for damage or any other recovery of any kind against the seller relating to the handling or use of this product exceed the price of the product that caused the alleged claim.

SPILLS: Soak up with sand or earth or industrial absorbent.

NOT A PLANT FOOD INGREDIENT: DO NOT SPRAY ON EDIBLE PLANTS OR FRUITS.

ALL SURF SIDE TREATMENTS, WITH OR WITHOUT OTHER CHEMICALS, SHOULD FIRST BE APPLIED TO A TEST PLOT AREA UNTIL CONFIDENCE IN THE SAFETY OF THE BLEND IS ESTABLISHED.

NOT TO BE USED WITH A PESTICIDE

NJTSRN231988571-5000

PROUDLY MANUFACTURED IN THE USA

