

PATIO DOOR



by OKNA Windows



OKNA



2-PANEL 

ELEGANTE 

The Elegante | 8800 Patio Doors are an ideal solution for adding light to any room while making the most of limited space. Available in replacement and new construction applications, this elegant design combines the security of structural integrity and the comfort of energy efficiency. A host of options increase the versatility of this product. Elegante Patio Doors are available in Standard Euro-White, Optional Almond, and our beautiful optional wood laminates.

Standard 2-panel unit widths include 59 1/4", 71 1/4", & 95 1/4".




FORESTER 


The perfect blend of beauty and functionality. Our Forester | 8200 Patio Doors combine our incredible structural and thermal performance features while maintaining the traditional look of a true wood door. This door is built using a butt-joint weld, showcasing traditional joinery with the benefits of advanced fusion welding. Forester is available in Standard Euro-White, Optional Almond, and our beautiful laminates.

Standard 2-panel unit widths include 59 1/4", 71 1/4", & 95 1/4".


FEATURES & OPTIONS FOR **ELEGANTE** , **FORESTER** , **PANORAMA**  **E**  **F** , & UNLESS OTHERWISE NOTED.



Anodized Aluminum Track/Threshold
Screen & roller tracks and threshold for increased strength, durability, and longevity.




Interlocking Meeting Rail
Quadruple weatherstripping, controls air/water/dust/noise infiltration. Full-length heavy gauge reinforcements for rigidity and strength.



Thermally Welded Main Frame
Multichambered 5 3/8" main frame, superior strength and insulation. Better thermal efficiency with optional foam.




Precision-Bearing Tandem Rollers
Operating panels are equipped with adjustable composite precision-bearing tandem rollers for smooth and quiet operation.



ThruVision PLUS® Screens
Our fiberglass improved-visibility screen (above), providing both durability and a less obstructed view than the industry average (below).

Patio Door Pet Screen *Optional*

"Pet Screen"* is seven times stronger than traditional insect screening and offers excellent outward visibility. Ideal for those areas prime for potential damage and heavy wear in high-traffic areas.



*Available on Patio Doors only.

Multipoint Locking System *Optional*

Upgrade with optional Multipoint Locking System*, with four locking points for added security and used with locking exterior hardware only.

*Multipoint Locking System are standard with 4-panel Patio Doors.

Foot Lock *Optional*

Our push button spring-loaded foot lock is easy to lock and can be set to allow ventilation while having extra security.

Available in:



Euro-White Almond Cocoa Black**

**Available for Onyx Black 8200/9200 only.

Retractable Mini Blinds *Optional*

Installed between the glass, retractable Mini Blinds allow light and privacy control by raising, lowering, and adjusting tilting.

Available on Elegante and Forester Patio Doors, for 5' & 6' only.



4-PANEL

PANORAMA E F



Panorama joins the Patio Door Collection, offering a center-opening, 4-panel unit for replacement or new construction applications, with Multipoint Locking System that provides four locking points for increased security. Panorama is available as 9000PD with **ELEGANTE** corner welding or as 9200PD with **FORESTER** butt joints for a traditional true-wood appearance.

Catalogue 4-panel unit widths include 107 1/4", 116 1/4", & 140 1/4". Maximum custom width 144". Maximum custom height 96". Standard Multipoint Locking System and Euro-White hardware.

TAKE A GOOD, LONG

LOOK

COLOR Selections

OKNA offers six beautiful interior laminates in addition to our solid Almond and standard Euro-White, along with seven optional exterior stock colors and custom exterior colors from a virtually unlimited selection of environmentally safe and durable paints.

Solid Color

Same Interior and Exterior Colored Vinyl

Two-Tone

Different Interior and Exterior Color

VINYL

Euro-White Standard	Almond Optional

INTERIOR LAMINATES

Natural Optional	Winchester Optional	Melrose Cherry Optional	Dark Oak Optional	Onyx Black Optional*


Exterior Painted Colors

Almond Optional	Sandstone Optional**	Terra Brown Optional**	Cocoa Optional	Basic Brown Optional**	Bronze Optional	Nicol's Black Optional**	Custom Colors Optional

* Not available for Elegante | 8800 or Panorama E | 9000 Patio Doors. ** Surcharge applied for painted screens. All colors except Euro-White are available at an additional charge. Printed colors may not match the product's color. Please visit a local dealer to view color samples.

Merit Lock System

Our standard is a classic patio door handle that will match any home decor.



Intuition Lock System

The ergonomic ONE-MOTION operation allows unlock/open in a single fluid motion.



Euro-White Standard
Almond Standard on Winchester
Cocoa Standard on Melrose Cherry and Dark Oak
Antique Brass Optional
Brushed Nickel Optional
Matte Bronze Optional (Standard on Onyx Black Laminate)

Coastal hardware available for coastal regions.

Exterior Hardware

We offer two options for exterior hardware on your patio door, locking and non-locking*. If you have a custom exterior color on your patio door, we will pick one of the hardware options to best match the color. Exterior hardware selections are available in the following 4 colors:



*4-Panel Patio Doors automatically use locking exterior hardware with their standard Multipoint Locking System.

Grids *Optional*


GBG (Grids Between Glass) consist of aluminum bars sealed in the insulating airspace between the two panes of glass... maintaining a flat glass pane surface that makes cleaning easy. GBG grids on two-tone windows are available with matching interior and exterior colors.*

SDL (Simulated Divided Lites) are attached to the insulated glass surface, creating additional dimension and the appearance of individual lites. Interior grids are available in a Euro-White or Laminate. External grids are available in Euro-White or colors to match products exterior.**

* Nicol's Black available in Euro-White two-tone 11/16" Contour Grid ONLY. Custom Colors are not available for GBG.


** Available for double pane only. Not available for triple pane glass.

OPTIONS | SIZING



Flat Grids Between Glass (GBG) Contour Grids Between Glass (GBG) Simulated Divided Lites (SDL)

TYPE



5/8" Flat GBG
Euro-White/Euro-White & Almond/Almond Only.


11/16" Contour GBG

13/16" Flat GBG
Euro-White Only.

1" Contour GBG
*Double IGU Only, Euro-White Only.

7/8" SDL
*Double IGU Only.

PATTERN



Colonial **Prairie** **Diamond**
Available only with 5/8" Flat (GBG).

Specialty Glass *Optional*


OKNA offers specialty glass in a variety of distinctive choices that add visual interest to any design while offering variability in light control. Shown below is our Obscure textured glass. With a range of options at your fingertips, you can find the glass choice for your application and aesthetic, from traditional to modern. Here are available glass options:

- Textured**
For increased privacy (See right.)
- Tempered**
For increased strength
- Laminated**
For increased impact resistance and noise reduction
- Custom Configuration**
For more aesthetic choices



Obscure

CATALOGUE SIZES & CLEAR OPENINGS



The Glass Unit

The glass unit about 90% of the whole window and is one of the most important elements. Your decision will dramatically affect your living comfort and expenses for many years.

Examples of Condensation


Excess condensation will cause water, ice, and mold to collect on your windows. The right spacer can significantly reduce the risk of condensation and its aftermath.



Metal Spacer **HeatSeal® Spacer**

High Performance Reflective Glass Coatings


HeatSeal® heat reflective coatings are microscopically thin layers of metal & metal oxide that act like a filter – some energy is transmitted, some energy is reflected.



High Performance HeatSeal® Spacer


A spacer separates the panes in an insulated glass unit, sealing the gas within its space. The main disadvantage to metal spacers used by most in the industry is energy loss and condensation.

OKNA's HeatSeal® Spacer and sealant system is made with six individual non-metallic components, produced in a controlled factory setting. It is IGU-ready out of the box, applied in a one-step process by OKNA's state-of-the-art robotic assembly line that seals the unit with heat and compression. HeatSeal® helps your home achieve the warmest glass and least condensation possible.




Super Spacer® is a registered trademark of Edgetech I.G., Inc/ - Intercept® is a registered trademark of PPG Industries, Inc. DuraSeal is a registered trademark of TruSeal Technologies, Inc. Swiggle is a registered trademark of TruSeal Technologies, Inc. Simulation performed by Enermodal engineering, Ltd. using Window 5.2. All air spaces are 0.562" wide 0.033 emittance low-E glass.


HEATSEAL® GLASS



HEATSEAL® TRIPLE GLASS



SUNSEAL® GLASS



In climates where heating and cooling are the primary concern, HeatSeal® Glass products are designed to take advantage of free solar heat, resulting in higher inside glass temperature. Passive solar and thermal insulation reduce the draft sensation caused by cold glass surfaces, providing windows that reduce heating costs.

In climates where cooling is your main concern, SunSeal® Glass products are designed to reduce solar heat while still providing color neutrality. This solar control property, combined with thermal insulating benefits, results in beautiful, natural-looking glass that helps keep air conditioning costs low.

TOMORROW'S WINDOWS TODAY

ELEGANTE 71



Euro-White
Standard

FORESTER 71



Melrose Cherry
Optional

PANORAMA E 71



Euro-White
Standard

PANORAMA F 71



Onyx Black
Optional*

* Not available for Elegante | 8800 or Panorama E | 9000 Patio Doors.

THERMAL PERFORMANCE

Please use the QR code or the text link to access the most up-to-date Patio Door thermal performance numbers.



PATIO DOOR
8800PD/8200PD



PATIO DOOR
9000PD/9200PD



OKNA Windows products within this series have been recognized as the **Most Efficient of ENERGY STAR 2025**.

*XR9: Triple pane glass, 15/16" XR10: Triple pane glass, 15/16" XR13: Triple pane glass, 1-3/16", PD Only XR14: Triple pane glass, 1-3/16", PD Only XR15: Triple pane glass, 1-1/16" | AG: Argon Gas KR: Krypton Gas
Numbers are based off of windows tested without grids. | The results are based on a tested window sample by AAMA testing window guidelines. Title of Test & Method: Air Infiltration - ASTM E 283 75 PA - (1.6 psf) 25 mph.*



OKNA

All illustrations, photographs, and specifications in this publication are based on the latest product information available at the time of printing. Some windows shown with optional features. See actual product for complete accuracy. The manufacturer reserves the right to alter or discontinue any model or specification without notice. Printed colors may not match the product's actual color. Please visit a local dealer to view actual color samples.



8/2025

OKNA Windows | 400 Crossings Drive, Bristol, PA 19007 | P **215-788-7000** F **215-781-1166** | oknawindows.com