



MANIFEST YOUR OUTER HOME



Therma-Tru. Manifest your outer home.

We reinvented the door, so you can reinvent your first impression.

Thanks to decades of material science expertise, Therma-Tru® doors are made from super-natural, better-than-nature materials proven to outlast and outperform wood and steel.

Therma-Tru doors seamlessly blend beauty and durability to add incredible value and stunning curb appeal. They're designed to enhance your home's aesthetic and character, and keep their allure season after season. Choosing a Therma-Tru door means designing an inspired entrance with the confidence that it will perform for years to come.



**Uncompromising quality,
inside and out.**

FIND YOUR FAVORITE DOORS

Throughout the catalog you'll find doors organized by glass shape (largest to smallest), followed by glass design, and then texture.

Table of Contents

Introduction	2-27
NEW Products	4-9
Therma-Tru® Thrive	10-11
Curb Appeal	12
Door Selections	13-15
Door System Components	16-17
Tru-Defense®	18-19
Safety & Security.....	20-21
Decorative & Specialty Glass	22-25
Impact-Rated Products	26-27
Patio, Storm & Vent	28-33
Hinged Patio Door Systems	28-29
Retractable Screen Doors	30-31
Impressions™ Integrated Storm & Entry Door System	32-33
Veris Collection Overview	34-43
Classic Craft®	44-107
Decorative & Specialty Glass	52-59
Accessories	60-61
Hinged Patio Doors	104-107
Fiber-Classic® & Smooth-Star®	108-215
Decorative & Specialty Glass	114-121
Accessories	122
Hinged Patio Doors	210-215
Steel	216-239
Profiles™	218, 221-233
Traditions	218, 234-239
Decorative & Specialty Glass	219-220
Fire Doors	240-243
Pulse®	244-257
Finish Options	258-264
PrismaGuard® Stain & Paint	258-263
Same-Day® Stain Kit	264
Door System Components	265-279
Special Quote Program	280
3'6" Width Options Chart	281
7'0" & 6'6" Height Options Charts	282-283
Product Details	284-285
Index	286-298
Trade Resources	299

NEW Flush-Glazed Half-Lite 1-Panel Shaker Doors & Sidelites for Smooth-Star® Doors



Classic Shaker-style charm.

Capture the beautiful simplicity of Shaker style with half-lite 1-panel Shaker doors and sidelites with flush-glazed glass. Available with privacy and textured, energy-efficient Low-E glass and divided lite styles.

Available in Smooth-Star, starting on page 133.

7'0" sizes available Q3 2024.



Residential



Multi-Family / Commercial




EnLiten™ Flush-Glazed Warranty Riders

See page 123 for details on the EnLiten Flush-Glazed Rider for Construction & Installation, and the EnLiten Flush-Glazed Rider for Homeowners.

Note: Smooth-Star products used in multi-family or commercial settings are backed by a 3-year limited warranty. See your Therma-Tru seller or visit thermatru.com for details on available product sizes and options, limited warranties and exclusions, Riders and ENERGY STAR qualified products.

NEW Door Divider Bar (DDB) & Simulated Divided Lite (SDL) Styles for Smooth-Star® Doors



On-trend design, timeless style.

Discover new ways to bring popular Shaker charm to the entry. New DDB and SDL styles for flush-glazed full-lite and solid-panel Shaker-style doors blend on-trend contours with purposeful Shaker design to complete the look of Contemporary and Modern home styles.

Available in Smooth-Star, starting on page 126.




EnLiten™ Flush-Glazed Warranty Riders

See page 123 for details on the EnLiten Flush-Glazed Rider for Construction & Installation, and the EnLiten Flush-Glazed Rider for Homeowners.

Note: Smooth-Star products used in multi-family or commercial settings are backed by a 3-year limited warranty. See your Therma-Tru seller or visit thermatru.com for details on available product sizes and options, limited warranties and exclusions, Riders and ENERGY STAR qualified products.

Top: Smooth-Star Door – S5701; Satin Etch Glass, Sidelite – S2000XESL, Finish – Elk

NEW Impact-Rated Full-Lite Flush-Glazed Glass Designs for Smooth-Star® Doors



More light along the coast.

Enjoy the clean style and increased daylight opening of full-lite EnLiten™ flush-glazed glass, now engineered to withstand extreme weather conditions.* Available with privacy and textured, energy-efficient Low-E glass and a wide selection of simulated divided lite styles.

Available in Smooth-Star, starting on page 128.

Available Q3 2024.



Residential



Multi-Family / Commercial



WBDR Options**

EnLiten™ Flush-Glazed Warranty Riders

See page 123 for details on the EnLiten Flush-Glazed Rider for Construction & Installation, and the EnLiten Flush-Glazed Rider for Homeowners.

*Product approvals show that the door system meets applicable codes when selected, assembled and installed as instructed.

**Must be installed as part of a Therma-Tru door system in compliance with a Therma-Tru Impact-rated product approval.

Note: See your Therma-Tru seller or visit thermatru.com for product approvals and installation instructions, details on available product sizes and options, limited warranties and exclusions, Riders and ENERGY STAR qualified products. Always confirm building code requirements in your area before buying. Follow weather and news reports to assess severe weather situations and obey local authorities' shelter and evacuation orders. No product guarantees safety for persons or property, nor makes any premises hurricane- or impact-proof.

Advanta® Lite Frame***

for Fiber-Classic®, Smooth-Star®, Profiles™, Traditions & Pulse®.



The Advanta lite frame is a patented design, U.S. Patent No. 10,655,382.

Four-piece design includes two interchangeable frame covers and a two-piece base frame.


A new frame of mind.

Achieve a seamless look with the Advanta lite frame, an innovative, patented solution from Therma-Tru. Avoid the unsightly look of missing screw plugs and enhance the beauty of your home's entryway.

Available in scrolled and flat frame options for Fiber-Classic and Smooth-Star, starting on page 139; Profiles and Traditions, starting on page 221; and Pulse, starting on page 248.

AVAILABLE LITE FRAME SIZES

Fiber-Classic® / Smooth-Star® / Profiles™ / Traditions / Pulse®.



AVAILABLE GLASS OPTIONS

Glass options vary by size.

- Decorative Glass**
- Privacy & Textured**
- Internal Blinds**
- Divided Lites**
- Clear / Low-E**



Fiber-Classic,
Smooth-Star,
Pulse Fiberglass



Profiles, Traditions,
Pulse Steel



***See your Therma-Tru seller for details on product availability.

Note: See your Therma-Tru seller or visit thermatru.com for details on available product sizes and options, and limited warranties and exclusions.

NEW 8'0" Smooth-Star® Doors & Sidelites with Elevated Bottom Rail



Classic style – elevated.

Our assortment of popular Smooth-Star doors and sidelites expands to include new elevated bottom rail options. The new flush-glazed full-lite sidelite features a 10" bottom rail to match doors with elevated bottom rails for a consistent look across the door system. The new 8'0" 2-panel square top Shaker-style door offers new ways to bring transitional style to tall entries.

Available in Smooth-Star, starting on page 207.

Door available Q3 2024.



Residential



Multi-Family / Commercial



Fire-Rated Options

Minimum 10" Bottom Rail



8'0" 2-Panel Square Top Shaker Door



8'0" Flush-Glazed Full-Lite Sidelite

Note: Smooth-Star products used in multi-family or commercial settings are backed by a 3-year limited warranty. See your Therma-Tru seller or visit thermatru.com for details on product sizes and options, limited warranties and exclusions, Riders and ENERGY STAR qualified products.

NEW 8'0" Smooth-Star® Flush-Glazed Doors with Internal Blinds & Elevated Bottom Rail



More natural light. No compromises.

A durable, on-trend solution for multi-family dwellings, the 8'0" Smooth-Star flush-glazed full-lite door with internal blinds delivers privacy and convenience. Now with an elevated bottom rail to meet ADA applications**, this door is ideal for the patio and back of the home.

Available in Smooth-Star, starting on page 126.



Residential



Multi-Family / Commercial

EnLiten™ Flush-Glazed Riders
for Construction & Installation, and Homeowners



8'0" Flush-Glazed Full-Lite Door

Elevated Bottom Rail
U1: 10-1/4"
Book / Hybrid: 10-15/32"

**For ADA compliance, door must be 3'0" wide.

Note: Smooth-Star products used in multi-family or commercial settings are backed by a 3-year limited warranty. See your Therma-Tru seller or visit thermatru.com for details on available product sizes and options, limited warranties and exclusions, Riders, ENERGY STAR qualified products, product approvals and installation instructions. Please verify that there is a Therma-Tru product approval for the configuration before buying.

Top: Smooth-Star, Internal Blinds, Doors - S82600, Finish - Alpine

Together, let's make a world of difference.

We're doing our part to build a better world, every chance we get. Therma-Tru® Thrive is our commitment to make safe and sustainable products, support the communities where we live and work, and leave a positive, lasting impact on the environment.

THERMA TRU
THRIVE™

Making life better at home.

Our complete door systems are built to help protect against energy loss and break-ins, helping people stay safe and comfortable at home.

Fiberglass doors have up to four times the insulating R-Value of wood*. Ours feature a polyurethane foam core, an **energy-efficient insulating material**.

5+ years on the leading edge of the industry, **reducing harmful chemicals** from our PrismaGuard® paints and stains.

Our door systems are **tested for 300 lbs. of forced-entry resistance**. (AAMA 1304)




Helping take care of our planet.

Across all our facilities, we're finding innovative ways to reuse waste materials and expand our recycling efforts.

Therma-Tru is proud to be **recognized as the 2023 Brand Leader**** by *Green Builder* magazine for offering durable, well-insulated products.

More than 50% of our fiberglass and steel door end rails are made from **over 90% recycled or scrap material**.



Being a good neighbor.

For over 40 years, we've been proud to partner with 100+ local and national organizations to make a positive impact on the places we all call home.

Building homes for those in need with Habitat for Humanity.

Providing entryways for our nation's wounded vets with Jared Allen's Homes for Wounded Warriors.

Hosting blood and donation drives to support the American Red Cross.



*Comparison of fiberglass to wood doors (both without glass).
**Brand Index, 2023 *Green Builder* magazine.

Make a Smart Investment

Therma-Tru® Doors



Make a great first impression.

A front door is nearly impossible to ignore when walking into a home, and for potential homebuyers, first impressions are critical. How attractive a home is from the exterior tends to set expectations for the interior and beyond.

In fact, in a recent survey, **44% of homeowners said they were more likely to purchase a home with an enhanced entry**, and one in three homeowners said they were willing to pay a premium for one.*



One in three homeowners said they were willing to pay a premium for an enhanced entry.*

*Not a guarantee of investment returns, increase in value or selling price. See 2021 Therma-Tru National Home Valuation Study surveying real estate agents about perceived remodeled home value estimates based on exterior appearance. Not based on actual home sales data. Results may vary based on region, door style and home style. Study was commissioned by Therma-Tru and conducted by the Farnsworth Group, an independent research provider.

**Manufacturer's Test Facility Quality Assurance Validation Program, Architectural Testing, Inc.

Note: See your Therma-Tru seller or visit thermatru.com for details on available product sizes and options, limited warranties and exclusions, and installation instructions.

The Beauty of Choice

The architectural beauty of a Therma-Tru® door is easy to see. With the look of real wood, rich panel details and intricate, handcrafted decorative glass designs, there are thousands of possibilities to suit the style of a home and express a homeowner's personal style.



DOOR SELECTIONS

Find choices in design, texture and material with many configurations available to find the ideal door system. More on pages 14-15.



FINISH OPTIONS

Complete the desired look with stain or paint. Explore a variety of colors from PrismaGuard® premium finish and Same-Day® stain on pages 258-264.



DECORATIVE & SPECIALTY GLASS

Complement any Therma-Tru door with a variety of glass shapes and designs. More on pages 22-25.



DOOR SYSTEM COMPONENTS

Have confidence in a door system made with genuine Therma-Tru components to meet the needs of many applications. More on pages 16-21.

Designed for peace of mind.

LIFETIME LIMITED WARRANTIES

We stand behind more parts and for longer than most other door companies because we make or specify everything that goes into our door system. A Therma-Tru fiberglass door system is backed by our comprehensive lifetime limited warranties.



QUALITY TESTING

Our doors, glass and components undergo thorough testing to help ensure they will live up to a homeowner's toughest quality and performance expectations.

We even have our own engineering lab – approved to perform specific test methods with a third-party witness** – as part of our ongoing commitment to ensuring that our products live up to our high standards for durability and reliability.

Door Selections

Choose from our many door selections to complement the architectural style of the home from the front entry to the back patio. The possibilities are endless from fiberglass and steel materials to wood-grained and smooth textures to stainable and paintable finishes.

The Classic Craft® Series Pages 44-107

Revel in the handcrafted look and feel of a premium fiberglass entryway with true-to-wood origins. Discover exquisite textures with grains hand-selected from the finest natural wood species and meticulously recreated with our revolutionary AccuGrain® technology.



Fir Grain
Formerly Classic-Craft American Style



Walnut Grain



Mahogany Grain
Formerly Classic-Craft Mahogany & Rustic



Canvas

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See your Therma-Tru seller or visit thermatru.com for details on limited warranties and exclusions.


Bottom: Classic Craft Mahogany Grain, Low-E Glass with SDLs, Doors – CCM8306CAL, CCM8306CAR, Finish – Driftwood

Fiber-Classic® Collections Pages 108–215

The industry's first fiberglass door delivers the look and feel of real Mahogany and Oak with excellent performance and value.



Mahogany Collection™



Oak Collection™



Smooth-Star® Pages 108–215

A smooth, ready-to-paint fiberglass door that offers excellent performance and value.



Smooth-Star.



Steel Pages 216–239

Bring style and affordability together to create very attractive results with our steel doors.



Profiles™

10 YEAR LIMITED WARRANTY
Door & Glass



Traditions

5 YEAR LIMITED WARRANTY Door
10 YEAR LIMITED WARRANTY Glass

Pulse® Pages 244–257


A contemporary series of door styles and glass designs that can be combined to make a bold statement.



Ari



Línea




Echo


Engineered to Work Together

Our complete door systems feature doors, glass and components engineered to work together to resist leaks and drafts, and help maintain energy efficiency and weather resistance.






1 Weatherstrip is engineered in a variety of profiles to provide the best possible fit with our door systems, helping to deliver a precise seal between the **door** and **frame**. In addition, a rot-free Therma-Tru **composite door frame*** delivers extra protection from the damaging effects of moisture.




2 Sill and bottom sweep form a tight seal against wind-driven moisture infiltration at the bottom of the door system and help channel moisture away from the home. **Sill pan** (recommended) adds an extra layer of protection to help keep moisture away from the subfloor.




3 Corner seal pads (inswing only) complete the seal between the **sill cap, bottom sweep** and **weatherstrip** to help block potential pathways where wind-driven moisture can infiltrate the bottom corner of the door system.




4 Hinges position the **door** to properly compress the **weatherstrip** to help form a tight, even seal against air and moisture infiltration when the door closes.



5 Multi-point locking system (recommended) engages the door and frame at three points from top to bottom for enhanced security while helping to preserve the **weatherstrip's** seal even under wind pressure.



6 Lip-lite frame (shown right) features a **compression seal** against weather on the outside of the **door** and an **adhesive seal** against weather on the outside of the **glass**. **Flush-glazed glass** (shown left) is built directly into the door without a Lip-lite frame, featuring a **high-performance adhesive weather seal** inside and out.



Composite Door Frame*

featuring Tru-Guard™ Composite Technology

Therma-Tru® composite door frame featuring Tru-Guard composite technology provides a rot-free solution engineered to work together with rot-resistant Therma-Tru doors and components.



Tru-Defense® Warranty Rider


A Therma-Tru® door system with Tru-Defense system components is a high-performing door system backed by a lifetime limited warranty and a comprehensive Tru-Defense Warranty Rider.



Tru-Defense: The Ultimate Protection

More than beautiful doors and glass, a complete door system includes the components used to assemble it. We manufacture or specify every aspect of a complete door system. The Therma-Tru genuine components in a Tru-Defense door system are our premium options for long-lasting durability.

DOUBLE YOUR PEACE OF MIND

When it comes to door systems, we believe that proper installation is just as important as having the best components. A Tru-Defense door system installed by a Therma-Tru Certified Door System Installer doubles your reimbursement eligibility should an issue arise.* Look for the  icon.

CERTIFIED
DOOR SYSTEM
INSTALLER

THERMA-TRU®
DOORS

*The Rider does not warrant workmanship of anyone who assembles or installs a Tru-Defense door system, including Therma-Tru Certified Door System Installers, nor any damages caused by improper handling, assembly or installation.

**Latch and deadbolt must meet Therma-Tru specifications.

Note: See your Therma-Tru seller or visit thermatru.com for details on limited warranties and exclusions.

Top: Classic Craft Canvas, Provincial Glass, Door - CCV10028, Sidelites - CCV108SL, Transom - CC420T, Finish - Chestnut

Required Components for Tru-Defense Door System

with Therma-Tru Fiberglass Door Slab & Components




DOOR FRAME ✦

Provides a solid structure for the door slab and components. Recommended: Therma-Tru Composite Door Frame



CORNER SEAL PADS ✦ (Inswing Only)

Fit securely behind the weatherstrip to help block wind-driven moisture infiltration at the bottom corner of the door system.



COMPOSITE ADJUSTABLE SILL ✦

Provides a solid stepping surface and forms a tight seal at the bottom of the door system to help channel moisture away from the home.



WEATHERSTRIP ✦

Features a resilient design to help deliver a precise seal between the door and frame.




BOTTOM SWEEP ✦ (Inswing Only)

A dual-bulb, dual-fin design helps maintain tight contact with adjustable sill caps and creates added barriers against moisture.



ASTRAGAL ✦ (Double Doors)

Covers the margin between double doors to help complete the seal against air and moisture infiltration, with aluminum construction for stability, holding power and durability.



HINGES ✦

Ensure smooth operation and position the door so it creates a tight seal with the weatherstrip when closed.



RAIN GUARD ✦ (Outswing Only)


Creates a barrier at the top of the door to protect against moisture infiltration.

Recommended Components



MULTI-POINT LOCKING SYSTEM ✦ (MPLS)

Engages the door and frame at three points from top to bottom for enhanced security and sealing.



SILL PAN ✦

Adds an extra layer of protection to help keep moisture away from the subfloor; protects flooring by catching and draining water in the event of infiltration.

Levels of Reimbursement

System Components	Reimbursement Eligibility	Reimbursement Eligibility with a Certified Installer
Latch & Deadbolt (No Sill Pan)**	\$250	\$500
Latch & Deadbolt with Sill Pan**	\$500	\$1,000
MPLS (No Sill Pan)	\$1,000	\$2,000
MPLS with Sill Pan	\$1,250	\$2,500

Baseline components required to qualify for the Tru-Defense Warranty Rider.


Fiberglass Door Systems Built for Safety & Security

Protect the home and everything in it, from family and pets to valuables and keepsakes. Therma-Tru products are designed for durability and enhanced security with pieces and parts engineered as a complete system.


Did you know?



On average, a home is burglarized in the U.S. every 45 seconds.¹



More than half of home burglaries occur during the daytime.²



How do burglars enter the home?

34% Front Door³
22% Back Door³


THERMA-TRU® COMPOSITE DOOR FRAME

More reliable and up to 50% stronger on average than standard wood door frames when withstanding a simulated forced entry attempt by kicking in the door.*

- Features full-length jambs with no finger joints for more reliable performance, and a continuous composite material that will not deteriorate over time, like wood.
- Entries with a wooden door frame are more susceptible to being kicked in as compared to a Therma-Tru composite door frame, giving burglars access to your home within seconds.
- Wood jambs typically have finger joints. These areas where two pieces of wood come together are structurally weaker when compared to a single continuous material that runs the entire length of the jamb.



Scan to see our products put to the test.



Therma-Tru Wood Jamb

Therma-Tru Composite Jamb

*Comparison of pendulum impact test results for Therma-Tru composite door frame and standard finger-jointed Pine wood door frame, both with similar pre-hung doors.

**Comparison of pendulum impact test results for Therma-Tru doors in steel versus fiberglass. Visit thermatru.com for details.

¹Source: FBI Uniform Crime Reporting Program, "2019 Crime in the United States."

²Source: FBI Uniform Crime Reporting Program, "2019 Crime in the United States," Table 7.

³Source: asecurelife.com

THERMA-TRU FIBERGLASS DOOR SLAB

Up to 30% more resistant to kick-ins than standard steel doors.**

Features durable construction that can withstand impact by absorbing and deflecting the force.**

- Built with enhanced lock blocks to help ensure proper handleset reinforcement, combined with lock and hinge stiles that increase rigidity and stability.
- Will not dent or rust, nor will it warp, split, crack or rot.

THERMA-TRU GLASS

- Options feature double- or triple-pane construction and include two panes of tempered glass for enhanced safety and performance.



Pendulum Impact Test

Material Myths: Think steel is stronger? Think again.

- While many people assume steel doors are the most secure against forced entry, Therma-Tru fiberglass doors are up to 30% more resistant to kick-ins than standard steel doors.**
- Standard steel doors can dent and bow, which leads more quickly to product failure. Therma-Tru fiberglass doors feature durable construction that can withstand impact by absorbing and deflecting the force.**
- Wood doors and steel doors may weaken over time with exposure to the elements.



Decorative & Specialty Glass

A Therma-Tru® door system with decorative glass can create an entrance that makes a statement — one that says the homeowner has high standards for style, quality and craftsmanship.

- Our wide array of glass designs, from simple to intricate, reflect the home design trends and homeowner desires of today and tomorrow.
- Our glass designs are researched in the market to ensure they are highly rated in consumer preference.
- Our decorative glass is handcrafted and built with all-glass bevels for premium quality.
- Numerous glass colors, textures, shapes and coming options are available to complement any door.
- All Low-E and clear glass panels are tempered or laminated to provide added safety.

Note: See your Therma-Tru seller or visit thermatru.com for details on ENERGY STAR qualified products.



Contributes to an energy-efficient home.

TRIPLE-PANE CONSTRUCTION

All triple-pane decorative, as well as privacy and textured, glass panels are enclosed between tempered glass, offering superior quality and thermal performance.



Internal Blinds

Enjoy the privacy and convenience of a cordless blind enclosed between glass. Control the desired level of light and privacy with the simplicity of a single handle.

- Protected between two panes of tempered glass for enhanced safety and performance.
- With no dangling cords, this is a kid- and pet-friendly choice.
- Blinds remain dust free, and glass is easier to clean than traditional blinds.
- Available options include Low-E glass for energy efficiency, EnLiten™ flush-glazed designs and Impact-rated options.

Available in Fiber-Classic®, Smooth-Star®, Profiles™ and Traditions doors and sidelites.

Right Page: Smooth-Star, Clear Glass with SDLs,
Door – S6042, Finish – Alpine

Privacy & Textured Glass

Therma-Tru doors and sidelites can be fitted with our beautiful privacy and textured glass. This versatile assortment aligns with personal style and homeowner desires for privacy while allowing natural light to brighten the interior.

- All privacy and textured glass options are triple-pane, providing thermal efficiency.
- Triple-pane construction also allows for an easy-to-clean surface.
- Available with two Lip-lite frame options, as well as seamless flush-glazed options, in select doors.

Available in Classic Craft[®], Fiber-Classic[®], Smooth-Star[®], Profiles[™], Traditions and Pulse. doors and sidelites.



Low-E Glass

Factory-coated Low-E glass delivers exceptional energy efficiency. Available in Classic Craft, Fiber-Classic, Smooth-Star, Profiles, Traditions and Pulse. Look for the (☀️) icon.



Divided Lites



Enhance the beauty of any home with a variety of divided lite options for entry and patio doors. Tailor the look with different texture, profile, width and color choices.


- Coordinate with the home's window patterns and architectural details for a cohesive look and increased curb appeal.
- Available divided lite options include simulated divided lites (SDLs), grilles between glass (GBGs) and fixed grilles.
- Available glass options include elegant privacy and textured, as well as energy-efficient Low-E and clear glass.

Available in Classic Craft[®], Fiber-Classic[®], Smooth-Star[®], Profiles[™] and Traditions.

EnLiten™ Flush-Glazed Designs

for Classic Craft®, Fiber-Classic® & Smooth-Star® Doors & Sidelites

Simplified beauty. Resilient designs. With clean lines and seamless construction, EnLiten flush-glazed designs are perfect for today's homes. Built for long-term performance, these doors and sidelites feature the sleek looks homeowners want and the stylish around-the-home solutions they need. Look for the ( ) icons.



STRENGTH IS BUILT IN

Our doors are durable by design. Flush-glazed glass represents a trouble-free solution that provides a superior barrier against the elements, resulting in performance you can depend on.



*Comparison of U-factor values of a flush-glazed full-lite door and a Lip-lite full-lite door, both with Low-E glass.

**Must be installed as part of a Therma-Tru door system in compliance with a Therma-Tru product approval. Check product approvals before purchasing.

Note: See your Therma-Tru seller or visit thermatru.com for details on available product sizes and options, limited warranties and exclusions, and Riders.

Left Page Top Left: Classic Craft Fir Grain, Satin Etch Glass with SDLs, Doors - CCA82320XE, Finish - Raven

Left Page Bottom Left: Smooth-Star, Chinchilla Glass with SDLs, Door - S2104XJ, Finish - Granite

Left Page Bottom Right: Smooth-Star, Internal Blinds, Doors - S2600

Right Page: Smooth-Star, Granite Glass with SDLs, Door - S83400XN, Sidelites - S85225XNSL, Finish - Peregrine



DURABLE BY DESIGN

Double- or triple-pane glass is built directly into the door with a high-performance dual adhesive weather seal. This delivers a clean seamless look with no lite frame or screw plugs, and reduces the potential for air and water infiltration, among other benefits.



Superior Sound Dampening

Doors with flush-glazed glass do a better job of dampening outside noise compared to a Lip-lite alternative.



11% More Energy Efficient

The Low-E glass used in flush-glazed doors delivers a clear view and is 11% more energy efficient than 1/2" Low-E glass in a Lip-lite frame.*



Withstands Winds Up to 167 mph

Door systems with flush-glazed glass are designed and tested to withstand wind forces up to 167 mph (DP-50).** (ASTM-E330)


EnLiten™ Flush-Glazed Warranty Riders

for Construction & Installation, and Homeowners. See page 123 for details.

Tough when you need it. Beautiful always.

High-Power Testing

Our Impact-rated doors pass a large missile impact test. We blast a 9 lb. 2" x 4" stud into the doors at 34 mph to prove they're the better choice for strength and stability.




IMPACT-RATED PRODUCTS


Therma-Tru offers Impact-rated doors and glass that can be used to meet high-wind and coastal region codes and regulations, offering excellent performance in extreme weather conditions while providing added protection.

1 Use the map as a guide to find out if you need product for WBDR or HVHZ.

Always confirm building code requirements in your area before buying.*

2 Use the icons to find available Therma-Tru® product options in this catalog.



 **WBDR / HVHZ Options:** Look for this icon to find door and sidelite styles that can be configured for WBDR or HVHZ.


3 Verify that there is a Therma-Tru product approval specific to your area for the door system configuration before buying.*

4 Make sure the product is installed in compliance with the product approval to meet building codes.

The performance of the door system depends on how it is installed. Proper installation is required to comply with building codes.

*Product approvals show that the door system meets applicable codes when selected, assembled and installed as instructed. Note: See your Therma-Tru seller or visit thermatru.com for product approvals and installation instructions. Always confirm building code requirements in your area before buying. Follow weather and news reports to assess severe weather situations and obey local authorities' shelter and evacuation orders. No product guarantees safety for persons or property, nor makes any premises hurricane- or impact-proof.

Constructed to help protect the interior of the home from flying debris and high winds associated with tropical storms and hurricanes, these products are tested to meet codes and regulations in coastal regions, including parts of Florida, Texas and the Carolinas.*




IMPACT DOORS

Feature a built-in 24-gauge steel plate lining.


NEW IMPACT FLUSH-GLAZED GLASS

Offers clean style and an increased daylight opening.



IMPACT GLASS

Features special laminated glass construction.



IMPACT INTERNAL BLINDS

Features laminated glass construction and a durable, paintable aluminum lite frame with a flat profile aesthetic cover for a simple look.



OTHER CONSIDERATIONS


Fire Doors
See pages 240–243.

Noise Reduction Doors
See page 205.

Elevated 10" Bottom Rail
Look for the (E) symbol.

IMPACT LIP-LITE FRAME

Features durable, paintable aluminum construction. An attractive scrolled profile gives a thin, sleek appearance and a screw channel cover helps hide unsightly screws.



Hinged Patio Door Systems



Simply beautiful, any way you see it.

Extend the beauty and quality of a Therma-Tru® entrance to the back of the home with hinged patio doors. Find style and convenience that's unsurpassed from any view with options to control the level of privacy and light, complement window patterns, and let fresh air into the home.

Note: See page 285 for important product details that may help with your purchase decision.

Top: Fiber-Classic Oak Collection, Clear Glass, Doors - 8000, Finish - Driftwood
Bottom: Smooth-Star, Clear Glass, Doors - S2000

A Therma-Tru® patio door with genuine Therma-Tru components is a complete door system with doors, glass and components engineered to work together for durability and reliability through the years.

Interior view of door.



- 1 Multi-Point Locking System (Recommended)
- 2 Bottom Sweep
- 3 Sill
- 4 Hinges
- 5 Corner Seal Pads (Inswing Only)
- 6 Sill Pan (Recommended)
- 7 Frame Components
- 8 Multi-Point Locking System (Included)
- 9 Removable Screens

VENTED SIDELITES

Enjoy the view - and a fresh breeze, too.


- Constructed to provide ventilation without sliding screens blocking the view, vented sidelites work as small swinging doors with convenient removable screens — available in bronze and white.
- Engineered for durability and safety with wide patio mullions for strength, and multi-point locking gears and recessed strike plates for security.

Look for the (●) symbol.

Available Configurations



Single Door with Vented Sidelites (Inswing Only)




Double Doors with Vented Sidelites (Inswing Only)

PATIO TRANSOMS


Transoms can be stained or painted to match a Fiber-Classic® or Smooth-Star® door system.

Available for 5'0", 5'4", 5'8" and 6'0" patio openings.

Note: Patio transoms are designed for door systems with a mullion.



19250T




19050T

Classic Craft, starting on page 104.

Fiber-Classic, Smooth-Star, Profiles & Traditions, starting on page 210.

Retractable Screen Doors

Welcome fresh air and natural light into the home while keeping debris and insects out. Therma-Tru retractable screen doors feature a discreet, hidden design that helps provide a seamless transition from indoors to out. Plus, it's been quality tested for compatibility with Therma-Tru. entry door systems.



Face mount installation allows for an easier install while providing a full pass-through space without an intrusive cassette or track.

E-Z Glide System enables smooth screen retraction and extension without slamming.

Fiberglass screen mesh fully retracts when not in use.

One-hand operation with a secure and ergonomic latch / lock handle.

Rust-proof aluminum housing and track for strength and beauty.

Quick-Snap Track adjusts to required length in seconds – no cutting required.*

Universal sill plate designed for simple and secure fit.

*Adjusts quickly for 32"-36" doors. If less than 32", a hacksaw is required for one cut to each track.

**Based on average DIY skills and standard door application, widths 32"-36".


***Retractable screen frame colors are complementary to PrismaGuard, but not an exact match.

Note: Recommended for inswing applications only. Therma-Tru retractable screens are designed to support natural ventilation and protection against airborne insects and other pests. Windy conditions may affect the performance of the screen. Retract the screen in windy circumstances, during inclement weather and when not needed to support immediate ventilation or prolonged periods of time when not used. Not intended to keep pets inside. See your Therma-Tru seller or visit thermatru.com for details on limited warranties and exclusions.




AVAILABLE SIZES

(Available for most inswing units.)



Single Door System

Widths: 32"-36"
Heights: 6'6", 6'8", 8'0"



French Door System

Widths: 68"-73"
Heights: 6'6", 6'8", 8'0"



Installation is quick and easy, taking approximately 30 minutes.**

AVAILABLE COLOR OPTIONS

Coordinates with exterior trim.**



White






Brown



Black

AVAILABLE CONFIGURATIONS



See your Therma-Tru seller for details on product availability and ordering.

WARRANTY COVERAGE

All parts are covered by the Therma-Tru full-system limited warranty, excluding the screen mesh, when purchased and installed with a Therma-Tru door system.

When purchased and installed separately all parts are covered by a full-system lifetime limited warranty, excluding the screen mesh.



Classic Craft



Fiber-Classic,
Smooth-Star,
Pulse Fiberglass



Profiles, Traditions,
Pulse Steel



Impressions™ Integrated Storm & Entry Door System

The first of its kind, the Impressions storm and entry door system* integrates the storm door flush into the brickmould portion of the door frame, creating a cohesive unit that provides a seamless look. With an integrated system engineered to work together, this system takes the guesswork out of ordering the right size storm door for your project and simplifies storm door installation.



1 Choose a **Therma-Tru. entry door** to create an entry that complements your home's architectural style.



2 The Impressions system comes standard with **composite brickmould** and an aluminum storm door panel. For added protection from rotting and to match the brickmould, choose a **composite frame featuring Tru-Guard™ composite technology.**



3 The storm door features a modern profile with mitered corners for a sleek, on-trend look that emphasizes the beauty of the entry door. The storm door panel fits into Therma-Tru's **flat-profile composite brickmould.**

*Patent pending.

**The Impressions system can be paired with a single sidelite on either side of the door or with two sidelites. Direct set sidelite options are also available.

***Not suitable for use with Therma-Tru grip-style handlesets.




Note: See your Therma-Tru seller or visit thermatru.com for details on limited warranties and exclusions.

THE STORM DOOR IS EASY TO INSTALL AT THE JOBSITE

The concealed hinges featuring retractable pins **4** and the revolutionary hidden closer with Click&Hold™ technology **5** enable a quick and intuitive installation experience. After the installation of the entry door, install the closer, sweep and hardware. Then, follow these three simple steps to complete the job.



Scan the QR code to learn more about storm door panel installation.



6 ALUMINUM STORM DOOR OPTIONS


Available Sizes & Configurations

Choose Low-E or clear glass.
Interchangeable screen panel included.



IM100
3'0" x 6'8"
2'8" x 6'8"


IM8100
3'0" x 8'0"
2'8" x 8'0"



Single Single with 1 Sidelite** Single with 2 Sidelites**

Color Options

Features a maintenance-free finish.



White
Color matched to PrismaGuard Alpine.



Gray
Color matched to PrismaGuard Granite.



Brown
Color matched to PrismaGuard Elk and complements most stain options.



Black
Color matched to PrismaGuard Onyx.

7 QuickFit™ Handlesets***



Straight

- Brushed Nickel
- Aged Bronze
- Matte Black (Complements Black Nickel)



Curved

- Brushed Nickel
- Aged Bronze
- Antique Brass
- Brass

Home, unbound.

The feeling of home extends beyond four walls as homeowners focus on connecting with nature. Blur the lines between indoor and outdoor living spaces with entry doors designed as beautiful connection points.



Veris[™]


COLLECTION

Explore an expansive portfolio of glass-forward aluminum door systems from the entry door brand building professionals choose most.* Redefine indoor and outdoor living with the Veris Collection.

Open to possibilities.

The Veris™ Collection embodies a reconnection between home and outdoors. Sleek, minimalist designs perfectly frame the view. Expansive glass welcomes an abundance of natural light.

THE VERIS COLLECTION



Folding Doors



Sliding Doors



Hinged Doors




Pivot Doors




These contemporary glass door systems bring together high-end style and unique functionality to create a bright and airy experience. Blending beauty and versatility, the Veris Collection offers a seamless transition from indoors to out.



Expand their horizon.



Blend indoor and outdoor living spaces with wide views, contemporary framing and innovative options designed for convenience and ease.



Contemporary connections.



Create statement-making entrances with sleek and subtle designs perfect for homes with contemporary styling.






Experience the Veris™ Collection.



Scan the QR code to view the complete Veris Collection catalog.

Print copies are available — contact your Therma-Tru[®] representative for ordering information.



Explore options and see it in your home with our visualizer at [veriscollection.com](https://www.veriscollection.com).

Veris[™]
COLLECTION

Classic Craft®



An unrivaled entry experience.

Transform the entry into a one-of-a-kind experience. One that blends artistry, craftsmanship and modern engineering. Captivate the senses with remarkably authentic wood grains, exquisite handcrafted glass and sumptuous design details found only in Classic Craft. Because homes with uncompromising style demand uncompromising entryways.

Top: Classic Craft Mahogany Grain, Low-E Glass with SDLs, Doors - CCM82804, Finish - Driftwood
Right Page Top: Classic Craft Fir Grain, Low-E Glass with SDLs, Door - CCA230, Sidelites - CCA210SL, Finish - Raven
Right Page Middle: Classic Craft Mahogany Grain, Low-E Glass with SDLs, Doors - CCM8306CAL, CCM8306CAR, Finish - Acorn
Right Page Bottom: Classic Craft Walnut Grain Door - CCW8906R, Low-E Direct Set Sidelite - DRS82131SL, Finish - Lynx

Curated collections inspired by style.

Classic Craft celebrates the best of design for homes with uncompromising style. Three expertly curated collections draw inspiration from the latest trends and bring your home design vision to life with unrivaled beauty, luxe craftsmanship and an attention to detail you won't find anywhere else.

Artissa Collection

CASUAL | RELAXED | SIMPLE



Founders Collection

TRADITIONAL | TIME-HONORED | DECORATIVE



Visionary Collection

MODERN | CONFIDENT | MINIMAL





Comprehensive warranties for peace of mind.




Uniquely designed by Therma-Tru, Classic Craft® complete entryway systems are backed by an industry-leading 1x transferable lifetime limited warranty from the entry door brand building professionals choose most.* This comprehensive lifetime limited warranty can be transferred one time to a new owner, should you ever sell your home.



In addition, Classic Craft entryways with our handcrafted and professionally applied PrismaGuard® premium stain or paint are backed by a transferable 10-year limited finish warranty – Therma-Tru's best. The balance of this finish warranty can transfer to a second owner.

Learn about our warranties at thermatru.com/warranty.



Next-level engineering.

Classic Craft complete entryway systems are designed with a full suite of premium-grade components, including ball-bearing hinges, medium-reach weatherstrip, 7-shape corner seal pads and more. Each piece is engineered with craftsman precision to create an unrivaled entry experience built to perform for a lifetime.

*Brand Use Study, 2023 *Builder* magazine.

Left Page: Classic Craft Mahogany Grain, Borrassa Glass, Door - CCM81519

Premium construction, inside and out.

Highlighting the best of craftsmanship and innovation, Classic Craft® premium entryways boast impressive, well-designed features and remarkable construction. The inner workings of each Classic Craft door lay the foundation for exceptional strength, security, energy efficiency and long-term performance you can depend on for years to come.



Engineered for Moisture Protection

Features composite top and bottom rails and solid hardwood edges for increased moisture and rot protection all the way around the door.




Designed with Authenticity

Features construction identical to wood doors with narrow stiles and rails, and flush-glazed glass options that are more than 10% wider* to welcome more natural light into the home.




Tested to Withstand Mother Nature

Designed and rigorously tested to withstand and protect from the damaging effects of harsh weather conditions.



Thermo-Tru. Door Frame

Created specifically for Thermo-Tru doors to deliver an entire entry system designed and engineered to work together to resist leaks and drafts, and help maintain energy efficiency and weather resistance.



*Comparison of Classic Craft to other standard fiberglass doors with similar styles. Visit thermatru.com for details.

**Comparison of R-Values of fiberglass to wood doors (both without glass).

Right Page Top: Classic Craft Walnut Grain Door – CCW8901L; Low-E Glass Direct Set Sidelite – DRS82131SL, Finish – Acorn

Right Page Middle: Classic Craft Mahogany Grain, Homeward Glass, Door – CCM82801, Finish – Barley



Designed for Long-Term Performance

Features fiberglass skins that are 46% thicker* for added durability and better long-term performance.



Triple-Pane Construction

Most decorative, privacy and textured glass panels are enclosed between tempered glass, offering superior quality and thermal performance.



Crafted for a True-to-Wood Appearance

Revolutionary AccuGrain[®] technology replicates authentic natural wood textures for a look and feel that is virtually indistinguishable from real wood.



Built for Strength and Security

Constructed with a 4" wide board of engineered lumber that runs the full length of the locking side of the door for a solid natural wood feel that makes Classic Craft doors 50% stronger and 30% heavier.*



Constructed for Energy Efficiency

Built with a high-performance polyurethane foam core that is four times more energy efficient than wood.**



True-to-Wood Origins

Revel in the handcrafted look and feel of a premium fiberglass entryway with true-to-wood origins. Discover exquisite textures with grains hand-selected from the finest natural wood species and meticulously recreated with our revolutionary AccuGrain® technology.

AccuGrain.
TECHNOLOGY

Bottom: Classic Craft Walnut Grain, Door - CCW900L, Finish - Shale

Fir Grain

Formerly Classic-Craft American Style

Designed to echo the grain of the largest species of American Hemlocks - the Western Hemlock tree - found in lush coastal rainforests of the Pacific Northwest.

Walnut Grain

Crafted to reflect the prized hardwood of the mighty Black Walnut trees, these doors feature a horizontal grain with natural movement accented by delicate arches and cathedrals.



Mahogany Grain

Formerly Classic-Craft Mahogany & Rustic

Derived from the finest African and Honduran Mahogany, blending rustic influences with exotic roots to build upon the rich history of one of the most renowned woods in the world.

Canvas

Inspired by the world's most exquisite masterpieces and designed with the architectural character of finely sanded wood.



Decorative & Specialty Glass Designs


Homeward™

The balanced Mission-style pattern of Homeward invites light to cascade through its distinctive ① clear bevels, ② seeded glass and ③ gray antique glass. An ideal complement for a Transitional home design.

GLASS SHAPES



GLASS PRIVACY RATING



Black Nickel



Brushed Nickel

Arborwatch®

An eclectic interpretation of the Arts and Crafts movement, Arborwatch combines ① narrow reeded glass, ② M seedy glass, ③ waterglass and coming in a symmetrical arrangement accented by ④ pale amber glass, ⑤ amber antique glass and ⑥ clear bevels.

GLASS SHAPES



GLASS PRIVACY RATING



Black Nickel



Brushed Nickel

Note: The use of pale amber and amber antique glass varies based on glass size. Refer to the image on page 60 to see an example on a home.

Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit thermatru.com for details on glass privacy ratings and designs.

Augustine®


Augustine's swirl leaf design adds that touch of elegance. Made of round wrought iron and 1 granite glass for the ultimate in privacy, Augustine pays homage to classic English styling.

GLASS SHAPES



Corresponding sidelites feature Granite glass without wrought iron.

GLASS PRIVACY RATING



Wrought Iron

Note: Features a lite frame with an authentic wrought iron look in a black finish. Refer to the image on page 77 to see an example on a home.

Borrassa®

A statement of strength and beauty, Borrassa combines linear and curved wrought iron with 1 hammered glass for the ultimate in privacy. Wrought iron decorative accents add an authentic Old World feel to this stately design.

GLASS SHAPES



Corresponding sidelites feature Hammered glass without wrought iron.

GLASS PRIVACY RATING



Wrought Iron


Note: Features a lite frame with an authentic wrought iron look in a black finish. Refer to the image on page 46 to see an example on a home.

Decorative & Specialty Glass Designs

Provincial™

A unique diamond-based motif features **1** double waterglass, **2** clear bevels and coming surrounded by a **3** gray baroque glass border. Provincial captivates with stunning clarity.

GLASS SHAPES



GLASS PRIVACY RATING



Black Nickel



Brushed Nickel


Longford™

The traditional design of Longford integrates a hint of a Celtic knot with **1** seeded glass, **2** clear bevels, **3** granite glass and coming. A timeless design ideal for entries where modest privacy is desired.

GLASS SHAPES



GLASS PRIVACY RATING



Black Nickel



Brushed Nickel

Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit thermatru.com for details on glass privacy ratings and designs.

Lucerna®

Named for the beauty of light it reflects, Lucerna glass presents an elegant, updated fleur-de-lis pattern in a spectrum of ① curved, ② diamond and ③ rectangular bevels surrounded by smooth, swirling ④ barn wood and heavily textured ⑤ diamond border glass.

GLASS SHAPES



GLASS PRIVACY RATING



Black Nickel



Brushed Nickel

Zaha®

Structured right angles are offset by dynamic curves in this high-energy design. Zaha features ① oceana and ② seedy glass, ③ clear and ④ multifaceted bevels, and coming to create a refreshing and unexpected elegance that appeals to Contemporary home styles.

GLASS SHAPES



GLASS PRIVACY RATING



Black Nickel



Brushed Nickel

Privacy & Textured Glass



Reeded (XK)

A vertical, linear textured glass that provides modest privacy and an on-trend aesthetic.

GLASS PRIVACY RATING



Satin Etch (XE)

A fine-textured pearlescent glass that delivers a pure, simple design aesthetic.

GLASS PRIVACY RATING



Chord (XC)

A vertical flowing pattern reminiscent of waves on the water.

GLASS PRIVACY RATING



Chinchilla (XJ)

A free-flowing configuration, presenting quiet lines and curves.

GLASS PRIVACY RATING



Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit thermatru.com for details on glass privacy ratings and designs.



Rainglass (XR)

An elegantly fashioned glass, featuring ripples of cascading water.

GLASS PRIVACY RATING

1 **8** 10



Granite (XN)

A coarse-grained arrangement with surface detail over the entirety of the glass.

GLASS PRIVACY RATING

1 **10**




Also Available:

Low-E Glass



In cold weather, Low-E glass reflects the heat back inside to help keep your home warm.





In warm weather, Low-E glass reflects the sun's rays off of the glass to help keep your home cool.


Divided Lites


Enhance the beauty of any home with divided lites for entry and patio doors. Increase curb appeal by coordinating with window grid patterns for a cohesive look that suits the home's architectural details.


Simulated Divided Lites (SDLs)



Wood-grained or smooth SDL bars adhere to the interior and exterior panes of tempered glass and can be stained or painted to complement the door and home. Look for the () icon.






(40.64 mm / 1.6 in.)
Look for the () icon.


4-¼" and 5-½" flat profile bars are also used on solid-panel doors as door divider bars (DDBs). Look for the () icon.






(107.95 mm / 4.25 in.)
Look for the () and () icons.




(139.70 mm / 5.5 in.)
Look for the () and () icons.





Note: Some door styles use a combination of 4-¼" and 5-½" divider bars. Look for the () and () icons.



(40.64 mm / 1.6 in.)
Look for the () icon.

Mahogany Grain



(40.64 mm / 1.6 in.)
Look for the () icon.

Canvas

Fir Grain






Flush-Glazed Sticking Profiles

EnLiten[™] flush-glazed designs feature a seamless look with simple profile around the glass.

Look for the (🔥) and (💧) icons.



Detailed Sticking
Look for the (🔥) icon.



Square Sticking
Look for the (💧) icon.

EnLiten[™] Flush-Glazed Warranty Riders

for Construction & Installation,
and Homeowners. See page 123
for details.

Note: See your Therma-Tru seller or visit thermatru.com for details on available product sizes and options, limited warranties and exclusions, and Riders.

Left Page: Classic Craft Canvas, Low-E Glass with SDLs, Door – CCV960, Sidelites – CCV9020SL, Transom – 19220T, Finish – Cypress
Top: Classic Craft Fir Grain, Low-E Glass with SDLs, Doors – CCA82350, Finish – Raven

Dentil Shelves

Complete the look with a dentil shelf for true Craftsman appeal or to complement other architectural elements around the house. Includes 4- and 16-block options.



Classic Craft. Fir Grain 4-Block Dentil Shelf



Classic Craft. Fir Grain 4-Block Dentil Shelf*



Classic Craft. Fir Grain 16-Block Dentil Shelf



Classic Craft. Canvas 4-Block Dentil Shelf



4-Block Dentil Shelf
Shown on 3'6" x 8'0" door.



4-Block Dentil Shelf
Shown on 3'0" x 8'0" door.

*Pairs with 3'6" wide doors.

Bottom: Classic Craft Fir Grain, Arborwatch Glass, Door – CCA9100, Sidelites – CCA1423SL, Finish – Autumn Harvest; Dentil Shelf
 Right Page, Left: Classic Craft Mahogany Grain Door – CCR205; Smooth-Star, Clear Glass with GBGs Sidelites – S1170SL, Clear Glass Transom – 19220T; Clavos
 Right Page, Right: Classic Craft Mahogany Grain Door – CCR100R, Finish – Lynx; Strap Hinges



Clavos & Strap Hinges

Add a finishing touch of rustic flavor with decorative hardware in an authentic, hand-forged wrought iron look with a black finish. Includes pyramid and round clavos, as well as strap hinges.



Full Lites

Mahogany Grain


Formerly Classic-Craft
Mahogany & Rustic

Canvas

Key

-  Flush-Glazed Glass with Square Sticking (FG)
-  Black Nickel Caming (1D)
-  Brushed Nickel Caming (1C)
-  Wrought Iron (1W)

HOMEWARD™




Mahogany

CCR9925
3'0" x 6'8"



Mahogany

CCR9925SL
12" x 6'8"
14" x 6'8"



Canvas

CCV9925
3'0" x 6'8"



Canvas

CCV911SL
12" x 6'8"
14" x 6'8"

ARBORWATCH®



Mahogany

CCR1423
3'0" x 6'8"



Mahogany

CCR1423SL
12" x 6'8"
14" x 6'8"



Canvas

CCV1423
3'0" x 6'8"



Canvas

CCV1423SL
12" x 6'8"
14" x 6'8"

AUGUSTINE. X



Mahogany

CCR30027
3'0" x 6'8"



Mahogany

CCR3400XNSL
12" x 6'8"
14" x 6'8"



Canvas

CCV10027
3'0" x 6'8"



Canvas

CCV100XNSL
12" x 6'8"
14" x 6'8"

For transoms, see page 102.

Note: Product images show exterior side of door.

BORRASSA ✕



Mahogany

CCR1528
3'0" x 6'8"



Mahogany

CCR3400XHSL
12" x 6'8"
14" x 6'8"



Canvas

CCV1528
3'0" x 6'8"



Canvas

CCV100XHSL
12" x 6'8"
14" x 6'8"

PROVINCIAL ™



Mahogany

CCR30028
3'0" x 6'8"



Mahogany

CCR3408SL
12" x 6'8"
14" x 6'8"



Canvas

CCV10028
3'0" x 6'8"



Canvas

CCV108SL
12" x 6'8"
14" x 6'8"

LONGFORD ™



Mahogany

CCR30023
3'0" x 6'8"



Mahogany

CCR3407SL
12" x 6'8"
14" x 6'8"



Canvas

CCV10023
3'0" x 6'8"



Canvas

CCV103SL
12" x 6'8"
14" x 6'8"

LUCERNA ✕



Mahogany

CCR10022
3'0" x 6'8"



Mahogany

CCR3412SL
12" x 6'8"
14" x 6'8"



Canvas

CCV10022
3'0" x 6'8"



Canvas

CCV3412SL
12" x 6'8"
14" x 6'8"

Full Lites

continued

Fir Grain

Formerly Classic-Craft
American Style

Mahogany Grain

Formerly Classic-Craft
Mahogany & Rustic

Canvas

Key

-  Flush-Glazed Glass with Square Sticking (FG)
-  Black Nickel Caming (1D)
-  Brushed Nickel Caming (1C)
-  Simulated Divided Lites (SDLF3)
-  Simulated Divided Lites (SDLF4)
-  Simulated Divided Lites (SDLF5)
-  Elevated 10" Bottom Rail Options

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 56-57.

- XK = Reeded
- XJ = Chinchilla
- XE = Satin Etch
- XR = Rainglass
- XC = Chord
- XN = Granite

For transoms, see page 102.

Note: Product images show exterior side of door.

ZAHA



Mahogany

CCR1851
3'0" x 6'8"



Mahogany

CCR1851SL
12" x 6'8"
14" x 6'8"



Canvas

CCV1851
3'0" x 6'8"



Canvas

CCV1851SL
12" x 6'8"
14" x 6'8"

PRIVACY & TEXTURED



Fir

CCA2300
3'0" x 6'8"


CCA82300
3'0" x 8'0"



Fir

CCA2310
3'0" x 6'8"


CCA82310
3'0" x 8'0"



Fir

CCA2320
3'0" x 6'8"


CCA82320
3'0" x 8'0"



Fir

CCA2330
3'0" x 6'8"

CCA82330
3'0" x 8'0"



Fir

CCA2340
3'0" x 6'8"

CCA82340
3'0" x 8'0"



Fir

CCA2380
3'0" x 6'8"

CCA82380
3'0" x 8'0"

*Not available with Reeded (XK) glass.

Note: See page 285 for important product details that may help with your purchase decision.



Fir

CCA2350_*

 3'0" x 6'8"

CCA82350_*

 3'0" x 8'0"



Fir

CCA2360_*

 3'0" x 6'8"

CCA82360_*

 3'0" x 8'0"



Fir

CCA2370_*

 3'0" x 6'8"

CCA82370_*

 3'0" x 8'0"




Fir

CCA4900_*

 3'0" x 6'8"

CCA84900_*

 3'0" x 8'0"




Fir

CCA4910L_*

 3'0" x 6'8"

CCA4910R_*

 3'0" x 6'8"



Fir

CCA84910L_*

 3'0" x 8'0"

CCA84910R_*

 3'0" x 8'0"



Fir

CCA4920L_*

 3'0" x 6'8"

CCA4920R_*

 3'0" x 6'8"



Fir

CCA84920L_*

 3'0" x 8'0"

CCA84920R_*

 3'0" x 8'0"



Fir

CCA4930_*

 3'0" x 6'8"

CCA84930_*

 3'0" x 8'0"




Fir

CCA4940_*

 3'0" x 6'8"

CCA84940_*

 3'0" x 8'0"



Fir

CCA2400_*

 3'0" x 6'8"

CCA82400_*

 3'0" x 8'0"







Full Lites

continued

Fir Grain

Formerly Classic-Craft
American Style

Key

-  Flush-Glazed Glass with Square Sticking (FG)
-  Low-E Glass (LE)
-  Simulated Divided Lites (SDLF3)
-  Simulated Divided Lites (SDLF4)
-  Simulated Divided Lites (SDLF5)
-  Elevated 10" Bottom Rail Options

Privacy & Textured Glass Options





Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 62–63.

- XK = Reeded
- XJ = Chinchilla
- XE = Satin Etch
- XR = Rainglass
- XC = Chord
- XN = Granite

PRIVACY & TEXTURED







Fir

CCA2300__SL	CCA82300__SL
 	 
12" x 6'8"	12" x 8'0"
14" x 6'8"	14" x 8'0"







Fir

CCA2310__SL	CCA82310__SL
 	 
12" x 6'8"	12" x 8'0"
14" x 6'8"	14" x 8'0"







Fir

CCA2320__SL	CCA82320__SL
 	 
12" x 6'8"	12" x 8'0"
14" x 6'8"	14" x 8'0"








Fir

CCA2330__SL	CCA82330__SL
 	 
12" x 6'8"	12" x 8'0"
14" x 6'8"	14" x 8'0"





Fir

CCA2340__SL	CCA82340__SL
 	 
12" x 6'8"	12" x 8'0"
14" x 6'8"	14" x 8'0"










Fir

CCA2400__SL	CCA82400__SL
	
12" x 6'8"	12" x 8'0"
14" x 6'8"	14" x 8'0"

LOW-E










Fir

CCA2300	CCA82300
  	   
3'0" x 6'8"	3'0" x 8'0"










Fir

CCA2310	CCA82310
  	   
3'0" x 6'8"	3'0" x 8'0"



Fir

CCA2320	CCA82320
  	   
3'0" x 6'8"	3'0" x 8'0"

For transoms, see page 102.

Note: Product images show exterior side of door.



Fir

CCA2330
 ▲ 🔆 3
 3'0" x 6'8"


CCA82330
 ▲ 🔆 3 E
 3'0" x 8'0"



Fir

CCA2340
 ▲ 🔆 3
 3'0" x 6'8"

CCA82340
 ▲ 🔆 3 E
 3'0" x 8'0"



Fir

CCA2380
 ▲ 🔆 5
 3'0" x 6'8"

CCA82380
 ▲ 🔆 5 E
 3'0" x 8'0"



Fir

CCA2350
 ▲ 🔆 5
 3'0" x 6'8"

CCA82350
 ▲ 🔆 5 E
 3'0" x 8'0"



Fir

CCA2360
 ▲ 🔆 5
 3'0" x 6'8"

CCA82360
 ▲ 🔆 5 E
 3'0" x 8'0"



Fir

CCA2370
 ▲ 🔆 4
 3'0" x 6'8"


CCA82370
 ▲ 🔆 4 E
 3'0" x 8'0"



Fir

CCA4900
 ▲ 🔆 3
 3'0" x 6'8"

CCA84900
 ▲ 🔆 3 E
 3'0" x 8'0"



Fir

CCA4910L
 ▲ 🔆 3
 3'0" x 6'8"

CCA4910R
 ▲ 🔆 3
 3'0" x 6'8"



Fir

CCA84910L
 ▲ 🔆 3 E
 3'0" x 8'0"

CCA84910R
 ▲ 🔆 3 E
 3'0" x 8'0"



Fir

CCA4920L
 ▲ 🔆 5
 3'0" x 6'8"

CCA4920R
 ▲ 🔆 5
 3'0" x 6'8"

Full Lites

continued

Fir Grain









Formerly Classic-Craft
American Style

Mahogany Grain

Formerly Classic-Craft
Mahogany & Rustic




Canvas

Key

-  Flush-Glazed Glass with Square Sticking (FG)
-  Low-E Glass (LE)
-  Simulated Divided Lites (SDL)
-  Simulated Divided Lites (SDLF3)
-  Simulated Divided Lites (SDLF4)
-  Simulated Divided Lites (SDLF5)
-  Simulated Divided Lites (SDLF6)
-  Elevated 10" Bottom Rail Options

For transoms, see page 102.

Note: Product images show exterior side of door.




Note: See page 285 for important product details that may help with your purchase decision.

Right Page Top: Classic Craft Fir Grain, Low-E Glass with SDLs, Door – CCA2340, Sidelites – CCA2400SL, Finish – Rustic Clay
Right Page Bottom: Classic Craft American Style Collection, Low-E Glass with SDLs, Doors – CCA4940



Fir

CCA2340SL
 ▲ ★ R3
 12" x 6'8"
 14" x 6'8"



Fir

CCA82340SL
 ▲ ★ R3
 12" x 8'0"
 14" x 8'0"

CCA2400SL
 ▲ ★
 12" x 6'8"
 14" x 6'8"

CCA82400SL
 ▲ ★
 12" x 8'0"
 14" x 8'0"



Mahogany

CCR30020
 ★
 3'0" x 6'8"



Mahogany

CCR2025SL
 ▲ ★ R3
 12" x 6'8"
 14" x 6'8"



Mahogany

CCR3400SL
 ▲ ★
 12" x 6'8"
 14" x 6'8"



Canvas

CCV10020
 ★
 3'0" x 6'8"



Canvas

CCV950SL
 ▲ ★ R3
 12" x 6'8"
 14" x 6'8"



Canvas

CCV100SL
 ▲ ★
 12" x 6'8"
 14" x 6'8"



3/4 Lites

Mahogany Grain

Formerly Classic-Craft
Mahogany & Rustic

Canvas



Key

-  Flush-Glazed Glass with Square Sticking (FG)
-  Black Nickel Caming (1D)
-  Brushed Nickel Caming (1C)
-  Wrought Iron (1W)

HOMeward™



Mahogany

CCM2801 | CCM82801
 3'0" x 6'8" |  3'0" x 8'0"







Mahogany

CCM9923
 3'0" x 6'8"



Mahogany

CCR9925SL | CCR89925SL
 12" x 6'8" |  12" x 8'0"
 14" x 6'8" |  14" x 8'0"







Canvas

CCV9922 | CCV89922
 3'0" x 6'8" | 3'0" x 8'0"



Canvas

CCV911SL | CCV8111SL
 12" x 6'8" |  12" x 8'0"
 14" x 6'8" |  14" x 8'0"

ARBORWATCH®



Mahogany

CCM81418
 3'0" x 8'0"







Mahogany

CCM1419
 3'0" x 6'8"



Mahogany

CCR1423SL | CCR81423SL
 12" x 6'8" |  12" x 8'0"
 14" x 6'8" |  14" x 8'0"







Canvas

CCV1418 | CCV81418
 3'0" x 6'8" | 3'0" x 8'0"



Canvas

CCV1423SL | CCV81423SL
 12" x 6'8" |  12" x 8'0"
 14" x 6'8" |  14" x 8'0"

For transoms, see page 102.

Note: Product images show exterior side of door.

AUGUSTINE. X



Mahogany

CCM805027
3'0" x 8'0"



Mahogany

CCM1485
3'0" x 6'8"



Mahogany

CCM1495
3'0" x 6'8"



Mahogany

CCR3400XNSL	CCR8000XNSL
▲ 12" x 6'8"	▲ 12" x 8'0"
▲ 14" x 6'8"	▲ 14" x 8'0"



Canvas

CCV05027	CCV805027
3'0" x 6'8"	3'0" x 8'0"



Canvas

CCV100XNSL	CCV8100XNSL
▲ 12" x 6'8"	▲ 12" x 8'0"
▲ 14" x 6'8"	▲ 14" x 8'0"

BORRASSA. X



Mahogany

CCM81519
3'0" x 8'0"



Mahogany

CCM1475
3'0" x 6'8"



Mahogany

CCM1465
3'0" x 6'8"



Mahogany

CCR3400XHSL	CCR8000XHSL
▲ 12" x 6'8"	▲ 12" x 8'0"
▲ 14" x 6'8"	▲ 14" x 8'0"



Canvas

CCV1519	CCV81519
3'0" x 6'8"	3'0" x 8'0"



Canvas

CCV100XHSL	CCV8100XHSL
▲ 12" x 6'8"	▲ 12" x 8'0"
▲ 14" x 6'8"	▲ 14" x 8'0"

LONGFORD™



Mahogany

CCM892
3'0" x 8'0"



Mahogany

CCM203
3'0" x 6'8"



Mahogany

CCM303
3'0" x 6'8"

3/4 Lites

continued

Mahogany Grain

Formerly Classic-Craft
Mahogany & Rustic

Canvas

Key

-  Flush-Glazed Glass with Detailed Sticking (FG)
-  Flush-Glazed Glass with Square Sticking (FG)
-  Black Nickel Caming (1D)
-  Brushed Nickel Caming (1C)
-  Simulated Divided Lites (SDLF6)

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 62-63.

- XK = Reeded
- XJ = Chinchilla
- XE = Satin Etch
- XR = Rainglass
- XC = Chord
- XN = Granite



For transoms, see page 102.

Note: Product images show exterior side of door.





LONGFORD™



Mahogany

CCM3303SL
 12" x 6'8"
 14" x 6'8"





Mahogany

CCR3407SL | CCR8007SL
 12" x 6'8"
 14" x 6'8" |  12" x 8'0"
 14" x 8'0"

Canvas

CCV05023 | CCV805023
 3'0" x 6'8" | 3'0" x 8'0"



Canvas

CCV103SL | CCV8103SL
 12" x 6'8"
 14" x 6'8" |  12" x 8'0"
 14" x 8'0"





LUCERNA®



Mahogany

CCM2802 | CCM82802
 3'0" x 6'8" |  3'0" x 8'0"

Mahogany

CCR3412SL | CCR8102SL
 12" x 6'8"
 14" x 6'8" |  12" x 8'0"
 14" x 8'0"

Mahogany

CCM204
 3'0" x 6'8"



Mahogany

CCM302
 3'0" x 6'8"





Mahogany

CCM3302SL
 12" x 6'8"
 14" x 6'8"

Canvas

CCV05022 | CCV805022
 3'0" x 6'8" | 3'0" x 8'0"

Canvas

CCV3412SL | CCV8102SL
 12" x 6'8"
 14" x 6'8" |  12" x 8'0"
 14" x 8'0"

*Not available with Chinchilla (XJ) glass.

Note: See page 285 for important product details that may help with your purchase decision.

PROVINCIAL™




Mahogany

CCR3408SL	CCR8008SL
12" x 6'8"	12" x 8'0"
14" x 6'8"	14" x 8'0"



Canvas

CCV05028	CCV805028
3'0" x 6'8"	3'0" x 8'0"



Canvas

CCV108SL	CCV8108SL
12" x 6'8"	12" x 8'0"
14" x 6'8"	14" x 8'0"

ZAHA™



Mahogany

CCM2803	CCM82803
3'0" x 6'8"	3'0" x 8'0"



Mahogany

CCR1851SL	CCR81851SL
12" x 6'8"	12" x 8'0"
14" x 6'8"	14" x 8'0"



Mahogany

CCM1844
3'0" x 6'8"



Mahogany

CCM1842
3'0" x 6'8"



Mahogany

CCM1843SL
12" x 6'8"
14" x 6'8"



Canvas

CCV1843	CCV81843
3'0" x 6'8"	3'0" x 8'0"



Canvas


CCV1851SL	CCV81851SL
12" x 6'8"	12" x 8'0"
14" x 6'8"	14" x 8'0"

PRIVACY & TEXTURED




Mahogany

CCM2804_*	CCM82804_*
3'0" x 6'8"	3'0" x 8'0"



Mahogany

CCM2806_*	CCM82806_*
3'0" x 6'8"	3'0" x 8'0"



Mahogany

CCM2812_*	CCM82815_*
3'0" x 6'8"	3'0" x 8'0"



Mahogany

CCM2800_*	CCM82800_*
3'0" x 6'8"	3'0" x 8'0"

3/4 Lites

continued

Mahogany Grain

Formerly Classic-Craft
Mahogany & Rustic

Canvas

Key

-  Flush-Glazed Glass with Detailed Sticking (FG)
-  Flush-Glazed Glass with Square Sticking (FG)
-  Low-E Glass (LE)
-  Simulated Divided Lites (SDL)
-  Simulated Divided Lites (SDLF6)

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 62-63.

XE = Satin Etch **XR** = Rainglass
XC = Chord **XN** = Granite
XJ = Chinchilla

For transoms, see page 102.

Note: Product images show exterior side of door.

PRIVACY & TEXTURED



Mahogany

CCM200XC
CCM200XN
3'0" x 6'8"







Mahogany

CCM300XC
CCM300XN
3'0" x 6'8"





Mahogany

CCR2025_SL   12" x 6'8"	CCR82035_SL   12" x 8'0"
14" x 6'8"	14" x 8'0"



Mahogany

CCR3400_SL  12" x 6'8"	CCR8000_SL  12" x 8'0"
14" x 6'8"	14" x 8'0"



Canvas

CCV05020XC
CCV05020XN
3'0" x 6'8"





Canvas

CCV950_SL   12" x 6'8"	CCV8950_SL*   12" x 8'0"
14" x 6'8"	14" x 8'0"




Canvas

CCV100_SL  12" x 6'8"	CCV8100_SL*  12" x 8'0"
14" x 6'8"	14" x 8'0"

LOW-E





Mahogany

CCM2804    3'0" x 6'8"	CCM82804    3'0" x 8'0"
--	---



Mahogany

CCM2806    3'0" x 6'8"	CCM82806    3'0" x 8'0"
--	---

*Not available with Satin Etch (XE) glass.

Note: See page 285 for important product details that may help with your purchase decision.

Right Page: Classic Craft Mahogany Grain, Low-E Glass with SDLs, Door - CCM2806, Finish - Acorn



Mahogany

CCM2812 | CCM82815
 ▲ 🔥 Ⓜ️ | ▲ 🔥 Ⓜ️
 3'0" x 6'8" | 3'0" x 8'0"



Mahogany

CCM2800 | CCM82800
 ▲ 🔥 | ▲ 🔥
 3'0" x 6'8" | 3'0" x 8'0"



Mahogany

CCR2025SL | CCR82035SL
 ▲ 🔥 Ⓜ️ | ▲ 🔥 Ⓜ️
 12" x 6'8" | 12" x 8'0"
 14" x 6'8" | 14" x 8'0"



Mahogany

CCR3400SL | CCR8000SL
 ▲ 🔥 | ▲ 🔥
 12" x 6'8" | 12" x 8'0"
 14" x 6'8" | 14" x 8'0"



Mahogany

CCM200
 🔥
 3'0" x 6'8"



Mahogany

CCM300
 🔥
 3'0" x 6'8"



Mahogany

CCM3300SL
 🔥 🔥
 10" x 6'8"
 12" x 6'8"
 14" x 6'8"



Canvas

CCV05020 | CCV805020
 🔥 | 🔥
 3'0" x 6'8" | 3'0" x 8'0"



Canvas

CCV950SL | CCV8950SL
 ▲ 🔥 Ⓜ️ | ▲ 🔥 Ⓜ️
 12" x 6'8" | 12" x 8'0"
 14" x 6'8" | 14" x 8'0"



Canvas

CCV100SL | CCV8100SL
 ▲ 🔥 | ▲ 🔥
 12" x 6'8" | 12" x 8'0"
 14" x 6'8" | 14" x 8'0"



Mahogany Grain

Formerly Classic-Craft
Mahogany & Rustic

Canvas

Key

- ◆ Black Nickel Caming (1D)
- ▣ Brushed Nickel Caming (1C)
- ✕ Wrought Iron (1W)

Optional Accessories



Clavos



Strap Hinge

HOMEWARD™



Mahogany

CCR9921 | CCR89921
3'0" x 6'8" | 3'0" x 8'0"
3'6" x 8'0"



Mahogany

CCR9919 | CCR89919
3'0" x 6'8" | 3'0" x 8'0"
3'6" x 8'0"



Mahogany

CCR9918 | CCR89918
3'0" x 6'8" | 3'0" x 8'0"



Mahogany

CCR822218
3'0" x 8'0"
3'6" x 8'0"



Canvas

CCV9919 | CCV89919
3'0" x 6'8" | 3'0" x 8'0"



Canvas

CCV9918 | CCV89918
3'0" x 6'8" | 3'0" x 8'0"

ARBORWATCH.™



Mahogany

CCR1417 | CCR81417
3'0" x 6'8" | 3'0" x 8'0"
3'6" x 8'0"



Mahogany

CCR1415 | CCR81415
3'0" x 6'8" | 3'0" x 8'0"
3'6" x 8'0"



Mahogany

CCR1414 | CCR81414
3'0" x 6'8" | 3'0" x 8'0"

For transoms, see page 102.

Note: Product images show exterior side of door.


Note: See page 285 for important product details that may help with your purchase decision.

Right Page: Classic Craft Mahogany Grain, Augustine Glass, Door – CCR20527, Finish – New Earth




Mahogany

CCR822214
3'0" x 8'0"
3'6" x 8'0"



Canvas

CCV1415 | CCV81415
3'0" x 6'8" | 3'0" x 8'0"



Canvas

CCV1414 | CCV81414
3'0" x 6'8" | 3'0" x 8'0"

AUGUSTINE x



Mahogany

CCR04027 | CCR804027
3'0" x 6'8" | 3'0" x 8'0"
3'6" x 8'0"



Mahogany

CCR20527 | CCR820527
3'0" x 6'8" | 3'0" x 8'0"
3'6" x 8'0"



Mahogany

CCR20027 | CCR820027
3'0" x 6'8" | 3'0" x 8'0"



Mahogany

CCR822227
3'0" x 8'0"
3'6" x 8'0"



Mahogany

CCR04037 | CCR804037
3'0" x 6'8" | 3'0" x 8'0"
3'6" x 8'0"

AUGUSTINE *Continues on next page.*



2/3 Lites

continued

Mahogany Grain

Formerly Classic-Craft
Mahogany & Rustic

Canvas

Key

- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- ✕ Wrought Iron (W)

Optional Accessories



Knobs



Strap Hinge

AUGUSTINE ✕



Mahogany

CCR20537 | CCR820537
3'0" x 6'8" | 3'0" x 8'0"
3'6" x 8'0"



Mahogany

CCR20037 | CCR820037
3'0" x 6'8" | 3'0" x 8'0"



Mahogany

CCR20537A | CCR820537A
3'0" x 6'8" | 3'0" x 8'0"
3'6" x 8'0"



Mahogany

CCR20037A | CCR820037A
3'0" x 6'8" | 3'0" x 8'0"



Canvas

CCV20527 | CCV820527
3'0" x 6'8" | 3'0" x 8'0"



Canvas

CCV22027 | CCV822027
3'0" x 6'8" | 3'0" x 8'0"



Canvas

CCV20537 | CCV820537
3'0" x 6'8" | 3'0" x 8'0"

BORRASSA ✕



Mahogany

CCR1518 | CCR81518
3'0" x 6'8" | 3'0" x 8'0"
3'6" x 8'0"



Mahogany

CCR1516 | CCR81516
3'0" x 6'8" | 3'0" x 8'0"
3'6" x 8'0"

For transoms, see page 102.

Note: Product images show exterior side of door.



Mahogany

CCR1515 | CCR81515
3'0" x 6'8" | 3'0" x 8'0"



Mahogany

CCR822215
3'0" x 8'0"
3'6" x 8'0"



Mahogany

CCR1514 | CCR81514
3'0" x 6'8" | 3'0" x 8'0"
3'6" x 8'0"



Mahogany

CCR1512 | CCR81512
3'0" x 6'8" | 3'0" x 8'0"
3'6" x 8'0"



Mahogany

CCR1511 | CCR81511
3'0" x 6'8" | 3'0" x 8'0"



Mahogany

CCR1512A | CCR81512A
3'0" x 6'8" | 3'0" x 8'0"
3'6" x 8'0"



Mahogany

CCR1511A | CCR81511A
3'0" x 6'8" | 3'0" x 8'0"



Canvas

CCV1516 | CCV81516
3'0" x 6'8" | 3'0" x 8'0"



Canvas

CCV1515 | CCV81515
3'0" x 6'8" | 3'0" x 8'0"



Canvas

CCV1512 | CCV81512
3'0" x 6'8" | 3'0" x 8'0"

PROVINCIAL™



Mahogany

CCR804028
3'0" x 8'0"



Mahogany

CCR820528
3'0" x 8'0"

2/3 Lites

continued

Mahogany Grain

Formerly Classic-Craft
Mahogany & Rustic

Canvas

Key

- ◆ Black Nickel Caming (1D)
- ▣ Brushed Nickel Caming (1C)

Optional Accessories



Clavos



Strap Hinge

PROVINCIAL™



Mahogany

CCR820028
3'0" x 8'0"



Mahogany

CCR822228
3'0" x 8'0"



Canvas

CCV820528
3'0" x 8'0"



Canvas

CCV822028
3'0" x 8'0"

LONGFORD™



Mahogany

CCR04023 | CCR804023
3'0" x 6'8" | 3'0" x 8'0"



Mahogany

CCR20523 | CCR820523
3'0" x 6'8" | 3'0" x 8'0"



Mahogany

CCR20023 | CCR820023
3'0" x 6'8" | 3'0" x 8'0"



Mahogany

CCR822223
3'0" x 8'0"



Canvas

CCV20523 | CCV820523
3'0" x 6'8" | 3'0" x 8'0"



Canvas

CCV22023 | CCV822023
3'0" x 6'8" | 3'0" x 8'0"

For transoms, see page 102.

Note: Product images show exterior side of door.



Mahogany

CCR04022 | CCR804022
3'0" x 6'8" | 3'0" x 8'0"
3'6" x 8'0"



Mahogany

CCR20522 | CCR820522
3'0" x 6'8" | 3'0" x 8'0"
3'6" x 8'0"



Mahogany

CCR20022 | CCR820022
3'0" x 6'8" | 3'0" x 8'0"



Mahogany

CCR822222
3'0" x 8'0"
3'6" x 8'0"



Mahogany

CCR804032
3'0" x 8'0"



Mahogany

CCR820532
3'0" x 8'0"



Mahogany

CCR820032
3'0" x 8'0"



Mahogany

CCR820532A
3'0" x 8'0"



Mahogany

CCR820032A
3'0" x 8'0"



Canvas

CCV20522 | CCV820522
3'0" x 6'8" | 3'0" x 8'0"



Canvas

CCV22022 | CCV822022
3'0" x 6'8" | 3'0" x 8'0"



Canvas

CCV820532
3'0" x 8'0"



Mahogany

CCR1841 | CCR81841
3'0" x 6'8" | 3'0" x 8'0"

continued

Mahogany Grain

Formerly Classic-Craft
Mahogany & Rustic

Canvas

Key

-  Flush-Glazed Glass with Square Sticking (FG)
-  Black Nickel Caming (1D)
-  Brushed Nickel Caming (1C)

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 62-63.

- XE = Satin Etch
- XR = Rainglass
- XG = Chord
- XN = Granite

Optional Accessories



Clavos



Strap Hinge

For transoms, see page 102.

Note: Product images show exterior side of door.

ZAHA 



Mahogany

CCR1839 3'0" x 6'8" | CCR81839 3'0" x 8'0"



Mahogany

CCR1838 3'0" x 6'8" | CCR81838 3'0" x 8'0"



Mahogany

CCR822238 3'0" x 8'0"



Mahogany

CCR81847 3'0" x 8'0"



Mahogany

CCR81846 3'0" x 8'0"



Mahogany

CCR81845 3'0" x 8'0"



Mahogany

CCR81846A 3'0" x 8'0"



Mahogany

CCR81845A 3'0" x 8'0"



Canvas

CCV1839 3'0" x 6'8" | CCV81839 3'0" x 8'0"



Canvas

CCV1838 3'0" x 6'8" | CCV81838 3'0" x 8'0"



Canvas

CCV81846 3'0" x 8'0"

*Not available with Satin Etch (XE) or Rainglass (XR) glass.

Note: See page 285 for important product details that may help with your purchase decision.

PRIVACY & TEXTURED



Mahogany

CCR04020_* | CCR804020_*
3'0" x 6'8" | 3'0" x 8'0"



Mahogany

CCR20520_* | CCR820520_*
3'0" x 6'8" | 3'0" x 8'0"



Mahogany

CCR20020_* | CCR820020_*
3'0" x 6'8" | 3'0" x 8'0"



Mahogany

CCR822220_*
3'0" x 8'0"



Mahogany

CCR804030_*
3'0" x 8'0"



Mahogany

CCR820530_*
3'0" x 8'0"



Mahogany

CCR820030_*
3'0" x 8'0"



Mahogany

CCR820530A_*
3'0" x 8'0"



Canvas

CCV20520_* | CCV820520_*
3'0" x 6'8" | 3'0" x 8'0"



Canvas

CCV22020_* | CCV822020_*
3'0" x 6'8" | 3'0" x 8'0"



Canvas

CCV820530_*
3'0" x 8'0"



Mahogany

CCM302L_* | CCM302R_*
3'0" x 6'8" | 3'0" x 8'0"



Mahogany

CCM8302L_* | CCM8302R_*
3'0" x 8'0" | 3'0" x 8'0"

continued

Mahogany Grain

Formerly Classic-Craft
Mahogany & Rustic

Key

 Flush-Glazed Glass with Square Sticking (FG)

 Low-E Glass (LE)

 Simulated Divided Lites (SDLF6)

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 62-63.

XE = Satin Etch **XR = Rainglass**
XC = Chord **XN = Granite**

PRIVACY & TEXTURED



Mahogany

CCM304L
 
3'0" x 6'8"

CCM304R
 
3'0" x 6'8"



Mahogany

CCM8304L
 
3'0" x 8'0"

CCM8304R
 
3'0" x 8'0"



Mahogany

CCM303L
 
3'0" x 6'8"

CCM303R
 
3'0" x 6'8"




Mahogany

CCM8303L
 
3'0" x 8'0"

CCM8303R
 
3'0" x 8'0"



Mahogany


CCM301CAL

3'0" x 6'8"

CCM301CAR

3'0" x 6'8"



Mahogany

CCM8301CAL

3'0" x 8'0"

CCM8301CAR

3'0" x 8'0"

For transoms, see page 102.

Note: Product images show exterior side of door.



Mahogany

CCM305CAL_ CCM305CAR_
 3'0" x 6'8" 3'0" x 6'8"



Mahogany

CCM8305CAL_ CCM8305CAR_
 3'0" x 8'0" 3'0" x 8'0"



Mahogany

CCM306CAL_ CCM306CAR_
 3'0" x 6'8" 3'0" x 6'8"



Mahogany

CCM8306CAL_ CCM8306CAR_
 3'0" x 8'0" 3'0" x 8'0"

LOW-E



Mahogany

CCR04020 CCR804020
 3'0" x 6'8" 3'0" x 8'0"
 3'6" x 8'0"



Mahogany

CCR20520 CCR820520
 3'0" x 6'8" 3'0" x 8'0"
 3'6" x 8'0"



Mahogany

CCR20020 CCR820020
 3'0" x 6'8" 3'0" x 8'0"



Mahogany

CCR822220
 3'0" x 8'0"
 3'6" x 8'0"



Mahogany

CCR804030
 3'0" x 8'0"



Mahogany

CCR820530
 3'0" x 8'0"



Mahogany

CCR820030
 3'0" x 8'0"

2/3 Lites

continued



Mahogany Grain
Formerly Classic-Craft
Mahogany & Rustic

Canvas

Key

-  Flush-Glazed Glass with Square Sticking (FG)
-  Low-E Glass (LE)
-  Simulated Divided Lites (SDLF6)

Optional Accessories



Clavos



Strap Hinge

LOW-E



Mahogany

CCR820530A
 3'0" x 8'0"



Mahogany

CCR820030A
 3'0" x 8'0"



Canvas

CCV20520 | CCV820520
 3'0" x 6'8" |  3'0" x 8'0"



Canvas

CCV22020 | CCV822020
 3'0" x 6'8" |  3'0" x 8'0"



Canvas

CCV820530
 3'0" x 8'0"



Mahogany

CCM302L | CCM302R
 3'0" x 6'8" |  3'0" x 6'8"





Mahogany

CCM8302L | CCM8302R
 3'0" x 8'0" |  3'0" x 8'0"



Mahogany

CCM304L | CCM304R
  3'0" x 6'8" |   3'0" x 6'8"

For transoms, see page 102.

Note: Product images show exterior side of door.



Mahogany

CCM8304L | CCM8304R
 ▲ 🔆 6 | ▲ 🔆 6
 3'0" x 8'0" | 3'0" x 8'0"



Mahogany

CCM303L | CCM303R
 ▲ 🔆 6 | ▲ 🔆 6
 3'0" x 6'8" | 3'0" x 6'8"



Mahogany

CCM8303L | CCM8303R
 ▲ 🔆 6 | ▲ 🔆 6
 3'0" x 8'0" | 3'0" x 8'0"



Mahogany

CCM301CAL | CCM301CAR
 ▲ 🔆 | ▲ 🔆
 3'0" x 6'8" | 3'0" x 6'8"



Mahogany

CCM8301CAL | CCM8301CAR
 ▲ 🔆 | ▲ 🔆
 3'0" x 8'0" | 3'0" x 8'0"



Mahogany

CCM305CAL | CCM305CAR
 ▲ 🔆 6 | ▲ 🔆 6
 3'0" x 6'8" | 3'0" x 6'8"



Mahogany

CCM8305CAL | CCM8305CAR
 ▲ 🔆 6 | ▲ 🔆 6
 3'0" x 8'0" | 3'0" x 8'0"



Mahogany

CCM306CAL | CCM306CAR
 ▲ 🔆 6 | ▲ 🔆 6
 3'0" x 6'8" | 3'0" x 6'8"



Mahogany

CCM8306CAL | CCM8306CAR
 ▲ 🔆 6 | ▲ 🔆 6
 3'0" x 8'0" | 3'0" x 8'0"

Mahogany Grain

Formerly Classic-Craft
Mahogany & Rustic

Canvas

Key

-  Low-E Glass (LE)
-  Black Nickel Caming (1D)
-  Brushed Nickel Caming (1C)

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 62-63.

XE = Satin Etch

For transoms, see page 102.


Note: Product images show exterior side of door.

HOMEWARD™



Mahogany

CCM9926
3'0" x 6'8"



Canvas

CCV9926
3'0" x 6'8"

ARBORWATCH®



Mahogany

CCM1424
3'0" x 6'8"



Canvas

CCV1424
3'0" x 6'8"

PROVINCIAL™



Canvas

CCV06028
3'0" x 6'8"

LONGFORD™



Mahogany

CCM603
3'0" x 6'8"



Canvas

CCV06023
3'0" x 6'8"

LUCERNA®



Mahogany

CCM612
3'0" x 6'8"



Canvas

CCV06022
3'0" x 6'8"

PRIVACY & TEXTURED



Mahogany

CCM600XE
3'0" x 6'8"



Canvas

CCV06020XE
3'0" x 6'8"

Note: See page 285 for important product details that may help with your purchase decision.

Right Page: Classic Craft Canvas, Homeward Glass, Door - CCM9926, Sidelites - CCV911SL, Finish - Cabernet

LOW-E



Mahogany

CCM600
*
3'0" x 6'8"



Canvas

CCV06020
*
3'0" x 6'8"



Craftsman Lites

Fir Grain

Formerly Classic-Craft
American Style

Canvas

HOMeward™



CCA231
3'0" x 6'8"

Fir
CCA8231
3'0" x 8'0"



Fir
CCA87132
3'6" x 8'0"



CCA211
3'0" x 6'8"

Fir
CCA8211
3'0" x 8'0"

Key

- Flush-Glazed Glass with Detailed Sticking (FG)
- Flush-Glazed Glass with Square Sticking (FG)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Simulated Divided Lites (SDL)

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 62–63.

XC = Chord XR = Rainglass
XJ = Chinchilla XN = Granite

Optional Dentil Shelves

Available for all Classic Craft Craftsman-lite doors.



16-Block Dentil Shelf



4-Block Dentil Shelf



4-Block Dentil Shelf
Pairs with 3'6" wide doors.



4-Block Dentil Shelf

For transoms, see page 102.

Note: Product images show exterior side of door.



Fir
CCA87112
3'6" x 8'0"



Fir
CCA3401SL
12" x 6'8"
14" x 6'8"

Fir
CCA3501SL
12" x 8'0"
14" x 8'0"



Fir
CCA211SL
12" x 6'8"



Canvas
CCV931
3'0" x 6'8"



Canvas
CCV911
3'0" x 6'8"


ARBORWATCH®



Canvas
CCV911SL
12" x 6'8"
14" x 6'8"



Canvas
CCV9011SL
12" x 6'8"
14" x 6'8"




Fir
CCA9300
3'0" x 6'8"

Fir
CCA89300
3'0" x 8'0"



Fir
CCA87131
3'6" x 8'0"



Fir

CCA9100
▲ 3'0" x 6'8"

CCA89100
▲ 3'0" x 8'0"



Fir

CCA87111
▲ 3'6" x 8'0"



Fir

CCA1423SL
▲ 12" x 6'8"
▲ 14" x 6'8"

CCA81423SL
▲ 12" x 8'0"
▲ 14" x 8'0"



Fir

CCA9100SL
▲ 12" x 6'8"
▲ 14" x 6'8"



Canvas

CCV4300
▲ 3'0" x 6'8"



Canvas

CCV4100
▲ 3'0" x 6'8"

PRIVACY & TEXTURED



Canvas

CCV1423SL
▲ 12" x 6'8"
▲ 14" x 6'8"



Canvas

CCV4100SL
▲ 12" x 6'8"
▲ 14" x 6'8"



Fir

CCA220
▲ 3'0" x 6'8"

CCA8220
▲ 3'0" x 8'0"



Fir

CCA87200XR
▲ 3'6" x 8'0"



Fir

CCA230
▲ 3'0" x 6'8"

CCA8230
▲ 3'0" x 8'0"



Fir

CCA87300XR
▲ 3'6" x 8'0"



Fir

CCA240
▲ 3'0" x 6'8"

CCA8240
▲ 3'0" x 8'0"



Fir

CCA87400XR
▲ 3'6" x 8'0"



Fir

CCA260
▲ 3'0" x 6'8"

CCA8260
▲ 3'0" x 8'0"

Craftsman Lites

continued

Fir Grain

Formerly Classic-Craft
American Style

Canvas

Key

-  Flush-Glazed Glass with Detailed Sticking (FG)
-  Flush-Glazed Glass with Square Sticking (FG)
-  Low-E Glass (LE)
-  Simulated Divided Lites (SDL)

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 62-63.

- XE = Satin Etch** **XR = Rainglass**
- XC = Chord** **XN = Granite**
- XJ = Chinchilla**

Optional Dentil Shelves


Available for all Classic Craft Craftsman-lite doors.



16-Block Dentil Shelf



4-Block Dentil Shelf



4-Block Dentil Shelf
Pairs with 3'6" wide doors.



4-Block Dentil Shelf

For transoms, see page 102.

Note: Product images show exterior side of door.

PRIVACY & TEXTURED



Fir

CCA87600XR
 
3'6" x 8'0"



Fir

CCA210__* CCA8210__*
 
3'0" x 6'8" 3'0" x 8'0"



Fir

CCA87100XR

3'6" x 8'0"



Fir

CCA3450__SL* CCA3560__SL*
   
12" x 6'8" 12" x 8'0"
14" x 6'8" 14" x 8'0"





Fir

CCA3400__SL* CCA3500__SL*
 
12" x 6'8" 12" x 8'0"
14" x 6'8" 14" x 8'0"




Fir

CCA220__SL*
 
12" x 6'8"
14" x 6'8"



Fir

CCA210__SL*

12" x 6'8"
14" x 6'8"



Canvas

CCV920__*
 
3'0" x 6'8"



Canvas

CCV930__*
 
3'0" x 6'8"



Canvas

CCV940__*
 
3'0" x 6'8"



Canvas

CCV960__*
 
3'0" x 6'8"

*Not available with Satin Etch (XE) glass.

Note: See page 285 for important product details that may help with your purchase decision.



Canvas

CCV910_*
3'0" x 6'8"



Canvas

CCV950_SL
12" x 6'8"
14" x 6'8"

CCV8950_SL*
12" x 8'0"
14" x 8'0"



Canvas

CCV100_SL
12" x 6'8"
14" x 6'8"

CCV8100_SL*
12" x 8'0"
14" x 8'0"



Canvas

CCV920_SL*
12" x 6'8"
14" x 6'8"



Canvas

CCV910_SL*
12" x 6'8"
14" x 6'8"

LOW-E



Fir

CCA220
3'0" x 6'8"

CCA8220
3'0" x 8'0"



Fir

CCA87200
3'6" x 8'0"



Fir

CCA230
3'0" x 6'8"

CCA8230
3'0" x 8'0"



Fir

CCA87300
3'6" x 8'0"



Fir

CCA240
3'0" x 6'8"

CCA8240
3'0" x 8'0"



Fir

CCA87400
3'6" x 8'0"



Fir

CCA260
3'0" x 6'8"

CCA8260
3'0" x 8'0"



Fir

CCA87600
3'6" x 8'0"

Craftsman Lites





continued

Fir Grain

Formerly Classic-Craft
American Style

Canvas

Key

-  Flush-Glazed Glass with Detailed Sticking (FG)
-  Flush-Glazed Glass with Square Sticking (FG)
-  Low-E Glass (LE)
-  Simulated Divided Lites (SDL)

Optional Dentil Shelves

Available for all Classic Craft
Craftsman-lite doors.



16-Block Dentil Shelf



4-Block Dentil Shelf



4-Block Dentil Shelf

Pairs with 3'6" wide doors.



4-Block Dentil Shelf

For transoms, see page 102.

Note: Product images show
exterior side of door.

LOW-E



Fir

CCA210
 
3'0" x 6'8"

CCA8210
 
3'0" x 8'0"



Fir

CCA87100
 
3'6" x 8'0"



Fir

CCA3450SL
  
12" x 6'8"
14" x 6'8"

CCA3560SL
  
12" x 8'0"
14" x 8'0"



Fir

CCA3400SL
 
12" x 6'8"
14" x 6'8"

CCA3500SL
  
12" x 8'0"
14" x 8'0"



Fir

CCA220SL
  
12" x 6'8"
14" x 6'8"



Fir

CCA210SL
 
12" x 6'8"
14" x 6'8"



Canvas

CCV920
 
3'0" x 6'8"



Canvas

CCV930
 
3'0" x 6'8"



Canvas

CCV940
 
3'0" x 6'8"



Canvas

CCV960
 
3'0" x 6'8"



Canvas

CCV910
 
3'0" x 6'8"

Note: See page 285 for important product details that may help with your purchase decision.

Right Page: Classic Craft Fir Grain, Low-E Glass with SDLs, Door - CCA230, Sidelites - CCA3400SL, Finish - Raven



Canvas

CCV950SL	CCV8950SL
🔹 🌟 🏠	🔹 🌟 🏠
12" x 6'8"	12" x 8'0"
14" x 6'8"	14" x 8'0"



Canvas

CCV100SL	CCV8100SL
🔹 🌟	🔹 🌟
12" x 6'8"	12" x 8'0"
14" x 6'8"	14" x 8'0"



Canvas

CCV9020SL
🔹 🌟 🏠
12" x 6'8"
14" x 6'8"



Canvas

CCV9010SL
🔹 🌟
12" x 6'8"
14" x 6'8"











Solid Panels

Fir Grain

Formerly Classic-Craft
American Style

Key

-  Flush-Glazed Glass with Square Sticking (FG)
-  Black Nickel Caming (1D)
-  Brushed Nickel Caming (1C)
-  Door Divider Bars (DDBF3)
-  Door Divider Bars (DDBF4)
-  Door Divider Bars (DDBF5)
-  WBDR Options
-  Elevated 10" Bottom Rail Options



Fir

CCA1125	CCA81125
 	  
3'0" x 6'8"	3'0" x 8'0"



Fir

CCA1149	CCA81149
 	  
3'0" x 6'8"	3'0" x 8'0"




Fir

CCA1127	CCA81127
 	  
3'0" x 6'8"	3'0" x 8'0"



Fir

CCA4905	CCA84905
 	  
3'0" x 6'8"	3'0" x 8'0"



Fir

CCA4915L	CCA4915R
 	 
3'0" x 6'8"	3'0" x 6'8"



Fir

CCA84915L	CCA84915R
  	  
3'0" x 8'0"	3'0" x 8'0"



Fir

CCA4925L	CCA4925R
 	 
3'0" x 6'8"	3'0" x 6'8"

For transoms, see page 102.

Note: Product images show exterior side of door.



Fir

CCA84925L | CCA84925R
 3 9 E | 3 9 E
 3'0" x 8'0" | 3'0" x 8'0"



Fir

CCA4935 | CCA84935
 3 9 | 3 9 E
 3'0" x 6'8" | 3'0" x 8'0"



Fir

CCA4945 | CCA84945
 3 9 | 3 9 E
 3'0" x 6'8" | 3'0" x 8'0"



Fir

CCA1166 | CCA81166
 3 9 | 3 9 E
 3'0" x 6'8" | 3'0" x 8'0"



Fir

CCA1158 | CCA81158
 3 9 | 3 9 E
 3'0" x 6'8" | 3'0" x 8'0"



Fir


CCA1147 | CCA81147
 3 9 | 3 9 E
 3'0" x 6'8" | 3'0" x 8'0"



HOMEWARD™

Fir

CCA2420SL | CCA82420SL
 12" x 6'8" | 12" x 8'0"
 14" x 6'8" | 14" x 8'0"



ARBORWATCH[®]

Fir

CCA2410SL | CCA82410SL
 12" x 6'8" | 12" x 8'0"
 14" x 6'8" | 14" x 8'0"

Pair full-lite Shaker flush-glazed sidelites, also available in privacy and textured and Low-E glass, with solid-panel doors for natural light in the entry.



Fir

CCA1100 | CCA81100
 9 | 9 E
 3'0" x 6'8" | 3'0" x 8'0"



Fir

CCA1133 | CCA81133
 4 9 | 4 9 E
 3'0" x 6'8" | 3'0" x 8'0"



Fir

CCA1145 | CCA81145
 4 9 | 4 E 9
 3'0" x 6'8" | 3'0" x 8'0"



Fir

CCA1150 | CCA81150
 3 9 | 3 9 E
 3'0" x 6'8" | 3'0" x 8'0"

Solid Panels



Walnut Grain

Key

-  Low-E Glass (LE)
-  WBDR Options
-  Elevated 10" Bottom Rail Options





Walnut

CCW1000 	CCW81000 
2'6" x 6'8" (7'0")	2'6" x 8'0"
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"
3'6" x 6'8" (7'0")	3'6" x 8'0"





Walnut

CCW900L 	CCW8900L 
2'6" x 6'8" (7'0")	2'6" x 8'0"
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"
3'6" x 6'8" (7'0")	3'6" x 8'0"





Walnut

CCW900R 	CCW8900R 
2'6" x 6'8" (7'0")	2'6" x 8'0"
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"
3'6" x 6'8" (7'0")	3'6" x 8'0"





Walnut

CCW901L 	CCW8901L 
2'6" x 6'8" (7'0")	2'6" x 8'0"
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"
3'6" x 6'8" (7'0")	3'6" x 8'0"





Walnut

CCW901R 	CCW8901R 
2'6" x 6'8" (7'0")	2'6" x 8'0"
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"
3'6" x 6'8" (7'0")	3'6" x 8'0"



Walnut

CCW902L 	CCW8902L 
2'6" x 6'8" (7'0")	2'6" x 8'0"
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"
3'6" x 6'8" (7'0")	3'6" x 8'0"




For transoms, see page 102.

Note: Product images show exterior side of door.

Note: See page 285 for important product details that may help with your purchase decision.

Bottom: Classic Craft Walnut Grain Door – CCW902R; Low-E Glass Direct Set Sidelites – DRS2131SL, Transoms – 19200T, 19210T, Finish – Shale

Right Page: Classic Craft Walnut Grain Door – CCW8901L; Low-E Glass Direct Set Sidelites – DRS82131SL, Finish – Tumbleweed



Walnut

CCW902R 6	CCW8902R 6
2'6" x 6'8" (7'0")	2'6" x 8'0"
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"
3'6" x 6'8" (7'0")	3'6" x 8'0"




Walnut

CCW903 6	CCW8903 6
2'6" x 6'8" (7'0")	2'6" x 8'0"
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"
3'6" x 6'8" (7'0")	3'6" x 8'0"



Walnut

CCW904L 6	CCW8904L 6
2'6" x 6'8" (7'0")	2'6" x 8'0"
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"
3'6" x 6'8" (7'0")	3'6" x 8'0"



Walnut

CCW904R 6	CCW8904R 6
2'6" x 6'8" (7'0")	2'6" x 8'0"
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"
3'6" x 6'8" (7'0")	3'6" x 8'0"



Walnut

CCW905 9E	CCW8905 9E
2'6" x 6'8" (7'0")	2'6" x 8'0"
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"
3'6" x 6'8" (7'0")	3'6" x 8'0"



Walnut

CCW906L 6	CCW8906L 6
2'6" x 6'8" (7'0")	2'6" x 8'0"
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"
3'6" x 6'8" (7'0")	3'6" x 8'0"



Walnut

CCW906R 6	CCW8906R 6
2'6" x 6'8" (7'0")	2'6" x 8'0"
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"
3'6" x 6'8" (7'0")	3'6" x 8'0"



Walnut

CCW907L 6	CCW8907L 6
2'6" x 6'8" (7'0")	2'6" x 8'0"
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"
3'6" x 6'8" (7'0")	3'6" x 8'0"



Walnut

CCW907R 6	CCW8907R 6
2'6" x 6'8" (7'0")	2'6" x 8'0"
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"
3'6" x 6'8" (7'0")	3'6" x 8'0"

LOW-E



Direct Set

DRS2131SL *	DRS82131SL *
12" x 6'8" (7'0")	12" x 8'0"
14" x 6'8" (7'0")	14" x 8'0"


Solid Panels

Mahogany Grain

Formerly Classic-Craft
Mahogany & Rustic

Canvas

Key

-  Flush-Glazed Glass with Square Sticking (FG)
-  Simulated Divided Lites (SDL)
-  Simulated Divided Lites (SDLF6)
-  WBD Options
-  WBD / HVHZ Options


Optional Accessories



Clavos



Strap Hinge



Mahogany

CCR100 | CCR8100
3'0" x 6'8" | 3'0" x 8'0"
3'6" x 6'8" | 3'6" x 8'0"



Mahogany

CCM890
 3'0" x 8'0"



Mahogany

CCR8222
 3'0" x 8'0"
3'6" x 8'0"



Mahogany

CCR100R | CCR8100R
3'0" x 6'8" | 3'0" x 8'0"
3'6" x 6'8" | 3'6" x 8'0"



Mahogany

CCR8005A
3'0" x 8'0"



Mahogany

CCR205A | CCR8205A
3'0" x 6'8" | 3'0" x 8'0"
3'6" x 8'0"



Mahogany

CCR200A | CCR8200A
3'0" x 6'8" | 3'0" x 8'0"



Mahogany

CCR8225
 3'0" x 8'0"
3'6" x 8'0"



Mahogany

CCR8005
 3'0" x 8'0"

For transoms, see page 102.

Note: Product images show exterior side of door.



Mahogany

CCR040 | CCR8040
 3'0" x 6'8" | 3'0" x 8'0"
 3'6" x 8'0"



Mahogany

CCR205 | CCR8205
 3'0" x 6'8" | 3'0" x 8'0"
 3'6" x 8'0"



Mahogany

CCR200 | CCR8200
 3'0" x 6'8" | 3'0" x 8'0"



Mahogany

CCM60
 3'0" x 6'8"

HAMMERED



Mahogany

CCR2025XHSL | CCR82035XHSL
 12" x 6'8" | 12" x 8'0"
 14" x 6'8" | 14" x 8'0"



Canvas

CCV200
 3'0" x 6'8"



Canvas

CCV205 | CCV8205
 3'0" x 6'8" | 3'0" x 8'0"



Canvas

CCV220 | CCV8220
 3'0" x 6'8" | 3'0" x 8'0"



Canvas

CCV831
 3'0" x 8'0"



Canvas

CCV060
 3'0" x 6'8"



Canvas

CCV050
 3'0" x 6'8"

HAMMERED



Canvas

CCV950XHSL | CCV8950XHSL
 12" x 6'8" | 12" x 8'0"
 14" x 6'8" | 14" x 8'0"

Transoms

Transoms can be stained or painted to match Classic Craft® door systems.

HOMeward™ ◆ ❏



HWRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



HW30T
3'0" Door Only

ARBORWATCH® ◆ ❏



ABRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



AB30T
3'0" Door Only

LONGFORD™ ◆ ❏



LFET
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



LFRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



LF30T
3'0" Door Only

PROVINCIAL™ ◆ ❏



CC040T
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



CC420T
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



CC400T
3'0" Door Only

LUCERNA® ◆ ❏



LCET
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



LCRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



LC30T
3'0" Door Only

ZAHA® ◆ ❏



ZHRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only

LOW-E



Grille Sticks Applied



19020T
*
3'0" door + (2) 12" sidelites
Continuous Sill Systems Only
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems



Grille Sticks Applied



19220T
*
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems



Grille Sticks Applied



19200T
*
3'0" Door Only



19210T
*
12" & 14"
Sidelite Only

Key

- ☀ Low-E Glass (LE)
- ◆ Black Nickel Caming (1D)
- ❏ Brushed Nickel Caming (1C)

Note: See page 285 for important product details that may help with your purchase decision.

Right Page: Classic Craft Canvas, Homeward Glass, Door - CCV9925, Sidelites - CCV911SL, Transom - HWRT



Classic Craft® Hinged Patio Doors




A premium entrance to outdoor living.

The unmatched craftsmanship of Classic Craft premium entryways extends to the patio as an uncompromising entrance to the outdoors. Select from remarkably authentic wood grains and premium smooth surfaces to create a seamless indoor-outdoor connection.


Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See your Therma-Tru seller or visit thermatru.com for details on limited warranties and exclusions, and ENERGY STAR qualified products.

Top: Classic Craft Mahogany Grain, Low-E Glass, Doors – CCM82800, Sidelites – CCR8000SL, Finish – Lynx

GRAIN & TEXTURE OPTIONS



Fir Grain
Formerly Classic-Craft American Style



Mahogany Grain
Formerly Classic-Craft Mahogany & Rustic



Canvas

GLASS OPTIONS



Low-E Glass



Flush-Glazed Glass


Glass built directly into the door during the manufacturing process offers a seamless appearance, wider daylight opening and high-performance weather seal.

EnLiten™ Flush-Glazed Warranty Riders

See page 123 for details on the EnLiten Flush-Glazed Rider for Construction & Installation, and the EnLiten Flush-Glazed Rider for Homeowners.

■ = Available		Classic Craft
Door Selections		
Material		Fiberglass
Warranty		1x Transferable Lifetime
Finish Options		Stain or Paint
Flush-Glazed Glass Selections		
Low-E Glass with and without Divided Lites 🔥		■
Privacy & Textured Glass with and without Divided Lites 🔥		■
Lip-Lite Glass Selections		
Low-E Glass with and without Divided Lites		■
Privacy & Textured Glass with and without Divided Lites		■
Available Sizes		
Heights		6'8", 8'0"
Single Widths		3'0"
Double Widths		6'0"
Triple Widths		9'0"
Retrofit Openings		
Additional Options		
Screens & Screen Accessories Available Colors: Bronze, White		2" Frame, 3" Frame
Impact-Rated Options		
Tru-Defense Eligible		■

AVAILABLE CONFIGURATIONS




EnLiten™ Flush-Glazed Low-E Glass




AVAILABLE COLLECTIONS

- Classic Craft® Fir Grain
- Classic Craft® Mahogany Grain

AVAILABLE DOOR STYLES



AVAILABLE CONFIGURATIONS




EnLiten™ Flush-Glazed Low-E Glass with Divided Lites




AVAILABLE COLLECTIONS

- Classic Craft® Mahogany Grain

AVAILABLE DOOR STYLES



AVAILABLE CONFIGURATIONS



Note: See page 287 for important product details that may help with your purchase decision.

Right Page: Classic Craft Fir Grain, Low-E Glass, Doors – CCA82400, Finish – Acorn, Retractable Screens – White


Low-E Glass




AVAILABLE COLLECTIONS

- Classic Craft® Mahogany Grain
- Classic Craft® Canvas

AVAILABLE DOOR STYLES



AVAILABLE CONFIGURATIONS



Fiber-Classic® & Smooth-Star® Fiberglass Doors

Fiber-Classic® & Smooth-Star®




Great style for any home.

With many door styles in common and glass families that cross over between door collections, Fiber-Classic and Smooth-Star offer options to fit virtually every entrance — from front entry to patio to utility doors — at an excellent value.

Top: Fiber-Classic Mahogany Collection, Saratoga Glass, Door - FCM86240,
Sidelites - FCM86201SL, Finish - Acorn

Bottom: Fiber-Classic Oak Collection, Internal Blinds, Door - FC678, Finish - Barley
Right Page: Smooth-Star Door - S3501, Finish - Golden Wheat





Fiber-Classic® Mahogany Collection™

Fiber-Classic Mahogany complements rich wood tones in home interiors, extending the look to the outside with beauty and elegance.



Fiber-Classic® Oak Collection™

Fiber-Classic Oak is the door that started the fiberglass revolution and features the warm look and feel of natural Oak graining.



Smooth-Star®

Smooth-Star fiberglass doors are ready-to-paint with crisp, clean contours making them the more attractive and durable alternative to steel.

**SEE THE DIFFERENCE
COLOR CAN MAKE.**

Therma-Tru offers a wide variety of finish options for our doors. Explore PrismaGuard® premium finish and Same-Day® Stain color options on pages 258–264.

Glass Options

- Explore a portfolio of interchangeable decorative glass designs, and privacy and textured glass options starting on page 114.
- Lite frame options include Advanta™ lite frame with no screw plugs and a standard Lip-lite frame, starting on page 139. Both feature 22" wide glass and are suitable for use with a storm door.
- Welcome even more light into the home with EnLiten™ flush-glazed designs with 25–27" wide glass, starting on page 124.
- Low-E glass is available for internal blinds, divided lites and clear glass, providing exceptional energy efficiency.



Door Construction

Fiber-Classic® and Smooth-Star® doors set the standard for beauty, quality and performance at an excellent value. Explore the craftsmanship and innovation of doors designed for long-lasting energy efficiency, durability and security.



1 WEATHER RESISTANCE

Composite rails protect the door at the top and bottom edges to help block moisture that can wick into doors.

2 SECURITY

Our fiberglass door slabs are up to 30% more resistant to kick-ins than standard steel doors.* Our Fiber-Classic and Smooth-Star doors feature an enhanced lock block combined with a 1-1/4" engineered lumber lock stile which increases rigidity and stability.

3 DURABILITY




With very little maintenance, a fiberglass door can bring a home years of durability. Unlike wood, fiberglass will not warp or rot. And, unlike steel, it will not dent or rust.

4 R-VALUES

Built with a polyurethane foam core that offers up to four times the insulating R-Value of wood**, Therma-Tru® fiberglass doors insulate against cold and heat for exceptional energy efficiency.

*Comparison of pendulum impact test results for Therma-Tru doors in steel versus fiberglass. Visit thermatru.com for details.
**Comparison of fiberglass to wood doors (both without glass).

Additional Options



-  WBDR Options: Look for this icon to find door styles that can be configured for WBDR.*
-  WBDR / HVHZ Options: Look for this icon to find door styles that can be configured for WBDR or HVHZ.*
-  Fire-Rated Options: Available on solid-panel doors. See pages 240–243.

Flush-Glazed Options: Look for these icons (🔺🔻) to find doors styles with flush-glazed glass. See pages 124–137.

Warranties



Fiber-Classic and Smooth-Star products are backed by a lifetime limited warranty. See page 285 for more information.

-  Fiber-Classic and Smooth-Star products with flush-glazed glass are also backed by the EnLiten™ Flush-Glazed Rider for Construction & Installation, and the EnLiten™ Flush-Glazed Rider for Homeowners. See page 123 for more information.
-  Fiber-Classic and Smooth-Star door systems are eligible for the Tru-Defense® Warranty Rider when properly assembled and installed with all Therma-Tru® specified system components, in accordance with the Rider. See page 18–19 for details.



	Fiber-Classic. Mahogany Collection™	Fiber-Classic. Oak Collection™	Smooth-Star®
<p>■ = Available ◻ = Not Applicable S = Stain P = Paint</p>			
Door Widths			
2'0"	■	■	■
2'4"	■	■	■
2'6"	■	■	■
2'8"	■	■	■
2'10"	■	■	■
3'0"	■	■	■
3'6"	◻	◻	■
Door Heights			
6'6"	◻	■	■
6'8"	■	■	■
7'0"	■	■	■
8'0"	■	■	■
Glass Options			
Decorative	16	16	16
Privacy & Textured	6	6	6
Internal Blinds	■	■	■
Flush-Glazed	■	■	■
Screen Vented	◻	◻	■
Simulated Divided Lites	■	■	■
Grilles Between Glass	■	■	■
Low-E	■	■	■
Clear	■	■	■
Additional Options			
Finish	S / P	S / P	P
Vented Sidelites	■	■	■

RETROFIT HINGED PATIO DOORS

Replacing common slider sizes? Find hinged patio door options in this section. For more about our patio door systems, see pages 210–215.

5'0" Patio Opening = (2) 2'4" Doors
 6'0" Patio Opening = (2) 2'10" Doors

*Please verify that there is a Therma-Tru Impact-rated product approval for the configuration before buying.
 Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See your Therma-Tru seller or visit thermatru.com for more, including details on limited warranties and exclusions, Riders, ENERGY STAR qualified products and product approvals.

Left: Smooth-Star, Clear Glass, Door – S8140
 Right Page: Smooth-Star, Granite Glass with SDLs, Door – S2103XN, Sidelites – S2000XNSL



Vented Sidelites

More than a sidelite. Vented sidelites from Therma-Tru let the homeowner enjoy the added curb appeal of an elegant front entry unobstructed by a screen door. Choose from convenient specialty glass options or eye-catching decorative designs. In fact, only Therma-Tru offers vented sidelites with decorative glass. Look for the (●) icon.

- Sturdy stiles and hinges make the unit work as a small swinging door.
- Wide patio mullions provide dependable operation.
- Multi-point lock and continuous system help provide security and stability.
- Convenient removable screens – available in bronze and white – are designed for worry-free use.

AVAILABLE SIZES

Height	Width	
	12"	14"
6'6"	■	■
6'8"	■	■
8'0"		■



AVAILABLE CONFIGURATIONS



Single Door with Vented Sidelites (Inswing Only)



Double Doors with Vented Sidelites (Inswing Only)


Decorative & Specialty Glass Designs

Blackstone®

Traditional English design meets
1 clear curved bevels, **2** rainglass
 and coming to create the distinctive
 styling of Blackstone. Entries get
 the best of both privacy and
 simple refinement.



Glass Privacy Rating



Black Nickel



Brushed Nickel

Crystalline™

This time-honored design features
 geometric styling brought to life with
1 glue chip glass, **2** glue chip bevels,
3 clear bevels and coming. Offering
 modest privacy, Crystalline is a shining
 example of traditional decorative glass
 with lasting beauty.



Glass Privacy Rating



Black Nickel




Brushed Nickel

Sedona

Art meets glass in Sedona where Arts
 and Crafts simplicity is designed with
1 slump glass, **2** clear bevels,
3 clear artique glass and coming.



Glass Privacy Rating



Black Nickel




Brushed Nickel

Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit thermatru.com for details on glass privacy ratings and designs.

Salinas®

1 Oceana glass and wrought iron come together to create a cheerful entry glass design that offers the ultimate in privacy with yesterday's charm.




Wrought Iron

Maple Park®

With hints of Mission style and the American Southwest, Maple Park provides a sophisticated appearance with 1 waterglass, 2 clear bevels, 3 granite glass and caming. The curved design adds unique appeal.



Black Nickel




Brushed Nickel

Saratoga™

Saratoga evokes a certain urban sophistication while offering modest privacy with its 1 clear bevels, 2 diamond glass, 3 reeded glass and caming. The geometric pattern bridges both modern and traditional designs.



Black Nickel



Brushed Nickel

Texas Star

Beautifully crafted with **1** clear bevels, **2** curved bevels, **3** clear waterglass, **4** granite glass, **5** glue chip glass, there's no mistaking the inspiration for this recognizable design. Strong, independent and all-American.



Black Nickel



Brushed Nickel

Wellesley™

Simple yet charming, Wellesley's Victorian-inspired design uses **1** clear baroque glass, **2** clear curved bevels, **3** waterglass, **4** granite glass and coming to add beauty to any entry.



Black Nickel




Brushed Nickel



Brass

Riserva®

Riserva decorative glass features a combination of linear and curved wrought iron elements that create a simple yet graceful design. Riserva features **1** oceana glass for privacy with a look that enhances a wide variety of home styles, including Mediterranean, Old World and Southwest.



Wrought Iron

*Brass coming not available for Impact-rated products.

Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit thermatru.com for details on glass privacy ratings and designs.

Concorde™

There's just something friendly about Concorde's cheery four-leaf design.

① Glue chip glass, ② clear curved bevels, ③ clear glass and coming make up its Old World charm.



Black Nickel



Brushed Nickel



Brass

Kensington™

Kensington speaks European elegance while offering modest privacy with its

① clear bevels, ② glue chip glass, ③ granite glass and coming.



Black Nickel




Brushed Nickel

Pembridge™

Simplistic in its design, Pembridge features a field of ① hammered glass framed by ② gray baroque glass and ③ multifaceted bevels. A central diamond shape adds a decorative touch.



Black Nickel



Brushed Nickel





Brass*

Note: The use of gray baroque glass varies based on glass size.

Axis®

Simple and smart, Axis combines **1** narrow reeded glass in horizontal and vertical arrangements to create contrast and modest privacy. A vertical band of **2** clear glass bevels completes this linear design, ideal for Modern home styles.




Black Nickel

Calix

Calix includes an on-trend "x" design and a delicate diamond pattern with **1** clear glass, providing fine-lined geometric appeal.

Available with Advanta™ lite frame* or Impact-rated lite frame only.



Black Nickel



Brushed Nickel





Brass

Latitude

Latitude showcases **1** seedy glass and simple curved details in a half-moon geometric design.

Available with Advanta™ lite frame* or Impact-rated lite frame only.



Black Nickel



Brushed Nickel



Brass


*See your Therma-Tru seller for details on product availability.

Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit thermatru.com for details on glass privacy ratings and designs.

Echelon

Echelon provides **1** clear glass accented with eased angles and clean edges infused with elements of diamonds and triangles.

Available with Advanta™ lite frame* or Impact-rated lite frame only.



Internal Blinds

Internal blinds provide the privacy and convenience of a cordless blind enclosed between glass. A single-hand operator opens, closes and tilts the blinds to control the desired level of privacy and light.

- 1** Single-Hand Operator
- 2** Privacy Bar



Screen Vented



Screen vented lites offer a built-in screen for ventilation, featuring a gliding operation and sash locking system.



Privacy & Textured Glass



REEDED



SATIN ETCH




CHORD



CHINCHILLA



RAINGLASS



GRANITE



Also Available: **Low-E & Clear Glass**

Divided Lites

Additional grid patterns can be created through our simulated divided lite (SDL) lineal program. See your Therma-Tru seller for details.

SIMULATED DIVIDED LITES (SDLS) WITH GRILLES BETWEEN GLASS (GBGS)

Choose wood-grained or smooth-textured SDL bars layered over flat bronze GBG bars to achieve the most authentic divided lite look.

Look for the (  ) icons.

Shown with flat bronze GBGs (recommended).



SIMULATED DIVIDED LITES (SDLS)

Wood-grained or smooth SDL bars are adhered to the interior and exterior panes of tempered glass. Can be stained or painted any color to complement the door and home.

Look for the (   ) icons.



*Almond and Bronze GBGs available in flat bars only.

**Available in Special Quote Program.

Note: See page 285 for important product details that may help with your purchase decision.

GRILLES BETWEEN GLASS (GBGS)

Contour or flat GBG bars are thermally sealed between two panes of tempered glass for the convenience of a smooth, easy-to-clean glass surface.

Look for the () icons.





FIXED GRILLES

Fixed grilles are molded as part of the lite frame on the interior and exterior panes of tempered glass. Can be stained or painted to complement the home's décor.


Look for the () icon.




SDL BAR OPTIONS



Smooth SDL bars are color matched to PrismaGuard Alpine.




GBG BAR OPTIONS



GBG Color Options




Key


-  Simulated Divided Lites (SDL)
-  Simulated Divided Lites (SDL1)
-  Simulated Divided Lites (SDL2)
-  Flat or Contour White Grilles Between Glass (GBGF / GBGC)
-  Flat Almond Grilles Between Glass (GBGF)
-  Flat Bronze Grilles Between Glass (GBGF)
-  Fixed Grilles (FXG)
-  Flat or Contour Black Grilles Between Glass (GBGF / GBGC)

Clavos & Strap Hinges

Add a finishing touch of rustic flavor with decorative hardware.



1-1/2" 1-1/4" 1" 1-3/4" 1-1/4" 1"



18"



Dentil Shelves

Complete the look with a dentil shelf for true Craftsman appeal.



Fiber-Classic. 4-Block Dentil Shelf*



Smooth-Star. 4-Block Dentil Shelf*



*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.
 Note: See your Therma-Tru seller or visit thermatru.com for details on product sizes and options, limited warranties, exclusions and Riders.
 Bottom: Fiber-Classic Mahogany Collection, Clear Glass with SDLs, Door – FCM4816, Clear Glass with Grille Sticks, Transom – 19200T,
 Finish – Acorn; Dentil Shelf


EnLiten™ Flush-Glazed Designs

EnLiten flush-glazed designs feature double- or triple-pane glass built directly into the door with a high-performance dual adhesive weather seal. This creates a seamless look with a simple profile around the glass and no lite frame or screw plugs. In addition, EnLiten flush-glazed designs offer up to a 16% increase in visible glass area than conventional lite frames to welcome more natural light into the home.



up to **16%**
WIDER


Flush-Glazed Glass



Lip-Lite Frame


SEE THE DIFFERENCE

EnLiten flush-glazed designs provide a simple profile with no added embellishments around the glass.



Flush-Glazed Glass with Detailed Sticking

Look for the (▲) symbol.



Flush-Glazed Glass with Square Sticking

Look for the (■) symbol.



Lip-Lite Frame

WARRANTY RIDERS FOR PEACE OF MIND

EnLiten™ Flush-Glazed Rider for Construction & Installation

Provides protection in case of accidental glass breakage during residential and multi-family construction or installation. Therma-Tru will replace the flush-glazed fiberglass door or sidelite.

EnLiten™ Flush-Glazed Rider for Homeowners


Provides protection in case of glass-related failures due to manufacturer defect. Therma-Tru will furnish \$300 toward installation and replace the flush-glazed fiberglass door or sidelite.

EnLiten™ Flush-Glazed Full Lites




















TRANSOMS

For transoms, see page 209.



PRIVACY & TEXTURED GLASS WITH DIVIDED LITES

									
Oak	Oak	Oak	Oak	Oak	Oak	Oak			
FC1205_ 🔥🔥 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"	FC1207_ 🔥🔥 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"	2010_ 🔥🔥 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"	2050_ 🔥🔥 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"	2050_SL 🔥🔥 12" x 6'8" 14" x 6'8"	FC5700_ 🔥🔥 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"	FC85700_ 🔥🔥 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"			
									
Oak	Oak	Oak	Oak	Oak	Oak	Oak	Oak	Oak	Oak
FC5710_ 🔥🔥 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"	FC85710_ 🔥🔥 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC5720_ 🔥🔥 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"	FC85720_ 🔥🔥 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC691_ 🔥🔥 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"	FC8691_ 🔥🔥 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC685L_ 🔥🔥 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"	FC8685L_ 🔥🔥 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC685R_ 🔥🔥 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"	FC8685R_ 🔥🔥 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 119.

XK = Reeded XC = Chord XR = Rainglass
XE = Satin Etch XJ = Chinchilla XN = Granite

*Not available with Reeded (XK) glass.

Note: See page 285 for important product details that may help with your purchase decision.

Top: Fiber-Classic Oak Collection, Clear Glass with SDLs, Door – FC5700, Sidelite – FC5700SL, Finish – Wildflower Honey



Oak

FC5700_SL
▲ 2
12" x 6'8"
14" x 6'8"



Oak

FC5710_SL
▲ 2
12" x 6'8"
14" x 6'8"




Oak

FC5720_SL
▲ 2
12" x 6'8"
14" x 6'8"



Smooth

S1205
▲ 2 E 6
2'6" x 6'8" ▲
2'8" x 6'8" ▲
2'10" x 6'8" ▲
3'0" x 6'8" ▲



Smooth

S1207
▲ 2 E 6
2'6" x 6'8" ▲
2'8" x 6'8" ▲
2'10" x 6'8" ▲
3'0" x 6'8" ▲



Smooth

S2010
▲ 2 E 6
2'6" x 6'8" ▲
2'8" x 6'8" ▲
2'10" x 6'8" ▲
3'0" x 6'8" ▲



Smooth

S2050
▲ 2 E 6
2'6" x 6'8" ▲
2'8" x 6'8" ▲
2'10" x 6'8" ▲
3'0" x 6'8" ▲



Smooth

S5705
▲ 2 E 6
2'6" x 6'8" ▲
2'8" x 6'8" ▲
2'10" x 6'8" ▲
3'0" x 6'8" ▲



Smooth

S85705
▲ 2 E 6
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S5725
▲ 2 E 6
2'6" x 6'8" ▲
2'8" x 6'8" ▲
2'10" x 6'8" ▲
3'0" x 6'8" ▲



NEW

Smooth

S2010_SL
▲ 2 E 6
10" x 6'8" ▲
12" x 6'8" ▲ (7'0")
14" x 6'8" ▲ (7'0")



Smooth

S85226_SL
▲ 2 E
12" x 8'0"
14" x 8'0"
S2000_SL-2C*
▲ 2 E
10" x 6'8" ▲
12" x 6'8" ▲ (7'0")
14" x 6'8" ▲ (7'0")



Smooth

S2000_SL-4C*
▲ 2 E
10" x 6'8" ▲
12" x 6'8" ▲
14" x 6'8" ▲



Smooth

S5700
▲ 2 E 6
2'6" x 6'8" ▲
2'8" x 6'8" ▲
2'10" x 6'8" ▲
3'0" x 6'8" ▲




Smooth

S85700
▲ 2 E 6
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S5710
▲ 2 E 6
2'6" x 6'8" ▲
2'8" x 6'8" ▲
2'10" x 6'8" ▲
3'0" x 6'8" ▲



Smooth

S85710
▲ 2 E 6
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S5720
▲ 2 E 6
2'6" x 6'8" ▲
2'8" x 6'8" ▲
2'10" x 6'8" ▲
3'0" x 6'8" ▲

S85720
▲ 2 E 6
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

S691
▲ 2 E 6
2'6" x 6'8" ▲
2'8" x 6'8" ▲
2'10" x 6'8" ▲
3'0" x 6'8" ▲

S8691
▲ 2 E 6
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

PRIVACY & TEXTURED GLASS WITH DIVIDED LITES *Continues on next page.*

Key

- ▲ Flush-Glazed Glass with Detailed Sticking (FG)
- ▲ Simulated Divided Lites (SDL)
- ▲ Simulated Divided Lites (SDLF1)

- ▲ Simulated Divided Lites (SDLF2)
- ▲ Vented Sidelite Options
- ▲ WBDR Options
- ▲ Elevated 10" Bottom Rail Options

▲ 6'6" Height Available

PRIVACY & TEXTURED GLASS WITH DIVIDED LITES *Continued*



Smooth

S3400L ▲ 2 E 6	S83400L ▲ 2 E 6
2'6" x 6'8"	2'6" x 8'0"
2'8" x 6'8"	2'8" x 8'0"
2'10" x 6'8"	2'10" x 8'0"
3'0" x 6'8"	3'0" x 8'0"



Smooth

S3400R ▲ 2 E 6	S83400R ▲ 2 E 6
2'6" x 6'8"	2'6" x 8'0"
2'8" x 6'8"	2'8" x 8'0"
2'10" x 6'8"	2'10" x 8'0"
3'0" x 6'8"	3'0" x 8'0"




Smooth

S3300 ▲ 2 E 6	S83300 ▲ 2 E 6
2'6" x 6'8"	2'6" x 8'0"
2'8" x 6'8"	2'8" x 8'0"
2'10" x 6'8"	2'10" x 8'0"
3'0" x 6'8"	3'0" x 8'0"



Smooth

S3500L ▲ 2 E 6	S83500L ▲ 2 E 6
2'6" x 6'8"	2'6" x 8'0"
2'8" x 6'8"	2'8" x 8'0"
2'10" x 6'8"	2'10" x 8'0"
3'0" x 6'8"	3'0" x 8'0"



Smooth

S3500R ▲ 2 E 6	S83500R ▲ 2 E 6
2'6" x 6'8"	2'6" x 8'0"
2'8" x 6'8"	2'8" x 8'0"
2'10" x 6'8"	2'10" x 8'0"
3'0" x 6'8"	3'0" x 8'0"



Smooth

S685L ▲ 2 E 6	S8685L ▲ 2 E 6
2'6" x 6'8" ▲	2'6" x 8'0"
2'8" x 6'8" ▲	2'8" x 8'0"
2'10" x 6'8" ▲	2'10" x 8'0"
3'0" x 6'8" ▲	3'0" x 8'0"



Smooth

S685R ▲ 2 E 6	S8685R ▲ 2 E 6
2'6" x 6'8" ▲	2'6" x 8'0"
2'8" x 6'8" ▲	2'8" x 8'0"
2'10" x 6'8" ▲	2'10" x 8'0"
3'0" x 6'8" ▲	3'0" x 8'0"



Smooth

S3600L ▲ 2 E 6	S83600L ▲ 2 E 6
2'6" x 6'8"	2'6" x 8'0"
2'8" x 6'8"	2'8" x 8'0"
2'10" x 6'8"	2'10" x 8'0"
3'0" x 6'8"	3'0" x 8'0"



Smooth

S3600R ▲ 2 E 6	S83600R ▲ 2 E 6
2'6" x 6'8"	2'6" x 8'0"
2'8" x 6'8"	2'8" x 8'0"
2'10" x 6'8"	2'10" x 8'0"
3'0" x 6'8"	3'0" x 8'0"



Smooth

S5700_SL ▲ 2 E 6	S85227_SL ▲ 2 E 6
10" x 6'8" ▲	12" x 8'0"
12" x 6'8" ▲ (7'0")	14" x 8'0"
14" x 6'8" ▲ (7'0")	



Smooth

S5710_SL ▲ 2 E 6	S85228_SL ▲ 2 E 6
10" x 6'8" ▲	12" x 8'0"
12" x 6'8" ▲ (7'0")	14" x 8'0"
14" x 6'8" ▲ (7'0")	



Smooth

S5720_SL ▲ 2 E 6	S85229_SL ▲ 2 E 6
10" x 6'8" ▲	12" x 8'0"
12" x 6'8" ▲ (7'0")	14" x 8'0"
14" x 6'8" ▲ (7'0")	

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 119.

XK = Reeded	XC = Chord	XR = Rainglass
XE = Satin Etch	XJ = Chinchilla	XN = Granite

PRIVACY & TEXTURED GLASS



Oak

2000_
▲
2'6" x 6'8"
2'8" x 6'8"
3'0" x 6'8"

8000_
▲
2'6" x 8'0"
2'8" x 8'0"
3'0" x 8'0"



Oak

2000_SL
▲
12" x 6'8"
14" x 6'8"



Smooth

S2000_
▲ E 6
2'6" x 6'8" ▲
2'8" x 6'8" ▲
2'10" x 6'8" ▲
3'0" x 6'8" ▲

S8000_
▲ E 6
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S2000_SL
▲ ● E
10" x 6'8" ▲
12" x 6'8" ▲ (7'0")
14" x 6'8" ▲ (7'0")

S85225_SL
▲ E
12" x 8'0"
14" x 8'0"

INTERNAL BLINDS



Smooth

S2600
▲ ● E
2'6" x 6'8" ▲
2'8" x 6'8" ▲
2'10" x 6'8" ▲
3'0" x 6'8" ▲

S82600
▲ ● E
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

CLEAR GLASS WITH DIVIDED LITES




Mahogany

FCM1205SL
▲ ● E
12" x 6'8" (7'0")
14" x 6'8" (7'0")



Mahogany

FCM1206SL
▲ ● E
12" x 6'8" (7'0")
14" x 6'8" (7'0")



Mahogany

FCM1204SL
▲ ● E
12" x 6'8" (7'0")
14" x 6'8" (7'0")



Mahogany

FCM2009SL
▲ ● E
12" x 6'8" (7'0")
14" x 6'8" (7'0")



Oak

FC1205
▲ ● E
2'6" x 6'8"
2'8" x 6'8"
3'0" x 6'8"



Oak

FC1206
▲ ● E
2'6" x 6'8"
2'8" x 6'8"
3'0" x 6'8"



Oak

FC1207
▲ ● E
2'6" x 6'8"
2'8" x 6'8"
3'0" x 6'8"



Oak

2010
▲ ● E
2'6" x 6'8"
2'8" x 6'8"
3'0" x 6'8"



Oak

FC1204
▲ ● E
2'6" x 6'8"
2'8" x 6'8"
3'0" x 6'8"




Oak

2050
▲ ● E
2'6" x 6'8"
2'8" x 6'8"
3'0" x 6'8"



Oak

8000-12
▲ ● E
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

8000-18
▲ ● E
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC1205SL
▲ ● E
12" x 6'8"
14" x 6'8"



Oak

FC1206SL
▲ ● E
12" x 6'8"
14" x 6'8"

CLEAR GLASS WITH DIVIDED LITES *Continues on next page.*

Key

- ▲ Flush-Glazed Glass with Detailed Sticking (FG)
- ▲ Flush-Glazed Glass with Square Sticking (FG)
- ★ Low-E Glass (LE)






















- 1 Simulated Divided Lites (SDL)
- 2 Simulated Divided Lites (SDLF1)
- 3 Simulated Divided Lites (SDLF2)


- ◆ Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- ◆ Flat Almond Grilles Between Glass (GBGF)

- ◆ Flat Bronze Grilles Between Glass (GBGF)
- Vented Sidelite Options
- 6 WBDR Options

- E Elevated 10" Bottom Rail Options
- ▲ 6'6" Height Available

CLEAR GLASS WITH DIVIDED LITES *Continued*

						
Oak	Oak	Oak	Oak	Oak	Oak	Oak
FC1204SL ▲▲◆◆ 12" x 6'8" 14" x 6'8"	2050SL ▲▲◆◆ 12" x 6'8" 14" x 6'8"	2009 ▲▲◆◆ 2'0" x 6'8" 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"	8000-9 ▲▲◆◆ 2'0" x 8'0" 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	2009SL ▲▲◆◆ 12" x 6'8" 14" x 6'8"	FC5700 ▲▲◆◆ 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"	FC85700 ▲▲◆◆ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
						
Oak	Oak	Oak	Oak	Oak	Oak	Oak
FC5720 ▲▲◆◆ 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"	FC85720 ▲▲◆◆ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC691 ▲▲◆◆ 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"	FC8691 ▲▲◆◆ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC685L ▲▲◆◆ 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"	FC8685L ▲▲◆◆ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC5700SL ▲▲◆◆ 12" x 6'8" 14" x 6'8"
						
Oak	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth
FC5720SL ▲▲◆◆ 12" x 6'8" 14" x 6'8"	S1205 ▲▲◆◆ 2'6" x 6'8" ▲ 2'8" x 6'8" ▲ 2'10" x 6'8" ▲ 3'0" x 6'8" ▲	S1206 ▲▲◆◆ 2'6" x 6'8" ▲ 2'8" x 6'8" ▲ 2'10" x 6'8" ▲ 3'0" x 6'8" ▲	S1207 ▲▲◆◆ 2'6" x 6'8" ▲ 2'8" x 6'8" ▲ 2'10" x 6'8" ▲ 3'0" x 6'8" ▲	S2010 ▲▲◆◆ 2'6" x 6'8" ▲ 2'8" x 6'8" ▲ 2'10" x 6'8" ▲ 3'0" x 6'8" ▲	S1204 ▲▲◆◆ 2'6" x 6'8" ▲ 2'8" x 6'8" ▲ 2'10" x 6'8" ▲ 3'0" x 6'8" ▲	S2050 ▲▲◆◆ 2'6" x 6'8" ▲ 2'8" x 6'8" ▲ 2'10" x 6'8" ▲ 3'0" x 6'8" ▲



CLEAR GLASS WITH DIVIDED LITES *Continues on next page.*

Key

- Flush-Glazed Glass with Detailed Sticking (FG)
- Low-E Glass (LE)
- Simulated Divided Lites (SDL)
- Simulated Divided Lites (SDLF2)
- Simulated Divided Lites (SDLF2)
- Flat Bronze Grilles Between Glass (GBGF)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- Flat Almond Grilles Between Glass (GBGF)
- Vented Sidelite Options
- WBDR Options
- Elevated 10" Bottom Rail Options
- 6" Height Available

CLEAR GLASS WITH DIVIDED LITES *Continued* 



Smooth

S3400R 🔥🌟🔥 E 6	S83400R 🔥🌟🔥 E 6
2'6" x 6'8"	2'6" x 8'0"
2'8" x 6'8"	2'8" x 8'0"
2'10" x 6'8"	2'10" x 8'0"
3'0" x 6'8"	3'0" x 8'0"




Smooth

S3300 🔥🌟🔥 E 6	S83300 🔥🌟🔥 E 6
2'6" x 6'8"	2'6" x 8'0"
2'8" x 6'8"	2'8" x 8'0"
2'10" x 6'8"	2'10" x 8'0"
3'0" x 6'8"	3'0" x 8'0"



Smooth

S3500L 🔥🌟🔥 E 6	S83500L 🔥🌟🔥 E 6
2'6" x 6'8"	2'6" x 8'0"
2'8" x 6'8"	2'8" x 8'0"
2'10" x 6'8"	2'10" x 8'0"
3'0" x 6'8"	3'0" x 8'0"



Smooth

S3500R 🔥🌟🔥 E 6	S83500R 🔥🌟🔥 E 6
2'6" x 6'8"	2'6" x 8'0"
2'8" x 6'8"	2'8" x 8'0"
2'10" x 6'8"	2'10" x 8'0"
3'0" x 6'8"	3'0" x 8'0"



Smooth

S685L 🔥🌟🔥 E 6	S8685L 🔥🌟🔥 E 6
2'6" x 6'8" Δ	2'6" x 8'0"
2'8" x 6'8" Δ	2'8" x 8'0"
2'10" x 6'8" Δ	2'10" x 8'0"
3'0" x 6'8" Δ	3'0" x 8'0"



Smooth

S685R 🔥🌟🔥 E 6	S8685R 🔥🌟🔥 E 6
2'6" x 6'8" Δ	2'6" x 8'0"
2'8" x 6'8" Δ	2'8" x 8'0"
2'10" x 6'8" Δ	2'10" x 8'0"
3'0" x 6'8" Δ	3'0" x 8'0"



Smooth

S3600L 🔥🌟🔥 E 6	S83600L 🔥🌟🔥 E 6
2'6" x 6'8"	2'6" x 8'0"
2'8" x 6'8"	2'8" x 8'0"
2'10" x 6'8"	2'10" x 8'0"
3'0" x 6'8"	3'0" x 8'0"




Smooth

S3600R 🔥🌟🔥 E 6	S83600R 🔥🌟🔥 E 6
2'6" x 6'8"	2'6" x 8'0"
2'8" x 6'8"	2'8" x 8'0"
2'10" x 6'8"	2'10" x 8'0"
3'0" x 6'8"	3'0" x 8'0"



Smooth

S5700SL 🔥🌟🔥 E	S85227SL 🔥🌟🔥 E
10" x 6'8" Δ	12" x 8'0"
12" x 6'8" Δ (7'0")	14" x 8'0"
14" x 6'8" Δ (7'0")	



Smooth

S5710SL 🔥🌟🔥 E	S85228SL 🔥🌟🔥 E
10" x 6'8" Δ	12" x 8'0"
12" x 6'8" Δ (7'0")	14" x 8'0"
14" x 6'8" Δ (7'0")	

CLEAR GLASS 



Smooth

S5720SL 🔥🌟🔥 E	S85229SL 🔥🌟🔥 E
10" x 6'8" Δ	12" x 8'0"
12" x 6'8" Δ (7'0")	14" x 8'0"
14" x 6'8" Δ (7'0")	



Oak

2000 🔥🌟	8000 🔥🌟
2'0" x 6'8"	2'0" x 8'0"
2'6" x 6'8"	2'6" x 8'0"
2'8" x 6'8"	2'8" x 8'0"
3'0" x 6'8"	2'10" x 8'0"
	3'0" x 8'0"



Oak

2000SL 🔥🌟
12" x 6'8"
14" x 6'8"



Smooth

S2000 🔥🌟 E 6	S8000 🔥🌟 E 6
2'0" x 6'8" Δ	2'0" x 8'0"
2'6" x 6'8" Δ	2'6" x 8'0"
2'8" x 6'8" Δ	2'8" x 8'0"
2'10" x 6'8" Δ	2'10" x 8'0"
3'0" x 6'8" Δ	3'0" x 8'0"



Smooth

S2000SL 🔥🌟 E	S85225SL 🔥🌟 E
10" x 6'8" Δ	12" x 8'0"
12" x 6'8" Δ (7'0")	14" x 8'0"
14" x 6'8" Δ (7'0")	

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 119.

XK = Reeded **XC = Chord** **XR = Rainglass**
XE = Satin Etch **XJ = Chinchilla** **XN = Granite**

Note: See page 285 for important product details that may help with your purchase decision.


Right Page, Top: Smooth-Star, Chinchilla Glass with SDLs, Door - S2104XJ, Finish - Granite

EnLiten™ Flush-Glazed 3/4 Lites



TRANSOMS

For transoms, see page 209.



PRIVACY & TEXTURED GLASS WITH DIVIDED LITES

Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth
S2103_	S82103_	S2104_	S82105_	S82106_	S2250_	S82107_	S84886_SL
▲	▲	▲	▲	▲	▲	▲	▲
2'6" x 6'8"	2'6" x 8'0"	2'6" x 6'8"	2'6" x 8'0"	2'6" x 8'0"	2'6" x 6'8"	2'6" x 8'0"	12" x 8'0"
2'8" x 6'8"	2'8" x 8'0"	2'8" x 6'8"	2'8" x 8'0"	2'8" x 8'0"	2'8" x 6'8"	2'8" x 8'0"	14" x 8'0"
2'10" x 6'8"	2'10" x 8'0"	2'10" x 6'8"	2'10" x 8'0"	2'10" x 8'0"	2'10" x 6'8"	2'10" x 8'0"	
3'0" x 6'8"	3'0" x 8'0"	3'0" x 6'8"	3'0" x 8'0"	3'0" x 8'0"	3'0" x 6'8"	3'0" x 8'0"	

PRIVACY & TEXTURED GLASS

Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth
S2103_SL	S2104_SL	S2250_SL	S2200_	S82200_	S8000_SL	S2200_SL
▲	▲	▲	▲	▲	▲	▲
12" x 6'8"	12" x 6'8"	12" x 6'8"	2'6" x 6'8"	2'6" x 8'0"	12" x 8'0"	12" x 6'8"
14" x 6'8"	14" x 6'8"	14" x 6'8"	2'8" x 6'8"	2'8" x 8'0"	14" x 8'0"	14" x 6'8"
			2'10" x 6'8"	2'10" x 8'0"		
			3'0" x 6'8"	3'0" x 8'0"		

Key

- ▲ Flush-Glazed Glass with Detailed Sticking (FG)
- ▲ Simulated Divided Lites (SDL)
- ▲ Simulated Divided Lites (SDLF1)
- ▲ Simulated Divided Lites (SDLF2)
- ▲ Vented Sidelite Options
- ▲ WBDR Options
- ▲ Elevated 10" Bottom Rail Options
- ▲ 6'6" Height Available

CLEAR GLASS WITH DIVIDED LITES

Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth
S2103 ▲◆◆◆◆ 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S82103 ▲◆◆◆◆ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S2104 ▲◆◆◆◆ 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S82104 ▲◆◆◆◆ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S2105 ▲◆◆◆◆ 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S82105 ▲◆◆◆◆ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S2250 ▲◆◆◆◆ 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S82250 ▲◆◆◆◆ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S82106 ▲◆◆◆◆ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S82107 ▲◆◆◆◆ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth
S84886SL ▲◆◆◆◆ 12" x 8'0" 14" x 8'0"	S2103SL ▲◆◆◆◆ 12" x 6'8" 14" x 6'8"	S2104SL ▲◆◆◆◆ 12" x 6'8" 14" x 6'8"	S92SL ▲◆◆◆◆ 12" x 6'8" 14" x 6'8"	S1401 ▲◆◆◆◆ 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S81401 ▲◆◆◆◆ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S1401SL ▲◆◆◆◆ 12" x 6'8" 14" x 6'8"

CLEAR GLASS

Smooth	Smooth	Smooth	Smooth
S2200 ▲◆◆◆◆ 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S82200 ▲◆◆◆◆ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S8000SL ▲◆◆◆◆ 12" x 8'0" 14" x 8'0"	S90SL ▲◆◆◆◆ 12" x 6'8" 14" x 6'8"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 119.

XE = Satin Etch XJ = Chinchilla XN = Granite
XC = Chord XR = Rainglass

Note: See page 285 for important product details that may help with your purchase decision.


Right Page: Impressions Storm & Entry Door System – IM100, Finish – Brown; Smooth-Star, Clear Glass with SDLs, Door – S2150, Finish – Elk

EnLiten™ Flush-Glazed 1/2 Lites



TRANSOMS

For transoms, see page 209.



Fiber-Classic® & Smooth-Star®

PRIVACY & TEXTURED GLASS WITH DIVIDED LITES

Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth
S4200_ 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	S84200_ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S6200_ 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	S86200_ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S9200_ 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	S89200_ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S4200_SL 12" x 6'8" (7'0") 14" x 6'8" (7'0")	S84200_SL 12" x 8'0" 14" x 8'0"	S6200_SL 12" x 6'8" (7'0") 14" x 6'8" (7'0")	S86200_SL 12" x 8'0" 14" x 8'0"

PRIVACY & TEXTURED GLASS

Smooth	Smooth	Smooth	Smooth
S3200_ 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	S83200_ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S3200_SL 12" x 6'8" (7'0") 14" x 6'8" (7'0")	S83200_SL 12" x 8'0" 14" x 8'0"

CLEAR GLASS WITH DIVIDED LITES

Smooth	Smooth	Smooth
S1350 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"	S2150 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"	S1409 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"

CLEAR GLASS WITH DIVIDED LITES *Continues on next page.*

Key


- Flush-Glazed Glass with Detailed Sticking (FG)
- Flush-Glazed Glass with Square Sticking (FG)
- Low-E Glass (LE)
- Simulated Divided Lites (SDL)
- Simulated Divided Lites (SDLF1)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat Almond Grilles Between Glass (GBGF)
- Flat Bronze Grilles Between Glass (GBGF)
- Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- Elevated 10" Bottom Rail Options

CLEAR GLASS WITH DIVIDED LITES *Continued*



Smooth

S4200
 ☀️ ⚡️ 🔥 E
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")



Smooth

S6200
 ☀️ ⚡️ 🔥 E
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")



Smooth

S9200
 ☀️ ⚡️ 🔥 E
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")



Smooth

S4200SL
 ☀️ ⚡️ 🔥 E
 12" x 6'8" (7'0")
 14" x 6'8" (7'0")



Smooth

S84200SL
 ☀️ ⚡️ 🔥 E
 12" x 8'0"
 14" x 8'0"

S6200SL
 ☀️ ⚡️ 🔥 E
 12" x 6'8" (7'0")
 14" x 6'8" (7'0")

S86200SL
 ☀️ ⚡️ 🔥 E
 12" x 8'0"
 14" x 8'0"

CLEAR GLASS



Smooth

S2100
 ☀️ ⚡️
 2'6" x 6'8"
 2'8" x 6'8"
 3'0" x 6'8"



Smooth

S3200
 ☀️ ⚡️ E
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")



Smooth

S83200
 ☀️ ⚡️ E
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

S3200SL
 ☀️ ⚡️ E
 12" x 6'8" (7'0")
 14" x 6'8" (7'0")

S83200SL
 ☀️ ⚡️ E
 12" x 8'0"
 14" x 8'0"



Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 119.

XK = Reeded **XC = Chord** **XR = Rainglass**
XE = Satin Etch **XJ = Chinchilla** **XN = Granite**

*Not available with Reeded (XK) glass.

**Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.

Note: See page 285 for important product details that may help with your purchase decision.

Bottom: Smooth-Star, Low-E Glass with SDLs, Door - S4200, Sidelite - S3200SL, Finish - Canyon

Right Page: Fiber-Classic Mahogany Collection, Saratoga Glass, Door - FCM6240, Sidelites - FCM6201SL, Transom - 19750T, Finish - Sweet Date


EnLiten™ Flush-Glazed Craftsman Lites



TRANSOMS

For transoms, see page 209.

OPTIONAL DENTIL SHELVES**



4-Block Dentil Shelf
Available for all Craftsman-lite Fiber-Classic Mahogany Collection doors.



4-Block Dentil Shelf
Available for all Craftsman-lite Smooth-Star doors.

SARATOGA™

Mahogany	Mahogany	Mahogany	Smooth	Smooth	Smooth
FCM6240 ▲ E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	FCM86240 ▲ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM6201SL ▲ 12" x 6'8" (7'0") 14" x 6'8" (7'0")	FCM86201SL ▲ 12" x 8'0" 14" x 8'0"	FCM6240SL ▲ 12" x 6'8" (7'0") 14" x 6'8" (7'0")	FCM86240SL ▲ 12" x 8'0" 14" x 8'0"
S6240 ▲ E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	S86240 ▲ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S6201SL ▲ 10" x 6'8" 12" x 6'8" (7'0") 14" x 6'8" (7'0")	S86201SL ▲ 12" x 8'0" 14" x 8'0"	S6240SL ▲ 12" x 6'8" (7'0") 14" x 6'8" (7'0")	S86240SL ▲ 12" x 8'0" 14" x 8'0"

PRIVACY & TEXTURED GLASS WITH DIVIDED LITES

Mahogany	Mahogany	Mahogany	Mahogany	Mahogany	Mahogany
FCM4812_* ▲ R E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	FCM84812_* ▲ R 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM4813_* ▲ R E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	FCM84813_* ▲ R 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM4814_* ▲ R E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	FCM84814_* ▲ R 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
FCM4816_* ▲ R E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	FCM84816_* ▲ R 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM2050_SL ▲ R 12" x 6'8" (7'0") 14" x 6'8" (7'0")	FCM84886_SL ▲ R 12" x 8'0" 14" x 8'0"		

PRIVACY & TEXTURED GLASS WITH DIVIDED LITES *Continues on next page.*

Key

- ▲ Flush-Glazed Glass with Detailed Sticking (FG)
- ▲ Flush-Glazed Glass with Square Sticking (FG)
- ★ Low-E Glass (LE)
- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Simulated Divided Lites (SDL)
- Simulated Divided Lites (SDLF1)
- ◆ Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- ◆ Flat Almond Grilles Between Glass (GBGF)
- ◆ Flat Bronze Grilles Between Glass (GBGF)
- ◆ Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- Vented Sidelite Options
- E Elevated 10" Bottom Rail Options

PRIVACY & TEXTURED GLASS WITH DIVIDED LITES *Continued*



Mahogany

FCM4812_SL*
 ▲ E
 12" x 6'8" (7'0")
 14" x 6'8" (7'0")

FCM84812_SL*
 ▲ E
 12" x 8'0"
 14" x 8'0"



Smooth

S4812_*
 ▲ E
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")

S84812_*
 ▲ E
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Smooth

S4813_*
 ▲ E
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")

S84813_*
 ▲ E
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Smooth

S4814_*
 ▲ E
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")

S84814_*
 ▲ E
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Smooth

S4816_*
 ▲ E
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")

S84816_*
 ▲ E
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

PRIVACY & TEXTURED GLASS



Smooth

S2010_SL
 ▲ E
 10" x 6'8" Δ
 12" x 6'8" Δ (7'0")
 14" x 6'8" Δ (7'0")


S84886_SL
 ▲ E
 12" x 8'0"
 14" x 8'0"



Smooth

S4812_SL*
 ▲ E
 12" x 6'8" (7'0")
 14" x 6'8" (7'0")

S84812_SL*
 ▲ E
 12" x 8'0"
 14" x 8'0"



Mahogany

FCM4810_*
 ▲ E
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")

FCM84810_*
 ▲ E
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Mahogany

FCM2000_SL
 ▲ E
 12" x 6'8" (7'0")
 14" x 6'8" (7'0")

FCM8000_SL
 ▲ E
 12" x 8'0"
 14" x 8'0"



Mahogany

FCM4810_SL*
 ▲ E
 12" x 6'8" (7'0")
 14" x 6'8" (7'0")

FCM84810_SL*
 ▲ E
 12" x 8'0"
 14" x 8'0"



Smooth

S4810_*
 ▲ E
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")

S84810_*
 ▲ E
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Smooth

S2000_SL
 ▲ E
 10" x 6'8" Δ
 12" x 6'8" Δ (7'0")
 14" x 6'8" Δ (7'0")


S8000_SL
 ▲ E
 12" x 8'0"
 14" x 8'0"



Smooth

S4810_SL*
 ▲ E
 12" x 6'8" (7'0")
 14" x 6'8" (7'0")

S84810_SL*
 ▲ E
 12" x 8'0"
 14" x 8'0"



Mahogany

FCM4812
 ▲ E
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")

FCM84812
 ▲ E
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Mahogany

FCM4813
 ▲ E
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")

FCM84813
 ▲ E
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 119.


XK = Reeded
 XE = Satin Etch

XC = Chord
 XJ = Chinchilla

XR = Rainglass
 XN = Granite

*Not available with Reeded (XK) glass.


Note: See page 285 for important product details that may help with your purchase decision.



Mahogany

FCM4814
 ▲ ★ E
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")

FCM84814
 ▲ ★ E
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Mahogany

FCM4816
 ▲ ★ E
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")

FCM84816
 ▲ ★ E
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Mahogany

FCM2050SL
 ▲ ★ E
 12" x 6'8" (7'0")
 14" x 6'8" (7'0")

FCM84886SL
 ▲ ★ E
 12" x 8'0"
 14" x 8'0"



Mahogany

FCM4812SL
 ▲ ★ E
 12" x 6'8" (7'0")
 14" x 6'8" (7'0")

FCM84812SL
 ▲ ★ E
 12" x 8'0"
 14" x 8'0"



Smooth

S4812
 ▲ ★ E
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")

S84812
 ▲ ★ E
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Smooth

S4813
 ▲ ★ E
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")

S84813
 ▲ ★ E
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Smooth

S4814
 ▲ ★ E
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")

S84814
 ▲ ★ E
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Smooth

S4816
 ▲ ★ E
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")

S84816
 ▲ ★ E
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Smooth

S2010SL
 ▲ ★ E
 10" x 6'8" Δ
 12" x 6'8" Δ (7'0")
 14" x 6'8" Δ (7'0")

S84886SL
 ▲ ★ E
 12" x 8'0"
 14" x 8'0"



Smooth

S4812SL
 ▲ ★ E
 12" x 6'8" (7'0")
 14" x 6'8" (7'0")

S84812SL
 ▲ ★ E
 12" x 8'0"
 14" x 8'0"

CLEAR GLASS



Mahogany

FCM4810
 ▲ ★ E
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")

FCM84810
 ▲ ★ E
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Mahogany

FCM2000SL
 ▲ ★ E
 12" x 6'8" (7'0")
 14" x 6'8" (7'0")

FCM8000SL
 ▲ ★ E
 12" x 8'0"
 14" x 8'0"



Mahogany

FCM4810SL
 ▲ ★ E
 12" x 6'8" (7'0")
 14" x 6'8" (7'0")

FCM84810SL
 ▲ ★ E
 12" x 8'0"
 14" x 8'0"



Smooth

S4810
 ▲ ★ E
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")

S84810
 ▲ ★ E
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Smooth

S2000SL
 ▲ ★ E
 10" x 6'8" Δ
 12" x 6'8" Δ (7'0")
 14" x 6'8" Δ (7'0")

S8000SL
 ▲ ★ E
 12" x 8'0"
 14" x 8'0"



Smooth

S4810SL
 ▲ ★ E
 12" x 6'8" (7'0")
 14" x 6'8" (7'0")

S84810SL
 ▲ ★ E
 12" x 8'0"
 14" x 8'0"

Key

- ▲ ★ E Flush-Glazed Glass with Detailed Sticking (FG)
- ▲ ★ Flush-Glazed Glass with Square Sticking (FG)
- ★ Low-E Glass (LE)


- ◆ Simulated Divided Lites (SDLF1)
- ◆ Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- ◆ Flat Almond Grilles Between Glass (GBGF)

- ◆ Flat Bronze Grilles Between Glass (GBGF)
- ◆ Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- Vented Sidelite Options

- E Elevated 10" Bottom Rail Options
- Δ 6'6" Height Available

Lite Frames

Therma-Tru® doors and sidelites are available with select lite frame options to complement the door's overall aesthetic.

 For Impact-rated lite frame, see page 27.



The Advanta lite frame is a patented design, U.S. Patent No. 10,655,382.







Advanta® Lite Frame*

With a patented design, Advanta lite frames deliver a clean look with no unsightly screw plugs to detract from the entry's overall aesthetic.

Look for the ( ) symbols.

Standard Lite Frame

With a variety of sizes and shapes to choose from, our standard lite frame features a weather-resistant material and plugs designed to cover the screws.

	Advanta Lite Frame	Standard Lite Frame
Flat Option		
Scrolled Option		
Plugless Design	■	
Buff Option	■	■
White Option (Alpine Color-Matched)	■	■
Durable Weather-Resistant Material	■	■

*See your Therma-Tru seller for details on product availability.


Note: See page 285 for important product details that may help with your purchase decision.

Full Lites



TRANSOMS

For transoms, see page 209.



Fiber-Classic® & Smooth-Star®

BLACKSTONE. ◆ ■

											
Mahogany		Mahogany		Mahogany		Mahogany		Oak		Oak	
FCM108 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM871 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM310 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	FCM816 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM871SL 12" x 8'0" 14" x 8'0"	FCM808SL 10" x 6'8" 12" x 6'8" (7'0") 14" x 6'8" (7'0")	FCM81918SL 12" x 8'0" 14" x 8'0"	FC108 2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	81918P 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC310 2'6" x 6'8" Δ (7'0") 2'8" x 6'8" Δ (7'0") 2'10" x 6'8" Δ (7'0") 3'0" x 6'8" Δ (7'0")	FC816 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC816 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
											
Oak		Oak		Smooth		Smooth		Smooth		Smooth	
FC108SL 10" x 6'8" 12" x 6'8" 14" x 6'8"	81918PSL 12" x 8'0" 14" x 8'0"	FC808SL 12" x 6'8" Δ (7'0") 14" x 6'8" Δ (7'0")	81918SL 12" x 8'0" 14" x 8'0"	S6002 2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	S85892 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S310 2'6" x 6'8" Δ 2'8" x 6'8" Δ (7'0") 2'10" x 6'8" Δ (7'0") 3'0" x 6'8" Δ (7'0") 3'6" x 6'8"	S816 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'6" x 8'0"	S6002SL 12" x 6'8" 14" x 6'8"	S85892SL 12" x 8'0" 14" x 8'0"	S4570SL 10" x 6'8" 12" x 6'8" Δ (7'0") 14" x 6'8" Δ (7'0")	S85927SL 12" x 8'0" 14" x 8'0"

Key

- No Stile Lines
- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Scrolled & Flat Advanta Lite Frame
Not available for 2'4" and 2'6" doors or 10" sidelites.
- ┌ Flat Lite Frame
- Vented Sidelite Options
- 6 WBDR Options
- 6 WBDR / HVHZ Options
- E Elevated 10" Bottom Rail Options
- Δ 6'6" Height Available

CRYSTALLINE™ ◆ ◆

Mahogany		Mahogany		Mahogany	Mahogany		Oak		Oak	
FCM16 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM8114 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM668 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	FCM814 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM8114SL 12" x 8'0" 14" x 8'0"	FCM18101SL 10" x 6'8" 12" x 6'8" (7'0") 14" x 6'8" (7'0")	FCM81800SL 12" x 8'0" 14" x 8'0"	FC16 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	81800P 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC668 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	FC814 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
























Oak		Oak		Smooth		Smooth		Smooth		Smooth	
FC46SL 10" x 6'8" 12" x 6'8" 14" x 6'8"	81800PSL 12" x 8'0" 14" x 8'0"	18101SL 12" x 6'8" (7'0") 14" x 6'8" (7'0")	81800SL 12" x 8'0" 14" x 8'0"	S916 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	S814 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S668 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'6" x 6'8"	S815 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'6" x 8'0"	S916SL 12" x 6'8" 14" x 6'8"	S814SL 12" x 8'0" 14" x 8'0"	S6130SL 10" x 6'8" 12" x 6'8" (7'0") 14" x 6'8" (7'0")	S84586SL 12" x 8'0" 14" x 8'0"

SEDONA ◆ ◆

Mahogany		Mahogany		Mahogany	Mahogany		Oak		Oak	
FCM100 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM872 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM241 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	FCM822 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM872SL 12" x 8'0" 14" x 8'0"	FCM816SL 10" x 6'8" 12" x 6'8" (7'0") 14" x 6'8" (7'0")	FCM81968SL 12" x 8'0" 14" x 8'0"	FC100 2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	81968P 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC241 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	FC822 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

						
Oak	Oak	Smooth	Smooth	Smooth	Smooth	
FC100SL 10" x 6'8" 12" x 6'8" 14" x 6'8"	81968PSL 12" x 8'0" 14" x 8'0"	FC816SL 12" x 6'8" Δ (7'0") 14" x 6'8" Δ (7'0")	S139 2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	S241 2'6" x 6'8" Δ 2'8" x 6'8" Δ (7'0") 2'10" x 6'8" Δ (7'0") 3'0" x 6'8" Δ (7'0") 3'6" x 6'8"	S139SL 12" x 6'8" 14" x 6'8"	S604SL 10" x 6'8" 12" x 6'8" Δ (7'0") 14" x 6'8" Δ (7'0")

SALINAS. X

					
Mahogany	Mahogany	Mahogany	Mahogany	Oak	Oak
FCM113 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM873 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM369 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	FCM817 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM814SL 10" x 6'8" 12" x 6'8" (7'0") 14" x 6'8" (7'0")	FCM81919SL 12" x 8'0" 14" x 8'0"
					
FC113 2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	81919P 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC369 2'6" x 6'8" Δ (7'0") 2'8" x 6'8" Δ (7'0") 2'10" x 6'8" Δ (7'0") 3'0" x 6'8" Δ (7'0")	FC817 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC113 12" x 8'0" 14" x 8'0"	81919P 12" x 8'0" 14" x 8'0"
					
FC113SL 10" x 6'8" 12" x 6'8" 14" x 6'8"	81919PSL 12" x 8'0" 14" x 8'0"	FC814SL 12" x 6'8" Δ (7'0") 14" x 6'8" Δ (7'0")	S6008 2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	S85893 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S369 2'6" x 6'8" Δ 2'8" x 6'8" Δ (7'0") 2'10" x 6'8" Δ (7'0") 3'0" x 6'8" Δ (7'0") 3'6" x 6'8"
					
S817 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'6" x 8'0"	S6008SL 12" x 6'8" 14" x 6'8"	S85893SL 12" x 8'0" 14" x 8'0"	S6134SL 10" x 6'8" 12" x 6'8" Δ (7'0") 14" x 6'8" Δ (7'0")	S85931SL 12" x 8'0" 14" x 8'0"	

Key

- No Stile Lines
- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- X Wrought Iron (1W)
- Scrolled & Flat Advanta Lite Frame
Not available for 2'4" and 2'6" doors or 10" sidelites.
- └ Flat Lite Frame
- Vented Sidelite Options
- 6 WBDR Options
- 6 WBDR / HVHZ Options
- E Elevated 10" Bottom Rail Options
- Δ 6'6" Height Available

MAPLE PARK. ◆ ◆



Mahogany

FCM900
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Mahogany

FCM1006
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")



Mahogany

FCM812SL
 10" x 6'8"
 12" x 6'8" (7'0")
 14" x 6'8" (7'0")



Oak

FC900
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")



Oak

FC1006
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")



Oak

FC900SL
 10" x 6'8"
 12" x 6'8"
 14" x 6'8"



Oak

FC812SL
 12" x 6'8" (7'0")
 14" x 6'8" (7'0")



Smooth

S6100
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")

SARATOGA.™ ◆ ◆



Smooth

S1006
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")
 3'6" x 6'8"



Smooth

S6100SL
 12" x 6'8"
 14" x 6'8"



Smooth

S6131SL
 10" x 6'8"
 12" x 6'8" (7'0")
 14" x 6'8" (7'0")



Mahogany

FCM905
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Mahogany

FCM6093
 2'6" x 6'8" (7'0")
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")



Mahogany

FCM815SL
 10" x 6'8"
 12" x 6'8" (7'0")
 14" x 6'8" (7'0")



Mahogany

FCM81986SL
 12" x 8'0"
 14" x 8'0"



Oak

FC905
 2'6" x 6'8"
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")



Oak

FCM6093
 2'6" x 6'8" (7'0")
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")



Oak

FC905SL
 10" x 6'8"
 12" x 6'8"
 14" x 6'8"



Oak

FC815SL
 12" x 6'8" (7'0")
 14" x 6'8" (7'0")



Smooth

S154
 2'6" x 6'8"
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")



Smooth

S6093
 2'6" x 6'8" (7'0")
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")
 3'6" x 6'8"



Smooth

S154SL
 12" x 6'8"
 14" x 6'8"



Smooth

S8602SL
 12" x 8'0"
 14" x 8'0"

TEXAS STAR ◆ ◆



Smooth

S602SL
 ■ ● ◆ ◆ ◆
 10" x 6'8"
 12" x 6'8" △ (7'0")
 14" x 6'8" △ (7'0")

S85932SL
 ■ ● ◆ ◆ ◆
 12" x 8'0"
 14" x 8'0"



Mahogany

FCM142
 ◆
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Mahogany

FCM1029
 ■ ◆ ◆ E
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")



Mahogany

FCM817SL
 ■ ● ◆ ◆ ◆
 10" x 6'8"
 12" x 6'8" (7'0")
 14" x 6'8" (7'0")



Oak

FC142
 ◆ ◆ E
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")



Oak


FC1029
 ■ ◆ ◆ E
 2'8" x 6'8" △ (7'0")
 2'10" x 6'8" △ (7'0")
 3'0" x 6'8" △ (7'0")



Oak

FC142SL
 ◆
 10" x 6'8"
 12" x 6'8"
 14" x 6'8"

WELLESLEY ◆ ◆ ◆ ◆



Oak

FC817SL
 ■ ● ◆ ◆ ◆
 12" x 6'8" △ (7'0")
 14" x 6'8" △ (7'0")



Smooth

S6070
 ◆ ◆ E
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")



Smooth

S1029
 ■ ◆ ◆ E
 2'8" x 6'8" △ (7'0")
 2'10" x 6'8" △ (7'0")
 3'0" x 6'8" △ (7'0")
 3'6" x 6'8"



Smooth

S6070SL
 ◆
 12" x 6'8"
 14" x 6'8"



Smooth

S6135SL
 ■ ● ◆ ◆ ◆
 10" x 6'8"
 12" x 6'8" △ (7'0")
 14" x 6'8" △ (7'0")



Mahogany

FCM104
 ◆ ◆ ◆
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

FCM874
 ◆ ◆ ◆
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Mahogany

FCM6094
 ■ ◆ ◆ ◆ E
 2'6" x 6'8" (7'0")
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")

FCM821
 ■ ◆ ◆ ◆
 2'6" x 8'0"
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Mahogany

FCM818SL
 ■ ● ◆ ◆ ◆
 10" x 6'8"
 12" x 6'8" (7'0")
 14" x 6'8" (7'0")

FCM81921SL
 ■ ● ◆ ◆ ◆
 12" x 8'0"
 14" x 8'0"



Mahogany

FCM874SL
 ◆ ◆ ◆
 12" x 8'0"
 14" x 8'0"



Oak

FC104
 ◆ ◆ ◆ E
 2'6" x 6'8"
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")

81921P
 ◆ ◆ ◆
 2'6" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Oak

FC6094
 ■ ◆ ◆ ◆ E
 2'6" x 6'8" △ (7'0")
 2'8" x 6'8" △ (7'0")
 2'10" x 6'8" △ (7'0")
 3'0" x 6'8" △ (7'0")

FC821
 ■ ◆ ◆ ◆
 2'6" x 8'0"
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

WELLESLEY Continues on next page.
















Key

- No Stile Lines
- ◆ Black Nickel Caming (1D)
- ◆ ◆ Brushed Nickel Caming (1C)
- ◆ ◆ ◆ Brass Caming (1A)

- ◆ Flat Lite Frame
- ◆ Scrolled & Flat Advanta Lite Frame
Not available for 2'4" and 2'6" doors or 10" sidelites.

- Vented Sidelite Options
- ◆ WBDR Options
- ◆ WBDR / HVHZ Options

- E Elevated 10" Bottom Rail Options
- △ 6'6" Height Available


									
Oak	Oak	Smooth	Smooth	Smooth					
FC104SL  10" x 6'8" 12" x 6'8" 14" x 6'8"	81921PSL  12" x 8'0" 12" x 8'0" 14" x 8'0"	FC1818SL  12" x 6'8" Δ (7'0") 14" x 6'8" Δ (7'0")	81921SL  12" x 8'0" 14" x 8'0"	S155  2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	S85896  2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S6094  2'6" x 6'8" Δ 2'8" x 6'8" Δ (7'0") 2'10" x 6'8" Δ (7'0") 3'0" x 6'8" Δ (7'0") 3'6" x 6'8"	S821  2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'6" x 8'0"	S155SL  12" x 6'8" 14" x 6'8"	S85896SL  12" x 8'0" 14" x 8'0"

RISERVA. X

								
Smooth	Mahogany	Mahogany	Mahogany	Mahogany				
S5870SL  10" x 6'8" 12" x 6'8" Δ (7'0") 14" x 6'8" Δ (7'0")	S85934SL  12" x 8'0" 14" x 8'0"	FCM574  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM8574  2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM571  2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	FCM8571  2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM572SL  10" x 6'8" 12" x 6'8" (7'0") 14" x 6'8" (7'0")	FCM8572SL  12" x 8'0" 14" x 8'0"	FCM8573SL  12" x 8'0" 14" x 8'0"

									
Oak	Oak	Oak	Oak	Smooth					
FC574  2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	FC8574  2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC571  2'6" x 6'8" Δ (7'0") 2'8" x 6'8" Δ (7'0") 2'10" x 6'8" Δ (7'0") 3'0" x 6'8" Δ (7'0")	FC8571  2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC573SL  10" x 6'8" 12" x 6'8" 14" x 6'8"	FC8573SL  12" x 8'0" 14" x 8'0"	FC572SL  12" x 6'8" Δ (7'0") 14" x 6'8" Δ (7'0")	FC8572SL  12" x 8'0" 14" x 8'0"	S574  2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	S8574  2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

CONCORDE™



Smooth

S571



2'6" x 6'8" Δ
2'8" x 6'8" Δ (7'0")
2'10" x 6'8" Δ (7'0")
3'0" x 6'8" Δ (7'0")
3'6" x 6'8"



Smooth

S8571



2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"
3'6" x 8'0"



Smooth

S573SL



12" x 6'8"
14" x 6'8"

S8573SL



12" x 8'0"
14" x 8'0"

S572SL



10" x 6'8"
12" x 6'8" Δ (7'0")
14" x 6'8" Δ (7'0")

S8572SL



12" x 8'0"
14" x 8'0"



Mahogany

FCM910



2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FCM890



2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Mahogany

FCM6095



2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

FCM820



2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Mahogany

FCM809SL



10" x 6'8"
12" x 6'8" Δ (7'0")
14" x 6'8" Δ (7'0")

FCM81928SL



12" x 8'0"
14" x 8'0"



Mahogany

FCM890SL



12" x 8'0"
14" x 8'0"



Oak

FC910



2'6" x 6'8"
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

81928P



2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FCM6095



2'6" x 6'8" Δ (7'0")
2'8" x 6'8" Δ (7'0")
2'10" x 6'8" Δ (7'0")
3'0" x 6'8" Δ (7'0")

FC820



2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC910SL



10" x 6'8"
12" x 6'8"
14" x 6'8"

81928PSL



12" x 8'0"
14" x 8'0"



Oak

FC809SL



12" x 6'8" Δ (7'0")
14" x 6'8" Δ (7'0")

81928SL



12" x 8'0"
14" x 8'0"



Smooth

S6090



2'6" x 6'8"
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

S85895



2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S6095



2'6" x 6'8" Δ
2'8" x 6'8" Δ (7'0")
2'10" x 6'8" Δ (7'0")
3'0" x 6'8" Δ (7'0")
3'6" x 6'8"

S820



2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"
3'6" x 8'0"



Smooth

S416SL



12" x 6'8"
14" x 6'8"

S85895SL



12" x 8'0"
14" x 8'0"



Smooth

S4070SL



10" x 6'8"
12" x 6'8" Δ (7'0")
14" x 6'8" Δ (7'0")

S85930SL



12" x 8'0"
14" x 8'0"

Key

■ No Stile Lines

◆ Black Nickel Caming (1D)

■ Brushed Nickel Caming (1C)

◆ Brass Caming (1A)

✕ Wrought Iron (1W)

└ Flat Lite Frame

▣ Scrolled & Flat Advanta Lite Frame
Not available for 2'4" and 2'6" doors or 10" sidelites.

● Vented Sidelite Options

6 WBDR Options

6 WBDR / HVHZ Options

E Elevated 10" Bottom Rail Options

Δ 6'6" Height Available



Mahogany

FCM148

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM626

2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



Mahogany

FCM813SL

10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")



Oak

FC148

2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



Oak

FC626

2'8" x 6'8" Δ (7'0")
2'10" x 6'8" Δ (7'0")
3'0" x 6'8" Δ (7'0")



Oak

FC148SL

10" x 6'8"
12" x 6'8"
14" x 6'8"



Oak

FC813SL

12" x 6'8" Δ (7'0")
14" x 6'8" Δ (7'0")



Smooth

S160

2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

PEMBRIDGE™ ◆ ◆ ◆



Smooth

S626

2'8" x 6'8" Δ (7'0")
2'10" x 6'8" Δ (7'0")
3'0" x 6'8" Δ (7'0")
3'6" x 6'8"



Smooth

S160SL

12" x 6'8"
14" x 6'8"



Smooth

S6132SL

12" x 6'8" Δ (7'0")
14" x 6'8" Δ (7'0")



Mahogany

FCM6550

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM86550

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Mahogany

FCM6500


2'4" x 6'8"
2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

FCM86500

2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

FCM86550SL

12" x 8'0"
14" x 8'0"



Mahogany

FCM6500SL

10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")



Oak

FCM86500SL

12" x 8'0"
14" x 8'0"

FC6550

2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

FC86550

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC6500

2'4" x 6'8"
2'6" x 6'8" (7'0")
2'8" x 6'8" Δ (7'0")
2'10" x 6'8" Δ (7'0")
3'0" x 6'8" Δ (7'0")

FC86500

2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC6550SL

10" x 6'8"
12" x 6'8"
14" x 6'8"

FC86500SL

12" x 8'0"
14" x 8'0"

FC6500SL

12" x 6'8" Δ (7'0")
14" x 6'8" Δ (7'0")

FC86500SL

12" x 8'0"
14" x 8'0"

AXIS. ♦



Smooth

S6550
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")

S86550
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Smooth

S6500
 2'4" x 6'8" Δ
 2'6" x 6'8" Δ
 2'8" x 6'8" Δ (7'0")
 2'10" x 6'8" Δ (7'0")
 3'0" x 6'8" Δ (7'0")
 3'6" x 6'8"


S86500
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"
 3'6" x 8'0"



Smooth

S6550SL
 12" x 6'8"
 14" x 6'8"


S86550SL
 12" x 8'0"
 14" x 8'0"



Smooth

S6500SL
 10" x 6'8"
 12" x 6'8" Δ (7'0")
 14" x 6'8" Δ (7'0")

S86500SL
 12" x 8'0"
 14" x 8'0"



Mahogany

FCM1652
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

FCM81652
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Mahogany

FCM1651
 2'4" x 6'8"
 2'6" x 6'8" (7'0")
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")

FCM81651
 2'6" x 8'0"
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Mahogany

FCM1651SL
 10" x 6'8"
 12" x 6'8" (7'0")
 14" x 6'8" (7'0")

FCM81651SL
 12" x 8'0"
 14" x 8'0"



Mahogany

FCM81652SL
 12" x 8'0"
 14" x 8'0"



Oak

FC1652
 2'6" x 6'8"
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")


FC81652
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Oak

FC1651
 2'4" x 6'8" Δ
 2'6" x 6'8" Δ (7'0")
 2'8" x 6'8" Δ (7'0")
 2'10" x 6'8" Δ (7'0")
 3'0" x 6'8" Δ (7'0")


FC81651
 2'6" x 8'0"
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Oak

FC1652SL
 10" x 6'8"
 12" x 6'8"
 14" x 6'8"

FC81652SL
 12" x 8'0"
 14" x 8'0"



Oak

FC1651SL
 12" x 6'8" Δ (7'0")
 14" x 6'8" Δ (7'0")

FC81651SL
 12" x 8'0"
 14" x 8'0"



Smooth

S1652
 2'6" x 6'8"
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")

S81652
 2'6" x 8'0"
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Smooth

S1651
 2'4" x 6'8" Δ
 2'6" x 6'8" Δ
 2'8" x 6'8" Δ (7'0")
 2'10" x 6'8" Δ (7'0")
 3'0" x 6'8" Δ (7'0")
 3'6" x 6'8"

S81651
 2'6" x 8'0"
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"
 3'6" x 8'0"



Smooth

S1652SL
 12" x 6'8"
 14" x 6'8"

S81652SL
 12" x 8'0"
 14" x 8'0"



Smooth

S1651SL
 10" x 6'8"
 12" x 6'8" Δ (7'0")
 14" x 6'8" Δ (7'0")

S81651SL
 12" x 8'0"
 14" x 8'0"

Key

- No Stile Lines
- ♦ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- ♦ Brass Caming (1A)

- ▤ Flat Lite Frame
- ▤ Scrolled & Flat Advanta Lite Frame
Not available for 2'4" and 2'6" doors or 10" sidelites.

- Vented Sidelite Options
- 6 WBDR Options
- 6 WBDR / HVHZ Options

- E Elevated 10" Bottom Rail Options
- Δ 6" Height Available


CALIX ◆ ◆ ◆ ◆



Mahogany

FCM2223
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

FCM82223
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Mahogany

FCM2389
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")

FCM82389
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Mahogany

FCM2389SL
 10" x 6'8"
 12" x 6'8" (7'0")
 14" x 6'8" (7'0")

FCM82389SL
 12" x 8'0"
 14" x 8'0"



Mahogany

FCM82223SL
 12" x 8'0"
 14" x 8'0"



Oak

FC2223
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")

FC82223
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Oak

FC2389
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")


FC82389
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Oak

FC2223SL
 10" x 6'8"
 12" x 6'8"
 14" x 6'8"

FC82223SL
 12" x 8'0"
 14" x 8'0"



Oak

FC2389SL
 12" x 6'8" (7'0")
 14" x 6'8" (7'0")


FC82389SL
 12" x 8'0"
 14" x 8'0"



Smooth

S2223
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")

S82223
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Smooth

S2389
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")
 3'6" x 6'8"

S82389
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"
 3'6" x 8'0"

LATITUDE ◆ ◆ ◆ ◆



Smooth

S2223SL
 12" x 6'8"
 14" x 6'8"

S82223SL
 12" x 8'0"
 14" x 8'0"



Smooth

S2389SL
 10" x 6'8"
 12" x 6'8" (7'0")
 14" x 6'8" (7'0")

S82389SL
 12" x 8'0"
 14" x 8'0"



Mahogany

FCM2213
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

FCM82213
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Mahogany

FCM2382
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")


FCM82382
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"




Mahogany

FCM2382SL
 10" x 6'8"
 12" x 6'8" (7'0")
 14" x 6'8" (7'0")

FCM82382SL
 12" x 8'0"
 14" x 8'0"



Mahogany	Oak	Oak	Oak	Oak
FCM82213SL 6 12" x 8'0" 14" x 8'0"	FC2213 6E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	FC82213 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC2382 6E 2'8" x 6'8" Δ (7'0") 2'10" x 6'8" Δ (7'0") 3'0" x 6'8" Δ (7'0")	FC82382 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
	FC2213SL 6 10" x 6'8" 12" x 6'8" 14" x 6'8"	FC82213SL 6 12" x 8'0" 14" x 8'0"	FC2382SL 6E 12" x 6'8" Δ (7'0") 14" x 6'8" Δ (7'0")	FC82382SL 6 12" x 8'0" 14" x 8'0"




Smooth	Smooth	Smooth	Smooth
S2213 6E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	S82213 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S2382 6E 2'8" x 6'8" Δ (7'0") 2'10" x 6'8" Δ (7'0") 3'0" x 6'8" Δ (7'0") 3'6" x 6'8"	S82382 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'6" x 8'0"
S2213SL 6 12" x 6'8" 14" x 6'8"	S82213SL 6 12" x 8'0" 14" x 8'0"	S2382SL 6E 10" x 6'8" 12" x 6'8" Δ (7'0") 14" x 6'8" Δ (7'0")	S82382SL 6 12" x 8'0" 14" x 8'0"

ECHOLON ◆ ◆ ◆



Mahogany
FCM2233 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
FC82233 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"


















Mahogany	Mahogany	Mahogany	Oak	Oak
FCM2385 6E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	FCM82385 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM2385SL 6E 10" x 6'8" 12" x 6'8" Δ (7'0") 14" x 6'8" Δ (7'0")	FCM82385SL 6E 12" x 8'0" 14" x 8'0"	FCM82233SL 6 12" x 8'0" 14" x 8'0"
				FC2233 6E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")
				FC82233 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
				FC2385 6E 2'8" x 6'8" Δ (7'0") 2'10" x 6'8" Δ (7'0") 3'0" x 6'8" Δ (7'0")
				FC82385 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

ECHOLON Continues on next page.

Key

- No Stile Lines
- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- ◆ Brass Caming (1A)
- Scrolled & Flat Advanta Lite Frame
Not available for 2'4" and 2'6" doors or 10" sidelites.
- Vented Sidelite Options
- E Elevated 10" Bottom Rail Options
- 6 WBDR Options
- 6 WBDR / HVHZ Options
- Δ 6'6" Height Available

									
Oak	Oak	Smooth	Smooth	Smooth					
FC2233SL  10" x 6'8" 12" x 6'8" 14" x 6'8"	FC82233SL  12" x 8'0" 14" x 8'0"	FC2385SL  12" x 6'8" Δ (7'0") 14" x 6'8" Δ (7'0")	FC82385SL  12" x 8'0" 14" x 8'0"	S2233  2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	S82233  2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S2385  2'8" x 6'8" Δ (7'0") 2'10" x 6'8" Δ (7'0") 3'0" x 6'8" Δ (7'0") 3'6" x 6'8"	S82385  2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'6" x 8'0"	S2233SL  12" x 6'8" 14" x 6'8"	S82233SL  12" x 8'0" 14" x 8'0"

PRIVACY & TEXTURED GLASS WITH DIVIDED LITES

					
Smooth	Mahogany	Mahogany	Mahogany	Mahogany	Mahogany
S2385SL  10" x 6'8" 12" x 6'8" Δ (7'0") 14" x 6'8" Δ (7'0")	S82385SL  12" x 8'0" 14" x 8'0"	FCM138_  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM1285_  2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	FCM18_  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM1284_  2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

						
Mahogany	Mahogany	Mahogany	Oak	Oak	Oak	Oak
FCM6124_SL*  10" x 6'8" 12" x 6'8" (7'0") 14" x 6'8" (7'0")	FCM6125_SL*  10" x 6'8" 12" x 6'8" (7'0") 14" x 6'8" (7'0")	FCM6126_SL*  10" x 6'8" 12" x 6'8" (7'0") 14" x 6'8" (7'0")	FC138_  2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	1285_  2'8" x 6'8" Δ (7'0") 2'10" x 6'8" Δ (7'0") 3'0" x 6'8" Δ (7'0")	FC18_  2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	1284_  2'8" x 6'8" Δ (7'0") 2'10" x 6'8" Δ (7'0") 3'0" x 6'8" Δ (7'0")

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 119.

XK = Reeded

XE = Satin Etch

XC = Chord

XJ = Chinchilla

XR = Rainglass

XN = Granite

*Not available with Reeded (XK) glass.

Note: See page 285 for important product details that may help with your purchase decision.

Oak	Oak	Oak	Oak	Oak	Oak	Oak	Oak
FC18_SL 10" x 6'8" 12" x 6'8" 14" x 6'8"	12102_SL 12" x 6'8" ⚠ (7'0") 14" x 6'8" ⚠ (7'0")	FC06188_SL* 10" x 6'8" 12" x 6'8" 14" x 6'8"	FC06184_SL* 12" x 6'8" ⚠ (7'0") 14" x 6'8" ⚠ (7'0")	FC06189_SL* 10" x 6'8" 12" x 6'8" 14" x 6'8"	FC06185_SL* 12" x 6'8" ⚠ (7'0") 14" x 6'8" ⚠ (7'0")	FC06190_SL* 10" x 6'8" 12" x 6'8" 14" x 6'8"	FC06186_SL* 12" x 6'8" ⚠ (7'0") 14" x 6'8" ⚠ (7'0")

Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth
S128_ 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	S141_ 2'8" x 6'8" ⚠ (7'0") 2'10" x 6'8" ⚠ (7'0") 3'0" x 6'8" ⚠ (7'0") 3'6" x 6'8"	S108_ 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	S6063_ 2'8" x 6'8" ⚠ (7'0") 2'10" x 6'8" ⚠ (7'0") 3'0" x 6'8" ⚠ (7'0") 3'6" x 6'8"	S308_SL 12" x 6'8" 14" x 6'8"	S1170_SL 10" x 6'8" 12" x 6'8" ⚠ (7'0") 14" x 6'8" ⚠ (7'0")	S605_SL* 12" x 6'8" 14" x 6'8"

Smooth	Smooth	Smooth	Smooth	Smooth
S6124_SL* 10" x 6'8" 12" x 6'8" ⚠ (7'0") 14" x 6'8" ⚠ (7'0")	S606_SL* 12" x 6'8" 14" x 6'8"	S6125_SL* 10" x 6'8" 12" x 6'8" ⚠ (7'0") 14" x 6'8" ⚠ (7'0")	S607_SL* 12" x 6'8" 14" x 6'8"	S6126_SL* 10" x 6'8" 12" x 6'8" ⚠ (7'0") 14" x 6'8" ⚠ (7'0")

PRIVACY & TEXTURED GLASS






Mahogany	Mahogany	Mahogany	Mahogany
FCM10_ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM870_ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM1283_ 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	FCM81200_ 2'6" x 8'0" 2'10" x 8'0" 3'0" x 8'0"






PRIVACY & TEXTURED GLASS *Continues on next page.*

Key






- No Stile Lines
- Simulated Divided Lites (SDL)
- Scrolled & Flat Advanta Lite Frame
Not available for 2'4" and 2'6" doors or 10" sidelites.
- Scrolled Advanta Lite Frame
Not available for 2'4" and 2'6" doors or 10" sidelites.
- Vented Sidelite Options
- E Elevated 10" Bottom Rail Options
- 6 WBDR Options
- 6 WBDR / HVHZ Options
- ⚠ 6'6" Height Available

PRIVACY & TEXTURED GLASS *Continued*

				
Mahogany	Mahogany	Oak	Oak	Oak
FCM870_SL 12" x 8'0" 14" x 8'0"	FCM12101_SL 10" x 6'8" 12" x 6'8" (7'0") 14" x 6'8" (7'0")	FCM81200_SL 12" x 8'0" 14" x 8'0"	FC10_ 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	81200P_ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
1283_ 2'8" x 6'8" Δ (7'0") 2'10" x 6'8" Δ (7'0") 3'0" x 6'8" Δ (7'0")	81200_ 2'6" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC47_SL 10" x 6'8" 12" x 6'8" 14" x 6'8"	81200P_SL 12" x 8'0" 14" x 8'0"	

				
Oak	Smooth	Smooth	Smooth	Smooth
12101_SL 12" x 6'8" Δ (7'0") 14" x 6'8" Δ (7'0")	81200_SL 12" x 8'0" 14" x 8'0"	S118_ 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	S818_ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S140_ 2'8" x 6'8" Δ (7'0") 2'10" x 6'8" Δ (7'0") 3'0" x 6'8" Δ (7'0") 3'6" x 6'8"
S8140_ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'6" x 8'0"	S100_SL 12" x 6'8" 14" x 6'8"	S8601_SL 12" x 8'0" 14" x 8'0"	S601_SL 10" x 6'8" 12" x 6'8" Δ (7'0") 14" x 6'8" Δ (7'0")	S81086_SL 12" x 8'0" 14" x 8'0"

INTERNAL BLINDS

				
Mahogany	Mahogany	Mahogany	Mahogany	Oak
FCM141 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM8115 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM1286 2'4" x 6'8" 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	FCM81225 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM8115SL 12" x 8'0" 14" x 8'0"
FCM1286SL 10" x 6'8" 12" x 6'8" (7'0") 14" x 6'8" (7'0")	FCM81225SL 12" x 8'0" 14" x 8'0"	FC141 2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	81225P 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 119.

XK = Reeded XC = Chord XR = Rainglass
XE = Satin Etch XJ = Chinchilla XN = Granite



Oak

1286



2'4" x 6'8" Δ
2'6" x 6'8" Δ (7'0")
2'8" x 6'8" Δ (7'0")
2'10" x 6'8" Δ (7'0")
3'0" x 6'8" Δ (7'0")

81225



2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

FC141SL



10" x 6'8"
12" x 6'8"
14" x 6'8"

81225PSL



12" x 8'0"
14" x 8'0"



Oak

1286SL



12" x 6'8" Δ (7'0")
14" x 6'8" Δ (7'0")

81225SL



12" x 8'0"
14" x 8'0"



Smooth

S130



2'6" x 6'8"
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

S829



2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S6061



2'4" x 6'8" Δ
2'6" x 6'8" Δ
2'8" x 6'8" Δ (7'0")
2'10" x 6'8" Δ (7'0")
3'0" x 6'8" Δ (7'0")
3'6" x 6'8"

S81225



2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"
3'6" x 8'0"



Smooth

S130SL



12" x 6'8"
14" x 6'8"

S829SL



12" x 8'0"
14" x 8'0"



Smooth

S6128SL



10" x 6'8"
12" x 6'8" Δ (7'0")
14" x 6'8" Δ (7'0")

S85928SL



12" x 8'0"
14" x 8'0"

CLEAR GLASS WITH DIVIDED LITES



Mahogany

FCM1209



2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"




Mahogany

FCM1201



2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



Mahogany

FCM1211



2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM1202



2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



Mahogany

FCM1212



2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"




Mahogany

FCM1203



2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



Mahogany

FCM138



2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM1285



2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



Mahogany

FCM1208



2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM1200



2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



Mahogany

FCM18




2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

CLEAR GLASS WITH DIVIDED LITES *Continues on next page.*

Key


- No Stile Lines
- ☀ Low-E Glass (LE)
- Simulated Divided Lites (SDL)
- ◆ Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- ◆ Flat Almond Grilles Between Glass (GBGF)
- ◆ Flat Bronze Grilles Between Glass (GBGF)
- Flat Lite Frame
- Scrolled & Flat Advanta Lite Frame
Not available for 2'4" and 2'6" doors or 10" sidelites.
- Vented Sidelite Options
- WBDR Options
- 6 WBDR / HVHZ Options
- E Elevated 10" Bottom Rail Options
- Δ 6'6" Height Available

CLEAR GLASS WITH DIVIDED LITES *Continued*




Mahogany

FCM1284
6E
 2'6" x 6'8" (7'0")
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")



Mahogany

FCM828
6
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Mahogany

FCM81828
6
 2'6" x 8'0"
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Mahogany

FCM81208P
6
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Mahogany

FCM81829
6
 2'6" x 8'0"
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Mahogany

FCM1201SL
6
 10" x 6'8"
 12" x 6'8" Δ (7'0")
 14" x 6'8" Δ (7'0")



Mahogany

FCM1202SL
6
 10" x 6'8"
 12" x 6'8" Δ (7'0")
 14" x 6'8" Δ (7'0")



Mahogany

FCM1200SL
6
 10" x 6'8"
 12" x 6'8" Δ (7'0")
 14" x 6'8" Δ (7'0")



Mahogany

FCM12102SL
6
 10" x 6'8"
 12" x 6'8" Δ (7'0")
 14" x 6'8" Δ (7'0")



Mahogany

FCM81208PSL
6
 12" x 8'0"
 14" x 8'0"



Mahogany

FCM81208SL
6
 12" x 8'0"
 14" x 8'0"



Mahogany

FCM6124SL
6
 10" x 6'8"
 12" x 6'8" Δ (7'0")
 14" x 6'8" Δ (7'0")




Mahogany

FCM6125SL
6
 10" x 6'8"
 12" x 6'8" Δ (7'0")
 14" x 6'8" Δ (7'0")



Mahogany

FCM6126SL
6
 10" x 6'8"
 12" x 6'8" Δ (7'0")
 14" x 6'8" Δ (7'0")




Mahogany

FCM198
6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"




Mahogany

FCM1289
6E
 2'6" x 6'8" (7'0")
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")



Mahogany

FCM1289SL
6
 10" x 6'8"
 12" x 6'8" Δ (7'0")
 14" x 6'8" Δ (7'0")



Oak

FC1209
E
 2'6" x 6'8"
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")



Oak

FC1201
E
 2'6" x 6'8" Δ (7'0")
 2'8" x 6'8" Δ (7'0")
 2'10" x 6'8" Δ (7'0")
 3'0" x 6'8" Δ (7'0")



Oak

FC1211
E
 2'6" x 6'8"
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")



Oak









FC1202
E
 2'6" x 6'8" Δ (7'0")
 2'8" x 6'8" Δ (7'0")
 2'10" x 6'8" Δ (7'0")
 3'0" x 6'8" Δ (7'0")
















CLEAR GLASS WITH DIVIDED LITES *Continues on next page.*

























































Key

- No Stile Lines
- ☀ Low-E Glass (LE)
- Simulated Divided Lites (SDL)
- ◆ Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- ◆ Flat Almond Grilles Between Glass (GBGF)
- ◆ Flat Bronze Grilles Between Glass (GBGF)
- Scrolled & Flat Advanta Lite Frame
Not available for 2'4" and 2'6" doors or 10" sidelites.
- Scrolled Advanta Lite Frame
Not available for 2'4" and 2'6" doors or 10" sidelites.
- Vented Sidelite Options
- 6 WBDR Options
- 6 WBDR / HVHZ Options
- E Elevated 10" Bottom Rail Options
- ⬆ 6'6" Height Available

							
Oak	Oak	Oak	Oak	Oak	Oak	Oak	Oak
FC06188SL ☀️🔺🔺 10" x 6'8" 12" x 6'8" 14" x 6'8"	FC06184SL ☀️🔺🔺🔺 12" x 6'8" Δ (7'0") 14" x 6'8" Δ (7'0")	FC06189SL ☀️🔺🔺 10" x 6'8" 12" x 6'8" 14" x 6'8"	FC06185SL ☀️🔺🔺🔺 12" x 6'8" Δ (7'0") 14" x 6'8" Δ (7'0")	FC06190SL ☀️🔺🔺 10" x 6'8" 12" x 6'8" 14" x 6'8"	FC06186SL ☀️🔺🔺🔺 12" x 6'8" Δ (7'0") 14" x 6'8" Δ (7'0")	FC198 ☀️🔺🔺🔺🔺 6E 2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	1289 ☀️🔺🔺🔺🔺 6E 2'6" x 6'8" Δ (7'0") 2'8" x 6'8" Δ (7'0") 2'10" x 6'8" Δ (7'0") 3'0" x 6'8" Δ (7'0")
















						
Oak	Oak	Smooth	Smooth	Smooth	Smooth	Smooth
FC198SL ☀️🔺🔺 10" x 6'8" 12" x 6'8" 14" x 6'8"	FC1289SL ☀️🔺🔺🔺 12" x 6'8" Δ (7'0") 14" x 6'8" Δ (7'0")	S1209 ☀️🔺🔺🔺 E 2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	S1201 ☀️🔺🔺🔺 E 2'6" x 6'8" Δ 2'8" x 6'8" Δ (7'0") 2'10" x 6'8" Δ (7'0") 3'0" x 6'8" Δ (7'0") 3'6" x 6'8"	S1211 ☀️🔺🔺🔺 E 2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	S1202 ☀️🔺🔺🔺 E 2'6" x 6'8" Δ 2'8" x 6'8" Δ (7'0") 2'10" x 6'8" Δ (7'0") 3'0" x 6'8" Δ (7'0") 3'6" x 6'8"	S1212 ☀️🔺🔺🔺 E 2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

						
Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth
S1203 ☀️🔺🔺🔺 E 2'6" x 6'8" Δ 2'8" x 6'8" Δ (7'0") 2'10" x 6'8" Δ (7'0") 3'0" x 6'8" Δ (7'0") 3'6" x 6'8"	S128 ☀️🔺🔺🔺 2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	S141 ☀️🔺🔺🔺 E 2'6" x 6'8" Δ 2'8" x 6'8" Δ (7'0") 2'10" x 6'8" Δ (7'0") 3'0" x 6'8" Δ (7'0") 3'6" x 6'8"	S1208 ☀️🔺🔺🔺 6E 2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	S1200 ☀️🔺🔺🔺 6E 2'6" x 6'8" Δ 2'8" x 6'8" Δ (7'0") 2'10" x 6'8" Δ (7'0") 3'0" x 6'8" Δ (7'0") 3'6" x 6'8"	S108 ☀️🔺🔺🔺 E 2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	S6063 ☀️🔺🔺🔺 E 2'6" x 6'8" Δ 2'8" x 6'8" Δ (7'0") 2'10" x 6'8" Δ (7'0") 3'0" x 6'8" Δ (7'0") 3'6" x 6'8"

									
Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth		
S828  2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S81828  2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'6" x 8'0"	S808  2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S81208  2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'6" x 8'0"	S1209SL  12" x 6'8" 14" x 6'8"	S1201SL  10" x 6'8" 12" x 6'8" Δ (7'0") 14" x 6'8" Δ (7'0")	S1211SL  12" x 6'8" 14" x 6'8"	S1202SL  10" x 6'8" 12" x 6'8" Δ (7'0") 14" x 6'8" Δ (7'0")		
									
Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth
S1208SL  12" x 6'8" 14" x 6'8"	S1200SL  10" x 6'8" 12" x 6'8" Δ (7'0") 14" x 6'8" Δ (7'0")	S308SL  12" x 6'8" 14" x 6'8"	S1170SL  10" x 6'8" 12" x 6'8" Δ (7'0") 14" x 6'8" Δ (7'0")	S808SL  12" x 8'0" 14" x 8'0"	S81186SL  12" x 8'0" 14" x 8'0"	S605SL  12" x 6'8" 14" x 6'8"	S8605SL  12" x 8'0" 14" x 8'0"	S6124SL  10" x 6'8" 12" x 6'8" Δ (7'0") 14" x 6'8" Δ (7'0")	S85924SL  12" x 8'0" 14" x 8'0"
									
Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth
S606SL  12" x 6'8" 14" x 6'8"	S8606SL  12" x 8'0" 14" x 8'0"	S6125SL  10" x 6'8" 12" x 6'8" Δ (7'0") 14" x 6'8" Δ (7'0")	S85925SL  12" x 8'0" 14" x 8'0"	S607SL  12" x 6'8" 14" x 6'8"	S8607SL  12" x 8'0" 14" x 8'0"	S6126SL  10" x 6'8" 12" x 6'8" Δ (7'0") 14" x 6'8" Δ (7'0")	S85926SL  12" x 8'0" 14" x 8'0"	S198  2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	S6062  2'6" x 6'8" Δ 2'8" x 6'8" Δ (7'0") 2'10" x 6'8" Δ (7'0") 3'0" x 6'8" Δ (7'0") 3'6" x 6'8"

CLEAR GLASS WITH DIVIDED LITES *Continues on next page.*

Key


-  No Stile Lines
-  Low-E Glass (LE)
-  Simulated Divided Lites (SDL)
-  Flat or Contour White Grilles Between Glass (GBGF / GBGC)
-  Flat Almond Grilles Between Glass (GBGF)
-  Flat Bronze Grilles Between Glass (GBGF)
-  Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
-  Fixed Grilles (FXG)
-  Scrolled & Flat Advanta Lite Frame
Not available for 2'4" and 2'6" doors or 10" sidelites.
-  Scrolled Advanta Lite Frame
Not available for 2'4" and 2'6" doors or 10" sidelites.
-  Vented Sidelite Options
-  WBDR Options
-  WBDR / HVHZ Options
-  6'6" Height Available
-  Elevated 10" Bottom Rail Options


CLEAR GLASS WITH DIVIDED LITES *Continued*

CLEAR GLASS



Smooth


S198SL

 12" x 6'8"
 14" x 6'8"




Smooth


S6062SL


 10" x 6'8"
 12" x 6'8" Δ (7'0")
 14" x 6'8" Δ (7'0")




Mahogany


FCM10

 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"


FCM870

 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"




Mahogany


FCM1283

 2'4" x 6'8"***
 2'6" x 6'8" (7'0")*
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")


FCM81200

 2'0" x 8'0"***
 2'4" x 8'0"***
 2'6" x 8'0"***
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"




Mahogany


FCM12101SL

 10" x 6'8"
 12" x 6'8" (7'0")
 14" x 6'8" (7'0")

FCM81200SL

 12" x 8'0"
 14" x 8'0"





Mahogany


FCM870SL

 12" x 8'0"
 14" x 8'0"




Oak


FC10

 2'6" x 6'8"
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")


81200P

 2'8" x 8'0"
 3'0" x 8'0"




Oak


1283

 2'4" x 6'8" Δ*
 2'6" x 6'8" Δ (7'0")*
 2'8" x 6'8" Δ (7'0")
 2'10" x 6'8" Δ (7'0")
 3'0" x 6'8" Δ (7'0")


81200

 2'0" x 8'0"***
 2'4" x 8'0"***
 2'6" x 8'0"***
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"




Oak


FC47SL

 10" x 6'8"
 12" x 6'8"
 14" x 6'8"


81200PSL

 12" x 8'0"
 14" x 8'0"




Oak


12101SL

 12" x 6'8" Δ (7'0")
 14" x 6'8" Δ (7'0")

81200SL

 12" x 8'0"
 14" x 8'0"





Smooth


S118

 2'6" x 6'8"
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")




Smooth


S818

 2'6" x 8'0"
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"


S140

 2'0" x 6'8"***
 2'4" x 6'8" Δ*
 2'6" x 6'8" Δ*
 2'8" x 6'8" Δ (7'0")
 2'10" x 6'8" Δ (7'0")
 3'0" x 6'8" Δ (7'0")
 3'6" x 6'8"


S8140

 2'0" x 8'0"***
 2'4" x 8'0"***
 2'6" x 8'0"***
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"
 3'6" x 8'0"




Smooth


S100SL

 12" x 6'8"
 14" x 6'8"


S8601SL

 12" x 8'0"
 14" x 8'0"




Smooth


S601SL

 10" x 6'8"
 12" x 6'8" Δ (7'0")
 14" x 6'8" Δ (7'0")

S81086SL

 12" x 8'0"
 14" x 8'0"



Direct Set

DRS2131SL

 12" x 6'8" (7'0")
 14" x 6'8" (7'0")

DRS82131SL

 12" x 8'0"
 14" x 8'0"

*Available with Impact-rated lite frame only.


Note: See page 285 for important product details that may help with your purchase decision.

3/4 Lites



TRANSOMS






For transoms, see page 209.



BLACKSTONE. ◆ ❖

					
Mahogany	Mahogany	Oak	Oak	Oak	Smooth
FCM765 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM765SL 6 12" x 6'8" 14" x 6'8"	FCM882SL 6 12" x 8'0" 14" x 8'0"	FC765 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC770 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	81952P 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
FC765SL 6 12" x 6'8" 14" x 6'8"	81952PSL 6 12" x 8'0" 14" x 8'0"	S975 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"			

CRYSTALLINE™ ◆ ❖

					
Smooth	Smooth	Mahogany	Mahogany	Oak	Oak
S979 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S894 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM38 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM38SL 6 12" x 6'8" 14" x 6'8"	FCM8105SL 6 12" x 8'0" 14" x 8'0"	FC722 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
S975SL 6 12" x 6'8" 14" x 6'8"	S894SL 6 12" x 8'0" 14" x 8'0"	FC38 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM8105SL 6 12" x 8'0" 14" x 8'0"	81953P 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	





CRYSTALLINE Continues on next page.

Key




- | | | | | |
|--------------------------|---|---|---|----------------------------------|
| No Stile Lines | Brushed Nickel Caming (1C) | Flat Bronze Grilles Between Glass (GBGF) | Scrolled & Flat Advanta Lite Frame
Not available for 2'4" and 2'6" doors or 10" sidelites. | WBDR / HVHZ Options |
| Low-E Glass (LE) | Flat or Contour White Grilles Between Glass (GBGF / GBGC) | Flat or Contour Black Grilles Between Glass (GBGF / GBGC) | Vented Sidelite Options | Elevated 10" Bottom Rail Options |
| Turtle Glass | Flat Almond Grilles Between Glass (GBGF) | Flat Lite Frame | WBDR Options | 6'6" Height Available |
| Black Nickel Caming (1D) | | | | |

CRYSTALLINE™ ♦ ■ ■ *Continued*







SEDONA ♦ ■ ■

			
Oak	Smooth	Smooth	Smooth
FC38SL 81953PSL 12" x 6'8" 12" x 8'0" 14" x 6'8" 14" x 8'0"	S977 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S981 S888 2'8" x 6'8" 2'8" x 8'0" 2'10" x 6'8" 2'10" x 8'0" 3'0" x 6'8" 3'0" x 8'0"	S758SL S888SL 12" x 6'8" 12" x 8'0" 14" x 6'8" 14" x 8'0"

	
Mahogany	Mahogany
FCM131 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM131SL FCM883SL 12" x 6'8" 12" x 8'0" 14" x 6'8" 14" x 8'0"

					
Oak	Oak	Oak	Smooth	Smooth	Smooth
FC131 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC773 81954P 2'8" x 6'8" 2'8" x 8'0" 2'10" x 6'8" 2'10" x 8'0" 3'0" x 6'8" 3'0" x 8'0"	FC131SL 81954PSL 12" x 6'8" 12" x 8'0" 14" x 6'8" 14" x 8'0"	S95 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S91 S887 2'8" x 6'8" 2'8" x 8'0" 2'10" x 6'8" 2'10" x 8'0" 3'0" x 6'8" 3'0" x 8'0"	S91SL S887SL 12" x 6'8" 12" x 8'0" 14" x 6'8" 14" x 8'0"

SALINAS ✕

					
Mahogany	Mahogany	Oak	Oak	Oak	Smooth
FCM115 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM115SL FCM884SL 12" x 6'8" 12" x 8'0" 14" x 6'8" 14" x 8'0"	FC115 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC775 81955P 2'8" x 6'8" 2'8" x 8'0" 2'10" x 6'8" 2'10" x 8'0" 3'0" x 6'8" 3'0" x 8'0"	FC115SL 81955PSL 12" x 6'8" 12" x 8'0" 14" x 6'8" 14" x 8'0"	S6009 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

MAPLE PARK. ◆ ■ ■



Smooth

S6010
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Smooth

S895
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

S6009SL
 12" x 6'8"
 14" x 6'8"

S895SL
 12" x 8'0"
 14" x 8'0"



Mahogany

FCM902
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Mahogany

FCM902SL
 12" x 6'8"
 14" x 6'8"

FCM887SL
 12" x 8'0"
 14" x 8'0"



Oak

FC902
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"




Oak

FC777
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

81957P
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

SARATOGA. ◆ ■ ■



Oak

FC902SL
 12" x 6'8"
 14" x 6'8"

81957PSL
 12" x 8'0"
 14" x 8'0"



Smooth

S6102
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Smooth

S6103
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

S85898
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Smooth


S6102SL
 12" x 6'8"
 14" x 6'8"

S85898SL
 12" x 8'0"
 14" x 8'0"



Mahogany

FCM907
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Mahogany

FCM907SL
 12" x 6'8"
 14" x 6'8"

FCM889SL
 12" x 8'0"
 14" x 8'0"



Oak

FC907
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Oak

FC776
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

81956P
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Oak


FC907SL
 12" x 6'8"
 14" x 6'8"

81956PSL
 12" x 8'0"
 14" x 8'0"



Smooth

S6092
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Smooth

S982
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

S891
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Smooth

S6092SL
 12" x 6'8"
 14" x 6'8"

S891SL
 12" x 8'0"
 14" x 8'0"







Key

- ◆ Black Nickel Caming (1D)
- ■ Brushed Nickel Caming (1C)
- ✗ Wrought Iron (1W)
- └ Flat Lite Frame
- ▬ Scrolled & Flat Advanta Lite Frame
Not available for 2'4" and 2'6" doors or 10" sidelites.
- 6 WBDR Options
- 6 WBDR / HVHZ Options







TEXAS STAR ◆ ◆

					
Mahogany	Mahogany	Oak	Oak	Oak	Smooth
FCM143 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM143SL 12" x 6'8" 14" x 6'8"	FCM8103SL 12" x 8'0" 14" x 8'0"	FC143 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC778 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	81958P 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
FC143SL 12" x 6'8" 14" x 6'8"	81958PSL 12" x 8'0" 14" x 8'0"	S6071 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"			

WELLESLEY ◆ ◆ ◆

					
Smooth	Smooth	Mahogany	Mahogany	Oak	Oak
S6072 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S85901 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM147 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM147SL 12" x 6'8" 14" x 6'8"	FCM885SL 12" x 8'0" 14" x 8'0"	FC147 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
S6071SL 12" x 6'8" 14" x 6'8"	85901SL 12" x 8'0" 14" x 8'0"	FC779 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	81959P 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"		

RISERVA X


					
Oak	Smooth	Smooth	Smooth	Mahogany	Mahogany
FC147SL 12" x 6'8" 14" x 6'8"	81959PSL 12" x 8'0" 14" x 8'0"	S6091 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S983 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S892 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S6091SL 12" x 6'8" 14" x 6'8"
S892SL 12" x 8'0" 14" x 8'0"	FCM543 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM545SL 12" x 6'8" 14" x 6'8"	FCM8545SL 12" x 8'0" 14" x 8'0"		



CONCORDE™ ◆ ◆ ◆



KENSINGTON™ ◆ ◆ ◆



KENSINGTON Continues on next page.

Key

- ◆ Black Nickel Caming (1D)
- ◆ Brushed Nickel Caming (1C)
- ◆ Brass Caming (1A)
- ✗ Wrought Iron (1W)
- ▤ Flat Lite Frame
- ▤ Scrolled & Flat Advanta Lite Frame
Not available for 2'4" and 2'6" doors or 10" sidelites.
- 6 WBDR Options
- 6 WBDR / HVHZ Options

KENSINGTON™ ◆ ◆ ◆ *Continued*



Oak

FC1442SL 12" x 6'8"	81961PSL 12" x 8'0"
14" x 6'8"	14" x 8'0"



Smooth

S20042 2'8" x 6'8"	S902 2'8" x 8'0"
2'10" x 6'8"	2'10" x 8'0"
3'0" x 6'8"	3'0" x 8'0"



Smooth

S156 2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S1442SL 12" x 6'8"	S902SL 12" x 8'0"
14" x 6'8"	14" x 8'0"

PEMBRIDGE™ ◆ ◆ ◆



Mahogany

FCM6582 2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM6580SL 12" x 6'8"	FCM86580SL 12" x 8'0"
14" x 6'8"	14" x 8'0"



Oak

FC6582 2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC6580 2'8" x 6'8"	FC86580 2'8" x 8'0"
2'10" x 6'8"	2'10" x 8'0"
3'0" x 6'8"	3'0" x 8'0"



Oak

FC6580SL 12" x 6'8"	FC86580SL 12" x 8'0"
14" x 6'8"	14" x 8'0"



Smooth

S6582 2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth


S6580 2'8" x 6'8"	S86580 2'8" x 8'0"
2'10" x 6'8"	2'10" x 8'0"
3'0" x 6'8"	3'0" x 8'0"



Smooth

S6580SL 12" x 6'8"	S86580SL 12" x 8'0"
14" x 6'8"	14" x 8'0"

AXIS™ ◆ ◆ ◆



Mahogany

FCM1647 2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"




Mahogany

FCM1646SL 12" x 6'8"	FCM81646SL 12" x 8'0"
14" x 6'8"	14" x 8'0"



Oak

FC1647 2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC1646 2'8" x 6'8"	FC81646 2'8" x 8'0"
2'10" x 6'8"	2'10" x 8'0"
3'0" x 6'8"	3'0" x 8'0"



Oak

FC1646SL 12" x 6'8"	FC81646SL 12" x 8'0"
14" x 6'8"	14" x 8'0"



Smooth

S1647 2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

CALIX ◆ ◆ ◆ ◆



Smooth

S1646

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S81646

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S1646SL

12" x 6'8"
14" x 6'8"

S81646SL

12" x 8'0"
14" x 8'0"



Mahogany

FCM389

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM4521SL

12" x 6'8"
14" x 6'8"

FCM84521SL

12" x 8'0"
14" x 8'0"



Oak

FC389

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC4521

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FC84521

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

LATITUDE ◆ ◆ ◆ ◆



Oak

FC4521SL

12" x 6'8"
14" x 6'8"

FC84521SL

12" x 8'0"
14" x 8'0"



Smooth

S389

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S4521

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S84521

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S4521SL

12" x 6'8"
14" x 6'8"

S84521SL

12" x 8'0"
14" x 8'0"



Mahogany

FCM476

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM4525SL

12" x 6'8"
14" x 6'8"

FCM84525SL

12" x 8'0"
14" x 8'0"



Oak

FC476

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC4525

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FC84525

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC4525SL

12" x 6'8"
14" x 6'8"

FC84525SL

12" x 8'0"
14" x 8'0"



Smooth

S476

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S4525

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S84525

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S4525SL

12" x 6'8"
14" x 6'8"

S84525SL

12" x 8'0"
14" x 8'0"

Key

- ◆ Black Nickel Caming (1D)
- ◆◆ Brushed Nickel Caming (1C)
- ◆◆ Brass Caming (1A)
- └ Flat Lite Frame

- ▬ Scrolled & Flat Advanta Lite Frame
Not available for 2'4" and 2'6" doors or 10" sidelites.
- └ WBDR Options

- └ WBDR / HVHZ Options



PRIVACY & TEXTURED GLASS WITH DIVIDED LITES









Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 119.

XK = Reeded XC = Chord XR = Rainglass
 XE = Satin Etch XJ = Chinchilla XN = Granite

PRIVACY & TEXTURED GLASS


					
Smooth	Smooth	Mahogany	Mahogany	Oak	Oak
S82_SL 12" x 6'8" 14" x 6'8"	S881_SL 12" x 8'0" 14" x 8'0"	FCM32_ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM32_SL FCM881_SL 12" x 6'8" 12" x 8'0" 14" x 6'8" 14" x 8'0"	FC32_ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC766_ 81943P_ 2'8" x 6'8" 2'8" x 8'0" 2'10" x 6'8" 2'10" x 8'0" 3'0" x 6'8" 3'0" x 8'0"

INTERNAL BLINDS


					
Oak	Smooth	Smooth	Smooth	Mahogany	Mahogany
FC32_SL 81943P_SL 12" x 6'8" 12" x 8'0" 14" x 6'8" 14" x 8'0"	S80_ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S90_ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S880_ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S751_SL S880_SL 12" x 6'8" 12" x 8'0" 14" x 6'8" 14" x 8'0"	FCM5425 FCM5425SL FCM8110SL 2'8" x 6'8" 12" x 6'8" 12" x 8'0" 2'10" x 6'8" 14" x 6'8" 14" x 8'0" 3'0" x 6'8"

					
Oak	Oak	Oak	Smooth	Smooth	Smooth
FC5425 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	1964P 81964P 2'8" x 6'8" 2'8" x 8'0" 2'10" x 6'8" 2'10" x 8'0" 3'0" x 6'8" 3'0" x 8'0"	FC5425SL 81964PSL 12" x 6'8" 12" x 8'0" 14" x 6'8" 14" x 8'0"	S5425 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S682 S8682 2'8" x 6'8" 2'8" x 8'0" 2'10" x 6'8" 2'10" x 8'0" 3'0" x 6'8" 3'0" x 8'0"	S5425SL S8682SL 12" x 6'8" 12" x 8'0" 14" x 6'8" 14" x 8'0"


Key

-  Low-E Glass (LE)
-  Simulated Divided Lites (SDL)
-  Flat Lite Frame
-  Scrolled & Flat Advanta Lite Frame
Not available for 2'4" and 2'6" doors or 10" sidelites.
-  Scrolled Advanta Lite Frame
Not available for 2'4" and 2'6" doors or 10" sidelites.
-  WBDR Options
-  WBDR / HVHZ Options

CLEAR GLASS WITH DIVIDED LITES




Mahogany
FCM2106
 ✨👉👈👉👈
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Mahogany
FCM2107
 ✨👉👈👉👈👉👈
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Mahogany
FCM2108
 ✨👉👈👉👈
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Mahogany
FCM82
 ✨👉👈👉👈👉👈
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Mahogany
FCM1089SL | **FCM8311SL**
 ✨👉👈👉👈 | ✨👉👈👉👈
 12" x 6'8" | 12" x 8'0"
 14" x 6'8" | 14" x 8'0"



Mahogany
FCM2101SL | **FCM8313SL**
 ✨👉👈👉👈👉👈 | ✨👉👈👉👈
 12" x 6'8" | 12" x 8'0"
 14" x 6'8" | 14" x 8'0"



Mahogany
FCM92SL | **FCM8310SL**
 ✨👉👈👉👈 | ✨👉👈👉👈👉👈
 6 | 6
 12" x 6'8" | 12" x 8'0"
 14" x 6'8" | 14" x 8'0"



Mahogany
FCM8101SL
 ✨👉👈👉👈👉👈
 6
 12" x 8'0"
 14" x 8'0"



Mahogany
FCM81900SL
 ✨👉👈👉👈
 12" x 8'0"
 14" x 8'0"




Mahogany
FCM81947SL
 ✨👉👈👉👈
 12" x 8'0"
 14" x 8'0"




Mahogany
FCM81949SL
 ✨👉👈👉👈
 12" x 8'0"
 14" x 8'0"




Mahogany
FCM1402
 ✨👉👈👉👈
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Mahogany
FCM1400SL | **FCM81944SL**
 ✨👉👈👉👈 | ✨👉👈👉👈
 6 | 6
 12" x 6'8" | 12" x 8'0"
 14" x 6'8" | 14" x 8'0"




Oak
FC2106
 ✨👉👈👉👈
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"




Oak
FC2107
 ✨👉👈👉👈👉👈
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Oak
FC2108
 ✨👉👈👉👈
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Oak
FC82
 ✨👉👈👉👈👉👈
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Oak
FC1089 | **FC8311**
 ✨👉👈👉👈 | ✨👉👈👉👈
 2'8" x 6'8" | 2'8" x 8'0"
 2'10" x 6'8" | 2'10" x 8'0"
 3'0" x 6'8" | 3'0" x 8'0"




Oak
FC2101 | **FC8313**
 ✨👉👈👉👈👉👈 | ✨👉👈👉👈
 6 | 6
 2'8" x 6'8" | 2'8" x 8'0"
 2'10" x 6'8" | 2'10" x 8'0"
 3'0" x 6'8" | 3'0" x 8'0"




Oak
 FC2102 | FC8316
 ✨ ⬇️ ⬆️ ⬇️ ⬆️
 2'8" x 6'8" | 2'8" x 8'0"
 2'10" x 6'8" | 2'10" x 8'0"
 3'0" x 6'8" | 3'0" x 8'0"



Oak
 81945P
 ✨ ⬆️ ⬆️ ⬆️ ⬆️ ⬆️
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Oak
 FC92 | FC8310
 ✨ ⬆️ ⬆️ ⬆️ ⬆️ ⬆️
 2'8" x 6'8" | 2'8" x 8'0"
 2'10" x 6'8" | 2'10" x 8'0"
 3'0" x 6'8" | 3'0" x 8'0"



Oak
 81946P
 ✨ ⬆️ ⬆️ ⬆️ ⬆️ ⬆️
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Oak
 FC1089SL | FC8311SL
 ✨ ⬆️ ⬆️ ⬆️ ⬆️ ⬆️
 12" x 6'8" | 12" x 8'0"
 14" x 6'8" | 14" x 8'0"



Oak
 FC2101SL | FC8313SL
 ✨ ⬆️ ⬆️ ⬆️ ⬆️ ⬆️
 12" x 6'8" | 12" x 8'0"
 14" x 6'8" | 14" x 8'0"



Oak
 FC92SL | FC8310SL
 ✨ ⬆️ ⬆️ ⬆️ ⬆️ ⬆️
 12" x 6'8" | 12" x 8'0"
 14" x 6'8" | 14" x 8'0"



Oak
 81946PSL
 ✨ ⬆️ ⬆️ ⬆️ ⬆️ ⬆️
 12" x 8'0"
 14" x 8'0"



Oak
 81900PSL
 ✨ ⬆️ ⬆️ ⬆️ ⬆️ ⬆️
 12" x 8'0"
 14" x 8'0"




Oak
 81947PSL
 ✨ ⬆️ ⬆️ ⬆️ ⬆️ ⬆️
 12" x 8'0"
 14" x 8'0"




Oak
 81949PSL
 ✨ ⬆️ ⬆️ ⬆️ ⬆️ ⬆️
 12" x 8'0"
 14" x 8'0"



Oak
 FC1402
 ✨ ⬆️ ⬆️ ⬆️ ⬆️ ⬆️
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"




Oak
 FC1400 | 81944P
 ✨ ⬆️ ⬆️ ⬆️ ⬆️ ⬆️
 2'8" x 6'8" | 2'8" x 8'0"
 2'10" x 6'8" | 2'10" x 8'0"
 3'0" x 6'8" | 3'0" x 8'0"



Oak
 FC1400SL | 81944PSL
 ✨ ⬆️ ⬆️ ⬆️ ⬆️ ⬆️
 12" x 6'8" | 12" x 8'0"
 14" x 6'8" | 14" x 8'0"



Smooth
 S2106
 ✨ ⬆️ ⬆️ ⬆️ ⬆️ ⬆️
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Smooth
 S2107
 ✨ ⬆️ ⬆️ ⬆️ ⬆️ ⬆️
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Smooth
 S2108
 ✨ ⬆️ ⬆️ ⬆️ ⬆️ ⬆️
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Smooth
 S82
 ✨ ⬆️ ⬆️ ⬆️ ⬆️ ⬆️
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Smooth
 S1089 | S8311
 ✨ ⬆️ ⬆️ ⬆️ ⬆️ ⬆️
 2'8" x 6'8" | 2'8" x 8'0"
 2'10" x 6'8" | 2'10" x 8'0"
 3'0" x 6'8" | 3'0" x 8'0"

CLEAR GLASS WITH DIVIDED LITES *Continues on next page.*

Key

- ☀️ Low-E Glass (LE)
- 🔻 Simulated Divided Lites (SDL)
- ⬆️ Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- ⬆️ Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- ⬆️ Flat Bronze Grilles Between Glass (GBGF)
- ⬆️ Flat Almond Grilles Between Glass (GBGF)
- ⬆️ Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- ⬆️ Scrolled & Flat Advanta Lite Frame
Not available for 2'4" and 2'6" doors or 10" sidelites.
- ⬆️ Scrolled Advanta Lite Frame
Not available for 2'4" and 2'6" doors or 10" sidelites.
- ⬆️ WBDR Options
- ⬆️ WBDR / HVHZ Options

CLEAR GLASS WITH DIVIDED LITES *Continued*

Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth
S2101 ★◆◆◆◆◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S8313 ★◆◆◆◆◆ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S2102 ★◆◆◆◆◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S8316 ★◆◆◆◆◆ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S881 ★◆◆◆◆◆ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S92 ★◆◆◆◆◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S8310 ★◆◆◆◆◆ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S882 ★◆◆◆◆◆ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"


Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth
S1089SL ★◆◆◆◆◆ 12" x 6'8" 14" x 6'8"	S8311SL ★◆◆◆◆◆ 12" x 8'0" 14" x 8'0"	S2101SL ★◆◆◆◆◆ 12" x 6'8" 14" x 6'8"	S8313SL ★◆◆◆◆◆ 12" x 8'0" 14" x 8'0"	S82SL ★◆◆◆◆◆ 12" x 6'8" 14" x 6'8"	S8310SL ★◆◆◆◆◆ 12" x 8'0" 14" x 8'0"	S881SL ★◆◆◆◆◆ 12" x 8'0" 14" x 8'0"	S8207SL ★◆◆◆◆◆ 12" x 8'0" 14" x 8'0"	S8202SL ★◆◆◆◆◆ 12" x 8'0" 14" x 8'0"	S8204SL ★◆◆◆◆◆ 12" x 8'0" 14" x 8'0"

Smooth	Smooth	Smooth	Smooth	Smooth
S1402 ★◆◆◆◆◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S1400 ★◆◆◆◆◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S898 ★◆◆◆◆◆ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S1400SL ★◆◆◆◆◆ 12" x 6'8" 14" x 6'8"	S898SL ★◆◆◆◆◆ 12" x 8'0" 14" x 8'0"

CLEAR GLASS

Mahogany	Mahogany	Mahogany
FCM32 ★◆◆◆◆◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM32SL ★◆◆◆◆◆ 12" x 6'8" 14" x 6'8"	FCM881SL ★◆◆◆◆◆ 12" x 8'0" 14" x 8'0"

Note: See page 285 for important product details that may help with your purchase decision.



Key


- Low-E Glass (LE)
- Turtle Glass
- Simulated Divided Lites (SDL)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat Almond Grilles Between Glass (GBGF)
- Flat Bronze Grilles Between Glass (GBGF)
- Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- Fixed Grilles (FXG)
- Flat Lite Frame
- Scrolled & Flat Advanta Lite Frame
Not available for 2'4" and 2'6" doors or 10" sidelites.
- Scrolled Advanta Lite Frame
Not available for 2'4" and 2'6" doors or 10" sidelites.
- WBDR Options
- WBDR / HVHZ Options

Oval Lites



TRANSOMS

For transoms, see page 209.



BLACKSTONE. ◆ ◆



Mahogany

FCM110

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM164

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC714

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC164

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC794

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S771

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S6085

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

WELLESLEY.™ ◆ ◆ ◆



Smooth

S997

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM106

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM163

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC713

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC163

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC796

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Note: See page 285 for important product details that may help with your purchase decision.

Top: Fiber-Classic Mahogany Collection, Concorde Glass, Door - FCM916, Sidelites - FCM809SL, Finish - Rustic Clay

CONCORDE™ ◆ ◆ ◆



Smooth

S774

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S6082

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S999

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM916

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM915

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC916

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC915

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

KENSINGTON™ ◆ ◆ ◆



Oak

FC797

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S773

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S6084

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S1000

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM151

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM789

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC709

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

PEMBRIDGE™ ◆ ◆ ◆



Oak

FC151

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC798

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S709

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S163

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S1001

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM6577

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM6575

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

PEMBRIDGE Continues on next page.

Key

- ◆ Black Nickel Caming (1D)
- ◆◆ Brushed Nickel Caming (1C)
- ◆◆◆ Brass Caming (1A)

◆ Scrolled Advanta Lite Frame
Not available for 2'4" and 2'6" doors or 10" sidelites.



Oak

FC6577

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC06575

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC6576

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S6577

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S6575

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S6576

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

CLEAR GLASS



Mahogany

FCM80

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM160

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC710

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC160

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC789

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S770

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S6080

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S992

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Note: See page 285 for important product details that may help with your purchase decision.

Bottom: Smooth-Star, Pembridge Glass, Door S6576


Right Page: Fiber-Classic Mahogany Collection, Salinas Glass, Door – FCM114, Sidelites – FCM814SL, Transom – SART, Finish – Raven

1/2 Lites



















TRANSOMS

For transoms, see page 209.






BLACKSTONE. ◆ ◆

 Mahogany		 Mahogany		 Mahogany		 Mahogany		 Oak		 Oak		 Oak	
FCM109   2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"	FCM863   2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM6032   2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM6052   2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM109SL   12" x 6'8" 14" x 6'8"	FCM863SL   12" x 8'0" 14" x 8'0"	FC109    2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	81933P   2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	81975P   2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC109SL   12" x 6'8" 14" x 6'8"	81933PSL   12" x 8'0" 14" x 8'0"			
 Smooth		 Smooth		 Smooth		 Smooth		 Smooth		 Smooth			
S6000    2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	S81933P   2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S6032    2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	S86032    2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S4314    2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S84314   2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S6052   2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S972   2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S85905   2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S6000SL   12" x 6'8" 14" x 6'8"	S85912SL   12" x 8'0" 14" x 8'0"			

Key

-  Low-E Glass (LE)
-  Black Nickel Caming (1D)
-  Brushed Nickel Caming (1C)

-  Brass Caming (1A)
-  Scrolled & Flat Advanta Lite Frame
Not available for 2'4" and 2'6" doors or 10" sidelites.

-  Scrolled Advanta Lite Frame
Not available for 2'4" and 2'6" doors or 10" sidelites.
-  WBDR Options
-  WBDR / HVHZ Options

-  Elevated 10" Bottom Rail Options

CRYSTALLINE™ ◆ ::



Mahogany

FCM898

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Mahogany

FCM898SL

12" x 8'0"
14" x 8'0"



Oak

81935P


2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

81977P

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

81935PSL

12" x 8'0"
14" x 8'0"



Smooth

S81935P

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S86027

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

SEDONA ◆ ::



NEW

Smooth

S84319

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S85907

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S85914SL


12" x 8'0"
14" x 8'0"



Mahogany


FCM101

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



FCM864


2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Mahogany

FCM6025

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM6045

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM101SL

12" x 6'8"
14" x 6'8"

FCM864SL

12" x 8'0"
14" x 8'0"



Oak

FC101

2'6" x 6'8"
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

81936P

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

81978P

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC101SL

12" x 6'8"
14" x 6'8"

81936PSL

12" x 8'0"
14" x 8'0"



Smooth

S211

2'6" x 6'8"
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

S81936P

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

NEW	NEW							
Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth
S6025 E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	S86025 E 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S4328 E 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S84328 E 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S6045 E 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S35 E 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S833 E 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S294SL E 12" x 6'8" 14" x 6'8"	S85915SL E 12" x 8'0" 14" x 8'0"

SALINAS® X

Mahogany	Mahogany	Mahogany	Mahogany	Mahogany	Mahogany	Oak	Oak	Oak
FCM114 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM865 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM6031 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM6051 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM114SL 6 12" x 6'8" 14" x 6'8"	FCM865SL 6 12" x 8'0" 14" x 8'0"	FC114 6E 2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	81937P 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	81980P 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
Oak	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	
FC114SL 6 12" x 6'8" 14" x 6'8"	81937PSL 6 12" x 8'0" 14" x 8'0"	S6006 6E 2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	S81937P 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S6031 6E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	S86031 6E 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S4325 6E 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S84325 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S6051 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

SALINAS Continues on next page.

Key

- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Wrought Iron (1W)
- Scrolled & Flat Advanta Lite Frame
Not available for 2'4" and 2'6" doors or 10" sidelites.
- WBDR Options
- WBDR / HVHZ Options
- Elevated 10" Bottom Rail Options

SALINAS. X *Continued*



Smooth		Smooth	
S973 6E 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S893 6E 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S6006SL 6E 12" x 6'8" 14" x 6'8"	S85916SL 6E 12" x 8'0" 14" x 8'0"

MAPLE PARK. ◆ ◆



Mahogany		Mahogany		Mahogany		Mahogany	
FCM901 6E 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM886 6E 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM6107 6E 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM6108 6E 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM901SL 6E 12" x 6'8" 14" x 6'8"	FCM886SL 6E 12" x 8'0" 14" x 8'0"		













Oak		Oak		Oak		Smooth		Smooth		Smooth	
FC901 6E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	81939P 6E 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	81982P 6E 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC901SL 6E 12" x 6'8" 14" x 6'8"	81939PSL 6E 12" x 8'0" 14" x 8'0"	S6101 6E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	S81939P 6E 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S6107 6E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	S86107 6E 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S4324 6E 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S84324 6E 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	

SARATOGA. ◆ ◆












Smooth		Smooth		Smooth		Mahogany		Mahogany		Mahogany	
S6108 6E 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S6106 6E 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S85897 6E 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S6101SL 6E 12" x 6'8" 14" x 6'8"	S85918SL 6E 12" x 8'0" 14" x 8'0"	FCM906 6E 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM888 6E 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM6029 6E 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM6049 6E 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"			

					
Mahogany	Oak	Oak	Oak	Smooth	Smooth
FCM906SL 6 12" x 6'8" 14" x 6'8"	FCM888SL 6 12" x 8'0" 14" x 8'0"	FC906 6E 2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	81938P 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	81981P 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC906SL 6 12" x 6'8" 14" x 6'8"
				81938PSL 6 12" x 8'0" 14" x 8'0"	S213 6E 2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")
				S81938P 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S6029 6E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")
				S86029 6E 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	

			
Smooth	Smooth	Smooth	Smooth
S4327 6E 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S84327 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S6049 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S41 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
		S85908 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S291SL 6 12" x 6'8" 14" x 6'8"
		S85917SL 6 12" x 8'0" 14" x 8'0"	

TEXAS STAR ◆ ■

	
Mahogany	Mahogany
FCM144 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM899 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
FCM6074 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	

						
Mahogany	Mahogany	Oak	Oak	Oak	Smooth	Smooth
FCM6075 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM899SL 6 12" x 8'0" 14" x 8'0"	FC144 6E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	81940P 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	81983P 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	81940PSL 6 12" x 8'0" 14" x 8'0"	S6073 6E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")
					S81940P 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S6074 6E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")
						S86074 6E 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

TEXAS STAR Continues on next page.

Key







- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- ✗ Wrought Iron (1W)







- ▣ Scrolled & Flat Advanta Lite Frame
Not available for 2'4" and 2'6" doors or 10" sidelites.
- ▣ Flat Advanta Lite Frame
Not available for 2'4" and 2'6" doors or 10" sidelites.





- 6 WBDR Options
- 6 WBDR / HVHZ Options
- E Elevated 10" Bottom Rail Options

TEXAS STAR ♦ ■ ■ Continued







WELLESLEY™ ♦ ■ ■






											
Smooth		Smooth		Smooth		Smooth		Mahogany		Mahogany	
S4329 NEW 6E 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S84329 NEW 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S6075 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S6076 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S81983 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	85919SL 6 12" x 8'0" 14" x 8'0"	FCM105 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM866 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM6030 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"			

											
Mahogany		Mahogany		Oak		Oak		Oak		Smooth	
FCM6050 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM105SL 6 12" x 6'8" 14" x 6'8"	FCM866SL 6 12" x 8'0" 14" x 8'0"	FC105 6E 2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	81941P 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	81984P 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC105SL 6 12" x 6'8" 14" x 6'8"	81941PSL 6 12" x 8'0" 14" x 8'0"	S214 6E 2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	S81941P 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"		







									
Smooth		Smooth		Smooth		Smooth		Smooth	
S6030 6E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	S86030 6E 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S4330 NEW 6E 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S84330 NEW 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S6050 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S42 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S85909 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S292SL 6 12" x 6'8" 14" x 6'8"	S85922SL 6 12" x 8'0" 14" x 8'0"	

RISERVA X

					
Mahogany		Mahogany		Oak	
FCM581 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM8581 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM575 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM577 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM583SL 6 12" x 6'8" 14" x 6'8"	FCM8583SL 6 12" x 8'0" 14" x 8'0"
FC581 6E 2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	FC8581 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC8579 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"			

				
Oak	Smooth	Smooth	Smooth	Smooth
FC583SL 6 12" x 6'8" 14" x 6'8"	FC8583SL 6 12" x 8'0" 14" x 8'0"	S575 6E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	S8575 6E 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S4326 6E 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
S581 6E 2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	S8581 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S84326 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S577 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	

CONCORDE

					
Smooth		Mahogany			
S579 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S8579 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S583SL 6 12" x 6'8" 14" x 6'8"	S8583SL 6 12" x 8'0" 14" x 8'0"	FCM911 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM891 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
FCM6026 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM6046 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM911SL 6 12" x 6'8" 14" x 6'8"	FCM891SL 6 12" x 8'0" 14" x 8'0"		

CONCORDE Continues on next page.

Key

- ◆ Black Nickel Caming (1D)
- ◆ Scrolled & Flat Advanta Lite Frame
Not available for 2'4" and 2'6" doors or 10" sidelites.
- ◆ WBDR / HVHZ Options
- ◆ Brushed Nickel Caming (1C)
- ◆ Elevated 10" Bottom Rail Options
- ◆ Brass Caming (1A)
- ◆ WBDR Options



Oak

FC911



2'6" x 6'8"
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

81942P



2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"




Oak

81985P



2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC911SL



12" x 6'8"
14" x 6'8"

81942PSL



12" x 8'0"
14" x 8'0"



Smooth

S426



2'6" x 6'8"
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

S81942P



2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S6026



2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

S86026



2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



NEW

Smooth

S4316



2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S84316



2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S6046



2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S37



2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S837



2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S430SL



12" x 6'8"
14" x 6'8"

S85920SL



12" x 8'0"
14" x 8'0"

KENSINGTON™  



Mahogany

FCM149



2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FCM8149



2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Mahogany

FCM6036



2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM6056



2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM149SL



12" x 6'8"
14" x 6'8"

FCM867SL



12" x 8'0"
14" x 8'0"



Oak

FC149



2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

FC8149



2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC89701



2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC149SL



12" x 6'8"
14" x 6'8"

FC8867SL



12" x 8'0"
14" x 8'0"



Smooth

S161



2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

S8149



2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth
S6036 6E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	S86036 6E 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S4320 6E 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S84320 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S6056 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S43 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S89701 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S161SL 6 12" x 6'8" 14" x 6'8"	S867SL 6 12" x 8'0" 14" x 8'0"

PEMBRIDGE™ ◆ ◆ ◆

Mahogany	Mahogany	Mahogany	Mahogany	Mahogany	Mahogany	Oak	Oak	Oak
FCM6560 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM86560 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM6565 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM6568 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM6565SL 6 12" x 6'8" 14" x 6'8"	FCM86560SL 6 12" x 8'0" 14" x 8'0"	FC6560 6E 2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	FC86560 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC86536 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
Oak	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	
FCM6565SL 6 12" x 6'8" 14" x 6'8"	FCM86560SL 6 12" x 8'0" 14" x 8'0"	S6560 6E 2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	S86560 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S6565 6E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	S86565 6E 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S4323 6E 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S84323 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S6568 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

PEMBRIDGE Continues on next page.

Key


- ◆ Black Nickel Caming (1D)
- ◆ Scrolled & Flat Advanta Lite Frame
Not available for 2'4" and 2'6" doors or 10" sidelites.
- ◆ WBDR / HVHZ Options
- ◆ Brushed Nickel Caming (1C)
- ◆ WBDRO Options
- ◆ Brass Caming (1A)
- ◆ Wrought Iron (1W)
- ◆ Elevated 10" Bottom Rail Options

PEMBRIDGE ♦ ♦ ♦ Continued



Smooth


S6536 6E 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S86536 6E 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
--	---



Smooth


S6565SL 6E 12" x 6'8" 14" x 6'8"	S86560SL 6E 12" x 8'0" 14" x 8'0"
--	---

AXIS ♦




Mahogany

FCM1654 6E 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM81654 6E 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
--	---



Mahogany

FCM1656 6E 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
--




Mahogany

FCM1658 6E 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
--




Mahogany

FCM1656SL 6E 12" x 6'8" 14" x 6'8"	FCM81654SL 6E 12" x 8'0" 14" x 8'0"
--	---




Oak

FC1654 6E 2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	FC81654 6E 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
---	--




Oak

FC81653 6E 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
--



Oak

FC1656SL 6E 12" x 6'8" 14" x 6'8"	FC81654SL 6E 12" x 8'0" 14" x 8'0"
---	--



Smooth

S1654 6E 2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	S81654 6E 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
--	---



Smooth

S1656 6E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	S81656 6E 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
---	---



Smooth

S4311 6E 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S84311 6E 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
--	---



Smooth

S1658 6E 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
--



Smooth

S1653 6E 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S81653 6E 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
--	---



Smooth

S1656SL 6E 12" x 6'8" 14" x 6'8"	S81654SL 6E 12" x 8'0" 14" x 8'0"
--	---

CALIX ♦ ♦ ♦



Mahogany






FCM386 6E 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM8386 6E 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
---	--










Mahogany

FCM387 6E 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

									
Mahogany	Mahogany	Oak	Oak	Oak	Smooth				
FCM394 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM387SL 6 12" x 6'8" 14" x 6'8"	FCM8386SL 6 12" x 8'0" 14" x 8'0"	FC386 6E 2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	FC8386 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC8392 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC387SL 6 12" x 6'8" 14" x 6'8"	FC8386SL 6 12" x 8'0" 14" x 8'0"	S386 6E 2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	S8386 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

								
Smooth	Smooth	Smooth	Smooth	Smooth				
S387 6E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	S8387 6E 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S4310 6E 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S84310 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S394 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S392 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S8392 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S387SL 6 12" x 6'8" 14" x 6'8"	S8386SL 6 12" x 8'0" 14" x 8'0"

LATITUDE ◆ ◆ ◆

						
Mahogany	Mahogany	Oak	Oak	Oak	Smooth	Smooth
FCM8498 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM8498SL 6 12" x 8'0" 14" x 8'0"	FC8498 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC8489 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC8498SL 6 12" x 8'0" 14" x 8'0"	S8498 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S8467 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

LATITUDE Continues on next page.

Key

- ◆ Black Nickel Caming (1D)
- ◆◆ Brushed Nickel Caming (1C)
- ◆◆ Brass Caming (1A)

◆ Scrolled & Flat Advanta Lite Frame
Not available for 2'4" and 2'6" doors or 10" sidelites.

◆ WBDR Options

- ◆ WBDR / HVHZ Options
- ◆ Elevated 10" Bottom Rail Options

LATITUDE ◆ ◆ ◆ *Continued*

PRIVACY & TEXTURED GLASS WITH DIVIDED LITES



NEW

Smooth

S84322

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S8489

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S8498SL

12" x 8'0"
14" x 8'0"



Mahogany

FCM65_

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM6022_

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM6042_

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM8321_

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Mahogany

FCM65_SL

12" x 6'8"
14" x 6'8"



Mahogany

FCM3487_SL

12" x 8'0"
14" x 8'0"



Oak

FC65_

2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



Oak

FC8321_

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC832_


2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC63_SL

12" x 6'8"
14" x 6'8"



Oak

FC3487_SL

12" x 8'0"
14" x 8'0"



Smooth

S262_

2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



Smooth

S6022_

2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



Smooth

S6042_

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S32_

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S8321_

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S86022_

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S832_

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 119.

XK = Reeded

XE = Satin Etch

XC = Chord

XJ = Chinchilla

XR = Rainglass

XN = Granite

PRIVACY & TEXTURED GLASS







 <p>Smooth S263_SL 12" x 6'8" 14" x 6'8"</p>		 <p>Smooth S3487_SL 12" x 8'0" 14" x 8'0"</p>		 <p>Mahogany FCM62_ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"</p>		 <p>Mahogany FCM862_ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"</p>		 <p>Mahogany FCM6021_ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"</p>		 <p>Mahogany FCM6041_ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"</p>		 <p>Mahogany FCM104_ 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")</p>							
 <p>Mahogany FCM62_SL 12" x 6'8" 14" x 6'8"</p>		 <p>Oak FCM862_SL 12" x 8'0" 14" x 8'0"</p>		 <p>Oak FC62_ 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")</p>		 <p>Oak 81929P_ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"</p>		 <p>Oak FC104_ 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")</p>		 <p>Oak 81971P_ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"</p>		 <p>Oak FC48_SL 12" x 6'8" 14" x 6'8"</p>		 <p>Oak 81929P_SL 12" x 8'0" 14" x 8'0"</p>		 <p>Smooth S206_ 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")</p>		 <p>Smooth S81929P_ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"</p>	
 <p>Smooth S6021_ 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")</p>		 <p>Smooth S86021_ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"</p>		 <p>Smooth S4305_ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"</p>		 <p>Smooth S84305_ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"</p>		 <p>Smooth S6041_ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"</p>		 <p>Smooth S104_ 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")</p>		 <p>Smooth S30_ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"</p>		 <p>Smooth S830_ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"</p>		 <p>Smooth S210_SL 12" x 6'8" 14" x 6'8"</p>		 <p>Smooth S85910_SL 12" x 8'0" 14" x 8'0"</p>	





Key

- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- ◆ Brass Caming (1A)
- Simulated Divided Lites (SDL)
- Scrolled & Flat Advanta Lite Frame
Not available for 2'4" and 2'6" doors or 10" sidelites.
- Scrolled Advanta Lite Frame
Not available for 2'4" and 2'6" doors or 10" sidelites.
- WBDR / HVHZ Options
- Elevated 10" Bottom Rail Options
- WBDR Options


INTERNAL BLINDS

								
Mahogany		Mahogany		Mahogany	Oak			
FCM678 ★ 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM8678 ★ 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM6035 ★ 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM6055 ★ 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM116 ★ 6 E 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	FCM678SL ★ 6 12" x 6'8" 14" x 6'8"	FCM8678SL ★ 6 12" x 8'0" 14" x 8'0"	FC678 ★ 6 E 2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	FC8678 ★ 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

									
Oak	Oak	Oak	Smooth	Smooth	Smooth				
FC116 ★ 6 E 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	FC8971 ★ 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC678SL ★ 6 12" x 6'8" 14" x 6'8"	FC8678SL ★ 6 12" x 8'0" 14" x 8'0"	S132 ★ 6 E 2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	S8132 ★ 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S6035 ★ 6 E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	S86035 ★ 6 E 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S4308 ★ 6 E 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S84308 ★ 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

			
Smooth	Smooth	Smooth	Smooth
S6055 ★ 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S131 ★ 6 E 2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	S971 ★ 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S8971 ★ 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
		S132SL ★ 6 12" x 6'8" 14" x 6'8"	S8132SL ★ 6 12" x 8'0" 14" x 8'0"

SCREEN VENTED LITES*

	
Smooth	Smooth
S243 E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	S6034 E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

*Features a gliding operation and sash locking system.


Note: See page 285 for important product details that may help with your purchase decision.

CLEAR GLASS WITH DIVIDED LITES




Smooth

S6054
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"




Smooth

S137
E
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



Mahogany

FCM8322
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Mahogany

FCM8323
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Mahogany

FCM8324
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Mahogany

FCM65
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"




Mahogany

FCM6022
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM6042
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM8321
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Mahogany

FCM8675SL
12" x 8'0"
14" x 8'0"



Mahogany

FCM65SL
12" x 6'8"
14" x 6'8"



Mahogany

FCM7125SL
12" x 8'0"
14" x 8'0"



Mahogany

FCM3487SL
12" x 8'0"
14" x 8'0"




Mahogany

FCM1408
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM8145
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Mahogany

FCM1405
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM1406
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM1405SL
12" x 6'8"
14" x 6'8"



Mahogany

FCM8145SL
12" x 8'0"
14" x 8'0"



Oak

FC8322
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC8323
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC8324
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC65
2'6" x 6'8"
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



Oak

FC8321
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

CLEAR GLASS WITH DIVIDED LITES *Continues on next page.*

Key

■ No Stile Lines

★ Low-E Glass (LE)

▨ Scrolled & Flat Advanta Lite Frame
Not available for 2'4" and 2'6" doors or 10" sidelites.

Ⓢ WBDOR Options

Ⓢ WBDOR / HVHZ Options
E Elevated 10" Bottom Rail Options

CLEAR GLASS WITH DIVIDED LITES *Continued*



Oak

FC8318

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC8319


2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC8320

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC832

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC8675SL

12" x 8'0"
14" x 8'0"



Oak

FC63SL

12" x 6'8"
14" x 6'8"

FC7125SL

12" x 8'0"
14" x 8'0"



Oak

FC3487SL

12" x 8'0"
14" x 8'0"



Oak

FC1408

2'6" x 6'8"
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



Oak

FC8145

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC8144

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC1408SL

12" x 6'8"
14" x 6'8"

FC8145SL

12" x 8'0"
14" x 8'0"



Smooth

S8322

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S8326

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



NEW

Smooth

S84318

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S8323

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S8327

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



NEW

Smooth

S84313

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S8324

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S8328

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



NEW

Smooth

S84309

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S262



























2'6" x 6'8"
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")




Smooth

S6022

2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

 <p>NEW</p> <p>Smooth</p> <p>S4307 * ♦ ♦ ♦ ♦ ♦ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"</p>	 <p>Smooth</p> <p>S6042 * ♦ ♦ ♦ ♦ ♦ ♦ ♦ ♦ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"</p>	 <p>Smooth</p> <p>S8321 * ♦ ♦ ♦ ♦ ♦ ♦ ♦ ♦ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"</p>	 <p>Smooth</p> <p>S8325 * ♦ ♦ ♦ ♦ ♦ ♦ ♦ ♦ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"</p>	 <p>NEW</p> <p>Smooth</p> <p>S84312 * ♦ ♦ ♦ ♦ ♦ ♦ ♦ ♦ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"</p>	 <p>Smooth</p> <p>S8318 * ♦ ♦ ♦ ♦ ♦ ♦ ♦ ♦ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"</p>	 <p>Smooth</p> <p>S8319 * ♦ ♦ ♦ ♦ ♦ ♦ ♦ ♦ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"</p>			
 <p>Smooth</p> <p>S8320 * ♦ ♦ ♦ ♦ ♦ ♦ ♦ ♦ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"</p>	 <p>Smooth</p> <p>S32 * ♦ ♦ ♦ ♦ ♦ ♦ ♦ ♦ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"</p>	 <p>Smooth</p> <p>S832 * ♦ ♦ ♦ ♦ ♦ ♦ ♦ ♦ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"</p>	 <p>Smooth</p> <p>S115 * ♦ ♦ ♦ ♦ ♦ ♦ ♦ ♦ 2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")</p>	 <p>Smooth</p> <p>S8675SL * ♦ ♦ ♦ ♦ ♦ ♦ ♦ ♦ 12" x 8'0" 14" x 8'0"</p>	 <p>Smooth</p> <p>S263SL * ♦ ♦ ♦ ♦ ♦ ♦ ♦ ♦ 12" x 6'8" 14" x 6'8"</p>	 <p>Smooth</p> <p>S7125SL * ♦ ♦ ♦ ♦ ♦ ♦ ♦ ♦ 12" x 8'0" 14" x 8'0"</p>	 <p>Smooth</p> <p>S3487SL * ♦ ♦ ♦ ♦ ♦ ♦ ♦ ♦ 12" x 8'0" 14" x 8'0"</p>	 <p>Smooth</p> <p>S1408 * ♦ ♦ ♦ ♦ ♦ ♦ ♦ ♦ 2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")</p>	 <p>Smooth</p> <p>S8145 * ♦ ♦ ♦ ♦ ♦ ♦ ♦ ♦ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"</p>
 <p>Smooth</p> <p>S1405 * ♦ ♦ ♦ ♦ ♦ ♦ ♦ ♦ 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")</p>	 <p>Smooth</p> <p>S81405 * ♦ ♦ ♦ ♦ ♦ ♦ ♦ ♦ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"</p>	 <p>NEW</p> <p>Smooth</p> <p>S4321 * ♦ ♦ ♦ ♦ ♦ ♦ ♦ ♦ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"</p>	 <p>NEW</p> <p>Smooth</p> <p>S84321 * ♦ ♦ ♦ ♦ ♦ ♦ ♦ ♦ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"</p>	 <p>Smooth</p> <p>S1406 * ♦ ♦ ♦ ♦ ♦ ♦ ♦ ♦ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"</p>	 <p>Smooth</p> <p>S1407 * ♦ ♦ ♦ ♦ ♦ ♦ ♦ ♦ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"</p>	 <p>Smooth</p> <p>S8144 * ♦ ♦ ♦ ♦ ♦ ♦ ♦ ♦ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"</p>	 <p>Smooth</p> <p>S1405SL * ♦ ♦ ♦ ♦ ♦ ♦ ♦ ♦ 12" x 6'8" 14" x 6'8"</p>	 <p>Smooth</p> <p>S8145SL * ♦ ♦ ♦ ♦ ♦ ♦ ♦ ♦ 12" x 8'0" 14" x 8'0"</p>	

Key

-  Low-E Glass (LE)
-  Simulated Divided Lites (SDL)
-  Flat or Contour White Grilles Between Glass (GBGF / GBGC)
-  Flat Almond Grilles Between Glass (GBGF)
-  Flat Bronze Grilles Between Glass (GBGF)
-  Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
-  Fixed Grilles (FXG)
-  Scrolled & Flat Advanta Lite Frame
Not available for 2'4" and 2'6" doors or 10" sidelites.
-  WBDR Options
-  WBDR / HVHZ Options
-  Elevated 10" Bottom Rail Options

CLEAR GLASS




Mahogany

FCM62

 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

FCM862


 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Mahogany

FCM6021


 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Mahogany

FCM6041

 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Mahogany

FCM670

 2'6" x 6'8" (7'0")
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")



Mahogany

FCM62SL

 12" x 6'8"
 14" x 6'8"

FCM862SL

 12" x 8'0"
 14" x 8'0"




Oak

FC62

 2'6" x 6'8"
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")

81929P

 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Oak

FC670

 2'6" x 6'8" (7'0")
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")



Oak

81971P

 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Oak

FC48SL

 12" x 6'8"
 14" x 6'8"

81929PSL

 12" x 8'0"
 14" x 8'0"



Smooth

S206

 2'6" x 6'8"
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")

S81929P

 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Smooth

S6021

 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")

S86021

 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Smooth

S4315

 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

S84315


 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Smooth

S6041


 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Smooth

S104

 2'6" x 6'8"
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")



Smooth

S105

 2'6" x 6'8"
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")



Smooth

S30

 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

S830

 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Smooth

S210SL

 12" x 6'8"
 14" x 6'8"

S85910SL

 12" x 8'0"
 14" x 8'0"


Note: See page 285 for important product details that may help with your purchase decision.

Twin 1/2 Lites



TRANSOMS

For transoms, see page 209.



BLACKSTONE. ◆ ◆



Smooth

S6013
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

SEDONA ◆ ◆



Smooth

S294
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

SALINAS. ✕



Smooth

S6014
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

MAPLE PARK. ◆ ◆



Smooth

S6104
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

SARATOGA. ◆ ◆



Smooth

S291
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

WELLESLEY. ◆ ◆ ◆



Smooth

S292
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

RISERVA. ✕



Smooth

S585
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

CONCORDE. ◆ ◆ ◆



Smooth

S430
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

Key

■ No Stile Lines

☀ Low-E Glass (LE)

🗡 Simulated Divided Lites (SDL)

◆ Flat or Contour White Grilles Between Glass (GBGF / GBGC)

◆ Flat Almond Grilles Between Glass (GBGF)

◆ Flat Bronze Grilles Between Glass (GBGF)

◆ Flat or Contour Black Grilles Between Glass (GBGF / GBGC)

◆ Fixed Grilles (FXG)

◆ Scrolled & Flat Advanta Lite Frame
 Not available for 2'4" and 2'6" doors or 10" sidelites.

6 WBDP Options

6 WBDP / HVHZ Options

E Elevated 10" Bottom Rail Options

KENSINGTON™ ◆ ◆ ◆ ◆



Smooth

S162

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

PEMBRIDGE™ ◆ ◆ ◆ ◆



Smooth

S6572

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

AXIS◆



Smooth

S1661

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

CALIX◆ ◆ ◆ ◆ ◆



Smooth

S398

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

PRIVACY & TEXTURED GLASS WITH DIVIDED LITES



Smooth

S807_

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

PRIVACY & TEXTURED GLASS



Smooth

S289_

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

CLEAR GLASS WITH DIVIDED LITES



Smooth

S807

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S1411

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

CLEAR GLASS



Smooth

S289

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 119.

XK = Reeded

XE = Satin Etch

XC = Chord

XJ = Chinchilla

XR = Rainglass

XN = Granite

Note: See page 285 for important product details that may help with your purchase decision.


Right Page: Smooth-Star, Salinas Glass, Door – S9353, Sidelites – S6008SL, Finish – Canyon

Center Lites



TRANSOMS

For transoms, see page 209.



BLACKSTONE ♦ ♦

Oak	Oak	Smooth	Smooth
FC80943 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC86243 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S9343 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S83143 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

SEDONA ♦ ♦

Oak	Oak	Smooth
FC80952 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC86252 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S9352 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

SALINAS. X

Smooth	Oak	Oak	Smooth
S83152 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC80953 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC86253 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S9353 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

MAPLE PARK. ♦ ♦

Oak	Oak
FC80955 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC86255 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

Key

- ☀ Low-E Glass (LE)
- ♦ Black Nickel Caming (1D)
- ♦♦ Brushed Nickel Caming (1C)
- ♦♦♦ Brass Caming (1A)
- X Wrought Iron (1W)
- ◻ Scrolled & Flat Advanta Lite Frame
Not available for 2'4" and 2'6" doors or 10" sidelites.
- ◻ Scrolled Advanta Lite Frame
Not available for 2'4" and 2'6" doors or 10" sidelites.
- ◻ Simulated Divided Lites (SDL)
- ◻ Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- ◻ Flat Almond Grilles Between Glass (GBGF)
- ◻ Flat Bronze Grilles Between Glass (GBGF)
- ◻ Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- ◻ Fixed Grilles (FXG)

MAPLE PARK. ◆ ◆ ◆



S9355
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

S83155
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

SARATOGA.™ ◆ ◆ ◆



FC80954
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

FC86254
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

S9354
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

S83154
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

WELLESLEY.™ ◆ ◆ ◆ ◆



FC80949
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

FC86249
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

S9349
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

S83149
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

RISERVA. ✕



FC507
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

FC549
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

S507
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

CONCORDE.™ ◆ ◆ ◆ ◆



S549
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

FC80947
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

FC86247
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

S9347
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

S83147
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

KENSINGTON.™ ◆ ◆ ◆



FC80942
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

FC86242
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 119.

XK = Reeded **XC = Chord** **XR = Rainglass**
XE = Satin Etch **XJ = Chinchilla** **XN = Granite**

PEMBRIDGE™ ◆ ◆ ◆



Smooth

S9342
 ◆ ◆
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Smooth

S83142
 ◆ ◆
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Oak

FC6534
 ◆ ◆
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Oak

FC86533
 ◆ ◆
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Smooth


S6534
 ◆ ◆
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Smooth

S86533
 ◆ ◆
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

AXIS. ◆



Oak

FC1655
 ◆ ◆
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Oak

FC81649
 ◆ ◆
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Smooth

S1655
 ◆ ◆
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Smooth

S81649
 ◆ ◆
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

CALIX ◆ ◆ ◆



Oak

FC393
 ◆ ◆
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Oak

FC8390
 ◆ ◆
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Smooth

S393
 ◆ ◆
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

PRIVACY & TEXTURED GLASS WITH DIVIDED LITES



Smooth

S8390
 ◆ ◆
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Oak

FC809203
 ◆ ◆
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Oak

FC862203
 ◆ ◆
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Smooth

S93203
 ◆ ◆
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Smooth

S831203
 ◆ ◆
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

Key

- ◆ Black Nickel Caming (1D)
- ◆ Brushed Nickel Caming (1C)
- ◆ Brass Caming (1A)

- ✕ Wrought Iron (1W)

- ◆ Scrolled & Flat Advanta Lite Frame
 Not available for 2'4" and 2'6" doors or 10" sidelites.

- 6 WBDP / HVHZ Options

PRIVACY & TEXTURED GLASS

			
Oak	Oak	Smooth	Smooth
FC80920_	FC86220_	S9320_	S83120_
2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

INTERNAL BLINDS

		
Oak	Oak	Smooth
FC925	FC8972	S925
2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

CLEAR GLASS WITH DIVIDED LITES

						
Smooth	Oak	Oak	Smooth	Smooth	Oak	Oak
S8972	FC809203	FC862203	S93203	S831203	FC1404	FC8141
2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

CLEAR GLASS

					
Smooth	Smooth	Oak	Oak	Smooth	Smooth
S1404	S8141	FC80920	FC86220	S9320	S83120
2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 119.

XE = Satin Etch XJ = Chinchilla XN = Granite
XC = Chord XR = Rainglass

*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.

**Available with flat lite frame or Advanta flat lite frame only.

***Available with flat lite frame, Advanta flat lite frame or Impact-rated lite frame only.

Note: See page 285 for important product details that may help with your purchase decision.

Craftsman Lites




TRANSOMS

For transoms, see page 209.

OPTIONAL DENTIL SHELVES*



4-Block Dentil Shelf
Available for all Craftsman-lite
Fiber-Classic Mahogany Collection doors.



4-Block Dentil Shelf
Available for all Craftsman-lite
Smooth-Star doors.

SEDONA ◆ ◆

		
Smooth	Mahogany	Smooth
S2650** LE E	S82650** LE E	FCM604
2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
S604	S8604	
2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	

MAPLE PARK ◆ ◆

		
Smooth	Mahogany	Smooth
S2630*** LE E	S82630*** LE E	FCM609
2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
S609	S8609	
2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	

SARATOGA ◆ ◆

		
Mahogany	Smooth	Smooth
FCM602	S2660*** LE E	S82660*** LE E
2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
S602	S8602	
2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	

RISERVA ✕

	
Mahogany	Smooth
FCM508	S2670*** LE E
2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
	S82670*** LE E
	2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

RISERVA Continues on next page.

Key

- ☀ Low-E Glass (LE)
- ◆ Black Nickel Caming (1D)
- ◆◆ Brushed Nickel Caming (1C)
- ◆◆ Brass Caming (1A)
- 🏠 Simulated Divided Lites (SDL)
- ◆ Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- ◆ Flat Almond Grilles Between Glass (GBGF)
- ◆ Flat Bronze Grilles Between Glass (GBGF)
- ◆ Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- ◆ Fixed Grilles (FXG)
- 🏠 Scrolled & Flat Advanta Lite Frame
Not available for 2'4" and 2'6" doors or 10" sidelites.
- 🏠 Scrolled Advanta Lite Frame
Not available for 2'4" and 2'6" doors or 10" sidelites.
- 🏠 Flat Advanta Lite Frame
Not available for 2'4" and 2'6" doors or 10" sidelites.
- 🏠 Flat Lite Frame
- 🏠 WBD / HVHZ Options


RISERVA X Continued



Smooth

S508 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S8508 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
---	--

PEMBRIDGE ♦ ♦ ♦ ♦



Mahogany

FCM6520
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S2640* 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S82640* 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
---	--



Smooth

S6520 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S86520 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
--	---

AXIS ♦



Mahogany

FCM1650
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

CALIX ♦ ♦ ♦ ♦



Smooth

S2620* 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S82620* 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
---	--



Smooth

S1650 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S81650 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
--	---



Mahogany

FCM6975
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S3540* 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S83540* 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
---	--



Smooth

S6975 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S86975 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
--	---

PRIVACY & TEXTURED GLASS WITH DIVIDED LITES



Mahogany

FCM605
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM606
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM607
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM608
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S605 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S8605 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
---	--



Smooth

S606 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S8606 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
---	--

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 119.

XE = Satin Etch
XC = Chord

XJ = Chinchilla
XR = Rainglass

XN = Granite

*Available with flat lite frame, Advanta flat lite frame or Impact-rated lite frame only.
Note: See page 285 for important product details that may help with your purchase decision.

PRIVACY & TEXTURED GLASS



Smooth		Smooth	
S607_	S8607_	S608_	S8608_
☀️ 🚪	☀️ 🚪	☀️ 🚪	☀️ 🚪
2'8" x 6'8"	2'8" x 8'0"	2'8" x 6'8"	2'8" x 8'0"
2'10" x 6'8"	2'10" x 8'0"	2'10" x 6'8"	2'10" x 8'0"
3'0" x 6'8"	3'0" x 8'0"	3'0" x 6'8"	3'0" x 8'0"



Mahogany	Smooth		Smooth
FCM601_	S2610_*	S82610_*	S601_
🚪	☀️ 🚪	☀️ 🚪	☀️ 🚪
2'8" x 6'8"	2'8" x 6'8"	2'8" x 8'0"	2'8" x 6'8"
2'10" x 6'8"	2'10" x 6'8"	2'10" x 8'0"	2'10" x 6'8"
3'0" x 6'8"	3'0" x 6'8"	3'0" x 8'0"	3'0" x 6'8"

CLEAR GLASS WITH DIVIDED LITES



Mahogany	Mahogany	Mahogany
FCM605	FCM606	FCM607
☀️ 🚪	☀️ 🚪	☀️ 🚪
2'8" x 6'8"	2'8" x 6'8"	2'8" x 6'8"
2'10" x 6'8"	2'10" x 6'8"	2'10" x 6'8"
3'0" x 6'8"	3'0" x 6'8"	3'0" x 6'8"



Mahogany	Smooth		Smooth	
FCM608	S605	S8605	S606	S8606
☀️ 🚪	☀️ 🚪	☀️ 🚪	☀️ 🚪	☀️ 🚪
2'8" x 6'8"	2'8" x 6'8"	2'8" x 8'0"	2'8" x 6'8"	2'8" x 8'0"
2'10" x 6'8"	2'10" x 6'8"	2'10" x 8'0"	2'10" x 6'8"	2'10" x 8'0"
3'0" x 6'8"	3'0" x 6'8"	3'0" x 8'0"	3'0" x 6'8"	3'0" x 8'0"

CLEAR GLASS



Smooth		Smooth	
S607	S8607	S608	S8608
☀️ 🚪	☀️ 🚪	☀️ 🚪	☀️ 🚪
2'8" x 6'8"	2'8" x 8'0"	2'8" x 6'8"	2'8" x 8'0"
2'10" x 6'8"	2'10" x 8'0"	2'10" x 6'8"	2'10" x 8'0"
3'0" x 6'8"	3'0" x 8'0"	3'0" x 6'8"	3'0" x 8'0"



Mahogany	Smooth		Smooth	
FCM601	S2610*	S82610*	S601	S8601
☀️ 🚪	☀️ 🚪	☀️ 🚪	☀️ 🚪	☀️ 🚪
2'8" x 6'8"	2'8" x 6'8"	2'8" x 8'0"	2'8" x 6'8"	2'8" x 8'0"
2'10" x 6'8"	2'10" x 6'8"	2'10" x 8'0"	2'10" x 6'8"	2'10" x 8'0"
3'0" x 6'8"	3'0" x 6'8"	3'0" x 8'0"	3'0" x 6'8"	3'0" x 8'0"

Key

- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- ◆ Brass Caming (1A)
- ✕ Wrought Iron (1W)

- 🚪 Simulated Divided Lites (SDL)
- 🚪 Flat Lite Frame
- 🚪 Scrolled & Flat Advanta Lite Frame
Not available for 2'4" and 2'6" doors or 10" sidelites.

- 🚪 Scrolled Advanta Lite Frame
Not available for 2'4" and 2'6" doors or 10" sidelites.
- 🚪 Flat Advanta Lite Frame
Not available for 2'4" and 2'6" doors or 10" sidelites.


- 🚪 WBDR Options
- 🚪 WBDR / HVHZ Options
- 🚪 Elevated 10" Bottom Rail Options

Minimal Lites




TRANSOMS

For transoms, see page 209.



MAPLE PARK. ♦ ♦



Mahogany

FCM736	FCM8736
2'8" x 6'8"	2'8" x 8'0"
2'10" x 6'8"	2'10" x 8'0"
3'0" x 6'8"	3'0" x 8'0"



Oak

FC736	FC8736
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"



Smooth

S736	S8736
E	2'8" x 8'0"
2'8" x 6'8" (7'0")	2'10" x 8'0"
2'10" x 6'8" (7'0")	3'0" x 8'0"
3'0" x 6'8" (7'0")	

SARATOGA.™ ♦ ♦



Mahogany

FCM707	FCM8707
2'8" x 6'8"	2'8" x 8'0"
2'10" x 6'8"	2'10" x 8'0"
3'0" x 6'8"	3'0" x 8'0"



Oak

FC707	FC8707
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"

WELLESLEY.™ ♦ ♦ ♦



Smooth

S707	S8707
E	2'8" x 8'0"
2'8" x 6'8" (7'0")	2'10" x 8'0"
2'10" x 6'8" (7'0")	3'0" x 8'0"
3'0" x 6'8" (7'0")	



Mahogany

FCM721	FCM8721
2'8" x 6'8"	2'8" x 8'0"
2'10" x 6'8"	2'10" x 8'0"
3'0" x 6'8"	3'0" x 8'0"



Oak

FC721	FC8721
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"




Smooth

S721	S8721
E	2'8" x 8'0"
2'8" x 6'8" (7'0")	2'10" x 8'0"
2'10" x 6'8" (7'0")	3'0" x 8'0"
3'0" x 6'8" (7'0")	

Note: See page 285 for important product details that may help with your purchase decision.

Top: Smooth-Star, Wellesley Glass, Door - S721

CONCORDE™ ◆ ◆ ◆ ◆



Mahogany

FCM735	FCM8735
2'8" x 6'8"	2'8" x 8'0"
2'10" x 6'8"	2'10" x 8'0"
3'0" x 6'8"	3'0" x 8'0"



Oak


FC735	FC8735
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"



Smooth

S735	S8735
E	2'8" x 8'0"
2'8" x 6'8" (7'0")	2'10" x 8'0"
2'10" x 6'8" (7'0")	3'0" x 8'0"
3'0" x 6'8" (7'0")	

PEMBRIDGE™ ◆ ◆ ◆ ◆



Mahogany

FCM745	FCM8745
2'8" x 6'8"	2'8" x 8'0"
2'10" x 6'8"	2'10" x 8'0"
3'0" x 6'8"	3'0" x 8'0"



Oak

FC745	FC8745
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"

CLEAR GLASS WITH DIVIDED LITES



Smooth

S745	S8745
E	2'8" x 8'0"
2'8" x 6'8" (7'0")	2'10" x 8'0"
2'10" x 6'8" (7'0")	3'0" x 8'0"
3'0" x 6'8" (7'0")	



Mahogany

FCM752	FCM8752
◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆	◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆
2'8" x 6'8"	2'8" x 8'0"
2'10" x 6'8"	2'10" x 8'0"
3'0" x 6'8"	3'0" x 8'0"



Oak

FC752	FC8752
◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆	◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"



Smooth

S752	S8752
◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆	◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"



Mahogany

FCM704	FCM8704
◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆	◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆
2'8" x 6'8"	2'8" x 8'0"
2'10" x 6'8"	2'10" x 8'0"
3'0" x 6'8"	3'0" x 8'0"

CLEAR GLASS



Oak

FC704	FC8704
◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆	◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"



Smooth

S704	S8704
◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆	◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"



Mahogany

FCM708	FCM8708
◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆	◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆
2'8" x 6'8"	2'8" x 8'0"
2'10" x 6'8"	2'10" x 8'0"
3'0" x 6'8"	3'0" x 8'0"



Oak

FC708	FC8708
◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆	◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"



Smooth

S708	S8708
◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆	◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"

Key

- ◆ Low-E Glass (LE)
- ◆ Black Nickel Caming (1D)
- ◆ Brushed Nickel Caming (1C)

- ◆ Brass Caming (1A)
- ◆ Simulated Divided Lites (SDL)
- ◆ Flat Lite Frame

- ◆ Scrolled & Flat Advanta Lite Frame
Not available for 2'4" and 2'6" doors or 10" sidelites.

- ◆ Scrolled Advanta Lite Frame
Not available for 2'4" and 2'6" doors or 10" sidelites.
- ◆ Flat Advanta Lite Frame
Not available for 2'4" and 2'6" doors or 10" sidelites.

- 6 WBDL Options
- 6 WBDL / HVHZ Options
- E Elevated 10" Bottom Rail Options

CONCORDE™ ◆ ◆ ◆



Oak

FC917
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Smooth

S454
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

CLEAR GLASS WITH DIVIDED LITES



Oak

FC23
 ◆ ◆ ◆ ◆ ◆
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Smooth

S255
 ◆ ◆ ◆ ◆ ◆
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

CLEAR GLASS



Oak

FC803
 ◆ ◆ ◆ ◆ ◆
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Smooth

S256
 ◆ ◆ ◆ ◆ ◆
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

CLEAR GLASS WITH DIVIDED LITES



Smooth

S236
 ◆ ◆ ◆ ◆ ◆
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Smooth

S8317
 ◆ ◆ ◆ ◆ ◆
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

S237
 ◆ ◆ ◆ ◆ ◆
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

(Scalloped Lite Frame)

PEMBRIDGE™ ◆ ◆ ◆



Mahogany

FCM6570
 ◆ ◆ ◆ ◆ ◆
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Oak

FCM86570
 ◆ ◆ ◆ ◆ ◆
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

FC6570
 ◆ ◆ ◆ ◆ ◆
 2'6" x 6'8" (7'0")
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")



Smooth

FC86570
 ◆ ◆ ◆ ◆ ◆
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

S6570
 ◆ ◆ ◆ ◆ ◆
 2'6" x 6'8"
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")

S86570
 ◆ ◆ ◆ ◆ ◆
 2'6" x 8'0"
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

AXIS™ ◆



Mahogany

FCM1645
 ◆ ◆ ◆ ◆ ◆
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

FCM81645
 ◆ ◆ ◆ ◆ ◆
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Oak

FC1645
 ◆ ◆ ◆ ◆ ◆
 2'6" x 6'8" (7'0")
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")

FC81645
 ◆ ◆ ◆ ◆ ◆
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Smooth

S1645
 ◆ ◆ ◆ ◆ ◆
 2'6" x 6'8"
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")

S81645
 ◆ ◆ ◆ ◆ ◆
 2'6" x 8'0"
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 119.

XK = Reeded

XE = Satin Etch

XC = Chord

XJ = Chinchilla

XR = Rainglass

XN = Granite

Note: See page 285 for important product details that may help with your purchase decision.

PRIVACY & TEXTURED GLASS



Mahogany

FCM61

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FCM861

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC61

2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

FC861

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S296

2'6" x 6'8"
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

S896

2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

CLEAR GLASS



Mahogany

FCM61

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FCM861

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC61

2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

FC861

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"




Smooth

S296

2'6" x 6'8"
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

S896

2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Noise Reduction Doors

Therma-Tru® Noise Reduction doors deliver aesthetics with a commercial level of performance for residential projects. Ideal for multi-use and urban in-fill projects located near sources of noise pollution, our Noise Reduction doors provide a Sound Transmission Class (STC) rating of 36. Our Noise Reduction lites also offer added security from forced entry with laminated glass surrounded by a standard Lip-lite frame.

Note: Also available in decorative full-lite glass option in aluminum Lip-lite frame.



Smooth

S140STC

2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

S8140STC

2'6" x 8'0"
2'8" x 8'0"
3'0" x 8'0"



Smooth

S141STC

2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



Smooth

S6063STC

2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

Key


- No Stile Lines
- ☀ Low-E Glass (LE)
- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- ◆ Brass Caming (1A)
- ◆ Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- ◆ Flat Almond Grilles Between Glass (GBGF)
- ◆ Flat Bronze Grilles Between Glass (GBGF)
- ◆ Flat White Grilles Between Glass Only (GBGFW)
- ◆ Fixed Grilles (FXG)
- ◆ Scrolled & Flat Advanta Lite Frame
Not available for 2'4" and 2'6" doors or 10" sidelites.
- E Elevated 10" Bottom Rail Options

Solid Panel



TRANSOMS


For transoms, see page 209.



Mahogany

FCM31

 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Mahogany

FCM220

 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Mahogany

FCM205

 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Mahogany

FCM755

 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Mahogany

FCM600

 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Mahogany

FCM60

 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"




Mahogany

FCM860

 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Mahogany

FCM1000

 2'0" x 6'8"
 2'4" x 6'8"
 2'6" x 6'8" (7'0")
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")



Oak

FC31

 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Oak

FC809


 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"




Oak

FC755

 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"




Oak

FC862

 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Oak

FC60

 2'6" x 6'8" (7'0")
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")



Oak

FC860

 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

Note: See page 285 for important product details that may help with your purchase decision.



Oak

1000 ■ 6 E	81000 ■ 6
2'0" x 6'8"	2'0" x 8'0"
2'4" x 6'8" Δ	2'4" x 8'0"
2'6" x 6'8" Δ (7'0")	2'6" x 8'0"
2'8" x 6'8" Δ (7'0")	2'8" x 8'0"
2'10" x 6'8" Δ (7'0")	2'10" x 8'0"
3'0" x 6'8" Δ (7'0")	3'0" x 8'0"



Smooth

S93
6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S45
6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S220 6 E	S8200 6 E
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"



Smooth

S1100 6 E	S81100 6
2'8" x 6'8"	2'8" x 8'0"
2'10" x 6'8"	2'10" x 8'0"
3'0" x 6'8"	3'0" x 8'0"



Smooth

S3301 2 6 E	S83301 2 6
2'8" x 6'8"	2'8" x 8'0"
2'10" x 6'8"	2'10" x 8'0"
3'0" x 6'8"	3'0" x 8'0"



Smooth

S3401L 2 6 E	S83401L 2 6
2'8" x 6'8"	2'8" x 8'0"
2'10" x 6'8"	2'10" x 8'0"
3'0" x 6'8"	3'0" x 8'0"



Smooth

S3401R 2 6 E	S83401R 2 6
2'8" x 6'8"	2'8" x 8'0"
2'10" x 6'8"	2'10" x 8'0"
3'0" x 6'8"	3'0" x 8'0"



Smooth

S3501L 2 6 E	S83501L 2 6
2'8" x 6'8"	2'8" x 8'0"
2'10" x 6'8"	2'10" x 8'0"
3'0" x 6'8"	3'0" x 8'0"



Smooth

S3501R 2 6 E	S83501R 2 6
2'8" x 6'8"	2'8" x 8'0"
2'10" x 6'8"	2'10" x 8'0"
3'0" x 6'8"	3'0" x 8'0"



Smooth

S3601L 2 6 E	S83601L 2 6
2'8" x 6'8"	2'8" x 8'0"
2'10" x 6'8"	2'10" x 8'0"
3'0" x 6'8"	3'0" x 8'0"



Smooth

S3601R 2 6 E	S83601R 2 6
2'8" x 6'8"	2'8" x 8'0"
2'10" x 6'8"	2'10" x 8'0"
3'0" x 6'8"	3'0" x 8'0"



Smooth

S5701 2 6 E	S85701 2 6
2'8" x 6'8"	2'8" x 8'0"
2'10" x 6'8"	2'10" x 8'0"
3'0" x 6'8"	3'0" x 8'0"



Smooth








S5721 2 6 E	S85721 2 6
2'8" x 6'8"	2'8" x 8'0"
2'10" x 6'8"	2'10" x 8'0"
3'0" x 6'8"	3'0" x 8'0"

SOLID PANEL Continues on next page.










Key










- No Stile Lines
- 2 Door Divider Bars (DDBF2)
- 6 WBDR Options
- 6 WBDR / HVHZ Options
- Δ 6'6" Height Available
- E Elevated 10" Bottom Rail Options

SOLID PANEL *Continued*

						
Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth
S85230SL ▲ E 12" x 8'0" 14" x 8'0"	S85700_SL ▲ P 12" x 8'0" 14" x 8'0"	S85710_SL ▲ P 12" x 8'0" 14" x 8'0"	S85720_SL ▲ P 12" x 8'0" 14" x 8'0"	S85700SL ▲ * P 12" x 8'0" 14" x 8'0"	S85710SL ▲ * P 12" x 8'0" 14" x 8'0"	S85720SL ▲ * P 12" x 8'0" 14" x 8'0"

Pair full-lite Shaker flush-glazed sidelites with solid-panel doors for natural light in the entry.

								
Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth
S120 6 E 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S8120 6 E 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S200 6 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S897 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S205 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S8201 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S755 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S31 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S831 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

								
Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth
S960 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S4800 6 E 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S84800 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S600 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S8600 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S210 6 E 2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	S810 6 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S100 6 E 2'0" x 6'8" ▲ 2'4" x 6'8" ▲ 2'6" x 6'8" ▲ 2'8" x 6'8" ▲ (7'0") 2'10" x 6'8" ▲ (7'0") 3'0" x 6'8" ▲ (7'0") 3'6" x 6'8"	S81000 6 2'0" x 8'0" 2'4" x 8'0" 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'6" x 8'0"

Privacy & Textured Glass Options
 Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 119.

XK = Reeded	XC = Chord	XR = Rainglass
XE = Satin Etch	XJ = Chinchilla	XN = Granite

Transoms

Transoms can be stained or painted to match a Fiber-Classic® or Smooth-Star® door system.

BLACKSTONE ♦ ❖ ❖



BSRT
3'0" door + (2) 12" sidelites
Continuous Sill Systems Only

SEDONA ♦ ❖ ❖



19055T
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



19520T
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only

SALINAS ✕



SART
3'0" door + (2) 12" sidelites
Continuous Sill Systems Only

MAPLE PARK ♦ ❖ ❖



FWRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only

SARATOGA ♦ ❖ ❖



19750T
3'0" door + (2) 12" sidelites
Continuous Sill Systems Only



19740T
3'0" Door Only

WELLESLEY ♦ ❖ ❖ ❖



19730T
3'0" door + (2) 12" sidelites
Continuous Sill Systems Only



19720T
3'0" Door Only

RISERVA ✕



RSRT
3'0" door + (2) 12" sidelites
Continuous Sill Systems Only

CONCORDE™ ♦ ❖ ❖ ❖



CNRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only

KENSINGTON™ ♦ ❖ ❖



KNRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only

PEMBRIDGE™ ♦ ❖ ❖ ❖



PBRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems

AXIS ♦



AXRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems

CALIX ♦ ❖ ❖ ❖



CXRT
3'0" door + (2) 12" sidelites
Continuous / Boxed Sill Systems



CX30T
3'0" Door Only

LATITUDE ♦ ❖ ❖ ❖



LTRT
3'0" door + (2) 12" sidelites
Continuous / Boxed Sill Systems



LT30T
3'0" Door Only

ECHELON ♦ ❖ ❖ ❖



ECRT
3'0" door + (2) 12" sidelites
Continuous / Boxed Sill Systems



EC30T
3'0" Door Only

CLEAR GLASS



Grille Sticks Applied



19020T
*
3'0" door + (2) 12" sidelites
Continuous Sill Systems Only
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems




Grille Sticks Applied



19220T
*
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems



Grille Sticks Applied



19200T
*
3'0" Door Only



19210T
*
12" & 14" Sidelite Only

Key

- No Stile Lines
- Flush-Glazed Glass with Detailed Sticking (FG)
- ★ Low-E Glass (LE)
- 2 Simulated Divided Lites (SDLF2)
- ♦ Black Nickel Caming (1D)
- ❖ Brushed Nickel Caming (1C)
- ❖ Brass Caming (1A)
- ✕ Wrought Iron (1W)
- 6 WBDR Options
- 6 WBDR / HVHZ Options
- △ 6'6" Height Available
- E Elevated 10" Bottom Rail Options

Hinged Patio Doors

Fiber-Classic®, Smooth-Star®, Profiles™ & Traditions

Hinged Patio Doors



Flexible options for any home.

Our Fiber-Classic, Smooth-Star, Profiles and Traditions product lines extend to the patio with a wide assortment of options that combine form and function. Explore convenient options to control natural light and privacy, complement window grid patterns and more, all backed by Therma-Tru's outstanding warranties.



Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See your Therma-Tru seller or visit thermatru.com for details on limited warranties and exclusions, and ENERGY STAR qualified products.

Top: Smooth-Star, Clear Glass with SDLs, Doors – S85715, Finish – Alpine, Onyx
Bottom: Smooth-Star, Clear Glass, Doors – S118


DOOR SELECTIONS



**Fiber-Classic[®]
Mahogany
Collection™**



**Fiber-Classic[®]
Oak Collection™**



Smooth-Star[®]



**Profiles™
& Traditions**

(Wood-grained images shown in Driftwood stain.)

Retractable Screen Doors

With a discreet, hidden design, retractable screen doors allow fresh air and natural light inside while keeping debris and insects out. Available for single and french inswing configurations. See pages 30–31 for details.

GLASS SELECTIONS



Internal Blinds



Low-E / Clear

Divided Lites

For details on divided lite options, see pages 120–121.



Simulated
Divided
Lites



Grilles
Between
Glass



Fixed
Grilles

Flush-Glazed Glass

Glass built directly into the door during the manufacturing process offers a seamless appearance, wider daylight opening and high-performance weather seal.

EnLiten™ Flush-Glazed Warranty Riders

See page 123 for details on the EnLiten Flush-Glazed Rider for Construction & Installation, and the EnLiten Flush-Glazed Rider for Homeowners.

■ = Available	Fiber-Classic.	Smooth-Star.	Profiles™	Traditions
Door Selections				
Material	Fiberglass	Fiberglass	Steel	Steel
Warranty	Lifetime	Lifetime	10 Years	Door: 5 Years Glass: 10 Years
Finish Options	Stain or Paint	Paint	Paint	Paint
Flush-Glazed Glass Selections				
Internal Blinds ▲	■	■		
Low-E Glass with and without Divided Lites ▲	■	■		
Clear Glass with and without Divided Lites ▲	■	■		
Privacy & Textured Glass with and without Divided Lites ▲	■	■		
Lip-Lite Glass Selections				
Internal Blinds	■	■	■	■
Low-E Glass with and without Divided Lites	■	■	■	■
Clear Glass with and without Divided Lites	■	■	■	■
Privacy & Textured Glass with and without Divided Lites	■	■	■	■
Available Sizes				
Heights	6'6", 6'8", 7'0", 8'0"	6'6", 6'8", 7'0", 8'0"	6'6", 6'8", 7'0"	6'6", 6'8", 8'0"
Single Widths	2'0"–3'0"	2'0"–3'0"	2'0"–3'0"	2'0"–3'0"
Double Widths	4'0"–6'0"	4'0"–6'0"	4'0"–6'0"	4'0"–6'0"
Triple Widths	6'0"–9'0"	6'0"–9'0"	6'0"–9'0"	6'0"–9'0"
Retrofit Openings	5'0", 6'0"	5'0", 6'0"	5'0", 6'0"	5'0", 6'0"
Additional Options				
Vented Sidelites (Single / Double Widths)	6'6", 6'8", 8'0" Heights in 2'4"–6'0" Widths	6'6", 6'8", 8'0" Heights in 2'4"–6'0" Widths		
Screens & Screen Accessories Available Colors: Bronze, White	2" Frame, 3" Frame	2" Frame, 3" Frame	2" Frame, 3" Frame	2" Frame, 3" Frame
Impact-Rated Options	■	■	■	■
Tru-Defense Eligible	■	■		


EnLiten™ Flush-Glazed Internal Blinds




AVAILABLE COLLECTIONS

- Smooth-Star.

AVAILABLE DOOR STYLES



AVAILABLE CONFIGURATIONS




Internal Blinds




AVAILABLE COLLECTIONS

- Fiber-Classic® Mahogany
- Fiber-Classic® Oak
- Smooth-Star.
- Profiles™
- Traditions

AVAILABLE DOOR STYLES



AVAILABLE CONFIGURATIONS



EnLiten™ Flush-Glazed Low-E / Clear Glass with Divided Lites

Colonial Style




AVAILABLE COLLECTIONS

- Fiber-Classic. Oak
- Smooth-Star.

AVAILABLE DOOR STYLES



AVAILABLE CONFIGURATIONS



Prairie Style




AVAILABLE COLLECTIONS

- Fiber-Classic. Oak
- Smooth-Star.

AVAILABLE DOOR STYLES



AVAILABLE CONFIGURATIONS




EnLiten™ Flush-Glazed Low-E / Clear Glass




AVAILABLE COLLECTIONS

- Fiber-Classic® Oak
- Smooth-Star®

AVAILABLE DOOR STYLES



AVAILABLE CONFIGURATIONS



Low-E / Clear Glass with Divided Lites

Colonial Style




AVAILABLE COLLECTIONS

- Fiber-Classic® Mahogany
- Profiles™
- Fiber-Classic® Oak
- Traditions
- Smooth-Star®

AVAILABLE DOOR STYLES



AVAILABLE CONFIGURATIONS




Prairie Style




AVAILABLE COLLECTIONS

- Fiber-Classic® Mahogany
- Fiber-Classic® Oak
- Smooth-Star®
- Profiles™
- Traditions

AVAILABLE DOOR STYLES



AVAILABLE CONFIGURATIONS



Low-E / Clear Glass




AVAILABLE COLLECTIONS

- Fiber-Classic® Mahogany
- Fiber-Classic® Oak
- Smooth-Star®
- Profiles™
- Traditions

AVAILABLE DOOR STYLES



AVAILABLE CONFIGURATIONS



Profiles™ Steel Doors



Versatile, affordable options.

Coupling distinctive styling with affordability, Profiles steel doors offer versatile front entry and house-to-garage options. Designed to suit multiple home styles, these doors feature triple-shadowed panel embossments for greater detail.

Top: Profiles, Sedona Glass, Door - 996HD, Sidelite - 139SL
Bottom: Profiles, Screen Vented Glass, Door - 1004HD

Traditions Steel Doors



Back to basics.

It's back to basics with Traditions. This line of steel doors combines attractive designs and value-based options to create a great, cost-conscious alternative for front entry and house-to-garage.





Top: Traditions Door – TS210
Bottom: Traditions, Satin Etch Glass, Doors – TS289XE

Profiles™ & Traditions Steel Doors

Find style at an affordable price point with options to match any home style and budget in Profiles and Traditions doors. Fire-rated options on 6'8" solid-panel doors make a perfect choice for house-to-garage.

- 1-¼" lock stiles.
- 12-½" lock blocks.
- No stile lines.
- Primed, ready-to-paint surface.

 WBDR / HVHZ Options: Look for this icon to find door styles that can be configured for WBDR or HVHZ.*

 20-Minute Fire-rated options available on 6'8" solid-panel doors. See pages 240–243.



Profiles Steel

Features 24-gauge steel, smooth surface and triple-shadowed panel embossments for greater definition.



Traditions Steel

Features 25-gauge steel, standard embossed smooth surface. All 8'0" doors are 24-gauge steel with standard embossments.



	Profiles	Traditions
■ = Available		
• = Not Applicable		
P = Paint		
Door Widths		
2'0"	■	■
2'4"	■	■
2'6"	■	■
2'8"	■	■
2'10"	■	■
3'0"	■	■
3'6"	■	•
Door Heights		
6'6"	■	■
6'8"	■	■
7'0"	■	•
8'0"	•	■
Glass Options		
Decorative	16	16
Privacy & Textured	6	6
Internal Blinds	■	■
Screen Vented Lites	■	■
Simulated Divided Lites	■	■
Grilles Between Glass	■	■
Fixed Grilles	■	■
Low-E	■	■
Clear	■	■
Frame Options		
Advanta Lite Frame	■	■
Standard Lite Frame	■	■
Impact Lite Frame	■	■
Additional Options		
Finish	P	P

RETROFIT HINGED PATIO DOORS

Replacing common slider sizes? Find hinged patio door options on pages 210–215.

5'0" Patio Opening = (2) 2'4" Doors

6'0" Patio Opening = (2) 2'10" Doors

*Please verify that there is a Therma-Tru Impact-rated product approval for the configuration before buying.

**Decorative glass designs are shown in Profiles only.

***Brass coming not available for Impact.

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit thermatru.com for details on glass privacy ratings and designs, limited warranties and exclusions, ENERGY STAR qualified products and product approvals.


Decorative & Specialty Glass Designs**



Black Nickel Brushed Nickel
Blackstone®
 Glass Privacy Rating: 7



Black Nickel Brushed Nickel
Crystalline™
 Glass Privacy Rating: 7




Black Nickel Brushed Nickel
Sedona
 Glass Privacy Rating: 7




Wrought Iron
Salinas®
 Glass Privacy Rating: 10



Black Nickel Brushed Nickel
Maple Park®
 Glass Privacy Rating: 6



Black Nickel Brushed Nickel
Saratoga™
 Glass Privacy Rating: 7




Black Nickel Brushed Nickel
Texas Star
 Glass Privacy Rating: 5



Black Nickel Brass
Wellesley™
 Glass Privacy Rating: 6



Wrought Iron
Riserva®
 Glass Privacy Rating: 10




Black Nickel Brass
Concorde™
 Glass Privacy Rating: 8




Black Nickel Brushed Nickel
Kensington™
 Glass Privacy Rating: 8




Black Nickel Brass***
Pembroke™
 Glass Privacy Rating: 7



Black Nickel
Axis®
 Glass Privacy Rating: 7



Black Nickel Brass
Calix
 Glass Privacy Rating: 1



Black Nickel Brass
Latitude
 Glass Privacy Rating: 2



Black Nickel Brass
Echelon
 Glass Privacy Rating: 1

Also Available:
Internal Blinds
Screen Vented


Glass Privacy Rating Scale

1 2 3 4 5 6 7 8 9 10

Clear

Opaque


Privacy & Textured Glass



Reeded (XK)
Glass Privacy Rating: 7



Satin Etch (XE)
Glass Privacy Rating: 10



Chord (XC)
Glass Privacy Rating: 10



Chinchilla (XJ)
Glass Privacy Rating: 10



Rainglass (XR)
Glass Privacy Rating: 8



Granite (XN)
Glass Privacy Rating: 10

Glass Privacy Rating Scale



Clear

Opaque

Also Available:

Divided Lites
Clear Glass



Note: See page 285 for important product details that may help with your purchase decision.

Bottom: Profiles, Salinas Glass, Door - 968HD, Sidelites - 971SLHD

Full Lites

BLACKSTONE. ◆ ◆



310

2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")
3'6" x 6'8" (7'0")

310SL

10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")

CRYSTALLINE. ◆ ◆



916

2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")
3'6" x 6'8" (7'0")

916SL

10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")

SEDONA. ◆ ◆



139

2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")
3'6" x 6'8" (7'0")

139SL

10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")

SALINAS. ✕



369

2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")
3'6" x 6'8" (7'0")

369SL

10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")

MAPLE PARK. ◆ ◆



1006

2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")
3'6" x 6'8" (7'0")

1006SL

10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")

SARATOGA.™ ◆ ◆



610

2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")
3'6" x 6'8" (7'0")

610SL

10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")

TEXAS STAR. ◆ ◆



1029

2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")
3'6" x 6'8" (7'0")

1029SL

10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")

WELLESLEY.™ ◆ ◆ ◆



620

2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")
3'6" x 6'8" (7'0")

620SL

10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")

RISERVA. ✕



571

2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")
3'6" x 6'8" (7'0")

TS572SL

10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")

Key

- ◆ Black Nickel Caming (1D)
- ◆◆ Brushed Nickel Caming (1C)
- ◆◆ Brass Caming (1A)
- ✕ Wrought Iron (1W)

Flat Lite Frame

Scrolled & Flat Advanta Lite Frame
Not available for 2'4" and 2'6" doors or 10" sidelites.

WBDR / HVHZ Options

6'6" Height Available

CONCORDE™ ◆ ◆ ◆



1028

 2'6" x 6'8" (7'0")
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")
 3'6" x 6'8" (7'0")



416SL

 10" x 6'8"
 12" x 6'8" (7'0")
 14" x 6'8" (7'0")

KENSINGTON™ ◆ ◆ ◆



626

 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")
 3'6" x 6'8" (7'0")



626SL

 10" x 6'8"
 12" x 6'8" (7'0")
 14" x 6'8" (7'0")

PEMBRIDGE™ ◆ ◆ ◆



6500HD


 2'4" x 6'8"
 2'6" x 6'8" (7'0")
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")
 3'6" x 6'8" (7'0")



6500SL

 10" x 6'8"
 12" x 6'8" (7'0")
 14" x 6'8" (7'0")

AXIS ◆



1651HD

 2'4" x 6'8"
 2'6" x 6'8" (7'0")
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")
 3'6" x 6'8" (7'0")



1651SL

 10" x 6'8"
 12" x 6'8" (7'0")
 14" x 6'8" (7'0")

CALIX ◆ ◆ ◆



2389HD

 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")
 3'6" x 6'8" (7'0")



2389SL

 10" x 6'8"
 12" x 6'8" (7'0")
 14" x 6'8" (7'0")

LATITUDE ◆ ◆ ◆



2382HD

 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")
 3'6" x 6'8" (7'0")



2382SL

 10" x 6'8"
 12" x 6'8" (7'0")
 14" x 6'8" (7'0")

ECHELON ◆ ◆ ◆



2385HD

 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")
 3'6" x 6'8" (7'0")



2385SL

 10" x 6'8"
 12" x 6'8" (7'0")
 14" x 6'8" (7'0")

PRIVACY & TEXTURED GLASS WITH DIVIDED LITES



128

 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")
 3'6" x 6'8" (7'0")



108

 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")
 3'6" x 6'8" (7'0")



6184_SL*

 10" x 6'8"
 12" x 6'8" (7'0")
 14" x 6'8" (7'0")



6185_SL*

 10" x 6'8"
 12" x 6'8" (7'0")
 14" x 6'8" (7'0")



6186_SL*

 10" x 6'8"
 12" x 6'8" (7'0")
 14" x 6'8" (7'0")



632_SL

 10" x 6'8"
 12" x 6'8" (7'0")
 14" x 6'8" (7'0")

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 220.

XK = Reeded **XC = Chord** **XR = Rainglass**
XE = Satin Etch **XJ = Chinchilla** **XN = Granite**

*Not available with Reeded (XK) glass.

**Available with Impact-rated lite frame only.

Note: See page 285 for important product details that may help with your purchase decision.

PRIVACY & TEXTURED GLASS



118

 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")
 3'6" x 6'8" (7'0")



100_SL

 10" x 6'8"
 12" x 6'8" (7'0")
 14" x 6'8" (7'0")

INTERNAL BLINDS



130

 2'4" x 6'8"
 2'6" x 6'8" (7'0")
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")
 3'6" x 6'8" (7'0")



130SL

 10" x 6'8"
 12" x 6'8" (7'0")
 14" x 6'8" (7'0")

CLEAR GLASS WITH DIVIDED LITES



1201

 2'6" x 6'8" (7'0")
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")
 3'6" x 6'8" (7'0")



1202

 2'6" x 6'8" (7'0")
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")
 3'6" x 6'8" (7'0")



1203

 2'6" x 6'8" (7'0")
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")
 3'6" x 6'8" (7'0")



128

 2'6" x 6'8" (7'0")
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")
 3'6" x 6'8" (7'0")



1200

 2'6" x 6'8" (7'0")
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")
 3'6" x 6'8" (7'0")



108

 2'6" x 6'8" (7'0")
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")
 3'6" x 6'8" (7'0")



1201SL

 10" x 6'8"
 12" x 6'8" (7'0")
 14" x 6'8" (7'0")



1202SL

 10" x 6'8"
 12" x 6'8" (7'0")
 14" x 6'8" (7'0")



1200SL

 10" x 6'8"
 12" x 6'8" (7'0")
 14" x 6'8" (7'0")



632SL

 10" x 6'8"
 12" x 6'8" (7'0")
 14" x 6'8" (7'0")



6184SL

 10" x 6'8"
 12" x 6'8" (7'0")
 14" x 6'8" (7'0")

CLEAR GLASS



6185SL

 10" x 6'8"
 12" x 6'8" (7'0")
 14" x 6'8" (7'0")



6186SL

 10" x 6'8"
 12" x 6'8" (7'0")
 14" x 6'8" (7'0")



198

 2'6" x 6'8" (7'0")
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")
 3'6" x 6'8" (7'0")



198SL

 10" x 6'8"
 12" x 6'8" (7'0")
 14" x 6'8" (7'0")



118

 2'0" x 6'8"***
 2'4" x 6'8"***
 2'6" x 6'8" (7'0")**
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")
 3'6" x 6'8" (7'0")



100SL

 10" x 6'8"
 12" x 6'8" (7'0")
 14" x 6'8" (7'0")

Key

- Low-E Glass (LE)
- Turtle Glass
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- Simulated Divided Lites (SDL)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat Almond Grilles Between Glass (BGGF)
- Flat Bronze Grilles Between Glass (BGBF)
- Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- Fixed Grilles (FXG)
- Flat Lite Frame
- Scrolled & Flat Advanta Lite Frame
Not available for 2'4" and 2'6" doors or 10" sidelites.
- WBDR / HVHZ Options
- 6'6" Height Available

3/4 Lites

BLACKSTONE. ♦ ♦



1037HD
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

1037SLHD
 12" x 6'8"
 14" x 6'8"

CRYSTALLINE™ ♦ ♦



1042HD
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

956SLHD
 12" x 6'8"
 14" x 6'8"

SEDONA ♦ ♦



965HD
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

965SLHD
 12" x 6'8"
 14" x 6'8"

SALINAS. X



968HD
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

971SLHD
 12" x 6'8"
 14" x 6'8"

MAPLE PARK. ♦ ♦



1009HD
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

1009SLHD
 12" x 6'8"
 14" x 6'8"

SARATOGA™ ♦ ♦



1039HD
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

1039SLHD
 12" x 6'8"
 14" x 6'8"

TEXAS STAR ♦ ♦



1040HD
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

1040SLHD
 12" x 6'8"
 14" x 6'8"

WELLESLEY™ ♦ ♦ ♦



1041HD
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

1041SLHD
 12" x 6'8"
 14" x 6'8"

RISERVA. X



544HD
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

546SLHD
 12" x 6'8"
 14" x 6'8"

CONCORDE™ ♦ ♦ ♦



967HD
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

967SLHD
 12" x 6'8"
 14" x 6'8"

KENSINGTON™ ♦ ♦



03142HD
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

966SLHD
 12" x 6'8"
 14" x 6'8"

PEMBRIDGE™ ♦ ♦ ♦



6582HD
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

6580SLHD
 12" x 6'8"
 14" x 6'8"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 220.

XK = Reeded

XC = Chord

XR = Rainglass

XE = Satin Etch

XJ = Chinchilla

XN = Granite


AXIS ◆



1644HD
 ◆ 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

1644SLHD
 ◆ 6
 12" x 6'8"
 14" x 6'8"

CALIX ◆ ■◆



391HD
 ◆ 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

391SLHD
 ◆ 6
 12" x 6'8"
 14" x 6'8"

LATITUDE ◆ ■◆



469HD
 ◆ 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

469SLHD
 ◆ 6
 12" x 6'8"
 14" x 6'8"

PRIVACY & TEXTURED GLASS



961HD_
 ■ ◆
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

959HD_
 ◆ 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

6720HD_SL
 ■ ◆
 12" x 6'8"
 14" x 6'8"

959HD_SL
 ◆ 6
 12" x 6'8"
 14" x 6'8"

INTERNAL BLINDS



5425
 * ◆ 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

5425SL
 * ◆ 6
 12" x 6'8"
 14" x 6'8"

CLEAR GLASS WITH DIVIDED LITES



2109HD
 * ◆ ◆ ◆ ◆ ◆
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

2110HD
 * ◆ ◆ ◆ ◆ ◆ 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

CLEAR GLASS



2111HD
 * ◆ ◆ ◆ ◆ ◆
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

961HD
 * ◆ ◆ ◆ ◆ ◆ 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

1089SLHD
 * ◆ ◆ ◆ ◆ ◆
 12" x 6'8"
 14" x 6'8"

4572SLHD
 * ◆ ◆ ◆ ◆ ◆ 6
 12" x 6'8"
 14" x 6'8"

6720SLHD
 * ◆ ◆ ◆ ◆ ◆ 6
 12" x 6'8"
 14" x 6'8"

1403HD
 * ◆ ◆ ◆ ◆ ◆
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

1400SLHD
 * ◆ ◆ ◆ ◆ ◆
 12" x 6'8"
 14" x 6'8"

959HD
 * ◆ 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

959SLHD
 * ◆ 6
 12" x 6'8"
 14" x 6'8"

Key

- ★ Low-E Glass (LE)
- ◆ Black Nickel Caming (1D)
- Simulated Divided Lites (SDL)
- Brushed Nickel Caming (1C)
- ◆ Brass Caming (1A)
- ✕ Wrought Iron (1W)
- ◆ Flat Almond Grilles Between Glass (GBGF)
- ◆ Flat Bronze Grilles Between Glass (GBGF)
- ◆ Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- ◆ Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- ◆ Scrolled Advanta Lite Frame Not available for 2'4" and 2'6" doors or 10" sidelites.
- ◆ Scrolled & Flat Advanta Lite Frame Not available for 2'4" and 2'6" doors or 10" sidelites.
- ◆ WBDR / HVHZ Options

Oval Lites

BLACKSTONE®



1025HD

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

WELLESLEY™



1022HD

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

CONCORDE™



1024HD

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

KENSINGTON™



630HD

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

PEMBRIDGE™



6578HD

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

CLEAR GLASS



1020HD

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

1/2 Lites

BLACKSTONE®



309HD

2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



1001HD

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



1117HD

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



311SLHD

12" x 6'8" (7'0")
14" x 6'8" (7'0")

SEDONA®



211HD

2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



996HD

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



1114HD

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



294SLHD

12" x 6'8" (7'0")
14" x 6'8" (7'0")

SALINAS. X



374HD

2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



1002HD

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



1115HD

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



371SLHD

12" x 6'8" (7'0")
14" x 6'8" (7'0")

MAPLE PARK®



1007HD

2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



1011HD

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



1116HD

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



1007SLHD

12" x 6'8" (7'0")
14" x 6'8" (7'0")

SARATOGA™ ◆ ◆



613HD
 2'6" x 6'8" (7'0")
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")

988HD
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

1112HD
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

615SLHD
 12" x 6'8" (7'0")
 14" x 6'8" (7'0")

TEXAS STAR ◆ ◆



1032HD
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")

1035HD
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

1111HD
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

WELLESLEY™ ◆ ◆ ◆



623HD
 2'6" x 6'8" (7'0")
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")

989HD
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

1120HD
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

625SLHD
 12" x 6'8" (7'0")
 14" x 6'8" (7'0")

RISERVA® X



582HD
 2'6" x 6'8" (7'0")
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")

576HD
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

578HD
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

584SLHD
 12" x 6'8" (7'0")
 14" x 6'8" (7'0")

CONCORDE™ ◆ ◆ ◆



426HD
 2'6" x 6'8" (7'0")
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")

999HD
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

1118HD
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

430SLHD
 12" x 6'8" (7'0")
 14" x 6'8" (7'0")

KENSINGTON™ ◆ ◆



627HD
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")

631HD
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

1113HD
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

628SLHD
 12" x 6'8" (7'0")
 14" x 6'8" (7'0")

Key

- ★ Low-E Glass (LE)
- ◆ Black Nickel Caming (1D)
- ◆◆ Brushed Nickel Caming (1C)
- ◆◆ Brass Caming (1A)
- ✕ Wrought Iron (1W)
- ◆ Scrolled & Flat Advanta Lite Frame
Not available for 2'4" and 2'6" doors or 10" sidelites.
- ◆ Scrolled Advanta Lite Frame
Not available for 2'4" and 2'6" doors or 10" sidelites.
- 6 WBDR / HVHZ Options

PEMBRIDGE™ ◆ ◆ ◆ ◆



- 6560HD**
 2'6" x 6'8" (7'0")
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")
- 6565HD**
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"
- 6568HD**
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"
- 6565SLHD**
 12" x 6'8" (7'0")
 14" x 6'8" (7'0")

AXIS ◆



- 1660HD**
 2'6" x 6'8" (7'0")
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")
- 1657HD**
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"
- 1659HD**
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"
- 1657SLHD**
 12" x 6'8" (7'0")
 14" x 6'8" (7'0")

CALIX ◆ ◆ ◆ ◆



- 835HD**
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")
- 395HD**
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"
- 397HD**
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"
- 395SLHD**
 12" x 6'8" (7'0")
 14" x 6'8" (7'0")

PRIVACY & TEXTURED GLASS WITH DIVIDED LITES



- 262HD_**
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")
- 982HD_**
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"
- 1123HD_**
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"
- 263SLHD_**
 12" x 6'8" (7'0")
 14" x 6'8" (7'0")

PRIVACY & TEXTURED GLASS



- 206HD_**
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")
- 980HD_**
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"
- 1101_HD**
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"
- 104**
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")
- 210SLHD_**
 12" x 6'8" (7'0")
 14" x 6'8" (7'0")

INTERNAL BLINDS



- 132HD**
 2'6" x 6'8" (7'0")
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")
- 984HD**
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 220.

- XK = Reeded
- XC = Chord
- XR = Rainglass
- XE = Satin Etch
- XJ = Chinchilla
- XN = Granite

*Features a gliding operation and sash locking system.

Note: See page 285 for important product details that may help with your purchase decision.

SCREEN VENTED LITES*



1121HD
 * 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



131
 * 6 E
 2'6" x 6'8" (7'0")
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")




132SLHD
 * 6
 12" x 6'8" (7'0")
 14" x 6'8" (7'0")




243HD
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")



1004HD
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"




1102HD
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



137
 E
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")


CLEAR GLASS WITH DIVIDED LITES




262HD
 * 6
 2'6" x 6'8" (7'0")
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")



982HD
 * 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



1123HD
 * 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



115HD
 * E
 2'6" x 6'8" (7'0")
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")



263SLHD
 * 6
 12" x 6'8" (7'0")
 14" x 6'8" (7'0")



1408HD
 * 6
 2'6" x 6'8" (7'0")
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")



1405HD
 * 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



1406HD
 * 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

CLEAR GLASS



1405SLHD
 * 6
 12" x 6'8" (7'0")
 14" x 6'8" (7'0")



206HD
 * 6
 2'6" x 6'8" (7'0")
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")




980HD
 * 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



1101HD
 * 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



104
 * 6 E
 2'6" x 6'8" (7'0")
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")



105
 * E
 2'6" x 6'8" (7'0")
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")



210SLHD
 * 6
 12" x 6'8" (7'0")
 14" x 6'8" (7'0")

Key

- Low-E Glass (LE)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- Simulated Divided Lites (SDL)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat Almond Grilles Between Glass (GBGF)
- Flat Bronze Grilles Between Glass (GBGF)
- Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- Fixed Grilles (FXG)
- Scrolled & Flat Advanta Lite Frame
Not available for 2'4" and 2'6" doors or 10" sidelites.
- Scrolled Advanta Lite Frame
Not available for 2'4" and 2'6" doors or 10" sidelites.
- WBDR / HVHZ Options
- Elevated 10" Bottom Rail Options

Twin 1/2 Lites

BLACKSTONE®



311HD

- 2'6" x 6'8" (7'0")
- 2'8" x 6'8" (7'0")
- 2'10" x 6'8" (7'0")
- 3'0" x 6'8" (7'0")

SEDONA



294HD

- 2'6" x 6'8" (7'0")
- 2'8" x 6'8" (7'0")
- 2'10" x 6'8" (7'0")
- 3'0" x 6'8" (7'0")

SALINAS®



371HD

- 2'6" x 6'8" (7'0")
- 2'8" x 6'8" (7'0")
- 2'10" x 6'8" (7'0")
- 3'0" x 6'8" (7'0")

MAPLE PARK®



1008HD

- 2'6" x 6'8" (7'0")
- 2'8" x 6'8" (7'0")
- 2'10" x 6'8" (7'0")
- 3'0" x 6'8" (7'0")

SARATOGA™



615HD

- 2'6" x 6'8" (7'0")
- 2'8" x 6'8" (7'0")
- 2'10" x 6'8" (7'0")
- 3'0" x 6'8" (7'0")

WELLESLEY™



625HD

- 2'6" x 6'8" (7'0")
- 2'8" x 6'8" (7'0")
- 2'10" x 6'8" (7'0")
- 3'0" x 6'8" (7'0")

RISERVA®



588HD

- 2'6" x 6'8" (7'0")
- 2'8" x 6'8" (7'0")
- 2'10" x 6'8" (7'0")
- 3'0" x 6'8" (7'0")

CONCORDE™



430HD

- 2'6" x 6'8" (7'0")
- 2'8" x 6'8" (7'0")
- 2'10" x 6'8" (7'0")
- 3'0" x 6'8" (7'0")

KENSINGTON™



628HD

- 2'6" x 6'8" (7'0")
- 2'8" x 6'8" (7'0")
- 2'10" x 6'8" (7'0")
- 3'0" x 6'8" (7'0")

PEMBRIDGE™



6572HD

- 2'6" x 6'8" (7'0")
- 2'8" x 6'8" (7'0")
- 2'10" x 6'8" (7'0")
- 3'0" x 6'8" (7'0")

AXIS®



1662HD

- 2'6" x 6'8" (7'0")
- 2'8" x 6'8" (7'0")
- 2'10" x 6'8" (7'0")
- 3'0" x 6'8" (7'0")

CALIX



396HD

- 2'6" x 6'8" (7'0")
- 2'8" x 6'8" (7'0")
- 2'10" x 6'8" (7'0")
- 3'0" x 6'8" (7'0")

PRIVACY & TEXTURED GLASS



263HD_

- 2'6" x 6'8" (7'0")
- 2'8" x 6'8" (7'0")
- 2'10" x 6'8" (7'0")
- 3'0" x 6'8" (7'0")



289HD_

- 2'8" x 6'8" (7'0")
- 2'10" x 6'8" (7'0")
- 3'0" x 6'8" (7'0")

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 220.

XK = Reeded

XE = Satin Etch

XC = Chord

XJ = Chinchilla

XR = Rainglass

XN = Granite

CLEAR GLASS WITH DIVIDED LITES



263HD

 2'6" x 6'8" (7'0")
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")



1411HD

 2'6" x 6'8" (7'0")
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")

CLEAR GLASS



289HD

 2'6" x 6'8" (7'0")
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")

Craftsman Lites

SEDONA



604HD

 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

MAPLE PARK



609HD

 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

SARATOGA™



602HD

 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

RISERVA



508HD

 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

PEMBRIDGE™



6520HD

 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

AXIS



1650HD

 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

CALIX



6975HD

 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

PRIVACY & TEXTURED GLASS WITH DIVIDED LITES



605HD *

 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



606HD *

 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



607HD *

 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



608HD *

 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

Key

- Low-E Glass (LE)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- Wrought Iron (1W)
- Simulated Divided Lites (SDL)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- Flat Almond Grilles Between Glass (GBGF)
- Flat Bronze Grilles Between Glass (GBGF)
- Fixed Grilles (FXG)
- Flat Lite Frame
- Scrolled & Flat Advanta Lite Frame
Not available for 2'4" and 2'6" doors or 10" sidelites.
- WBDR / HVHZ Options

PRIVACY & TEXTURED GLASS



601_HD*
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

CLEAR GLASS WITH DIVIDED LITES



605HD
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



606HD
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



607HD
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



608HD
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

CLEAR GLASS



601HD
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

Minimal Lites

MAPLE PARK ◆ ◆ ◆



736HD
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")

SARATOGA™ ◆ ◆ ◆



707HD
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")

WELLESLEY™ ◆ ◆ ◆ ◆



721HD
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")

CONCORDE™ ◆ ◆ ◆ ◆



735HD
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")

PEMBRIDGE™ ◆ ◆ ◆ ◆



745HD
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")

CLEAR GLASS WITH DIVIDED LITES



752HD
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")



704HD
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")

CLEAR GLASS



708HD
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")

CONCORDE™ ◆ ◆ ◆ ◆



454HD
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 220.

XK = Reeded

XE = Satin Etch

XC = Chord

XJ = Chinchilla

XR = Rainglass

XN = Granite

*Not available with Reeded (XK) glass.

Note: See page 285 for important product details that may help with your purchase decision.

CLEAR GLASS WITH DIVIDED LITES



255HD
 * ♦ ♦ ♦ ♦
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")

CLEAR GLASS



256HD
 *
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")

CLEAR GLASS WITH DIVIDED LITES



236HD
 ♦
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")



237HD
 * ♦
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")
 (Scalloped Lite Frame)

PEMBRIDGE™
 ♦ ♦ ♦



6570HD
 ▲
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")



6570SLHD
 ▲
 12" x 6'8" (7'0")
 14" x 6'8" (7'0")

AXIS. ♦



1643HD
 ▲
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")



1643SLHD
 ▲
 12" x 6'8" (7'0")
 14" x 6'8" (7'0")

PRIVACY & TEXTURED GLASS



296HD
 ▲
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")



296SLHD
 ▲
 12" x 6'8" (7'0")
 14" x 6'8" (7'0")

CLEAR GLASS



296HD
 * ▲
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")



296SLHD
 * ▲
 12" x 6'8" (7'0")
 14" x 6'8" (7'0")

Solid Panel



969HD
 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



978HD
 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



1005HD
 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



205HD
 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



203HD
 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



210HD
 6
 2'6" x 6'8" (7'0")
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")



100
 6 E
 2'0" x 6'8"
 2'4" x 6'8"
 2'6" x 6'8" (7'0")
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")
 3'6" x 6'8" (7'0")

Key

- ☀ Low-E Glass (LE)
- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- ◆ Brass Caming (1A)
- 🏠 Simulated Divided Lites (SDL)
- ◆ Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- ◆ Flat Almond Grilles Between Glass (GBGF)
- ◆ Flat Bronze Grilles Between Glass (GBGF)
- ◆ Fixed Grilles (FXG)
- ▲ Flat Lite Frame
- ▲ Scrolled & Flat Advanta Lite Frame
Not available for 2'4" and 2'6" doors or 10" sidelites.
- ▲ Scrolled Advanta Lite Frame
Not available for 2'4" and 2'6" doors or 10" sidelites.
- 6 WBDR / HVHZ Options
- E Elevated 10" Bottom Rail Options

Full Lites

PRIVACY & TEXTURED GLASS WITH DIVIDED LITES



- | | | | | | |
|---|---|---|---|---|---|
| TS128_
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" | TS108_
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" | 6184_SL*
10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0") | 6185_SL*
10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0") | 6186_SL*
10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0") | 632_SL
10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0") |
|---|---|---|---|---|---|

PRIVACY & TEXTURED GLASS



- | | |
|---|---|
| TS118_
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" | 818_
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0" |
|---|---|

PRIVACY & TEXTURED GLASS



- | | |
|---|---|
| 100_SL
10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0") | 818_SL
12" x 8'0"
14" x 8'0" |
|---|---|

INTERNAL BLINDS



- | | | | |
|--|---|--|--|
| TS130
2'4" x 6'8"
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
2'10" x 6'8"
3'0" x 6'8" | 829
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0" | 130SL
10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0") | 829SL
12" x 8'0"
14" x 8'0" |
|--|---|--|--|

CLEAR GLASS WITH DIVIDED LITES



- | | | |
|--|--|--|
| TS1201
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" | TS1202
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" | TS1203
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" |
|--|--|--|



- | | | | | | | | |
|---|--|---|---|---|---|---|---|
| TS128
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" | TS1200
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" | TS108
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" | 828
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0" | 808
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0" | 1201SL
10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0") | 1202SL
10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0") | 1200SL
10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0") |
|---|--|---|---|---|---|---|---|

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 220.

- XK = Reeded XC = Chord XR = Rainglass
- XE = Satin Etch XJ = Chinchilla XN = Granite

*Not available with Reeded (XK) glass.

**Available with Impact-rated lite frame only.

Note: See page 285 for important product details that may help with your purchase decision.



CLEAR GLASS



1/2 Lites

PRIVACY & TEXTURED GLASS WITH DIVIDED LITES



PRIVACY & TEXTURED GLASS



Key

- Low-E Glass (LE)
- Turtle Glass
- Simulated Divided Lites (SDL)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat Almond Grilles Between Glass (GBGF)
- Flat Bronze Grilles Between Glass (GBGF)
- Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- Fixed Grilles (FXG)
- Scrolled & Flat Advanta Lite Frame
Not available for 2'4" and 2'6" doors or 10" sidelites.
- Scrolled Advanta Lite Frame
Not available for 2'4" and 2'6" doors or 10" sidelites.
- WBDR / HVHZ Options
- Elevated 10" Bottom Rail Options

INTERNAL BLINDS



- | | | | |
|--|--|--|---|
| TS132
★ ▲ ♣ 6
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" | 8132
★ ▲ ♣ 6
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0" | TS131
★ ▲ ♣ 6 E
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" | TS132SL
★ ▲ ♣ 6
12" x 6'8"
14" x 6'8" |
|--|--|--|---|

SCREEN VENTED LITES*



- | | |
|--|---|
| TS243
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" | TS137
E
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" |
|--|---|

CLEAR GLASS WITH DIVIDED LITES



- | | | | | | | |
|--|--|--|--|--|--|---|
| 8322
★ ▲ ♣ 6
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0" | 8323
★ ▲ ♣ 6
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0" | 8324
★ ▲ ♣ 6
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0" | TS262
★ ▲ ♣ 6
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" | 8321
★ ▲ ♣ 6
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0" | TS115
★ ▲ ♣ 6 E
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" | TS263SL
★ ▲ ♣ 6
12" x 6'8"
14" x 6'8" |
|--|--|--|--|--|--|---|

CLEAR GLASS



- | | | | | | | | |
|---|--|--|--|--|--|--|---|
| TS1408
★ ▲ ♣ 6
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" | 8145
★ ▲ ♣ 6
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0" | TS1405SL
★ ▲ ♣ 6
12" x 6'8"
14" x 6'8" | TS206
★ ▲ ♣ 6
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" | 8206
★ ▲ ♣ 6
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0" | TS104
★ ▲ ♣ 6 E
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" ⚠ | TS105
★ ▲ ♣ 6 E
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" ⚠ | TS210SL
★ ▲ ♣ 6
12" x 6'8"
14" x 6'8" |
|---|--|--|--|--|--|--|---|

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 220.

- | | | |
|------------------------|------------------------|-----------------------|
| XK = Reeded | XC = Chord | XR = Rainglass |
| XE = Satin Etch | XJ = Chinchilla | XN = Granite |

*Features a gliding operation and sash locking system.

Note: See page 285 for important product details that may help with your purchase decision.

Twin 1/2 Lites

PRIVACY & TEXTURED GLASS WITH DIVIDED LITES



TS263_
 2'6" x 6'8"
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

PRIVACY & TEXTURED GLASS



TS289_
 2'6" x 6'8"
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

CLEAR GLASS WITH DIVIDED LITES



TS263
 2'6" x 6'8"
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



TS1411
 2'6" x 6'8"
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

CLEAR GLASS



TS289
 2'6" x 6'8"
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Minimal Lites

PRIVACY & TEXTURED GLASS



TS296_ 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	896_ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	TS296_SL 12" x 6'8" 14" x 6'8"
---	--	--------------------------------------

CLEAR GLASS WITH DIVIDED LITES



TS752 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	8752 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	TS704 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	8704 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	TS255 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	TS236 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	8317 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
---	--	---	--	---	---	--

CLEAR GLASS WITH DIVIDED LITES *Continues on next page.*

Key

- Low-E Glass (LE)
- Simulated Divided Lites (SDL)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat Almond Grilles Between Glass (GBGF)
- Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- Fixed Grilles (FXG)
- Scrolled & Flat Advanta Lite Frame Not available for 2'4" and 2'6" doors or 10" sidelites.
- Scrolled Advanta Lite Frame Not available for 2'4" and 2'6" doors or 10" sidelites.
- WBDR / HVHZ Options
- Elevated 10" Bottom Rail Options
- 6'6" Height Available

CLEAR GLASS WITH DIVIDED LITES



TS237
 * ◆
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"
 (Scalloped Lite Frame)

CLEAR GLASS



TS708 | **8708**
 * | *
 2'8" x 6'8" | 2'8" x 8'0"
 2'10" x 6'8" | 2'10" x 8'0"
 3'0" x 6'8" | 3'0" x 8'0"



TS256
 *
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



TS296 | **896**
 * ▲ | * ▲
 2'6" x 6'8" | 2'8" x 8'0"
 2'8" x 6'8" | 2'10" x 8'0"
 2'10" x 6'8" | 3'0" x 8'0"
 3'0" x 6'8"




TS296SL
 * ▲
 12" x 6'8"
 14" x 6'8"

Solid Panel



TS210 | **810**
 6 | 6
 2'6" x 6'8" | 2'6" x 8'0"
 2'8" x 6'8" | 2'8" x 8'0"
 2'10" x 6'8" | 2'10" x 8'0"
 3'0" x 6'8" | 3'0" x 8'0"



TS100 | **800**
 6E | 6E
 2'0" x 6'8" | 2'0" x 8'0"
 2'4" x 6'8" | 2'4" x 8'0"
 2'6" x 6'8" | 2'6" x 8'0"
 2'8" x 6'8" | 2'8" x 8'0"
 2'10" x 6'8" | 2'10" x 8'0"
 3'0" x 6'8" | 3'0" x 8'0"

Transoms

Transoms can be painted to match a Profiles™ or Traditions door system.

BLACKSTONE. ♦ ❖ ❖



BSRT
3'0" door + (2) 12" sidelites
Continuous Sill Systems Only

SEDONA ♦ ❖ ❖



19055T
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



19520T
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only

SALINAS. ✕



SART
3'0" door + (2) 12" sidelites
Continuous Sill Systems Only

MAPLE PARK. ♦ ❖ ❖



FWRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only

SARATOGA. ♦ ❖ ❖



19750T
3'0" door + (2) 12" sidelites
Continuous Sill Systems Only



19740T
3'0" Door Only

WELLESLEY. ♦ ❖ ❖ ❖



19730T
3'0" door + (2) 12" sidelites
Continuous Sill Systems Only



19720T
3'0" Door Only

RISERVA. ✕



RSRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only

CONCORDE. ♦ ❖ ❖ ❖



CNRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only

KENSINGTON. ♦ ❖ ❖



KNRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only

PEMBRIDGE. ♦ ❖ ❖ ❖



PBRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems

AXIS. ♦



AXRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems

CALIX. ♦ ❖ ❖ ❖



CXRT
3'0" door + (2) 12" sidelites
Continuous / Boxed Sill Systems



CX30T
3'0" Door Only

LATITUDE. ♦ ❖ ❖ ❖



LTRT
3'0" door + (2) 12" sidelites
Continuous / Boxed Sill Systems



LT30T
3'0" Door Only

ECHELON. ♦ ❖ ❖ ❖



ECRT
3'0" door + (2) 12" sidelites
Continuous / Boxed Sill Systems



EC30T
3'0" Door Only

CLEAR GLASS



Grille Sticks Applied



19020T

☀
3'0" door + (2) 12" sidelites
Continuous Sill Systems Only
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems



Grille Sticks Applied



19220T

☀
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems



Grille Sticks Applied



19200T
☀
3'0" Door Only



19210T
☀
12" & 14" Sidelite Only

Key

- ☀ Low-E Glass (LE)
- ♦ Black Nickel Caming (1D)
- ❖ Brushed Nickel Caming (1C)
- ❖ Brass Caming (1A)
- ✕ Wrought Iron (1W)
- ◆ Fixed Grilles (FXG)
- ▢ Scrolled & Flat Advanta Lite Frame
Not available for 2'4" and 2'6" doors or 10" sidelites.
- 🌀 WBDR / HVHZ Options
- E Elevated 10" Bottom Rail Options

Fire Doors

Smooth-Star® & Steel




Intertek

Therma-Tru offers an industry-leading selection of Fire-rated doors certified to carry the Warnock Hersey Mark.

Therma-Tru® Fire-Rated Doors

Therma-Tru offers products to meet most national and local code requirements for house-to-garage, multi-family residential and hotel / motel unit entries.* Explore a wide variety of 20-minute Fire-rated fiberglass and steel door styles.

- Smooth-Star® 20-minute Fire-rated fiberglass doors are constructed with a polyurethane foam core that reduces overall door slab weight by 45% for easier handling and installation.**



20-Minute Fire-Rated Fiberglass Doors

- Tested to withstand a minimum of 20-minutes of fire exposure with temperatures that reach more than 1,400 degrees Fahrenheit.
- Features a 20-minute positive pressure rating.
- Certified by Intertek, Warnock Hersey for mortise lock use and features a wide lock stile to provide proper handleset reinforcement, combined with lock and hinge stiles that increase rigidity and stability.
- More durable than steel, and resist dents, scratches and rust, making them ideal for high-traffic, heavy-use environments.
- Features full-length lock side blocking, as well as blocking for panic and closure applications.
- Ideal for hotels, apartments, office buildings and other applications with security locks and card readers.

ADDITIONAL OPTIONS

- Solid-panel steel wood-edge doors also available with the 20-minute Fire-rated label, starting on page 243.

For California Projects

Therma-Tru Smooth-Star 20-minute Fire-rated fiberglass doors meet or exceed building codes and regulations specific to the state of California, including:

- ✓ California Wildland Urban Interface (WUI) requirements.
- ✓ California Air Resources Board (CARB) formaldehyde regulations.
- ✓ California State Fire Marshall test CA SFM 12-7A-1.

For Florida Projects











Therma-Tru Smooth-Star foam core 20-minute Fire-rated fiberglass doors include options to meet building codes and regulations specific to the state of Florida.









- ✓ Approved for structural use in Florida.
- ✓ Approved for Wind-Borne Debris Regions (WBDR).

*To confirm fire door requirements in your jurisdiction, always check with your local building code authority.
 **Comparison of 20-minute foam core Fire-rated door to a 20-minute concrete core Fire-rated door with similar style.
 Note: To see the third-party Intertek (Warnock-Hersey) listing reports, visit thermatru.com/performance data.
 Left: Smooth-Star Door – SSF120



20-Minute Fire-Rated Wood Edge – Fiberglass


									
Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth
SSF93 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	SSF45 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	SSF220 6 E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	SSF8220 6 E 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	SSF1100 6 E 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	SSF81100 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	SSF120 6 E 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	SSF8120 6 E 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	SSF200 6 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	SSF8200 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

							
Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth
SSF205 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	SSF8205 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	SSF755 6 2'10" x 6'8" 3'0" x 6'8"	SSF31 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	SSF831 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	SSF960 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	SSF4800 6 E 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	SSF84800 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

Note: See page 285 for important product details that may help with your purchase decision.

Top Left: Smooth-Star Door – SSF45, Finish – Alpine

Top Right: Smooth-Star Door – SSF220




20-Minute Fire-Rated Wood Edge – Steel

PROFILES™




TRADITIONS



Key

- No Stile Lines
- WBDR Options

- WBDR / HVHZ Options
- Elevated 10" Bottom Rail Options




Clean lines. Crisp angles. Sleek designs. Vintage style. Pulse is a contemporary series of door styles and glass designs that can be combined to make a bold statement. With three distinct aesthetic approaches – Ari, Línea and Echo – the entrance becomes modern art.

*Please verify that there is a Therma-Tru Impact-rated product approval for the configuration before buying.
Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit thermatru.com for more, including details on limited warranties and exclusions, ENERGY STAR qualified products and product approvals.


It's your decision, by design.

Pulse is geometry with energy. Designed to be fun and easy to mix and match with sleek, flush door and sidelite styles, you can create a modern entrance without missing a beat. Explore all the possible combinations at thermatru.com/pulse. Mix and match to get the style numbers needed to order. Turn the page for a glimpse of available styles and sizes.




The creativity is unlimited. Stain or paint the entrance any color.

These doors and sidelites come ready to stain or paint. So there's no limit to the creativity you can use when it comes to finishing touches.




1 START WITH A STYLE

Combine doors and sidelites to create an entrance that fits your vision.



2 CHOOSE A MATERIAL

Each style is available in any of these material choices.



Wood-Grained Fiberglass:
Mahogany or Oak
(Shown in Driftwood stain.)

Smooth
Fiberglass


Steel

3 SELECT A GLASS

Find an available glass design to complete the statement you want to make.

Privacy & Textured Glass

Available for all Pulse door styles.



Reeded

Satin Etch

Chord

Chinchilla


Rainglass

Granite


Low-E also available.

Decorative Glass

Available for Línea.



Available for Ari.



- 1 Blackstone.™
- 2 Crystalline.™
- 3 Sedona
- 4 Salinas.™
- 5 Saratoga.™
- 6 Reserva.™
- 7 Pembridge.™
- 8 Axis.™
- 9 Calix
- 10 Latitude
- 11 Echelon

Available for Echo.



4 THEN SELECT A FRAME

Choose the flat profile for modern appeal or scrolled profile for vintage style. Available in Advanta.* and Standard lite frames.



Flat Profile Lite Frame

Scrolled Profile Lite Frame

*See your Therma-Tru seller for details on product availability.

Pulse. Size Options

	Wood-Grained Fiberglass		Smooth Fiberglass		Steel	
	6'8"	8'0"	6'8"	8'0"	6'8"	8'0"
Doors	2'6" x 6'8" ◦	2'6" x 8'0" ◦	2'6" x 6'8" ◦	2'6" x 8'0" ◦	2'6" x 6'8" ◦	2'6" x 8'0" ◦
	2'8" x 6'8"	2'8" x 8'0"	2'8" x 6'8"	2'8" x 8'0"	2'8" x 6'8"	2'8" x 8'0"
	2'10" x 6'8"	2'10" x 8'0"	2'10" x 6'8"	2'10" x 8'0"	2'10" x 6'8"	2'10" x 8'0"
	3'0" x 6'8"	3'0" x 8'0"	3'0" x 6'8"	3'0" x 8'0"	3'0" x 6'8"	3'0" x 8'0"
			3'6" x 6'8"	3'6" x 8'0"	3'6" x 6'8"	
Sidelites	10" x 6'8" •	12" x 8'0"	10" x 6'8" •	12" x 8'0"	10" x 6'8" •	12" x 8'0"
	12" x 6'8"	14" x 8'0"	12" x 6'8"	14" x 8'0"	12" x 6'8"	14" x 8'0"
	14" x 6'8"		14" x 6'8"		14" x 6'8"	

- Available in full-lite sidelites only.
- Available in Línea and Echo only.




Ari

Note: Product images show exterior side of door.



Línea

Note: Product images show exterior side of door.



It's your decision, by design.

Select a look for the door and sidelites. Choose a material. Find an available glass design and frame to complete the statement. Stain or paint it any color. Explore all the possible combinations at thermatru.com/pulse.

Wood-Grained Fiberglass:
Mahogany or Oak (Shown in Driftwood stain.)


Smooth Fiberglass

Steel

Note: Door and sidelite styles shown in smooth fiberglass with flat lite frame. To see styles in other material choices, go to thermatru.com/pulse.

Note: See page 285 for important product details that may help with your purchase decision.


Top: Pulse Ari, Echelon Glass with Flat Lite Frame, Doors – S83EC, Finish – Canyon



S1RBL
◆ ■ ■ ■ 6
S81RBL
◆ ■ ■ ■ 6
S1LSN
◆ ■ ■ ■
S1SN
◆ ■ ■ ■
S1RSN
◆ ■ ■ ■
S1LSA
X ■ ■ ■ 6
S81LSA
X ■ ■ ■ 6
S1SA
X ■ ■ ■ 6
S81SA
X ■ ■ ■ 6



S1RSA
X ■ ■ ■ 6
S81RSA
X ■ ■ ■ 6
S1LSG
◆ ■ ■ ■ 6
S81LSG
◆ ■ ■ ■ 6
S1SG
◆ ■ ■ ■ 6
S81SG
◆ ■ ■ ■ 6
S1RSG
◆ ■ ■ ■ 6
S81RSG
◆ ■ ■ ■ 6
S1LRS
X ■ ■ ■ 6
S81LRS
X ■ ■ ■ 6



S1RS
X ■ ■ ■ 6
S81RS
X ■ ■ ■ 6
S1RRS
X ■ ■ ■ 6
S81RRS
X ■ ■ ■ 6
S1LPB
◆ ■ ■ ■ 6
S81LPB
◆ ■ ■ ■ 6
S1PB
◆ ■ ■ ■ 6
S81PB
◆ ■ ■ ■ 6
S1RPB
◆ ■ ■ ■ 6
S81RPB
◆ ■ ■ ■ 6

LÍNEA Continues on next page.


Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 246.

- XK = Reeded
- XC = Chord
- XR = Rainglass
- XE = Satin Etch
- XJ = Chinchilla
- XN = Granite

Key

- ☀ Low-E Glass (LE)
- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- ❖ Brass Caming (1A)
- ✕ Wrought Iron (1W)
- ▨ Scrolled & Flat Advanta Lite Frame
- 6 WBDR / HVHZ Options



S1LAX | S81LAX




S1AX | S81AX




S1RAX | S81RAX



S1LCX | S81LCX




S1CX | S81CX




S1RCX | S81RCX



S1LLT | S81LLT



S1LT | S81LT



S1RLT | S81RLT



S1LEC | S81LEC



S1EC | S81EC



S1REC | S81REC



S1L | S81L



S1 | S81



S1R | S81R

			<p>It's your decision, by design.</p> <p>Select a look for the door and sidelites. Choose a material. Find an available glass design and frame to complete the statement. Stain or paint it any color. Explore all the possible combinations at thermatru.com/pulse.</p>
Wood-Grained Fiberglass: Mahogany or Oak (Shown in Driftwood stain.)	Smooth Fiberglass	Steel	

Note: Door and sidelite styles shown in smooth fiberglass with flat lite frame. To see styles in other material choices, go to thermatru.com/pulse.

Echo

Note: Product images show exterior side of door.



S4LPB
S84LPB



S4PB
S84PB




S4RPB
S84RPB



S5LPB
S85LPB



S5PB
S85PB



S5RPB
S85RPB



S86LPB



S86PB



S86RPB




S9LPB



S9PB



S9RPB



S8LPB



S8PB



S8RPB

ECHO Continues on next page.

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 246.

XK = Reeded
XE = Satin Etch

XC = Chord
XJ = Chinchilla

XR = Rainglass
XN = Granite

Key

- Low-E Glass (LE)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- Scrolled & Flat Advanta Lite Frame
- WBDR / HVHZ Options
- Elevated 10" Bottom Rail Options



S811LPB



S811PB



S811RPB




S810LPB




S810PB



S810RPB



S4LAX | S84LAX



S4AX | S84AX



S4RAX | S84RAX



S5LAX | S85LAX



S5AX | S85AX



S5RAX | S85RAX



S86LAX




S86AX




S86RAX

It's your decision, by design.


Select a look for the door and sidelites. Choose a material. Find an available glass design and frame to complete the statement. Stain or paint it any color. Explore all the possible combinations at thermatru.com/pulse.



Wood-Grained Fiberglass:
Mahogany or Oak (Shown in Driftwood stain.)



Smooth Fiberglass



Steel

Note: Door and sidelite styles shown in smooth fiberglass with flat lite frame. To see styles in other material choices, go to thermatru.com/pulse.




S9LAX
◆▲E



S9AX
◆▲E




S9RAX
◆▲E



S8LAX
◆▲E



S8AX
◆▲E



S8RAX
◆▲E



S811LAX
◆▲E



S811AX
◆▲E



S811RAX
◆▲E



S810LAX
◆▲E



S810AX
◆▲E



S810RAX
◆▲E



S4L_
S4LCL_*

S84L_
S84LCL_*



S4_
S4CL_*

S84_
S84CL_*



S4R_
S4RCL_*

S84R_
S84RCL_*



S5L_
S5LCL_*

S85L_
S85LCL_*

ECHO Continues on next page.

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 246.

XK = Reeded
XE = Satin Etch

XC = Chord
XJ = Chinchilla

XR = Rainglass
XN = Granite

Key

- ★ Low-E Glass (LE)
- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- ◇ Brass Caming (1A)
- ▲ Scrolled & Flat Advanta Lite Frame
- E Elevated 10" Bottom Rail Options

ECHO *Continued*

Pulse®




S5_ S5CL *

S85_ S85CL *



S5R_ S5RCL *


S85R_ S85RCL *



S86L_ S86LCL *



S86_ S86CL *



S86R_ S86RCL *



S9L_ S9LCL *



S9_ S9CL *



S9R_ S9RCL *



S8L_ S8LCL *



S8_ S8CL *



S8R_ S8RCL *




S811L_ S811LCL *



S811_ S811CL *




S811R_ S811RCL *







S810L_ S810LCL *



S810_ S810CL *




S810R_ S810RCL *

				<p>It's your decision, by design.</p> <p>Select a look for the door and sidelites. Choose a material. Find an available glass design and frame to complete the statement. Stain or paint it any color. Explore all the possible combinations at thermatru.com/pulse.</p>
<p>Wood-Grained Fiberglass: Mahogany or Oak (Shown in Driftwood stain.)</p>		<p>Smooth Fiberglass</p>	<p>Steel</p>	

Note: Door and sidelite styles shown in smooth fiberglass with flat lite frame. To see styles in other material choices, go to thermatru.com/pulse.

Sidelites

Note: Product images show exterior side of door.



SIDELITES Continue on next page.


Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 246.

XK = Reeded XC = Chord XR = Rainglass
XE = Satin Etch XJ = Chinchilla XN = Granite

Key

- Low-E Glass (LE)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- Wrought Iron (1W)
- Vented Sidelite Options
- Scrolled & Flat Advanta Lite Frame
- WBDR / HVHZ Options
- Elevated 10" Bottom Rail Options



Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 246.

- XK = Reeded
- XE = Satin Etch
- XC = Chord
- XJ = Chinchilla
- XR = Rainglass
- XN = Granite

Key

- Low-E Glass (LE)
- Black Nickel Caming (1D)
- Vented Sidelite Options
- Scrolled & Flat Advanta Lite Frame

Wood-Grained Fiberglass:
Mahogany or Oak (Shown in Driftwood stain.)

Smooth Fiberglass

Steel

It's your decision, by design.

Select a look for the door and sidelites. Choose a material. Find an available glass design and frame to complete the statement. Stain or paint it any color. Explore all the possible combinations at thermatru.com/pulse.

Note: Door and sidelite styles shown in smooth fiberglass with flat lite frame. To see styles in other material choices, go to thermatru.com/pulse.

Note: See page 285 for important product details that may help with your purchase decision.

Right Page, Top: Pulse Línea, Low-E Glass with Flat Lite Frame, Door – S81RCL, Direct Set Sidelite – DRS82131SL, Finish – Chestnut
 Right Page, Bottom: Pulse Echo, Satin Etch Glass with Flat Lite Frame, Door – S85XE, Sidelite – S85XESL, Finish – Onyx



Finishing Options



ADD CURB APPEAL WITH COLOR

Stain and paint can make all the difference when it comes to a home's curb appeal. Find inspiration and explore professionally applied premium stains and paints, as well as options for in-field applications.

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See page 285 for important product details that may help with your purchase decision. See your Therma-Tru seller for details on the PrismaGuard limited warranty and exclusions.

Top: Smooth-Star, Clear Glass with SDLs, Doors - S2104, Finish - Cypress
Right Page: Pulse Ari, Reeded Glass with Flat Lite Frame, Door - FC83XK, Finish - Acorn



Finished for Lasting Beauty

Handcrafted and professionally applied in a controlled environment, a PrismaGuard® premium finish is built to last, giving your customers confidence and peace of mind.

- Designed for optimal performance with Therma-Tru® fiberglass doors and composite door frames.
- Features enhanced durability to protect from everyday wear and tear.
- Backed by a 10-year limited finish warranty. For Classic Craft® doors, the balance of this warranty can transfer to a second owner.
- Enhances the overall beauty of the entry with a nature-inspired color palette of premium stains and paints.



Fiber-Classic,
Smooth-Star, Pulse
& Steel



Durable
Topcoat




Professional
Application



Finishing Options



Therma-Tru is proud to partner with Yellowstone Forever, the official nonprofit partner of Yellowstone National Park. Select colors in our PrismaGuard portfolio are inspired by the beauty found in Yellowstone National Park. Look for the (🌲) symbol.





Tested to meet tough expectations.

PrismaGuard premium finish is put through multiple rigorous tests in our engineering labs. This helps ensure that our PrismaGuard finish is built to last, just like the Therma-Tru® doors it was designed for.



Lasting beauty and color.

Using specialized equipment, PrismaGuard stains and paints are tested to help deliver a consistent high-end appearance perfect for wood-grained or smooth door surfaces.



Resistance against wear and tear.

PrismaGuard finish is subjected to a simulation of everyday use to provide a durable high-end, low-maintenance finish that protects the door from normal wear and tear.



Protection from the elements.

Therma-Tru simulates exposure to harsh environments to help verify that PrismaGuard finish coating protects the door from the elements, preserving its color for years to come.



Confidence on the coast.

Therma-Tru simulates a highly corrosive atmosphere to help ensure PrismaGuard finish can withstand the damaging effects of high-salt environments near the coast.

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See page 285 for important product details that may help with your purchase decision. See your Therma-Tru seller for details on the PrismaGuard limited warranty and exclusions.

PrismaGuard® Premium Stain


Bring the authentic look of wood to life with rich tones that add dimension and are designed to enhance the wood grains of Therma-Tru® fiberglass doors and composite door frames.


- 1 It starts with the realistic wood grains and deep embossments of a Therma-Tru® door or composite door frame.
- 2 A base coat provides an even, consistent color across the surface.
- 3 A wiping stain enhances the base coat while adding dimension to reflect the natural beauty of wood.
- 4 A durable topcoat enhances the high-definition color while protecting against scratches and color fading.
- 5 A second application of the topcoat provides added durability and optimal sheen for a high-end look.




Shown on Classic Craft Fir Grain.



Tumbleweed 



Acorn




Wildflower Honey




Rustic Clay




Barley




Mulberry



Autumn Harvest



New Earth



Driftwood



Raven

Order 4" x 4" samples of select PrismaGuard finish colors at store.thermatru.com.

PrismaGuard® Premium Paint

Add a pop of color to Therma-Tru® doors and composite door frames, and tailor the look of the entry to make a beautiful lasting impression.




- 1 It starts with the smooth or wood-grained surface of a Therma-Tru door or composite door frame.
- 2 A base coat provides an even, consistent color across the surface.
- 3 A durable topcoat enhances the high-definition color while protecting against scratches and color fading.
- 4 A second application of the topcoat provides added durability and optimal sheen for a high-end look.

Bottom Left: Smooth-Star, Calix Glass, Door – S2223, Finish – Golden Wheat
 Bottom Right: Classic Craft Fir Grain, Low-E Glass with SDLs, Door – CCA2300, Sidelites – CCA2400SL, Finish – Alpine



COLOR MATCHES AVAILABLE.

Explore other products from Fortune Brands Outdoors designed to match select colors shown here. Look for the (🌿) symbol. See your Therma-Tru seller for details.



Alpine




Granite



Peregrine 🌿



Onyx



Obsidian 🌿



Indigo



Estuary 🌿




Arctic Ice 🌿



Cypress



Golden Wheat 🌿




Canyon 🌿




Ruby Red



Cabernet



Chestnut



Elk 🌿








Order 4" x 4" samples of select PrismaGuard finish colors at store.thermatru.com.

SAME-DAY[®] STAIN

Create the authentic look of real wood in just a few simple steps.

- Achieve professional-looking results with an easy-to-use, quick-drying formula.
- Colorfast stain resists fading, bleaching and yellowing to create a beautiful finish.
- Finish colors can be applied in a variety of shades to complement multiple home styles.
- Specially formulated for Therma-Tru[®] fiberglass doors and composite door frames.

Shown on Classic Craft Fir Grain.



All-Inclusive Kit

Contains everything needed to stain a Therma-Tru fiberglass double door system or a single door with two sidelites.*


Visit thermatru.com/samedaystain for ordering information and easy-to-follow instructions.



5 YEAR LIMITED WARRANTY For complete details on the Same-Day Stain and topcoat limited warranty, go to thermatru.com/finishing or ask your seller for more details.

*Actual coverage may vary based on product selected, application method and desired appearance. Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See page 285 for important product details that may help with your purchase decision. See your Therma-Tru seller for details on the Same-Day Stain limited warranty and exclusions.

Door System Components



Engineered to work together.

A Therma-Tru® door with genuine Therma-Tru components is more than a beautiful door – it's a complete door system engineered with craftsman precision for durability and reliability through the years. And, a Therma-Tru fiberglass door system with genuine Therma-Tru components is backed by the industry's most comprehensive lifetime limited warranty.

Visit our online replacement parts page to maintain the integrity of a complete door system with genuine Therma-Tru components at thermatru.com/parts.

Composite Door Frame*

featuring Tru-Guard™ Composite Technology




TRU GUARD™

COMPOSITE TECHNOLOGY

Composite door frame featuring Tru-Guard™ composite technology provides a rot-free solution engineered to work together with rot-resistant Therma-Tru® doors and components.

- Delivers extra protection from the damaging effects of outside elements for peace of mind.
- Eliminates the risk of rot and wood-ingesting insects with a durable composite material that is virtually maintenance free. Rot-free door frame does not absorb moisture and resists mold, mildew and fungus.



REINFORCED MULLIONS

Provide additional structural support and stability. All mullions are reinforced with a co-extruded **A** LVL core to provide additional structural support and stability and feature a **B** composite-capped bottom to eliminate the risk of water absorption and maintain a rot-free composite exterior.

Order composite door frame samples at store.thermatru.com.

*See your Therma-Tru seller for details on product availability.

**Comparison of pendulum impact test results for Therma-Tru composite door frame and standard finger-jointed Pine wood door frame, both with similar pre-hung doors.

***To confirm code requirements in your jurisdiction, always check with your local building code authority.

Note: See your Therma-Tru seller or visit thermatru.com for details on available product sizes and options, limited warranties and exclusions, and Rider. Frame-only warranty option for customers without a Therma-Tru door system.

AVAILABLE TEXTURES



Ready to finish.

Buff Grained

- Features a universal wood grain to complement a wide range of grain species.
- Stain or paint to complement the entry – no sanding or priming required.



Ready to install.
 Ready to finish.

White Smooth

- Features a matte finish similar to painted wood and includes a protective layer with UV inhibitors to help resist yellowing and fading.
- Ready to install as-is – no painting required. Or finish with stain or paint to complement the entry – no sanding or priming required.

THE ADVANTAGE IS CLEAR

Performance	
Resists Moisture & Humidity – Eliminates Risk of Swelling, Warping and Splitting	
Resists Mold, Fungus & Rot – Does Not Absorb or Retain Moisture	
Resists Insects – Help Protect from Wood-Ingesting Insects	
Tested to be up to 50% stronger on average than standard wood door frames against kick-ins.**	
Impact and 20-Minute Fire Code Compliant***	
Aesthetics	
Ready to Finish – No Sanding or Priming Required	
Ready-to-Install Option – No Finishing Required – White Smooth	
Universal Grain Complements a Wide Range of Wood Species – Buff Grained	
Screw Plugs Match Frame Material and Conceal External Fasteners	
Warranty	

Therma-Tru Products & Applications	Warranty For First Homeowner	Warranty Riders Transferable 1x to Second Homeowner
Composite Door Frame + Classic Craft® Door + Components		Lifetime Transferable Full-System Rider
Composite Door Frame + Fiber-Classic®, Smooth-Star®, Pulse® Fiberglass Door + Components		10-Year Transferable Full-System Rider
Composite Door Frame Only		

Composite Door Frame Parts

See your Therma-Tru seller for a full list of available product sizes and options.

Jambs



4-1/8"
 4-9/16"
 5-1/4"
 6-9/16"
 7-1/4"

Mullions



2" Entry Narrow
 2-1/2" Entry Wide



2" Patio Narrow
 2-1/2" Patio Wide

Pre-inserted weatherstrip option available for select white smooth jambs and mullions.

Trim



2" Brickmould WM180



1-5/8" Florida Brickmould WM176



3-1/2" x 1" Flat Casing

Mull Casing



1-15/32" x 1-1/16"



1-7/32" x 7/32"
 2" x 7/32"



2-15/16" x 1-1/16" *Buff grained only.*
 2-15/16" x 3/8" *Buff grained only.*

Storm Door-Ready Mullion Adaptor



2" to 1-11/16"

Storm Door Adaptor



4-9/16" Base Adaptor
 Face Adaptor
 (Use 1-15/32" x 1-1/16" Mull Casing)




6-9/16" Base Adaptor

Screen Track Cap



1-13/32" x 9/16"

Fasteners, Setting Tool & Screw Plug Covers



Screw plugs are available on a collated strip for ease of installation and finishing.

Storm Door-Ready Mullions



4-9/16"
6-9/16"



7/16" x 5/16" Cove Mould

Transom Sills



4-9/16"
6-9/16"

Engineered as part of Therma-Tru's complete entry door system, our composite door frame is **more reliable and up to 50% stronger on average than standard wood door frames*** when withstanding a simulated forced entry attempt by kicking in the door.*

Pendulum Impact Test



Therma-Tru Wood Jamb



Therma-Tru Composite Jamb

CODE-COMPLIANT OPTIONS

Therma-Tru® composite door frame delivers the durability and reliability you expect from Therma-Tru with options to meet select national and local building code requirements.**



Impact-rated to meet high-wind and coastal region codes and regulations, offering excellent performance in extreme weather conditions while providing added protection.**



20-minute Fire-rated to meet most national and local code requirements for house-to-garage, multi-family residential and hotel / motel unit entries.**

*Comparison of pendulum impact test results for Therma-Tru composite door frame and standard finger-jointed Pine wood door frame, both with similar pre-hung doors.

**To confirm code requirements in your jurisdiction, always check with your local building code authority.

Note: See your Therma-Tru seller or visit thermatru.com for product approvals and installation instructions. Always confirm building code requirements in your area before buying. Follow weather and news reports to assess severe weather situations and obey local authorities' shelter and evacuation orders. No product guarantees safety for persons or property, nor makes any premises hurricane- or impact-proof. To see the third-party Intertek (Warnock-Hersey) listing reports, visit thermatru.com/performance.

Sills

Allow for a tight seal to help block wind-driven moisture infiltration at the bottom of the door and a solid stepping surface.

Available in a variety of materials with features to meet the needs of different climates and exposures. Ask your Therma-Tru® seller for a complete list of options.

INSWING OPTIONS



Composite Adjustable Sill (Premium) ❖

- Thick wood-grained composite cap and nosing.
- U-shaped weather seal.
- Adjustable flush screws.
- Solid extruded composite substrate.

Continuous length with spread mullion capability to fill 49"-75" rough openings.*




Hardwood Adjustable Sill

- Durable hardwood cap and nosing can be stained to match door and trim.
- U-shaped weather seal.
- Adjustable flush screws.



Basic Composite Adjustable Sill (Economy)


- Wood-grained composite cap and nosing.
- Adjustable screws with removable screw caps.



Value Composite Adjustable Sill (Economy)

- Composite cap and nosing.
- Adjustable flush screws.
- Injection-molded composite substrate.

Inswing Sill Extenders



OUTSWING OPTIONS



Composite Outswing Sill (Premium) ❖

- Thick wood-grained composite cap and nosing.
- Integrated weatherstrip.
- Helps meet code requirements in HVHZ coastal regions.



Aluminum Sill with Thermal Break

- All-aluminum construction.
- Integrated weatherstrip.
- Also available without thermal break.



Coastal Sill (For Coastal Regions)

- All-aluminum construction.
- Extra-high cap profile.
- Integrated weatherstrip.
- Helps meet code requirements in HVHZ coastal regions.

Public Access Sill



Public Access Sill with Thermal Break**

- (For ADA Applications)
- All-aluminum construction.
 - Ramp slope meets Americans with Disabilities Act (ADA) requirements.
 - Also available without thermal break.

*See the Therma-Tru Architectural Details & Components manual for actual unit size specifications.

**Door systems built with public access sills have little resistance to water penetration and have a potential to leak if installed exposed to weather. We recommend these systems be installed away from weather under large soffits or overhangs.

***For full details on the Tru-Defense Warranty Rider, visit thermatru.com/trudefense.

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See page 285 for important product details that may help with your purchase decision.

Key



SILL FINISHES



Mill



Bronze

CAP COLORS



Lightwood (Premium)



Darkwood (Premium)



Lightwood (Economy)



Darkwood (Economy)



Hardwood

■ = Available
 · = Not Applicable

	Inswing Options			Outswing Options				Public Access (Inswing / Outswing)	
	Composite Adjustable (Premium)	Hardwood Adjustable	Value Composite Adjustable (Economy)	Composite Outswing (Premium)	Aluminum with Thermal Break	Aluminum without Thermal Break	Coastal	Public Access (Inswing / Outswing)	Public Access (ADA)**
Sill Finishes									
Mill	■	■	■	■	■	■	■	■	■
Bronze	■	■	■	■	■	■	·	■	■
Cap Colors									
Lightwood	■	·	■	■	·	·	·	·	·
Darkwood	■	·	■	■	·	·	·	·	·
Hardwood	·	■	·	·	·	·	·	·	·
Sill Configurations									
Single	■	■	■	■	■	■	■	■	■
French	■	■	·	■	■	■	■	■	■
Double Patio	■	■	·	■	·	·	·	·	·
Triple Patio	■	·	·	■	·	·	·	·	·
Lineal	■	■	·	·	·	·	·	·	·
Sidelite Configurations									
Boxed Sidelites	■	·	·	·	·	·	·	·	·
Single with Sidelites	■	■	·	■	·	·	·	·	·
French with Sidelites	■	·	·	·	·	·	·	·	·
Single Vented Sidelites	■	·	·	·	·	·	·	·	·
French Vented Sidelites	■	·	·	·	·	·	·	·	·
Depths									
4-9/16"	■	·	■	■	·	■	■	■	■
5-3/4"	■	■	■	■	■	·	·	·	·
6-9/16"	·	·	·	·	·	·	·	·	■
7-3/4"	■	■	■	·	■	·	·	·	·
Substrates									
Composite Extruded	■	·	·	■	·	·	·	·	·
Composite Injection Molded	■	·	■	·	·	·	·	·	·
Treated Pine	·	■	·	·	■	■	■	·	·
Other Options									
Integrated Thermal Break	■	■	■	■	■	·	·	·	■
Screen Rail Available	■	■	·	·	·	·	·	·	·
Sill Extenders Available	■	■	■	■	·	·	·	·	·
Sill Covers Available	■	■	■	■	·	·	·	·	·
Tru-Defense Eligible***	■	·	·	■	·	·	·	·	·
With Anchor Holes	·	·	·	·	■	■	■	·	■
Without Anchor Holes	■	■	■	■	■	·	·	·	·

Note: See your Therma-Tru seller for details on available component and finish color combinations.

Door Bottoms

Designed to mate with our sills and help provide added protection to help seal the margin between the door and sill. Kerf-applied for a secure fit and made of a heavy-duty material that holds its shape to help maintain contact.

INSWING OPTIONS




Kerf-Applied Dual-Bulb / Dual-Fin Bottom Sweep

Sills:
Composite Adjustable
Hardwood Adjustable
Value Composite Adjustable

Colors:
Bronze
White



Non-kerf-applied option available for replacement applications. Available in bronze only.



Inactive Door Bottom

Sills:
Composite Adjustable
Hardwood Adjustable

Colors:
Bronze

OUTSWING OPTIONS



Outswing Bottom Sweep

Sills:
Aluminum
Coastal

Color:
Bronze



Inactive Door Bottom

Sills:
Composite Outswing

Colors:
Bronze

ADA / REPLACEMENT



Bottom Sweep

Sills:
Public Access

Color:
Bronze

Sill Protection



Sill Covers (Recommended)

- Fits over the sill to help protect cap and finish from damage during installation.
- Made of a heavy-duty material to withstand wear.
- Available in a variety of options to fit our sills.

Shown over composite adjustable sill.

See page 271 for availability.



Sill Pan (Recommended)

- Fits between the sill and subfloor for an added layer of protection against moisture.
- Engineered with sloped channels to help collect and drain moisture away.

Corner Seal Pads (Inswing Only)

Fit securely behind weatherstrip and mate with our inswing sills to help block wind-driven moisture from pushing through the corner and up the frame. (Not required for outswing sills.)

Classic Craft® 7-Shape Pads



Colors:
Bronze
White

Sills:
Composite Adjustable
Hardwood Adjustable
Value Composite Adjustable
Public Access


Fiber-Classic® / Smooth-Star® 7-Shape Pads



Colors:
Bronze
White

Sills:
Composite Adjustable
Hardwood Adjustable
Value Composite Adjustable
Public Access

Basic Pads



Colors:
Bronze

Sills:
Inswing
Applications Only

Weatherstrip

Engineered in a variety of profiles for a precise seal between the door and frame. Made of a flexible material protected by a durable jacket to resist moisture and wear.

Medium-Reach Weatherstrip



Colors:
Bronze
White

Long-Reach Weatherstrip



Colors:
Bronze
White

Rain Protection (Recommended)

Helps repel moisture away from areas exposed to wind-driven moisture infiltration, enhancing weather protection. Highly recommended for applications directly exposed to wind and rain.

Rain Deflector (Inswing)




Colors:
Bronze
White

Rain Guard (Outswing)



Colors:
Bronze
White



Bottom of door; exterior view.



Top of door; exterior view.

Key

Tru-Defense Eligible

Hardware

Multi-Point Locking Systems (MPLS) (Recommended)

Engages the door and frame at three critical points from top to bottom for enhanced stability compared to traditional deadbolt assemblies. Features premium stainless steel construction that resists corrosion.

GRIP-STYLE MPLS

Grip-style handlesets offer an intuitive approach to the multi-point locking system with on-trend aesthetics. A simple 90-degree twist of the thumbturn (interior) or a key (exterior) is all it takes to engage the door frame at three points with no need to lift the handleset lever. An integrated mishandling device protects the door and frame from accidental damage. Features deadbolt located above handleset.

(Highly recommended for 8'0" fiberglass doors. Active option only. Not available for door systems with an astragal. Not recommended for steel doors or Impressions integrated storm and entry door systems. Strike plate package available.)




Tongue
 Heights: | Configurations:
 6'8" | Inswing
 7'0" | Outswing
 8'0"

- 1 Self-lubricating locks.
- 2 1" premium stainless steel deadbolt.
- 3 Integrated mishandling device.

Key

Tru-Defense Eligible



LEVER-STYLE MPLS +

Lever-style handlesets bring form and function together with decorative styles. A convenient upward turn of the handle is required before all three points will engage. An integrated mishandling device helps protect the door and frame from accidental damage. Features deadbolt below the handleset.

(Highly recommended for 8'0" and double fiberglass doors. Not recommended for steel doors. Strike plate packages available to meet the installation needs of various MPLS applications.)



Tongue

Heights:
6'6"
6'8"
7'0"
8'0"

Configurations:
Inswing
Outswing



Shootbolt

(For door systems with an astragal.)

Heights:
6'6"
6'8"
7'0"
8'0"

Configurations:
Inswing
Outswing



Side view of door.

Engages at three critical points.

Exterior view of door.



Vented Sidelite MPLS




Tongue

(Included in vented sidelite units.)



Heights:
6'6"
6'8"
8'0"

Handleset Options for Standard Door MPLS


Designed to complement Therma-Tru® door styles from traditional to contemporary.




FINISH OPTIONS



FINISH OPTIONS



Latch & Deadbolt Strike Plate



Standard vs. Adjustable Security Strike Plate

ADJUSTABLE SECURITY STRIKE PLATE

(Recommended for standard lock and deadbolt handlesets only.)

Finish Options:

- Brushed Nickel
- Black Nickel
- Polished Chrome
- Oil-Rubbed Bronze
- Stainless Steel
- Zinc Dichomate

A genuine Therma-Tru® adjustable security strike plate helps enhance the safety and security of a home, wrapping around the door jamb and fully engaging the frame of the house for added support and strength against forced entry.

- ① Wraps around the door jamb for added support and an exact fit.
- ② 2-1/2" screws fully engage with the frame of the house for added strength.

Key




*To confirm code requirements in your jurisdiction, always check with your local building authority.
Note: See your Therma-Tru seller for available component options.

Hinges

Adjustable Hinge

(Recommended for Classic Craft premium entryways.)

Allow the door to be moved horizontally and vertically in the frame, maintaining alignment and keeping the door performing beautifully.



Self-Aligning Ball-Bearing

(Recommended for heavier Fiber-Classic, Smooth-Star and Steel doors.)


Contains locating tabs to assist in accurate alignment with specific door systems.



Classic-Craft® Ball-Bearing

(Recommended for Classic Craft premium entryways.)

Ball bearings help protect each hinge pivot for added support and stability.



Self-Aligning

(Recommended for heavier Fiber-Classic, Smooth-Star and Steel doors.)

Contains locating tabs to provide accurate alignment with specific door systems. Note: Non-removable pin option available with fixed pins, providing security on outswing applications.



Classic-Craft® Ball-Bearing - Staggered Hole Pattern

(Recommended for Classic Craft premium entryways.)

Ball bearings help protect each hinge pivot for added support and stability. Staggered hole pattern helps simplify assembly process. Note: Non-removable pin option available with fixed pins, providing security on outswing applications.



Security Tab

Security tabs prevent door from being taken off hinges, providing security on outswing applications.



Spring-Loaded

UL Listed with self-closing spring mechanism that helps pull the door closed for convenience or meets code requirements that may be applicable in Fire-door applications.*



HINGE FINISH OPTIONS



Bright Brass Brushed Nickel Black Nickel Polished Chrome Oil-Rubbed Bronze Stainless Steel Zinc Dichromate

Hinge Finish Options	■ = Available - = Not Applicable									
	Adjustable	Classic Craft Ball-Bearing	Classic Craft Ball-Bearing - Staggered Hole Pattern	Classic Craft Ball-Bearing - Staggered Hole Pattern (Non-Removable Pin)	Self-Aligning Ball-Bearing	Self-Aligning	Self-Aligning NRP (Non-Removable Pin)	Security Tab	Spring-Loaded	
Bright Brass	■	■	■	■	■	-	-	-	-	
Brushed Nickel	■	■	■	■	■	■	■	■	■	
Black Nickel	■	■	■	■	■	-	■	-	■	
Polished Chrome	■	■	■	■	■	-	■	-	■	
Oil-Rubbed Bronze	■	■	■	■	■	■	■	-	■	
Stainless Steel	-	■	■	■	■	-	■	■	■	
Zinc Dichromate	-	■	■	■	■	■	■	■	■	


Hinges position the door to properly compress the weatherstrip and help ensure smooth operation. Features options to suit various applications and mate with mortise pockets machined into our doors. Adjustable security strike plate wraps around the jamb and engages the frame for added support and strength, and resistance against forced entry.

Astragals

Cover the margin between double doors to help complete the seal against air and moisture infiltration, with aluminum construction for stability, holding power and durability. Available in a stainable wood-grained vinyl wrap or aluminum.



STAINABLE ASTRAGAL



- Heights:**
6'6"
6'8"
7'0"
8'0"
- Width:**
7/8"
- Configurations:**
Inswing
Outswing
Multi-Point Lock
Double Bore
Left-Handed
Right-Handed
- Grain Options:**
Oak
Fir
- Weatherstrip:**
Bronze

Shown in Oak grain with Driftwood stain.

ALUMINUM ASTRAGAL




- Heights:**
6'6"
6'8"
7'0"
8'0"
- Width:**
7/8"
- Configurations:**
Inswing
Outswing
Multi-Point Lock
Double Bore
Left-Handed
Right-Handed
- Finish Colors:**
Bronze
White
- Weatherstrip:**
Bronze

Coastal option also available.


- Available with strike plates to receive a latch and deadbolt or multi-point locking system.
- Integrated weatherstrip and corner seal pad helps form a tight seal between the astragal and active door when closed.
- Spring clips to engage and disengage the shootbolts.
- Durable boot engineered to work with the active bottom sweep to complete the seal across the sill.
- 16-1/2" locking steel slide bolt can be vertically adjusted for a secure fit with the sill and frame.

TEXTURES AVAILABLE

Stainable (Shown in Driftwood stain.)



Aluminum



Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See page 285 for important product details that may help with your purchase decision.

Bottom: Classic Craft Mahogany Grain, Provincial Glass, Doors - CCR804028
 Right Page, Top: Fiber-Classic Oak Collection, Clear Glass with GBGs, Doors - 8000-12, Finish - Raven
 Right Page, Bottom Left: Classic Craft Fir Grain, Homeward Glass, Doors - CCA211, Finish - Driftwood
 Right Page, Bottom Right: Fiber-Classic Oak Collection, Clear Glass with GBGs, Doors - FC8313, Finish - Barley

Key
 Tru-Defense Eligible





Special Quote Program

In addition to thousands of standard glass choices, we offer additional glass options through our Special Quote Program to help you find the right look for virtually any home.



Special Quote SDL Pattern Example



Special Quote
GBG Color Options


DIVIDED LITES

Match various window patterns and home styles with additional grid patterns and color options. Impact-rated options also available.




PRIVACY & TEXTURED GLASS

Achieve the desired look and level of privacy with additional options, including hammered glass doorlites shown above.



Axis. with Standard Black Nickel Caming



Axis. with Special Quote Brushed Nickel Caming


CAMING COLORS

Pair black nickel, brushed nickel or brass caming with any decorative glass design to complement home hardware and fixtures.

3'6" Width Door Style Options

CLASSIC CRAFT.

8'0" Door Styles




Glass Designs

Homeward™	■		■			■	■
Arborwatch™	■		■			■	■
Augustine.	◆	◆	◆	◆	◆	◆	
Borrassa.	◆	◆	◆	◆	◆	◆	
Lucerna.	◆		◆			◆	
Rainglass							■
Low-E	◆		■			◆	■

Key

- Classic Craft. Artissa Collection™
- ◆ Classic Craft. Founders Collection™
- ▲ Classic Craft. Visionary Collection™
- * Smooth-Star.
- ▮ Profiles™ & Traditions


6'8" & 8'0" Solid-Panel Door Styles



SMOOTH-STAR®, PROFILES™, TRADITIONS & PULSE.

6'8" & 8'0" Door Styles

All Pulse Styles



Glass Designs

Blackstone.	* ▮	*			* ▮	*						
Crystalline™	* ▮	*			* ▮	*						
Sedona	* ▮		* ▮	*	* ▮	*						
Salinas.	* ▮	*			* ▮	*						
Maple Park.	* ▮											
Saratoga™	* ▮		* ▮	*	* ▮	*						
Texas Star	* ▮											
Wellesley™	* ▮	*										
Riserva.	* ▮	*	* ▮	*	* ▮	*						
Concorde™	* ▮	*										
Kensington™	* ▮											
Pembridge™	* ▮	*	* ▮	*	* ▮	*	* ▮	*	* ▮	*		
Axis.	* ▮	*	* ▮	*	* ▮	*	* ▮	*	* ▮	*		
Calix	* ▮	*	* ▮	*	* ▮	*						
Latitude	* ▮	*			* ▮	*						
Echelon	* ▮	*	* ▮	*	* ▮	*						
Privacy & Textured Glass	* ▮	*	* ▮	*	* ▮	*	* ▮	*	* ▮	*		
Internal Blinds	* ▮	*										
Divided Lites	* ▮	*										
Clear	* ▮	*	* ▮	*	* ▮	*	* ▮	*	* ▮	*		
Solid Panel											* ▮	*

7'0" Height Door Style Options

Glass Designs	Door Styles										
Blackstone _®	▼▲**	▲**	*								
Crystalline _™	▼▲**										
Sedona	▼▲**	▲**	*								
Salinas _®	▼▲**	▲**	*								
Maple Park _®	▼▲**	▲**	*						▲**		
Saratoga _™	▼▲**	▲**	*				▼*	▲**			
Texas Star	▼▲**	▲**	*								
Wellesley _™	▼▲**	▲**	*					▲**			
Riserva _®	▼▲**	▲**	*								
Concorde _™	▼▲**	▲**	*					▲**			
Kensington _™	▼▲**	▲**	*								
Pembridge _™	▼▲**	▲**	*							▲	
Axis _®	▼▲**	▲**	*							▲**	
Calix	▼▲**	▲**	*								
Latitude	▼▲**										
Echelon	▼▲**										
Privacy & Textured Glass	▼▲**	▲**	*	▼▲**			▼*			▲**	
Internal Blinds	▼▲**	▲**	*	▼▲**							
Screen Vented		*D	*	*D							
Divided Lites	▼▲**	▲**	*			*D	▼*	▲**			
Clear	▼▲**	▲**	*	▼▲**		*D	▼*	▲**			
Solid Panel											▲**D

6'6" Height Door Style Options

Glass Designs	Door Styles		
Blackstone _®	▲**	▲**	
Crystalline _™	▲**	▲**	
Sedona	▲**	▲**	
Salinas _®	▲**	▲**	
Maple Park _®	▲**	▲**	
Saratoga _™	▲**	▲**	
Texas Star	▲**	▲**	
Wellesley _™	▲**	▲**	
Riserva _®	▲**	▲**	
Concorde _™	▲**	▲**	
Kensington _™	▲**	▲**	
Pembridge _™	▲**	▲**	
Axis _®	▲**	▲**	
Calix	▲**	▲**	
Latitude	▲**	▲**	
Echelon	▲**	▲**	
Privacy & Textured Glass	▲**	▲**	
Internal Blinds	▲**	▲**	
Screen Vented			
Divided Lites	▲**	▲**	
Clear	▲**	▲**	
Solid Panel			▲**D

Key

- ▲ Classic Craft_®
Visionary Collection_™
- ▼ Fiber-Classic_® Mahogany Collection_™
- ▲ Fiber-Classic_® Oak Collection_™
- * Smooth-Star_®
- D Profiles_™ & Traditions

		▼▲*▷	▷				
		▼▲*▷					
		▼▲*▷	▷				
		▼▲*▷	▷				
		▼▲*▷	▷				
		▼▲*▷	▷	▼*			
		▼▲*▷	▷				
		▼▲*▷	▷				
		▼▲*▷	▷				
		▼▲*▷	▷				
		▼▲*▷	▷			▷	
		▼▲*▷	▷			▷	
		▼▲*▷					
		▼▲*▷					
		▼▲*▷					
		▼▲*▷	▷	▼*	▷		
		▼▲*▷	▷				
	▷	▼▲*▷	▷	▼*			
		▼▲*▷	▷	▼*	▷		
						*	▲*▷ ▲▼▲*▷



Top: Smooth-Star, Maple Park Glass, Door – S6107
 Bottom: Smooth-Star Door – S210; Clear Glass with GBGs, Sidelites – S308SL

Entry & Patio Door Systems

Feature	Classic Craft	Fiber-Classic. & Pulse. Wood-Grained	Smooth-Star. & Pulse. Smooth	Profiles. & Pulse. Steel (6'8")	Traditions & Pulse. Steel (8'0")
Skin Material	Fiberglass	Fiberglass	Fiberglass	24-Gauge Steel	6'8": 25-Gauge Steel / 8'0": 24-Gauge Steel
Skin Texture	Fir, Walnut, Mahogany; High-Detail Smooth	Mahogany, Oak Grain	High-Detail Smooth	Smooth	Smooth
Exterior Finish	Stain or Paint	Stain or Paint	Paint	Paint	Paint
Interior Finish	Stain or Paint	Stain or Paint	Paint	Paint	Paint
Panel – Top Rail	Composite	Composite	Composite	Wood	Wood
Panel – Bottom Rail	Composite	Composite	Composite	Composite	Composite
Lock Stile	4" Full-Length Engineered Lumber	6'8": 1-1/4" Engineered Lumber 8'0": 3-15/16" Full-Length Engineered Lumber	6'8": 1-1/4" Engineered Lumber 8'0": 3-15/16" Full-Length Engineered Lumber	1-1/4" Wood	1-1/4" Wood
Lock Block	4" Full-Length Engineered Lumber Stile	22-1/2" Wood	12-1/2" Wood	12-1/2" Wood	6'8": 12-1/2" Wood / 8'0": 22-1/2" Wood
Height Options	6'8", 7'0" & 8'0"	6'6", 6'8", 7'0" & 8'0"	6'6", 6'8", 7'0" & 8'0"	6'6", 6'8" & 7'0"	6'8" & 8'0"
Width Options	2'6", 2'8", 2'10", 3'0" & 3'6"	2'0", 2'4", 2'6", 2'8", 2'10" & 3'0"	2'0", 2'4", 2'6", 2'8", 2'10", 3'0" & 3'6"	2'0", 2'4", 2'6", 2'8", 2'10", 3'0" & 3'6"	2'0", 2'4", 2'6", 2'8", 2'10" & 3'0"
Panel Options	Single, Double or Triple	Single, Double or Triple	Single, Double or Triple	Single, Double or Triple	Single, Double or Triple
Sidelite Options	12" & 14"	10", 12" & 14"	10", 12" & 14"	10", 12" & 14"	10", 12" & 14"
Lite Frame Options	SMC Frame	Advanta Frame, Standard Frame, PVC Frame	Advanta Frame, Standard Frame, PVC Frame	Standard Frame, PVC Frame	Standard Frame, PVC Frame
Glass Options	Deco / Privacy & Textured / Low-E IG	Deco / Privacy & Textured / Low-E / Clear IG	Deco / Privacy & Textured / Low-E / Clear IG	Deco / Privacy & Textured / Low-E / Clear IG	Deco / Privacy & Textured / Low-E / Clear IG
Sill*	Inswing: Composite Adjustable Outswing: Composite Outswing	Inswing: Value Composite Adjustable Outswing: Composite Outswing	Inswing: Value Composite Adjustable Outswing: Composite Outswing	Inswing: Value Composite Adjustable Outswing: Aluminum	Inswing: Value Composite Adjustable Outswing: Aluminum
Weatherstrip - Hinge	Medium-Reach	Medium-Reach	Medium-Reach	Medium-Reach	Medium-Reach
Weatherstrip - Lock	Medium-Reach	Long-Reach	Long-Reach	Long-Reach or Magnetic	Long-Reach or Magnetic
Weatherstrip - Head	Medium-Reach	Long-Reach	Long-Reach	Long-Reach or Magnetic	Long-Reach or Magnetic
Multi-Point Lock	Recommended	Recommended	Recommended	–	–
Security Strike Plate	Recommended	Recommended	Recommended	Recommended	Recommended
Hinges*	Classic Craft Ball-Bearing	Self-Aligning	Self-Aligning	Self-Aligning	Self-Aligning
Frame*	Composite Door Frame	Composite Door Frame	Composite Door Frame	Rot-Resistant	Primed Pine
Screens & Screen Accessories Available Colors: Bronze, White	2" Frame	2" Frame	2" Frame	2" Frame	2" Frame
Residential Limited Warranty	Transferable Lifetime	Lifetime	Lifetime	10 Years	Door: 5 Years / Glass: 10 Years / Pulse 8'0": 10 Years

For dimensional data, see your Therma-Tru seller or visit thermatru.com for a copy of the Therma-Tru Unit & Rough Opening Sizing Booklet.

Therma-Tru® Door Systems

Independent Laboratory Performance Testing

At the time of manufacture, Therma-Tru exterior door systems (properly assembled with all genuine Therma-Tru components) have been tested under one or more of the following performance specifications: structural load, uniform load deflection, vertical load resistance, air infiltration, water penetration resistance, forced entry resistance, operating forces, force to latch, deglazing resistance, operating cycle performance, impact resistance, sound transmission, thermal performance and solar heat gain performance. Therma-Tru exterior door systems conform to the applicable Performance Standards / Test Methods that may include ANSI/AAMA/NWDA 101/I.S.2, AAMA/WDMA 101/I.S.2/NAFS, AAMA/WDMA/CSA 101/I.S.2-A440, ASTM E330, ASTM E547, ASTM E283, ASTM E331, ANSI/BHMA A156.2, AAMA 1304, AAMA 920, AAMA 925, ASTM E2068, ASTM F842, ASTM E987, ASTM E1300, ASTM E90, ASTM E413, ASTM E1332, ASTM E1886, ASTM E1996, PA/TAS 201, PA/TAS 202, PA/TAS 203, HUD UM89, AAMA 1702.2, 24 CFR 3280, 24 CFR 3282, NFRC 100 and NFRC 200. Refer to www.thermatru.com for design pressure and other performance ratings.

Doors

Recommended Door Overhang – For best performance, all doors should be protected by an overhang. The recommended size is half the distance from the base of the door to the bottom of the overhang. So, as an example, a distance of 10' for this dimension would require an overhang of 5' minimum. For wetter climates, southern or western exposures, and for double doors, the overhang should be the same as the distance from the base of the door to the bottom of the overhang. In this same example, the dimension is 10' so the overhang should be 10'.

For best performance, double doors to be used in areas with severe weather exposure must be installed using entry alcoves or large soffit overhangs to protect entry unit from exposure. Multi-point locking systems are highly recommended for 8'0" and double door applications.

Doorlites

Doorlites are insulated, and exposed panes are tempered or laminated. Optional wood grilles available for clear doorlites and transoms.

Inserts – All glass (except flush-glazed styles) shall be bedded with glazing mastic and secured in doors with screws. Therma-Tru's SMC and BTS doorlite frames are available for most styles except where noted. SMC and BTS frames shall resist significant deformation by heat up to 200 degrees Fahrenheit, regardless of paint or stain color or placement behind a storm door.

PVC doorlite frames must be finished within 30 days of installation. Failure to do so will increase the chance for product damage of the type that is not covered by the warranty. PVC doorlite frames are not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.

Decorative Glass & Wrought Iron – Each Therma-Tru decorative glass unit is handcrafted by skilled artisans replicating Old World techniques. Each piece is a unique work of art and many things that would appear to be imperfections (small bubbles, lines and waves within the glass) are normal and are part of the designs character.

Direct Set Sidelites – All Therma-Tru direct set sidelites shall utilize trim components secured and glazed in place in the door jamb.

Condensation occurs naturally in the home, caused by excessive humidity in the air. Often this harmless water vapor can be seen collecting on glass surfaces, such as doorlites. Energy-efficient glass units in Therma-Tru door systems are constructed to keep the glass as warm as possible, reducing condensation build-up. However, there is no such thing as a condensation-free window or doorlite in high-humidity conditions.

A common attribute of true wrought iron doorlites is that a rattle sound may be heard when closing the door. This is solely a function of having real wrought iron which is heavy and has the ability to flex, moving back and forth within a narrow airspace surrounded by glass that has very little flex. This characteristic is not considered a defect or warranty issue.

NOTE: Glass privacy ratings are determined by the 1/2-lite glass size. As a result, the amount of privacy / glass transparency may be more or less than indicated by the privacy rating, based on the glass design and size of the glass that is inserted into the door, sidelite or transom.

Glass designs may differ from depiction due to the size and hand craftsmanship of glass. See your Therma-Tru seller or visit www.thermatru.com for more details.

Components

Adjustable Security Strike Plate – Proprietary adjustable type, permitting in-out adjustment of door in frame, up to 3/16".

Hinges – Minimum hinge size 4" x 4" x .098".

Ball-bearing hinges are recommended for 8'0" doors, doors using heavy lites (e.g., wrought iron), all 20-Minute Fire-rated fiberglass doors, Impact-rated doors and glass, and all Classic Craft doors.

Use of the multi-point locking system is highly recommended for 8'0" and double fiberglass doors. Not recommended for steel doors.

Please be aware that single door units built with public access sills have little resistance to water penetration, and double doors built with these sills have a potential to leak if installed exposed to weather. We recommend that units be installed away from weather under large soffits or overhangs.

Use of a sill pan is recommended.

Fiber-Classic and Smooth-Star dentil shelves are not recommended for placement behind storm doors or to be painted dark colors, if exposed to direct sunlight.

Impact-Rated Products

Impact-rated products must be installed as part of a Therma-Tru door system in compliance with a Therma-Tru product approval. Visit www.thermatru.com for product approvals and full details on WBDR- (Wind-Borne Debris Region) / HVHZ- (High Velocity Hurricane Zone) compliant products. Follow weather and news reports in order to assess severe weather situations and obey local authorities' shelter and evacuation orders. No product guarantees safety for persons or property, nor makes any premises hurricane- or impact-proof.

Fire-Rating Performance Standards

Fire and building codes vary throughout the country and acceptance of products and labels is left to the discretion of the local authorities.

MODIFICATION OF PRODUCTS DESCRIBED IN THIS BROCHURE WHICH CARRY FIRE RATINGS (DOORS AND FRAMES) MAY VOID THE FIRE RATINGS.

Test conducted by Intertek, Warnock-Hersey.

Limited Warranties

Please be aware of the applicable Therma-Tru Limited Warranty which contains important restrictions, disclaimers, exclusions and conditions, as well as the below listed Installation, Finishing & Maintenance documents, related to the Therma-Tru product purchased (e.g., Fiberglass, Steel, Patio Door Systems), all of which can be obtained from your Therma-Tru seller or found in their entirety at www.thermatru.com:

- Therma-Tru. Fiberglass and Steel Door Systems Residential Limited Warranty: Fiberglass – Classic Craft, Fiber-Classic, Smooth-Star, and Pulse. Door Systems; Steel – Pulse, Profiles, and Traditions Door Systems
- Therma-Tru. Tru-Defense. Door System Rider to Fiberglass Door Systems Limited Warranty: Classic Craft, Fiber-Classic, Smooth-Star, and Pulse. Fiberglass Door Systems
- EnLiten. Flush-Glazed Construction & Installation Rider to Fiberglass Door Systems Limited Warranty for Residential and Multi-Resident Premises: Classic Craft, Fiber-Classic, and Smooth-Star. Flush-Glazed Fiberglass Door Systems
- EnLiten. Flush-Glazed Homeowner Rider to Fiberglass Door Systems Limited Warranty for Residential and Multi-Resident Premises: Classic Craft, Fiber-Classic, and Smooth-Star. Flush-Glazed Fiberglass Door Systems
- PrismaGuard. Limited Warranty Rider to Fiberglass and Steel Door Systems Limited Warranty for Residential and Multi-Resident Premises: Fiberglass – Classic Craft, Fiber-Classic, Smooth-Star, and Pulse. Door Systems; Steel – Pulse, Profiles, and Traditions
- Same-Day. Stain 5-Year Limited Warranty: Same-Day. Stain and Topcoat for Use on Therma-Tru. Fiberglass Door Systems and Fypon. Stainable Polyurethane Products
- Therma-Tru. Composite Door Frame featuring Tru-Guard. Composite Technology Limited Warranty for Residential and Multi-Resident Premises: Classic Craft, Fiber-Classic, Smooth-Star, and Pulse. Fiberglass Door Systems
- Therma-Tru. Composite Door Frame featuring Tru-Guard. Composite Technology Limited Warranty Transferable Rider to Fiberglass Door Systems Limited Warranty for Residential and Multi-Resident Premises: Classic Craft, Fiber-Classic, Smooth-Star, and Pulse. Fiberglass Door Systems

Installation, Finishing & Maintenance

Therma-Tru doors and sidelites come unfinished. Installation, finishing and maintenance must be performed according to Therma-Tru's recommendations to comply with warranty requirements. Obtain a copy of the following documents outlining recommendations from your Therma-Tru seller or find them in their entirety at www.thermatru.com:

- Installation Instructions (Products that are approved for Coastal and / or high wind applications may require special installation. Always follow the installation instructions in the Product Approval for these products.)
- Therma-Tru Fiberglass and Steel Door Systems Recommendations for Proper Finishing and Painting or Staining

NOTE: Finish colors may vary from an actual application due to fluctuations in finishing or the printing of this catalog. See your Therma-Tru seller or visit www.thermatru.com for more details.

19020T.....	102	CCA2320XNSL.....	66	CCA3401SL.....	90	CCA8220XR.....	91	CCA82360XN.....	65	CCA84940XN.....	65
19200T.....	102	CCA2320XR.....	64	CCA3450SL.....	94	CCA8230.....	93	CCA82360XR.....	65	CCA84940XR.....	65
19210T.....	102	CCA2320XRSL.....	66	CCA3450XCSSL.....	92	CCA82300.....	66	CCA82370.....	67	CCA84945.....	97
19220T.....	102	CCA2330.....	67	CCA3450XJSL.....	92	CCA82300SL.....	68	CCA82370XC.....	65	CCA87100.....	94
AB30T.....	102	CCA2330SL.....	68	CCA3450XNSL.....	92	CCA82300XC.....	64	CCA82370XE.....	65	CCA87100XR.....	92
ABRT.....	102	CCA2330XC.....	64	CCA3450XRSL.....	92	CCA82300XCSSL.....	66	CCA82370XJ.....	65	CCA87111.....	91
CC040T.....	102	CCA2330XCSSL.....	66	CCA3500SL.....	94	CCA82300XE.....	64	CCA82370XN.....	65	CCA87112.....	90
CC400T.....	102	CCA2330XE.....	64	CCA3500XCSSL.....	92	CCA82300XESL.....	66	CCA82370XR.....	65	CCA87131.....	90
CC420T.....	102	CCA2330XESL.....	66	CCA3500XJSL.....	92	CCA82300XJ.....	64	CCA82380.....	67	CCA87132.....	90
CCA1100.....	97	CCA2330XJ.....	64	CCA3500XNSL.....	92	CCA82300XJSL.....	66	CCA82380XC.....	64	CCA87200.....	93
CCA1125.....	96	CCA2330XJSL.....	66	CCA3500XRSL.....	92	CCA82300XK.....	64	CCA82380XE.....	64	CCA87200XR.....	91
CCA1127.....	96	CCA2330XK.....	64	CCA3501SL.....	90	CCA82300XKSL.....	66	CCA82380XJ.....	64	CCA87300.....	93
CCA1133.....	97	CCA2330XKSL.....	66	CCA3560SL.....	94	CCA82300XN.....	64	CCA82380XK.....	64	CCA87300XR.....	91
CCA1145.....	97	CCA2330XN.....	64	CCA3560XCSSL.....	92	CCA82300XNSL.....	66	CCA82380XN.....	64	CCA87400.....	93
CCA1147.....	97	CCA2330XNSL.....	66	CCA3560XJSL.....	92	CCA82300XR.....	64	CCA82380XR.....	64	CCA87400XR.....	93
CCA1149.....	96	CCA2330XR.....	64	CCA3560XNSL.....	92	CCA82300XRSL.....	66	CCA8240.....	93	CCA87600.....	91
CCA1150.....	97	CCA2330XRSL.....	66	CCA3560XRSL.....	92	CCA8230XC.....	91	CCA82400.....	68	CCA87600XR.....	92
CCA1158.....	97	CCA2340.....	67	CCA4900.....	67	CCA8230XJ.....	91	CCA82400SL.....	69	CCA89100.....	91
CCA1166.....	97	CCA2340SL.....	69	CCA4900XC.....	65	CCA8230XN.....	91	CCA82400XC.....	65	CCA89300.....	90
CCA1423SL.....	91	CCA2340XC.....	64	CCA4900XE.....	65	CCA8230XR.....	91	CCA82400XCSSL.....	66	CCA9100.....	91
CCA210.....	94	CCA2340XCSSL.....	66	CCA4900XJ.....	65	CCA8231.....	90	CCA82400XE.....	65	CCA9100SL.....	91
CCA210SL.....	94	CCA2340XE.....	64	CCA4900XN.....	65	CCA82310.....	66	CCA82400XESL.....	66	CCA9300.....	90
CCA210XC.....	92	CCA2340XESL.....	66	CCA4900XR.....	65	CCA82310SL.....	68	CCA82400XJ.....	65	CCM1419.....	70
CCA210XCSSL.....	92	CCA2340XJ.....	64	CCA4905.....	96	CCA82310XC.....	64	CCA82400XJSL.....	66	CCM1424.....	88
CCA210XJ.....	92	CCA2340XJSL.....	66	CCA4910L.....	67	CCA82310XCSSL.....	66	CCA82400XK.....	65	CCM1465.....	71
CCA210XJSL.....	92	CCA2340XK.....	64	CCA4910LXC.....	65	CCA82310XE.....	64	CCA82400XKSL.....	66	CCM1475.....	71
CCA210XN.....	92	CCA2340XKSL.....	66	CCA4910LXE.....	65	CCA82310XESL.....	66	CCA82400XN.....	65	CCM1485.....	71
CCA210XNSL.....	92	CCA2340XN.....	64	CCA4910LXJ.....	65	CCA82310XJ.....	64	CCA82400XNSL.....	66	CCM1495.....	71
CCA210XR.....	92	CCA2340XNSL.....	66	CCA4910LXN.....	65	CCA82310XJSL.....	66	CCA82400XR.....	65	CCM1842.....	73
CCA210XRSL.....	92	CCA2340XR.....	64	CCA4910LXR.....	65	CCA82310XK.....	64	CCA82400XRSL.....	66	CCM1843SL.....	73
CCA211.....	90	CCA2340XRSL.....	66	CCA4910R.....	67	CCA82310XKSL.....	66	CCA8240XC.....	91	CCM1844.....	73
CCA211SL.....	90	CCA2350.....	67	CCA4910RXC.....	65	CCA82310XN.....	64	CCA8240XJ.....	91	CCM200.....	75
CCA220.....	93	CCA2350XC.....	65	CCA4910RXE.....	65	CCA82310XNSL.....	66	CCA8240XN.....	91	CCM200XC.....	74
CCA220SL.....	94	CCA2350XE.....	65	CCA4910RXJ.....	65	CCA82310XR.....	64	CCA8240XR.....	91	CCM200XN.....	74
CCA220XC.....	91	CCA2350XJ.....	65	CCA4910RXN.....	65	CCA82310XRSL.....	66	CCA82410SL.....	97	CCM203.....	71
CCA220XCSSL.....	92	CCA2350XN.....	65	CCA4910RXX.....	65	CCA82320.....	66	CCA82420SL.....	97	CCM204.....	72
CCA220XJ.....	92	CCA2350XR.....	65	CCA4915L.....	96	CCA82320SL.....	68	CCA8260.....	93	CCM2800.....	75
CCA220XJSL.....	92	CCA2360.....	67	CCA4915R.....	96	CCA82320XC.....	64	CCA8260XC.....	91	CCM2800XC.....	73
CCA220XN.....	91	CCA2360XC.....	65	CCA4920L.....	67	CCA82320XCSSL.....	66	CCA8260XJ.....	91	CCM2800XE.....	73
CCA220XNSL.....	92	CCA2360XE.....	65	CCA4920LXC.....	65	CCA82320XE.....	64	CCA8260XN.....	91	CCM2800XK.....	73
CCA220XR.....	91	CCA2360XJ.....	65	CCA4920LXE.....	65	CCA82320XESL.....	66	CCA8260XR.....	91	CCM2800XN.....	73
CCA220XRSL.....	92	CCA2360XN.....	65	CCA4920LXJ.....	65	CCA82320XJ.....	64	CCA84900.....	67	CCM2800XR.....	73
CCA230.....	93	CCA2360XR.....	65	CCA4920LXN.....	65	CCA82320XJSL.....	66	CCA84900XC.....	65	CCM2801.....	70
CCA2300.....	66	CCA2370.....	67	CCA4920LXR.....	65	CCA82320XK.....	64	CCA84900XE.....	65	CCM2802.....	72
CCA2300SL.....	68	CCA2370XC.....	65	CCA4920R.....	67	CCA82320XKSL.....	66	CCA84900XJ.....	65	CCM2803.....	73
CCA2300XC.....	64	CCA2370XE.....	65	CCA4920RXC.....	65	CCA82320XN.....	64	CCA84900XN.....	65	CCM2804.....	74
CCA2300XCSSL.....	66	CCA2370XJ.....	65	CCA4920RXE.....	65	CCA82320XNSL.....	66	CCA84900XR.....	65	CCM2804XC.....	73
CCA2300XE.....	64	CCA2370XN.....	65	CCA4920RXJ.....	65	CCA82320XR.....	64	CCA84905.....	96	CCM2804XE.....	73
CCA2300XESL.....	66	CCA2370XR.....	65	CCA4920RXN.....	65	CCA82320XRSL.....	66	CCA84910L.....	67	CCM2804XK.....	73
CCA2300XJ.....	64	CCA2380.....	67	CCA4920RXX.....	65	CCA82330.....	67	CCA84910LXC.....	65	CCM2804XN.....	73
CCA2300XJSL.....	66	CCA2380XC.....	64	CCA4925L.....	96	CCA82330SL.....	68	CCA84910LXE.....	65	CCM2804XR.....	73
CCA2300XK.....	64	CCA2380XE.....	64	CCA4925R.....	96	CCA82330XC.....	64	CCA84910LXJ.....	65	CCM2806.....	74
CCA2300XKSL.....	66	CCA2380XJ.....	64	CCA4930.....	68	CCA82330XCSSL.....	66	CCA84910LXN.....	65	CCM2806XC.....	73
CCA2300XN.....	64	CCA2380XK.....	64	CCA4930XC.....	65	CCA82330XE.....	64	CCA84910LXR.....	65	CCM2806XE.....	73
CCA2300XNSL.....	66	CCA2380XN.....	64	CCA4930XJ.....	65	CCA82330XESL.....	66	CCA84910R.....	67	CCM2806XK.....	73
CCA2300XR.....	64	CCA2380XR.....	64	CCA4930XN.....	65	CCA82330XJ.....	64	CCA84910RXC.....	65	CCM2806XN.....	73
CCA2300XRSL.....	66	CCA240.....	93	CCA4930XNSL.....	66	CCA82330XJSL.....	66	CCA84910RXE.....	65	CCM2806XR.....	73
CCA230XC.....	91	CCA2400.....	68	CCA4930XR.....	65	CCA82330XK.....	64	CCA84910RXX.....	65	CCM2812.....	75
CCA230XJ.....	91	CCA2400SL.....	69	CCA4935.....	97	CCA82330XKSL.....	66	CCA84910RXX.....	65	CCM2812XC.....	73
CCA230XN.....	91	CCA2400XC.....	65	CCA4940.....	68	CCA82330XN.....	64	CCA84910RXX.....	65	CCM2812XE.....	73
CCA230XR.....	91	CCA2400XCSSL.....	66	CCA4940XC.....	65	CCA82330XNSL.....	66	CCA84915L.....	96	CCM2812XK.....	73
CCA231.....	90	CCA2400XE.....	65	CCA4940XE.....	65	CCA82330XR.....	64	CCA84915R.....	96	CCM2812XN.....	73
CCA2310.....	66	CCA2400XESL.....	66	CCA4940XJ.....	65	CCA82330XRSL.....	66	CCA84920L.....	68	CCM2812XR.....	73
CCA2310SL.....	68	CCA2400XJ.....	65	CCA4940XN.....	65	CCA82340.....	67	CCA84920LXC.....	65	CCM300.....	75
CCA2310XC.....	64	CCA2400XJSL.....	66	CCA4940XR.....	65	CCA82340SL.....	69	CCA84920LXE.....	65	CCM300XC.....	74
CCA2310XCSSL.....	66	CCA2400XK.....	65	CCA4945.....	97	CCA82340XC.....	64	CCA84920LXJ.....	65	CCM300XN.....	74
CCA2310XE.....	64	CCA2400XKSL.....	66	CCA81100.....	97	CCA82340XCSSL.....	66	CCA84920LXN.....	65	CCM301CAL.....	87
CCA2310XESL.....	66	CCA2400XN.....	65	CCA81125.....	96	CCA82340XE.....	64	CCA84920LXR.....	65	CCM301CALXC.....	84
CCA2310XJ.....	64	CCA2400XNSL.....	66	CCA81127.....	96	CCA82340XESL.....	66	CCA84920R.....	68	CCM301CALXE.....	84
CCA2310XJSL.....	66	CCA2400XR.....	65	CCA81133.....	97	CCA82340XJ.....	64	CCA84920RXC.....	65	CCM301CALXN.....	84
CCA2310XK.....	64	CCA2400XSL.....	69	CCA81145.....	97	CCA82340XJSL.....	66	CCA84920RXX.....	65	CCM301CALXR.....	84
CCA2310XKSL.....	66	CCA2400XC.....	66	CCA81147.....	97	CCA82340XK.....	64	CCA84920RXJ.....	65	CCM301CAR.....	87
CCA2310XN.....	64	CCA2400XJ.....	91	CCA81149.....	96	CCA82340XKSL.....	66	CCA84920RXN.....	65	CCM301CARXC.....	84
CCA2310XNSL.....	66	CCA240XN.....	91	CCA81150.....	97	CCA82340XN.....	64	CCA84920RXX.....	65	CCM301CARXE.....	84
CCA2310XR.....	64	CCA240XR.....	91	CCA81158.....	97	CCA82340XNSL.....	66	CCA84925L.....	97	CCM301CARXN.....	84
CCA2310XRSL.....	66	CCA2410SL.....	97	CCA81166.....	97	CCA82340XR.....	64	CCA84925R.....	97	CCM301CARXR.....	84
CCA2320.....	66	CCA2420SL.....	93	CCA81423SL.....	91	CCA82340XRSL.....	66	CCA84930.....	68	CCM302.....	72
CCA2320SL.....	68	CCA260.....	97	CCA8210.....	92	CCA82350.....	67	CCA84930XC.....	65	CCM302L.....	86
CCA2320XC.....	64	CCA260XC.....	91	CCA8210XJ.....	92	CCA82350XC.....	65	CCA84930XE.....	65	CCM302LXC.....	83
CCA2320XCSSL.....	66	CCA260XJ.....	91	CCA8210XJSL.....	92	CCA82350XE.....	65	CCA84930XJ.....	65	CCM302LXE.....	83
CCA2320XE.....	64	CCA260XN.....	91	CCA8210XN.....	92	CCA82350XJ.....	65	CCA84930XN.....	65	CCM302LXN.....	83
CCA2320XESL.....	66	CCA260XR.....	91	CCA8210XR.....	92	CCA82350XN.....	65	CCA84930XR.....	65	CCM302LXR.....	83
CCA2320XJ.....	64	CCA3400SL.....	94	CCA8211.....	90	CCA82350XR.....	65	CCA84935.....	97	CCM302R.....	86
CCA2320XJSL.....	66	CCA3400XCSSL.....	92	CCA8220.....	93	CCA82360.....	67	CCA84940.....	68	CCM302RXC.....	83
CCA2320XK.....	64	CCA3400XJSL.....	92	CCA8220XC.....	91	CCA82360XC.....	65	CCA84940XC.....	65	CCM302RXE.....	83
CCA2320XKSL.....	66	CCA3400XNSL.....	92	CCA8220XJ.....	91	CCA82360XE.....	65	CCA84940XE.....	65	CCM302RXN.....	83
CCA2320XN.....	64	CCA3400XRSL.....	92	CCA8220XN.....	91	CCA82360XJ.....	65	CCA84940XJ.....	65	CCM302RXR.....	83

CCM303	71	CCM8301CARXN	84	CCR1851SL	73	CCR81512	79	CCV05027	71	CCV8100XNSL	74
CCM303L	87	CCM8301CARXR	84	CCR200	101	CCR81512A	79	CCV05028	73	CCV8100XRSL	93
CCM303LXC	84	CCM8302L	86	CCR20020	85	CCR81514	79	CCV060	101	CCV8100XRSL	74
CCM303LXE	84	CCM8302LXC	83	CCR20020XC	83	CCR81515	79	CCV06020	89	CCV8100XRSL	93
CCM303LXN	84	CCM8302LXE	83	CCR20020XN	83	CCR81516	78	CCV06020XE	88	CCV8102SL	72
CCM303LXR	84	CCM8302LXN	83	CCR20022	81	CCR81518	78	CCV06022	88	CCV8103SL	72
CCM303R	87	CCM8302LXR	83	CCR20023	80	CCR81838	82	CCV06023	88	CCV8108SL	73
CCM303RXC	84	CCM8302R	86	CCR20027	77	CCR81839	82	CCV06028	88	CCV8111SL	70
CCM303RXC	84	CCM8302RXC	83	CCR20037	78	CCR81841	81	CCV10020	69	CCV81414	77
CCM303RXN	84	CCM8302RXE	83	CCR20037A	78	CCR81845	82	CCV10022	63	CCV81415	77
CCM303RXR	84	CCM8302RXN	83	CCR200A	100	CCR81845A	82	CCV10023	63	CCV81418	70
CCM304L	86	CCM8302RXR	83	CCR2025SL	69	CCR81846	82	CCV10027	62	CCV81423SL	70
CCM304LXC	84	CCM8303L	87	CCR2025SL	75	CCR81846A	82	CCV10028	63	CCV81512	79
CCM304LXE	84	CCM8303LXC	84	CCR2025XCSL	74	CCR81847	82	CCV100SL	69	CCV81515	79
CCM304LXN	84	CCM8303LXE	84	CCR2025XESL	74	CCR81851SL	73	CCV100SL	75	CCV81516	79
CCM304LXR	84	CCM8303LXN	84	CCR2025XHSL	101	CCR8200	101	CCV100SL	95	CCV81519	71
CCM304R	86	CCM8303LXR	84	CCR2025XJSL	74	CCR820020	85	CCV100XCSL	74	CCV81838	82
CCM304RXC	84	CCM8303R	87	CCR2025XKSL	74	CCR820020XC	83	CCV100XCSL	93	CCV81839	82
CCM304RXC	84	CCM8303RXC	84	CCR2025XNSL	74	CCR820020XN	83	CCV100XESL	74	CCV81843	73
CCM304RXN	84	CCM8303RXC	84	CCR2025XRSL	74	CCR820022	81	CCV100XESL	93	CCV81846	82
CCM304RXR	84	CCM8303RXN	84	CCR205	101	CCR820023	80	CCV100XHSL	63	CCV81851SL	73
CCM305CAL	87	CCM8303RXR	84	CCR20520	85	CCR820027	77	CCV100XHSL	71	CCV8205	101
CCM305CALXC	85	CCM8304L	87	CCR20520XC	83	CCR820028	80	CCV100XJSL	74	CCV820520	86
CCM305CALXE	85	CCM8304LXC	84	CCR20520XN	83	CCR820030	85	CCV100XJSL	93	CCV820520XC	83
CCM305CALXN	85	CCM8304LXE	84	CCR20522	81	CCR820030A	86	CCV100XNSL	62	CCV820520XN	83
CCM305CALXR	85	CCM8304LXN	84	CCR20523	80	CCR820030XC	83	CCV100XNSL	71	CCV820522	81
CCM305CAR	87	CCM8304LXR	84	CCR20527	77	CCR820030XN	83	CCV100XNSL	74	CCV820523	80
CCM305CARXC	85	CCM8304R	87	CCR20537	78	CCR820032	81	CCV100XNSL	93	CCV820527	78
CCM305CARXE	85	CCM8304RXC	84	CCR20537A	78	CCR820032A	81	CCV100XRSL	74	CCV820528	80
CCM305CARXN	85	CCM8304RXC	84	CCR205A	100	CCR820037	78	CCV100XRSL	93	CCV820530	86
CCM305CARXR	85	CCM8304RXN	84	CCR30020	69	CCR820037A	78	CCV103SL	63	CCV820530XC	83
CCM306CAL	87	CCM8304RXR	84	CCR30023	63	CCR8200A	100	CCV103SL	72	CCV820530XN	83
CCM306CALXC	85	CCM8305CAL	87	CCR30027	62	CCR82035SL	75	CCV108SL	63	CCV820532	81
CCM306CALXE	85	CCM8305CALXC	85	CCR30028	63	CCR82035XCSL	74	CCV108SL	73	CCV820537	78
CCM306CALXN	85	CCM8305CALXE	85	CCR3400SL	69	CCR82035XESL	74	CCV1414	77	CCV820537	101
CCM306CALXR	85	CCM8305CALXN	85	CCR3400SL	75	CCR82035XHSL	101	CCV1415	77	CCV822020	86
CCM306CAR	87	CCM8305CALXR	85	CCR3400XCSL	74	CCR82035XJSL	74	CCV1418	70	CCV822020XC	83
CCM306CARXC	85	CCM8305CAR	87	CCR3400XESL	74	CCR82035XKSL	74	CCV1423	62	CCV822020XN	83
CCM306CARXE	85	CCM8305CARXC	85	CCR3400XHSL	63	CCR82035XNSL	74	CCV1423SL	62	CCV822022	81
CCM306CARXN	85	CCM8305CARXE	85	CCR3400XHSL	71	CCR82035XRSL	74	CCV1423SL	70	CCV822023	80
CCM306CARXR	85	CCM8305CARXN	85	CCR3400XNSL	74	CCR8205	101	CCV1423SL	91	CCV822027	78
CCM3300SL	75	CCM8305CARXR	85	CCR3400XKSL	74	CCR820520	85	CCV1424	88	CCV822028	80
CCM3302SL	72	CCM8306CAL	87	CCR3400XNSL	62	CCR820520XC	83	CCV1512	79	CCV831	101
CCM3303SL	72	CCM8306CALXC	85	CCR3400XNSL	71	CCR820520XN	83	CCV1515	79	CCV8950SL	75
CCM60	101	CCM8306CALXE	85	CCR3400XNSL	74	CCR820523	80	CCV1516	79	CCV8950SL	95
CCM600	89	CCM8306CALXN	85	CCR3400XRSL	74	CCR820527	77	CCV1519	71	CCV8950XCSL	74
CCM600X	88	CCM8306CALXR	85	CCR3407SL	63	CCR820528	79	CCV1528	63	CCV8950XCSSL	93
CCM603	88	CCM8306CAR	87	CCR3407SL	72	CCR820530	85	CCV1838	82	CCV8950XHSL	101
CCM612	88	CCM8306CARXC	85	CCR3408SL	63	CCR820530A	86	CCV1839	82	CCV8950XJSL	74
CCM805027	71	CCM8306CARXE	85	CCR3408SL	73	CCR820530AXC	83	CCV1843	73	CCV8950XJSL	93
CCM81418	70	CCM8306CARXN	85	CCR3412SL	63	CCR820530AXN	83	CCV1851	64	CCV8950XNSL	74
CCM81519	71	CCM8306CARXR	85	CCR3412SL	72	CCR820530XC	83	CCV1851SL	64	CCV8950XNSL	93
CCM82800	75	CCM890	100	CCR8000SL	75	CCR820530XN	83	CCV1851SL	73	CCV8950XRSL	74
CCM82800XC	73	CCM892	71	CCR8000XCSL	74	CCR820532	81	CCV200	101	CCV8950XRSL	93
CCM82800XE	73	CCM9923	70	CCR8000XESL	74	CCR820532A	81	CCV205	101	CCV89918	76
CCM82800XK	73	CCM9926	88	CCR8000XHSL	71	CCR820537	78	CCV20520	86	CCV89919	76
CCM82800XN	73	CCR040	101	CCR8000XJSL	74	CCR820537A	78	CCV20520XC	83	CCV89922	70
CCM82800XR	73	CCR04020	85	CCR8000XKSL	74	CCR8205A	100	CCV20520XN	83	CCV9010SL	95
CCM82801	70	CCR04020XC	83	CCR8000XNSL	71	CCR822	100	CCV20522	81	CCV9011SL	90
CCM82802	72	CCR04020XN	83	CCR8000XNSL	74	CCR82214	77	CCV20523	80	CCV9020SL	95
CCM82803	73	CCR04022	81	CCR8000XRSL	74	CCR82215	79	CCV20527	78	CCV910	94
CCM82804	74	CCR04023	80	CCR8005	100	CCR82218	76	CCV20537	78	CCV910XC	93
CCM82804XC	73	CCR04027	77	CCR8005A	100	CCR82220	85	CCV220	101	CCV910XCSSL	93
CCM82804XE	73	CCR04037	77	CCR8007SL	72	CCR82220XC	83	CCV22020	86	CCV910XJ	93
CCM82804XK	73	CCR100	100	CCR8008SL	73	CCR82220XN	83	CCV22022	81	CCV910XNSL	93
CCM82804XN	73	CCR10022	63	CCR8040	101	CCR82222	81	CCV22023	80	CCV910XR	93
CCM82804XR	73	CCR100R	100	CCR804020	85	CCR822228	80	CCV22027	78	CCV910XRSL	93
CCM82806	74	CCR1414	76	CCR804020XC	83	CCR822238	82	CCV3412SL	63	CCV911	90
CCM82806XC	73	CCR1415	76	CCR804020XN	83	CCR8225	100	CCV3412SL	72	CCV911SL	62
CCM82806XE	73	CCR1417	76	CCR804022	81	CCR8918	76	CCV4100	91	CCV911SL	70
CCM82806XK	73	CCR1423	62	CCR804023	80	CCR8919	76	CCV4100SL	91	CCV911SL	90
CCM82806XN	73	CCR1423SL	62	CCR804027	77	CCR8921	76	CCV4300	91	CCV920	94
CCM82806XR	73	CCR1423SL	70	CCR804028	79	CCR8925SL	70	CCV805020	75	CCV920XC	92
CCM82815	75	CCR1511	79	CCR804030	85	CCR8925SL	70	CCV805022	72	CCV920XCSSL	93
CCM82815XC	73	CCR1511A	79	CCR804030XC	83	CCR8925SL	70	CCV805027	71	CCV920XJ	92
CCM82815XE	73	CCR1512	79	CCR804030XN	83	CCR8925SL	70	CCV805028	73	CCV920XNSL	93
CCM82815XK	73	CCR1512A	79	CCR804032	81	CCR8925SL	70	CCV8100SL	75	CCV920XNSL	93
CCM82815XN	73	CCR1514	79	CCR804037	77	CCR8925SL	70	CCV8100SL	95	CCV920XR	92
CCM82815XR	73	CCR1515	79	CCR8100	100	CCV050	101	CCV8100XCSSL	74	CCV920XRSL	93
CCM8301CAL	87	CCR1516	78	CCR8100R	100	CCV05020	75	CCV8100XCSSL	93	CCV930	94
CCM8301CALXC	84	CCR1518	78	CCR8102SL	72	CCV05020XC	74	CCV8100XCSSL	71	CCV930XC	92
CCM8301CALXE	84	CCR1528	63	CCR81414	76	CCV05020XN	74	CCV8100XJSL	74	CCV930XJ	92
CCM8301CALXN	84	CCR1838	82	CCR81415	76	CCV05022	72	CCV8100XJSL	93	CCV930XNSL	92
CCM8301CALXR	84	CCR1839	82	CCR81415	76	CCV05023	72	CCV8100XNSL	71	CCV930XR	92
CCM8301CAR	87	CCR1841	81	CCR81415	76						
CCM8301CARXC	84	CCR1851	64	CCR81511A	79						
CCM8301CARXE	84	CCR1851SL	64								

Fiber-Classic® & Smooth-Star®

CCV931	90	1000	207	2050XJSL	124	81938P	179	81983P	179	FC131SL	160
CCV940	94	1283	158	2050XK	124	81938PSL	179	81984P	180	FC138	155
CCV940XC	92	1284	155	2050XKSL	124	81939P	178	81985P	182	FC138XC	150
CCV940XJ	92	1285	155	2050XN	124	81939PSL	178	81986PSL	142	FC138XE	150
CCV940XN	92	1286	153	2050XNSL	124	81940P	179	81986SL	142	FC138XJ	150
CCV940XR	92	1289	156	2050XR	124	81940PSL	179	85901SL	162	FC138XK	150
CCV950SL	69	2000	130	2050XRSL	124	81941P	180	85919SL	180	FC138XN	150
CCV950SL	75	2009	128	8000-12	127	81941PSL	180	AXRT	209	FC138XR	150
CCV950SL	95	2010	127	8000-18	127	81942P	182	BSRT	209	FC1400	169
CCV950XCSL	74	2050	127	8000-9	128	81942PSL	182	CNRT	209	FC1400SL	169
CCV950XCSL	93	8000	130	8000XC	127	81943P	171	CX30T	209	FC1402	169
CCV950XESL	74	81000	207	8000XE	127	81943PSL	171	CXRT	209	FC1404	198
CCV950XESL	93	81200	158	8000XJ	127	81943PXC	167	DRS2131SL	158	FC1408	190
CCV950XHSL	101	81208	155	8000XK	127	81943PXCSSL	167	DRS82131SL	158	FC1408SL	190
CCV950XJSL	74	81225	153	8000XN	127	81943PXE	167	EC30T	209	FC141	152
CCV950XJSL	93	81828	155	8000XR	127	81943PXESL	167	ECRT	209	FC141SL	153
CCV950XNSL	74	12101SL	158	81200P	158	81943PXJ	167	FC10	158	FC142	143
CCV950XNSL	93	12101XCSL	152	81200PSL	158	81943PXJSL	167	FC100	140	FC142SL	143
CCV950XRSL	74	12101XESL	152	81200PXC	152	81943PXX	167	FC1006	142	FC143	162
CCV950XRSL	93	12101XJSL	152	81200PXCSSL	152	81943PXKSL	167	FC100SL	141	FC143SL	162
CCV960	94	12101XKSL	152	81200PXE	152	81943PXN	167	FC101	176	FC144	179
CCV960XC	92	12101XNSL	152	81200PXESL	152	81943PXNSL	167	FC101SL	176	FC1442SL	164
CCV960XJ	92	12101XRSL	152	81200PXJ	152	81943PXR	167	FC1029	143	FC147	162
CCV960XN	92	12102SL	155	81200PXJSL	152	81943PXRSL	167	FC104	143	FC147SL	162
CCV960XR	92	12102XCSL	151	81200PXX	152	81944P	169	FC104SL	144	FC148	146
CCV9918	76	12102XESL	151	81200PXXSL	152	81944PSL	169	FC104XC	187	FC148SL	146
CCV9919	76	12102XJSL	151	81200PXN	152	81945P	169	FC104XE	187	FC149	182
CCV9922	70	12102XKSL	151	81200PXNSL	152	81945PXC	166	FC104XJ	187	FC149SL	182
CCV9925	62	12102XNSL	151	81200PXR	152	81945PXE	166	FC104XK	187	FC151	173
CCV9926	88	12102XRSL	151	81200PXRSL	152	81945PXJ	166	FC104XN	187	FC156	163
CCW1000	98	1283XC	152	81200SL	158	81945PXX	166	FC104XR	187	FC16	140
CCW81000	98	1283XE	152	81200XC	152	81945PXN	166	FC105	180	FC160	174
CCW8900L	98	1283XJ	152	81200XCSL	152	81945PXR	166	FC105SL	180	FC163	172
CCW8900R	98	1283XK	152	81200XE	152	81946P	169	FC108	139	FC164	172
CCW8901L	98	1283XN	152	81200XESL	152	81946PSL	169	FC1089	168	FC165	204
CCW8901R	98	1283XR	152	81200XJ	152	81946PXC	166	FC1089SL	169	FC166	164
CCW8902L	98	1284XC	150	81200XJSL	152	81946PXCSSL	166	FC108SL	139	FC166SL	164
CCW8902R	99	1284XE	150	81200XK	152	81946PXE	166	FC109	175	FC167	164
CCW8903	99	1284XJ	150	81200XKSL	152	81946PXESL	166	FC109SL	175	FC1651	147
CCW8904L	99	1284XK	150	81200XN	152	81946PXJ	166	FC10XC	152	FC1651SL	147
CCW8904R	99	1284XN	150	81200XNSL	152	81946PXJSL	166	FC10XE	152	FC1652	147
CCW8905	99	1284XR	150	81200XR	152	81946PXX	166	FC10XJ	152	FC1652SL	147
CCW8906L	99	1285XC	150	81200XRSL	152	81946PXKSL	166	FC10XK	152	FC1654	184
CCW8906R	99	1285XE	150	81208P	155	81946PXN	166	FC10XN	152	FC1655	197
CCW8907L	99	1285XJ	150	81208PSL	155	81946PXNSL	166	FC10XR	152	FC1656SL	184
CCW8907R	99	1285XK	150	81208SL	155	81946PXR	166	FC113	141	FC18	155
CCW900L	98	1285XN	150	81225P	152	81946PXRSL	166	FC113SL	141	FC18SL	155
CCW900R	98	1285XR	150	81225PSL	153	81947PSL	169	FC114	177	FC18XC	150
CCW901L	98	1286SL	153	81225SL	153	81949PSL	169	FC114SL	177	FC18XCSSL	151
CCW901R	98	18101SL	140	81800P	140	81952P	159	FC115	160	FC18XE	150
CCW902L	98	19020T	209	81800PSL	140	81952PSL	159	FC115SL	160	FC18XESL	151
CCW902R	99	19055T	209	81800SL	140	81953P	159	FC116	188	FC18XJ	150
CCW903	99	19200T	209	81900PSL	169	81953PSL	160	FC1200	155	FC18XJSL	151
CCW904L	99	19210T	209	81918P	139	81954P	160	FC1200SL	155	FC18XK	150
CCW904R	99	19220T	209	81918PSL	139	81954PSL	160	FC1201	154	FC18XKSL	151
CCW905	99	19520T	209	81918SL	139	81955P	160	FC1201SL	155	FC18XN	150
CCW906L	99	1964P	167	81919P	141	81955PSL	160	FC1202	154	FC18XNSL	151
CCW906R	99	19720T	209	81919PSL	141	81956P	161	FC1202SL	155	FC18XR	150
CCW907L	99	19730T	209	81919SL	141	81956PSL	161	FC1203	155	FC18XRSL	151
CCW907R	99	19740T	209	81921P	143	81957P	161	FC1204	128	FC198	156
DRS2131SL	99	19750T	209	81921PSL	144	81957PSL	161	FC1204SL	127	FC198SL	156
DRS82131SL	99	2000SL	130	81921SL	144	81958P	162	FC1205	127	FC20042	163
HW30T	102	2000XC	127	81928P	145	81958PSL	162	FC1205SL	127	FC2101	168
HWRT	102	2000XCSL	127	81928PSL	145	81959P	162	FC1205XC	124	FC2101SL	169
LC30T	102	2000XE	127	81928SL	145	81959PSL	162	FC1205XE	124	FC2102	169
LCET	102	2000XESL	127	81929P	192	81960P	163	FC1205XJ	124	FC2106	168
LCRT	102	2000XJ	127	81929PSL	192	81960PSL	163	FC1205XK	124	FC2107	168
LF30T	102	2000XJSL	127	81929PXC	187	81961P	163	FC1205XN	124	FC2108	168
LFET	102	2000XK	127	81929PXCSSL	187	81961PSL	164	FC1205XR	124	FC2213	149
LFRT	102	2000XKSL	127	81929PXE	187	81964P	167	FC1206	127	FC2213SL	149
ZHRT	102	2000XN	127	81929PXESL	187	81964PSL	167	FC1206SL	127	FC2223	148
		2000XNSL	127	81929PXJ	187	81968P	160	FC1207	127	FC2223SL	148
		2000XR	127	81929PXJSL	187	81968PSL	141	FC1207XC	124	FC2233	149
		2000XRSL	127	81929PXX	187	81968SL	141	FC1207XE	124	FC2233SL	150
		2009SL	128	81929PXXSL	187	81971P	192	FC1207XJ	124	FC23	204
		2010XC	124	81929PXN	187	81971PXC	187	FC1207XK	124	FC2382	149
		2010XE	124	81929PXNSL	187	81971PXE	187	FC1207XN	124	FC2382SL	149
		2010XJ	124	81929PXR	187	81971PXJ	187	FC1207XR	124	FC2385	149
		2010XK	124	81929PXRSL	187	81971PXX	187	FC1208	155	FC2385SL	150
		2010XN	124	81933P	175	81971PXN	187	FC1208SL	155	FC2389	148
		2010XR	124	81933PSL	175	81971PXR	187	FC1209	154	FC2389SL	148
		2050SL	128	81935P	176	81975P	175	FC1209SL	155	FC241	140
		2050XC	124	81935PSL	176	81977P	176	FC1211	154	FC31	206
		2050XCSL	124	81936P	176	81978P	176	FC1211SL	155	FC310	139
		2050XE	124	81936PSL	176	81980P	177	FC1212	155	FC32	171
		2050XESL	124	81937P	177	81981P	179	FC1289SL	156	FC32SL	171
		2050XJ	124	81937PSL	177	81982P	178	FC131	160	FC32XC	167

FC32XCSSL	167	FC5720XJ	124	FC709	173	FC820	145	FC8573SL	144	FC902	161
FC32XE	167	FC5720XJSL	125	FC710	174	FC821	143	FC8574	144	FC902SL	161
FC32XESL	167	FC5720XK	124	FC7125SL	190	FC822	140	FC8579	181	FC905	142
FC32XJ	167	FC5720XKSL	125	FC713	172	FC82213	149	FC8581	181	FC905SL	142
FC32XJSL	167	FC5720XN	124	FC714	172	FC82213SL	149	FC8583SL	181	FC906	179
FC32XK	167	FC5720XNSL	125	FC721	202	FC82223	148	FC860	206	FC906SL	179
FC32XKSL	167	FC5720XR	124	FC735	203	FC82223SL	148	FC861	205	FC907	161
FC32XN	167	FC5720XRSL	125	FC736	202	FC82233	149	FC861XC	205	FC907SL	161
FC32XNSL	167	FC572ZSL	144	FC745	203	FC82233SL	150	FC861XE	205	FC910	145
FC32XR	167	FC573SL	144	FC752	203	FC82382	149	FC861XJ	205	FC910SL	145
FC32XRSL	167	FC574	144	FC755	206	FC82382SL	149	FC861XK	205	FC911	182
FC3487SL	190	FC581	181	FC765	159	FC82385	149	FC861XN	205	FC911SL	182
FC3487XCSSL	186	FC583SL	181	FC765SL	159	FC82385SL	150	FC861XR	205	FC912	163
FC3487XESL	186	FC60	206	FC766	171	FC82389	148	FC862	206	FC912SL	163
FC3487XJSL	186	FC6093	142	FC766XC	167	FC82389SL	148	FC86220	198	FC915	173
FC3487XKSL	186	FC6094	143	FC766XE	167	FC828	155	FC862203	198	FC916	173
FC3487XNSL	186	FC6095	145	FC766XJ	167	FC82XC	166	FC862203XC	197	FC917	204
FC3487XRSL	186	FC61	205	FC766XK	167	FC82XE	166	FC862203XE	197	FC92	169
FC369	141	FC61XC	205	FC766XN	167	FC82XJ	166	FC862203XJ	197	FC925	198
FC38	159	FC61XE	205	FC766XR	167	FC82XK	166	FC862203XK	197	FC92SL	169
FC386	185	FC61XJ	205	FC770	159	FC82XN	166	FC862203XN	197	FC92XC	166
FC387SL	185	FC61XK	205	FC772	159	FC82XR	166	FC862203XR	197	FC92XCSSL	166
FC389	165	FC61XN	205	FC773	160	FC8310	169	FC86220XC	198	FC92XE	166
FC38SL	160	FC61XR	205	FC775	160	FC8310SL	169	FC86220XE	198	FC92XESL	166
FC393	197	FC62	192	FC776	161	FC8311	168	FC86220XJ	198	FC92XJ	166
FC4521	165	FC626	146	FC777	161	FC8311SL	169	FC86220XK	198	FC92XJSL	166
FC4521SL	165	FC62XC	187	FC778	162	FC8313	168	FC86220XN	198	FC92XK	166
FC4525	165	FC62XE	187	FC779	162	FC8313SL	169	FC86220XR	198	FC92XKSL	166
FC4525SL	165	FC62XJ	187	FC780	163	FC8316	169	FC86242	196	FC92XN	166
FC46SL	140	FC62XK	187	FC789	174	FC8318	190	FC86243	195	FC92XNSL	166
FC476	165	FC62XN	187	FC794	172	FC8319	190	FC86247	196	FC92XR	166
FC47SL	158	FC62XR	187	FC796	172	FC832	190	FC86249	196	FC92XRSL	166
FC47XCSSL	152	FC63SL	190	FC797	173	FC8320	190	FC86252	195	FCM10	158
FC47XESL	152	FC63XCSSL	186	FC798	173	FC8321	189	FC86253	195	FCM100	140
FC47XJSL	152	FC63XESL	186	FC803	204	FC8321XC	186	FC86254	196	FCM1000	206
FC47XKSL	152	FC63XJSL	186	FC808SL	139	FC8321XE	186	FC86255	195	FCM1006	142
FC47XNSL	152	FC63XKSL	186	FC809	206	FC8321XJ	186	FC86500	146	FCM101	176
FC47XRSL	152	FC63XNSL	186	FC80920	198	FC8321XK	186	FC86500SL	146	FCM101SL	176
FC48SL	192	FC63XRSL	186	FC809203	198	FC8321XN	186	FC86533	197	FCM1029	143
FC48XCSSL	187	FC65	189	FC809203XC	197	FC8321XR	186	FC86536	183	FCM104	143
FC48XESL	187	FC6500	146	FC809203XE	197	FC8322	189	FC86550	146	FCM104XC	187
FC48XJSL	187	FC6500SL	146	FC809203XJ	197	FC8323	189	FC86550SL	146	FCM104XE	187
FC48XKSL	187	FC6534	197	FC809203XK	197	FC8324	189	FC86560	183	FCM104XJ	187
FC48XNSL	187	FC6550	146	FC809203XN	197	FC832XC	186	FC86560SL	183	FCM104XK	187
FC48XRSL	187	FC6550SL	146	FC809203XR	197	FC832XE	186	FC86570	204	FCM104XN	187
FC507	196	FC6560	183	FC80920XC	198	FC832XJ	186	FC86580	164	FCM104XR	187
FC529	163	FC6565SL	183	FC80920XE	198	FC832XK	186	FC86580SL	164	FCM105	180
FC5425	167	FC6570	204	FC80920XJ	198	FC832XN	186	FC8675SL	190	FCM105SL	180
FC5425SL	167	FC6576	174	FC80920XK	198	FC832XR	186	FC8678	188	FCM106	172
FC543	163	FC6577	174	FC80920XN	198	FC8386	185	FC8678SL	188	FCM108	139
FC545SL	163	FC6580	164	FC80920XR	198	FC8386SL	185	FC8685L	128	FCM1089SL	168
FC549	196	FC6580SL	164	FC80942	196	FC8390	197	FC8685LXC	124	FCM109	175
FC5700	128	FC6582	164	FC80943	195	FC8392	185	FC8685LXE	124	FCM109SL	175
FC5700SL	128	FC65XC	186	FC80947	196	FC84521	165	FC8685LXJ	124	FCM10XC	151
FC5700XC	124	FC65XE	186	FC80949	196	FC84521SL	165	FC8685LXK	124	FCM10XE	151
FC5700XCSSL	125	FC65XJ	186	FC80952	195	FC84525	165	FC8685LXN	124	FCM10XJ	151
FC5700XE	124	FC65XK	186	FC80953	195	FC84525SL	165	FC8685LXR	124	FCM10XK	151
FC5700XESL	125	FC65XN	186	FC80954	196	FC84527	166	FC8685R	128	FCM10XN	151
FC5700XJ	124	FC65XR	186	FC80955	195	FC84527SL	166	FC8685RXC	124	FCM10XR	151
FC5700XJSL	125	FC668	140	FC809SL	145	FC8489	185	FC8685RXE	124	FCM110	172
FC5700XK	124	FC670	192	FC812SL	142	FC8498	185	FC8685RXJ	124	FCM113	141
FC5700XKSL	125	FC678	188	FC813SL	146	FC8498SL	185	FC8685RXK	124	FCM114	177
FC5700XN	124	FC678SL	188	FC814	140	FC8529	163	FC8685RXN	124	FCM114SL	177
FC5700XNSL	125	FC685L	128	FC8141	198	FC8545SL	163	FC8685RXX	124	FCM115	160
FC5700XR	124	FC685LXC	124	FC8144	190	FC85700	128	FC8691X	128	FCM115SL	160
FC5700XRSL	125	FC685LXE	124	FC8145	190	FC85700XC	124	FC8691XC	124	FCM116	188
FC571	144	FC685LXJ	124	FC8145SL	190	FC85700XE	124	FC8691XJ	124	FCM1200	153
FC5710	128	FC685LXK	124	FC8149	182	FC85700XJ	124	FC8691XK	124	FCM1200SL	154
FC5710SL	128	FC685LXN	124	FC814SL	141	FC85700XK	124	FC8691XN	124	FCM1201	153
FC5710XC	124	FC685LXR	124	FC815SL	142	FC85700XN	124	FC8691XN	124	FCM1201SL	154
FC5710XCSSL	125	FC685R	128	FC816	139	FC85700XR	124	FC8691XR	124	FCM1202	153
FC5710XE	124	FC685RXC	124	FC81645	204	FC8571	144	FC8704	203	FCM1202SL	154
FC5710XESL	125	FC685RXE	124	FC81646	164	FC85710	128	FC8707	202	FCM1203	153
FC5710XJ	124	FC685RXJ	124	FC81646SL	164	FC85710XC	124	FC8708	203	FCM1204SL	127
FC5710XJSL	125	FC685RXK	124	FC81649	197	FC85710XE	124	FC8721	202	FCM1205SL	127
FC5710XK	124	FC685RXN	124	FC81651	147	FC85710XJ	124	FC8735	203	FCM1206SL	127
FC5710XKSL	125	FC685RXX	124	FC81651SL	147	FC85710XK	124	FC8736	202	FCM1208	153
FC5710XN	124	FC691	128	FC81652	147	FC85710XN	124	FC8745	203	FCM1209	153
FC5710XNSL	125	FC691XC	124	FC81652SL	147	FC85710XR	124	FC8752	203	FCM12101SL	158
FC5710XR	124	FC691XE	124	FC81653	184	FC85720	128	FC8867SL	182	FCM12101XCSSL	152
FC5710XRSL	125	FC691XJ	124	FC81654	184	FC85720XC	124	FC89701	182	FCM12101XESL	152
FC5720	128	FC691XK	124	FC81654SL	184	FC85720XE	124	FC8971	188	FCM12101XJSL	152
FC5720SL	128	FC691XN	124	FC816SL	141	FC85720XJ	124	FC8972	198	FCM12101XKSL	152
FC5720XC	124	FC691XR	124	FC817	141	FC85720XK	124	FC900	142	FCM12101XNSL	152
FC5720XCSSL	125	FC704	203	FC817SL	143	FC85720XN	124	FC900SL	142	FCM12101XRSL	152
FC5720XE	124	FC707	202	FC818SL	144	FC85720XR	124	FC901	178	FCM12102SL	154
FC5720XESL	125	FC708	203	FC82	168	FC8572SL	124	FC901SL	178	FCM12102XCSSL	150

Fiber-Classic® & Smooth-Star® *Continued*

FCM12102XESL.....	150	FCM2000XJSL.....	136	FCM4813XC.....	135	FCM605XN.....	200	FCM65XCSL.....	186	FCM81652.....	147
FCM12102XJSL.....	150	FCM2000XKSL.....	136	FCM4813XE.....	135	FCM605XR.....	200	FCM65XE.....	186	FCM81652SL.....	147
FCM12102XKSL.....	150	FCM2000XNSL.....	136	FCM4813XJ.....	135	FCM606.....	201	FCM65XESL.....	186	FCM81654.....	184
FCM12102XNSL.....	150	FCM2000XRSL.....	136	FCM4813XN.....	135	FCM606XC.....	200	FCM65XJ.....	186	FCM81654SL.....	184
FCM12102XRSL.....	150	FCM2009SL.....	127	FCM4813XR.....	135	FCM606XE.....	200	FCM65XJSL.....	186	FCM816SL.....	140
FCM1211.....	153	FCM205.....	206	FCM4814.....	137	FCM606XJ.....	200	FCM65XK.....	186	FCM817.....	141
FCM1212.....	153	FCM2050SL.....	137	FCM4814XC.....	135	FCM6066XN.....	200	FCM65XKSL.....	186	FCM817SL.....	143
FCM1283.....	158	FCM2050XCSL.....	135	FCM4814XE.....	135	FCM606XR.....	200	FCM65XN.....	186	FCM81800SL.....	140
FCM1283XC.....	151	FCM2050XESL.....	135	FCM4814XJ.....	135	FCM607.....	201	FCM65XNSL.....	186	FCM81828.....	154
FCM1283XE.....	151	FCM2050XJSL.....	135	FCM4814XN.....	135	FCM6074.....	179	FCM65XR.....	186	FCM81829.....	154
FCM1283XJ.....	151	FCM2050XKSL.....	135	FCM4814XR.....	135	FCM6075.....	179	FCM65XRSL.....	186	FCM818SL.....	143
FCM1283XK.....	151	FCM2050XNSL.....	135	FCM4816.....	137	FCM607XC.....	200	FCM668.....	190	FCM81900SL.....	168
FCM1283XN.....	151	FCM2050XRSL.....	135	FCM4816XC.....	135	FCM607XE.....	200	FCM670.....	142	FCM81918SL.....	139
FCM1283XR.....	151	FCM2101SL.....	168	FCM4816XE.....	135	FCM607XJ.....	200	FCM678.....	188	FCM81919SL.....	141
FCM1284.....	154	FCM2106.....	168	FCM4816XJ.....	135	FCM607XN.....	200	FCM678SL.....	188	FCM81921SL.....	143
FCM1284XC.....	150	FCM2107.....	168	FCM4816XN.....	135	FCM607XR.....	200	FCM6975.....	200	FCM81928SL.....	145
FCM1284XE.....	150	FCM2108.....	168	FCM4816XR.....	135	FCM608.....	201	FCM704.....	203	FCM81944SL.....	168
FCM1284XJ.....	150	FCM220.....	206	FCM508.....	199	FCM608XC.....	200	FCM707.....	202	FCM81947SL.....	168
FCM1284XK.....	150	FCM2213.....	148	FCM5425.....	167	FCM608XE.....	200	FCM708.....	203	FCM81949SL.....	168
FCM1284XN.....	150	FCM2223.....	148	FCM5425SL.....	167	FCM608XJ.....	200	FCM7125SL.....	189	FCM81968SL.....	140
FCM1284XR.....	150	FCM2233.....	149	FCM543.....	162	FCM608XN.....	200	FCM721.....	202	FCM81986SL.....	142
FCM1285.....	153	FCM2382.....	148	FCM545SL.....	162	FCM608XR.....	200	FCM735.....	203	FCM82.....	168
FCM1285XC.....	150	FCM2382SL.....	148	FCM571.....	144	FCM609.....	199	FCM736.....	202	FCM820.....	145
FCM1285XE.....	150	FCM2385.....	149	FCM572SL.....	144	FCM6093.....	142	FCM745.....	203	FCM821.....	143
FCM1285XJ.....	150	FCM2385SL.....	149	FCM574.....	144	FCM6094.....	143	FCM752.....	203	FCM822.....	140
FCM1285XK.....	150	FCM2389.....	148	FCM575.....	181	FCM6095.....	145	FCM755.....	206	FCM82213.....	148
FCM1285XN.....	150	FCM2389SL.....	148	FCM577.....	181	FCM61.....	205	FCM765.....	159	FCM82213SL.....	149
FCM1285XR.....	150	FCM241.....	140	FCM581.....	181	FCM6107.....	178	FCM765SL.....	159	FCM82223.....	148
FCM1286.....	152	FCM31.....	206	FCM583SL.....	181	FCM6108.....	178	FCM789.....	173	FCM82223SL.....	148
FCM1286SL.....	152	FCM310.....	139	FCM60.....	206	FCM6124SL.....	154	FCM80.....	174	FCM82233SL.....	149
FCM1289.....	154	FCM32.....	170	FCM600.....	206	FCM6124XCSL.....	150	FCM8000SL.....	137	FCM82382.....	148
FCM1289SL.....	154	FCM32SL.....	170	FCM601.....	201	FCM6124XESL.....	150	FCM8000XCSSL.....	136	FCM82382SL.....	148
FCM131.....	160	FCM32XC.....	167	FCM601XC.....	201	FCM6124XJSL.....	150	FCM8000XESL.....	136	FCM82385.....	149
FCM131SL.....	160	FCM32XCSSL.....	167	FCM601XE.....	201	FCM6124XNSL.....	150	FCM8000XJSL.....	136	FCM82385SL.....	149
FCM138.....	153	FCM32XE.....	167	FCM601XJ.....	201	FCM6124XRSL.....	150	FCM8000XKSL.....	136	FCM82389.....	148
FCM138XC.....	150	FCM32XESL.....	167	FCM601XN.....	201	FCM6125SL.....	154	FCM8000XNSL.....	136	FCM82389SL.....	148
FCM138XE.....	150	FCM32XJ.....	167	FCM601XR.....	201	FCM6125XCSL.....	150	FCM8000XRSL.....	136	FCM828.....	154
FCM138XJ.....	150	FCM32XJSL.....	167	FCM602.....	199	FCM6125XESL.....	150	FCM808SL.....	139	FCM82XC.....	166
FCM138XK.....	150	FCM32XK.....	167	FCM6021.....	192	FCM6125XJSL.....	150	FCM809SL.....	145	FCM82XE.....	166
FCM138XN.....	150	FCM32XKSL.....	167	FCM6021XC.....	187	FCM6125XNSL.....	150	FCM81000.....	206	FCM82XJ.....	166
FCM138XR.....	150	FCM32XN.....	167	FCM6021XE.....	187	FCM6125XRSL.....	150	FCM8101SL.....	168	FCM82XK.....	166
FCM1400SL.....	168	FCM32XNSL.....	167	FCM6021XJ.....	187	FCM6126SL.....	154	FCM8101XCSSL.....	166	FCM82XN.....	166
FCM1402.....	168	FCM32XR.....	167	FCM6021XK.....	187	FCM6126XCSL.....	150	FCM8101XESL.....	166	FCM82XR.....	166
FCM1405.....	189	FCM32XRSL.....	167	FCM6021XN.....	187	FCM6126XESL.....	150	FCM8101XJSL.....	166	FCM8310SL.....	168
FCM1405SL.....	189	FCM3487SL.....	189	FCM6021XR.....	187	FCM6126XJSL.....	150	FCM8101XKSL.....	166	FCM8311SL.....	168
FCM1406.....	189	FCM3487XCSL.....	186	FCM6022.....	189	FCM6126XNSL.....	150	FCM8101XNSL.....	166	FCM8313SL.....	168
FCM1408.....	189	FCM3487XESL.....	186	FCM6022XC.....	186	FCM6126XRSL.....	150	FCM8101XRSL.....	166	FCM8321.....	189
FCM141.....	152	FCM3487XJSL.....	186	FCM6022XE.....	186	FCM61XC.....	205	FCM8103SL.....	162	FCM8321XC.....	186
FCM142.....	143	FCM3487XKSL.....	186	FCM6022XJ.....	186	FCM61XE.....	205	FCM8105SL.....	159	FCM8321XE.....	186
FCM143.....	162	FCM3487XNSL.....	186	FCM6022XK.....	186	FCM61XJ.....	205	FCM8107SL.....	163	FCM8321XJ.....	186
FCM143SL.....	162	FCM3487XRSL.....	186	FCM6022XN.....	186	FCM61XK.....	205	FCM8110SL.....	167	FCM8321XK.....	186
FCM144.....	179	FCM369.....	141	FCM6022XR.....	186	FCM61XN.....	205	FCM8114.....	140	FCM8321XN.....	186
FCM1442SL.....	163	FCM38.....	159	FCM6025.....	176	FCM61XR.....	205	FCM8114SL.....	140	FCM8321XR.....	186
FCM147.....	162	FCM386.....	184	FCM6026.....	181	FCM62.....	192	FCM8115.....	152	FCM8322.....	189
FCM147SL.....	162	FCM387.....	184	FCM6029.....	178	FCM6201SL.....	135	FCM8115SL.....	152	FCM8323.....	189
FCM148.....	146	FCM387SL.....	185	FCM6030.....	180	FCM6240.....	135	FCM81200.....	158	FCM8324.....	189
FCM149.....	182	FCM389.....	165	FCM6031.....	177	FCM6240SL.....	135	FCM81200SL.....	158	FCM8386.....	184
FCM149SL.....	182	FCM38SL.....	159	FCM6032.....	175	FCM626.....	146	FCM81200XC.....	151	FCM8386SL.....	185
FCM151.....	173	FCM394.....	185	FCM6035.....	188	FCM625SL.....	192	FCM81200XCSSL.....	152	FCM84521SL.....	165
FCM156.....	163	FCM4521SL.....	165	FCM6036.....	182	FCM62XC.....	187	FCM81200XE.....	151	FCM84525SL.....	165
FCM16.....	140	FCM4525SL.....	165	FCM604.....	199	FCM62XCSSL.....	187	FCM81200XESL.....	152	FCM84527SL.....	166
FCM160.....	174	FCM476.....	165	FCM6041.....	192	FCM62XJ.....	187	FCM81200XJ.....	151	FCM84810.....	137
FCM163.....	172	FCM4810.....	137	FCM6041XC.....	187	FCM62XESL.....	187	FCM81200XJSL.....	152	FCM84810SL.....	137
FCM164.....	172	FCM4810SL.....	137	FCM6041XE.....	187	FCM62XJ.....	187	FCM81200XK.....	151	FCM84810XC.....	136
FCM1645.....	204	FCM4810XC.....	136	FCM6041XJ.....	187	FCM62XK.....	187	FCM81200XKSL.....	152	FCM84810XCSSL.....	136
FCM1646SL.....	164	FCM4810XCSSL.....	136	FCM6041XK.....	187	FCM62XKSL.....	187	FCM81200XN.....	151	FCM84810XE.....	136
FCM1647.....	164	FCM4810XE.....	136	FCM6041XN.....	187	FCM62XKSL.....	187	FCM81200XNSL.....	152	FCM84810XESL.....	136
FCM1650.....	200	FCM4810XESL.....	136	FCM6041XR.....	187	FCM62XKSL.....	187	FCM81200XR.....	151	FCM84810XJ.....	136
FCM1651.....	147	FCM4810XJ.....	136	FCM6042.....	189	FCM62XNSL.....	187	FCM81200XRSL.....	152	FCM84810XJSL.....	136
FCM1651SL.....	147	FCM4810XJSL.....	136	FCM6042XC.....	186	FCM62XR.....	187	FCM81208P.....	154	FCM84810XN.....	136
FCM1652.....	147	FCM4810XN.....	136	FCM6042XE.....	186	FCM62XRSL.....	187	FCM81208PSL.....	154	FCM84810XNSL.....	136
FCM1654.....	184	FCM4810XNSL.....	136	FCM6042XJ.....	186	FCM65.....	189	FCM81208SL.....	154	FCM84810XR.....	136
FCM1656.....	184	FCM4810XR.....	136	FCM6042XK.....	186	FCM6500.....	146	FCM81225.....	152	FCM84810XRSL.....	136
FCM1656SL.....	184	FCM4810XRSL.....	136	FCM6042XN.....	186	FCM6500SL.....	146	FCM81225SL.....	152	FCM84812.....	136
FCM1658.....	184	FCM4812.....	136	FCM6042XR.....	186	FCM6520.....	200	FCM812SL.....	142	FCM84812SL.....	137
FCM18.....	153	FCM4812SL.....	137	FCM6045.....	176	FCM6550.....	146	FCM813SL.....	146	FCM84812XC.....	135
FCM18101SL.....	140	FCM4812XC.....	135	FCM6046.....	181	FCM6550.....	183	FCM814.....	140	FCM84812XCSSL.....	136
FCM18XC.....	150	FCM4812XCSSL.....	136	FCM6049.....	178	FCM6565.....	183	FCM8145.....	189	FCM84812XE.....	135
FCM18XE.....	150	FCM4812XE.....	135	FCM605.....	201	FCM6565SL.....	183	FCM8145SL.....	189	FCM84812XESL.....	136
FCM18XJ.....	150	FCM4812XESL.....	136	FCM6050.....	180	FCM6568.....	183	FCM8149.....	182	FCM84812XJ.....	135
FCM18XK.....	150	FCM4812XJ.....	135	FCM6051.....	177	FCM6570.....	204	FCM8149SL.....	141	FCM84812XJSL.....	136
FCM18XN.....	150	FCM4812XJSL.....	136	FCM6052.....	175	FCM6575.....	173	FCM815SL.....	142	FCM84812XN.....	135
FCM18XR.....	150	FCM4812XN.....	135	FCM6055.....	188	FCM6577.....	173	FCM816.....	139	FCM84812XNSL.....	136
FCM198.....	154	FCM4812XNSL.....	136	FCM6056.....	182	FCM6580SL.....	164	FCM81645.....	204	FCM84812XR.....	135
FCM2000SL.....	137	FCM4812XR.....	135	FCM605XC.....	200	FCM6582.....	164	FCM81646SL.....	164	FCM84812XRSL.....	136
FCM2000XCSSL.....	136	FCM4812XRSL.....	136	FCM605XE.....	200	FCM65SL.....	189	FCM81651.....	147	FCM84813.....	136
FCM2000XESL.....	136	FCM4813.....	136	FCM605XJ.....	200	FCM65XC.....	186	FCM81651SL.....	147	FCM84813XC.....	135

FCM84813XE.....	135	FCM870XJSL.....	152	FCO6186XNSL.....	151	S1205XK.....	125	S1655.....	197	S2103XC.....	131
FCM84813XJ.....	135	FCM870XK.....	151	FCO6186XRSL.....	151	S1205XN.....	125	S1656.....	184	S2103XCSSL.....	131
FCM84813XN.....	135	FCM870XKSL.....	152	FCO6188SL.....	156	S1205XR.....	125	S1656SL.....	184	S2103XE.....	131
FCM84813XR.....	135	FCM870XN.....	151	FCO6188XCSL.....	151	S1206.....	128	S1658.....	184	S2103XESEL.....	131
FCM84814.....	137	FCM870XNSL.....	152	FCO6188XESL.....	151	S1206SL.....	129	S1661.....	194	S2103XJ.....	131
FCM84814XC.....	135	FCM870XR.....	151	FCO6188XJSL.....	151	S1207.....	128	S198.....	157	S2103XJSL.....	131
FCM84814XE.....	135	FCM870XRSL.....	152	FCO6188XNSL.....	151	S1207XC.....	125	S198SL.....	158	S2103XK.....	131
FCM84814XJ.....	135	FCM871.....	139	FCO6188XRSL.....	151	S1207XE.....	125	S200.....	208	S2103XKSL.....	131
FCM84814XC.....	135	FCM871SL.....	139	FCO6189SL.....	156	S1207XJ.....	125	S2000.....	130	S2103XN.....	131
FCM84814XR.....	135	FCM872.....	140	FCO6189XCSL.....	151	S1207XK.....	125	S2000SL.....	130	S2103XNSL.....	131
FCM84816.....	137	FCM8721.....	202	FCO6189XESL.....	151	S1207XN.....	125	S2000SL.....	137	S2103XR.....	131
FCM84816XC.....	135	FCM872SL.....	140	FCO6189XJSL.....	151	S1207XR.....	125	S2000SL-2C.....	129	S2103XRSSL.....	131
FCM84816XE.....	135	FCM873.....	141	FCO6189XNSL.....	151	S1208.....	156	S2000SL-4C.....	129	S2104.....	132
FCM84816XJ.....	135	FCM8735.....	203	FCO6189XRSL.....	151	S1208SL.....	157	S2000XC.....	127	S2104SL.....	132
FCM84816XN.....	135	FCM8736.....	202	FCO6190SL.....	156	S1209.....	156	S2000XCSSL.....	127	S2104XC.....	131
FCM84816XR.....	135	FCM873SL.....	141	FCO6190XCSL.....	151	S1209SL.....	157	S2000XCSSL.....	136	S2104XCSSL.....	131
FCM84886SL.....	137	FCM874.....	143	FCO6190XESL.....	151	S1211.....	156	S2000XCSSL-2C.....	125	S2104XE.....	131
FCM84886XCSL.....	135	FCM8745.....	203	FCO6190XJSL.....	151	S1211SL.....	157	S2000XCSSL-4C.....	125	S2104XESEL.....	131
FCM84886XESL.....	135	FCM874SL.....	143	FCO6190XNSL.....	151	S1212.....	156	S2000XE.....	127	S2104XJ.....	131
FCM84886XJSL.....	135	FCM8752.....	203	FCO6190XRSL.....	151	S128.....	156	S2000XESL.....	127	S2104XJSL.....	131
FCM84886XKSL.....	135	FCM881SL.....	170	FCO6575.....	174	S128XC.....	151	S2000XESL.....	136	S2104XK.....	131
FCM84886XNSL.....	135	FCM881XCSL.....	167	FWRT.....	209	S128XE.....	151	S2000XESL-2C.....	125	S2104XKSL.....	131
FCM84886XRSL.....	135	FCM881XESL.....	167	KNRT.....	209	S128XJ.....	151	S2000XESL-4C.....	125	S2104XN.....	131
FCM8498.....	185	FCM881XJSL.....	167	LT30T.....	209	S128XK.....	151	S2000XJ.....	127	S2104XNSL.....	131
FCM8498SL.....	185	FCM881XKSL.....	167	LTRT.....	209	S128XN.....	151	S2000XJSL.....	127	S2104XR.....	131
FCM8545SL.....	162	FCM881XNSL.....	167	PBRT.....	209	S128XR.....	151	S2000XJSL.....	136	S2104XRSL.....	131
FCM8571.....	144	FCM881XRSL.....	167	RSRT.....	209	S130.....	153	S2000XJSL-2C.....	125	S2105.....	132
FCM8572SL.....	144	FCM882SL.....	159	S100.....	208	S130SL.....	153	S2000XJSL-4C.....	125	S2106.....	169
FCM8573SL.....	144	FCM883SL.....	160	S1000.....	173	S131.....	188	S2000XK.....	127	S2107.....	169
FCM8574.....	144	FCM884SL.....	160	S1001.....	173	S132.....	188	S2000XKSL.....	127	S2108.....	169
FCM8581.....	181	FCM885SL.....	162	S1006.....	142	S132SL.....	188	S2000XKSL.....	136	S210SL.....	192
FCM8583SL.....	181	FCM886.....	178	S100SL.....	158	S1350.....	133	S2000XN.....	127	S210XCSSL.....	187
FCM860.....	206	FCM886SL.....	178	S100XCSSL.....	152	S137.....	189	S2000XNSL.....	127	S210XESL.....	187
FCM861.....	205	FCM887SL.....	161	S100XESL.....	152	S139.....	141	S2000XNSL.....	136	S210XJSL.....	187
FCM861XC.....	205	FCM888.....	178	S100XJSL.....	152	S139SL.....	141	S2000XNSL-2C.....	125	S210XKSL.....	187
FCM861XE.....	205	FCM888SL.....	179	S100XKSL.....	152	S140.....	158	S2000XNSL-4C.....	125	S210XNSL.....	187
FCM861XJ.....	205	FCM889SL.....	161	S100XNSL.....	152	S1400.....	170	S2000XR.....	127	S210XRSL.....	187
FCM861XK.....	205	FCM890.....	145	S100XRSL.....	152	S1400SL.....	170	S2000XRSL.....	127	S211.....	176
FCM861XN.....	205	FCM890SL.....	145	S1029.....	143	S1401.....	132	S2000XRSL.....	136	S213.....	179
FCM861XR.....	205	FCM891.....	181	S104.....	192	S1401SL.....	132	S2000XRSL-2C.....	125	S214.....	180
FCM862.....	192	FCM891SL.....	181	S104XC.....	187	S1402.....	170	S2000XRSL-4C.....	125	S2150.....	133
FCM86201SL.....	135	FCM892SL.....	163	S104XE.....	187	S1404.....	198	S20042.....	164	S220.....	207
FCM86240.....	135	FCM893SL.....	142	S104XJ.....	187	S1405.....	191	S2009.....	129	S2200.....	132
FCM86240SL.....	135	FCM898.....	176	S104XK.....	187	S1405SL.....	191	S2009SL.....	129	S2200XC.....	131
FCM862SL.....	192	FCM898SL.....	176	S104XN.....	187	S1406.....	191	S2010.....	128	S2200XCSSL.....	131
FCM862XC.....	187	FCM899.....	179	S104XR.....	187	S1407.....	191	S2010SL.....	129	S2200XE.....	131
FCM862XCSL.....	187	FCM899SL.....	179	S105.....	192	S1408.....	191	S2010SL.....	137	S2200XESEL.....	131
FCM862XE.....	187	FCM900.....	142	S108.....	156	S1409.....	133	S2010XC.....	125	S2200XJ.....	131
FCM862XESL.....	187	FCM901.....	178	S1089.....	169	S140STC.....	205	S2010XCSSL.....	125	S2200XJSL.....	131
FCM862XJ.....	187	FCM901SL.....	178	S1089SL.....	170	S140XC.....	152	S2010XCSSL.....	136	S2200XK.....	131
FCM862XJSL.....	187	FCM902.....	161	S108XC.....	151	S140XE.....	152	S2010XE.....	125	S2200XKSL.....	131
FCM862XK.....	187	FCM902SL.....	161	S108XE.....	151	S140XJ.....	152	S2010XESL.....	125	S2200XN.....	131
FCM862XKSL.....	187	FCM905.....	142	S108XJ.....	151	S140XK.....	152	S2010XESL.....	136	S2200XNSL.....	131
FCM862XN.....	187	FCM906.....	178	S108XK.....	151	S140XN.....	152	S2010XJ.....	125	S2200XR.....	131
FCM862XNSL.....	187	FCM906SL.....	179	S108XN.....	151	S140XR.....	152	S2010XJSL.....	125	S2200XRSL.....	131
FCM862XR.....	187	FCM907.....	161	S108XR.....	151	S141.....	156	S2010XJSL.....	136	S2213.....	149
FCM862XRSL.....	187	FCM907SL.....	161	S1100.....	207	S1411.....	194	S2010XK.....	125	S2213SL.....	149
FCM863.....	175	FCM910.....	145	S115.....	191	S141STC.....	205	S2010XKSL.....	125	S2223.....	148
FCM863SL.....	175	FCM911.....	181	S1170SL.....	157	S141XC.....	151	S2010XKSL.....	136	S2223SL.....	148
FCM864.....	176	FCM911SL.....	181	S1170XCSSL.....	151	S141XE.....	151	S2010XN.....	125	S2233.....	150
FCM864SL.....	176	FCM912.....	163	S1170XESL.....	151	S141XJ.....	151	S2010XNSL.....	125	S2233SL.....	150
FCM865.....	177	FCM912SL.....	163	S1170XJSL.....	151	S141XK.....	151	S2010XNSL.....	136	S2250.....	132
FCM86500.....	146	FCM915.....	173	S1170XKSL.....	151	S141XN.....	151	S2010XR.....	125	S2250XC.....	131
FCM86500SL.....	146	FCM916.....	173	S1170XNSL.....	151	S141XR.....	151	S2010XRSL.....	125	S2250XCSSL.....	131
FCM86550.....	146	FCM92SL.....	168	S1170XRSL.....	151	S1442SL.....	164	S2010XRSL.....	136	S2250XE.....	131
FCM86550SL.....	146	FCM92XCSSL.....	166	S118.....	158	S154.....	142	S205.....	208	S2250XESEL.....	131
FCM86560.....	183	FCM92XESL.....	166	S118XC.....	152	S154SL.....	142	S2050.....	128	S2250XJ.....	131
FCM86560SL.....	183	FCM92XJSL.....	166	S118XE.....	152	S155.....	144	S2050XC.....	125	S2250XJSL.....	131
FCM86570.....	204	FCM92XKSL.....	166	S118XJ.....	152	S155SL.....	144	S2050XE.....	125	S2250XK.....	131
FCM86580SL.....	164	FCM92XNSL.....	166	S118XK.....	152	S156.....	164	S2050XJ.....	125	S2250XKSL.....	131
FCM865SL.....	177	FCM92XRSL.....	166	S118XN.....	152	S160.....	146	S2050XK.....	125	S2250XN.....	131
FCM866.....	180	FCO6184SL.....	156	S118XR.....	152	S160SL.....	146	S2050XN.....	125	S2250XNSL.....	131
FCM866SL.....	180	FCO6184XCSSL.....	151	S120.....	208	S161.....	182	S2050XR.....	125	S2250XR.....	131
FCM8675SL.....	189	FCO6184XESL.....	151	S1200.....	156	S161SL.....	183	S206.....	192	S2250XRSL.....	131
FCM8678.....	188	FCO6184XJSL.....	151	S1200SL.....	157	S162.....	194	S206XC.....	187	S236.....	204
FCM8678SL.....	188	FCO6184XNSL.....	151	S1201.....	156	S163.....	173	S206XE.....	187	S237.....	204
FCM867SL.....	182	FCO6184XRSL.....	151	S1201SL.....	157	S1645.....	204	S206XJ.....	187	S2382.....	149
FCM870.....	158	FCO6185SL.....	156	S1202.....	156	S1646.....	165	S206XK.....	187	S2382SL.....	149
FCM8704.....	203	FCO6185XCSSL.....	151	S1202SL.....	157	S1646SL.....	165	S206XN.....	187	S2385.....	150
FCM8707.....	202	FCO6185XESL.....	151	S1203.....	156	S1647.....	164	S206XR.....	187	S2385SL.....	150
FCM8708.....	203	FCO6185XJSL.....	151	S1204.....	128	S1650.....	200	S210.....	208	S2389.....	148
FCM870SL.....	158	FCO6185XNSL.....	151	S1204SL.....	129	S1651.....	147	S2100.....	134	S2389SL.....	148
FCM870XC.....	151	FCO6185XRSL.....	151	S1205.....	128	S1651SL.....	147	S2101.....	170	S241.....	141
FCM870XCSSL.....	152	FCO6186SL.....	156	S1205SL.....	129	S1652.....	147	S2101SL.....	170	S243.....	188
FCM870XE.....	151	FCO6186XCSSL.....	151	S1205XC.....	125	S1652SL.....	147	S2102.....	170	S255.....	204
FCM870XESL.....	152	FCO6186XESL.....	151	S1205XE.....	125	S1653.....	184	S2103.....	132	S256.....	204
FCM870XJ.....	151	FCO6186XJSL.....	151	S1205XJ.....	125	S1654.....	184	S2103SL.....	132	S2600.....	126

Fiber-Classic® & Smooth-Star® *Continued*

S2610	201	S3300XR	126	S430	193	S5700XCSL	126	S6014	193	S606SL	157
S2610XC	201	S3301	207	S4305XC	187	S5700XE	125	S601SL	158	S606XC	200
S2610XE	201	S3400L	129	S4305XE	187	S5700XESL	126	S601XC	201	S606XCESL	151
S2610XJ	201	S3400LXC	126	S4305XJ	187	S5700XJ	125	S601XCSL	152	S606XE	200
S2610XN	201	S3400LXE	126	S4305XK	187	S5700XJSL	126	S601XE	201	S606XESL	151
S2610XR	201	S3400LXJ	126	S4305XN	187	S5700XK	125	S601XESL	152	S606XJ	200
S262	190	S3400LXK	126	S4305XR	187	S5700XKSL	126	S601XJ	201	S606XJSL	151
S2620	200	S3400LXN	126	S4307	191	S5700XN	125	S601XJSL	152	S606XN	200
S262XC	186	S3400LXR	126	S4308	188	S5700XNSL	126	S601XKSL	152	S606XNSL	151
S262XE	186	S3400R	130	S430SL	182	S5700XR	125	S601XN	201	S606XR	200
S262XJ	186	S3400RXC	126	S4310	185	S5700XRSL	126	S601XNSL	152	S606XRSL	151
S262XK	186	S3400RXE	126	S4311	184	S5701	207	S601XR	201	S607	201
S262XN	186	S3400RXJ	126	S4314	175	S5705	129	S601XRSL	152	S6070	143
S262XR	186	S3400RXK	126	S4315	192	S5705XC	125	S602	199	S6070SL	143
S2630	199	S3400RXN	126	S4316	182	S5705XE	125	S6021	192	S6071	162
S263SL	191	S3400RXR	126	S4320	183	S5705XJ	125	S6021XC	187	S6071SL	162
S263XCSL	187	S3401L	207	S4321	191	S5705XK	125	S6021XE	187	S6072	162
S263XESL	187	S3401R	207	S4323	183	S5705XN	125	S6021XJ	187	S6073	179
S263XJSL	187	S3487SL	191	S4324	178	S5705XR	125	S6021XK	187	S6074	179
S263XKSL	187	S3487XCSL	187	S4325	177	S571	145	S6021XN	187	S6075	180
S263XNSL	187	S3487XESL	187	S4326	181	S5710	129	S6021XR	187	S6076	180
S263XRSL	187	S3487XJSL	187	S4327	179	S5710SL	130	S6022	190	S607SL	157
S2640	200	S3487XKSL	187	S4328	177	S5710XC	125	S6022XC	186	S607XC	201
S2650	199	S3487XNSL	187	S4329	180	S5710XCSL	126	S6022XE	186	S607XCESL	151
S2660	199	S3487XRSL	187	S4330	180	S5710XE	125	S6022XJ	186	S607XE	201
S2670	199	S35	177	S45	207	S5710XESL	126	S6022XK	186	S607XESL	151
S289	194	S3500L	130	S4521	165	S5710XJ	125	S6022XN	186	S607XJ	201
S289XC	194	S3500LXC	126	S4521SL	165	S5710XJSL	126	S6022XR	186	S607XJSL	151
S289XE	194	S3500LXE	126	S4525	165	S5710XK	125	S6025	177	S607XN	201
S289XJ	194	S3500LXJ	126	S4525SL	165	S5710XKSL	126	S6026	182	S607XNSL	151
S289XK	194	S3500LXK	126	S454	204	S5710XN	125	S6029	179	S607XR	201
S289XN	194	S3500LXN	126	S4570SL	139	S5710XNSL	126	S602SL	143	S607XRSL	151
S289XR	194	S3500LXR	126	S476	165	S5710XR	125	S6030	180	S608	201
S291	193	S3500R	130	S4800	208	S5710XRSL	126	S6031	177	S6080	174
S291SL	179	S3500RXC	126	S4810	137	S5715	129	S6032	175	S6082	173
S292	193	S3500RXE	126	S4810SL	137	S5715XC	125	S6034	188	S6084	173
S292SL	180	S3500RXJ	126	S4810XC	136	S5715XE	125	S6035	188	S6085	172
S294	193	S3500RXK	126	S4810XCSL	136	S5715XJ	125	S6036	183	S608XC	201
S294SL	177	S3500RXN	126	S4810XE	136	S5715XK	125	S604	199	S608XE	201
S296	205	S3500RXR	126	S4810XESL	136	S5715XN	125	S6041	192	S608XJ	201
S296XC	205	S3501L	207	S4810XJ	136	S5715XR	125	S6041XC	187	S608XN	201
S296XE	205	S3501R	207	S4810XJSL	136	S5720	129	S6041XE	187	S608XR	201
S296XJ	205	S3540	200	S4810XN	136	S5720SL	130	S6041XJ	187	S609	199
S296XK	205	S3600L	130	S4810XNSL	136	S5720XC	125	S6041XK	187	S6090	145
S296XN	205	S3600LXC	126	S4810XR	136	S5720XCSL	126	S6041XN	187	S6091	162
S296XR	205	S3600LXE	126	S4810XRSL	136	S5720XE	125	S6041XR	187	S6091SL	162
S30	192	S3600LXJ	126	S4812	137	S5720XESL	126	S6042	191	S6092	161
S308SL	157	S3600LXK	126	S4812SL	137	S5720XJ	125	S6042XC	186	S6092SL	161
S308XCSL	151	S3600LXN	126	S4812XC	136	S5720XJSL	126	S6042XE	186	S6093	142
S308XESL	151	S3600LXR	126	S4812XCSL	136	S5720XK	125	S6042XJ	186	S6094	144
S308XJSL	151	S3600R	130	S4812XE	136	S5720XKSL	126	S6042XK	186	S6095	145
S308XKSL	151	S3600RXC	126	S4812XESL	136	S5720XN	125	S6042XN	186	S6100	142
S308XNSL	151	S3600RXE	126	S4812XJ	136	S5720XNSL	126	S6042XR	186	S6100SL	142
S308XRSL	151	S3600RXJ	126	S4812XJSL	136	S5720XR	125	S6045	177	S6101	178
S30XC	187	S3600RXK	126	S4812XN	136	S5720XRSL	126	S6046	182	S6101SL	178
S30XE	187	S3600RXN	126	S4812XNSL	136	S5721	207	S6049	179	S6102	161
S30XJ	187	S3600RXR	126	S4812XR	136	S5725	129	S604SL	141	S6102SL	161
S30XK	187	S3601L	207	S4812XRSL	136	S5725XC	125	S605	201	S6103	161
S30XN	187	S360RL	207	S4813	137	S5725XE	125	S6050	180	S6104	193
S30XR	187	S369	141	S4813XC	136	S5725XJ	125	S6051	177	S6106	178
S31	208	S37	182	S4813XE	136	S5725XK	125	S6052	175	S6107	178
S310	139	S386	185	S4813XJ	136	S5725XN	125	S6054	189	S6108	178
S32	191	S387	185	S4813XN	136	S5725XR	125	S6055	188	S6124SL	157
S3200	134	S387SL	185	S4813XR	136	S572SL	145	S6056	183	S6124XCSL	151
S3200SL	134	S389	165	S4814	137	S573SL	145	S605SL	157	S6124XESL	151
S3200XC	133	S392	185	S4814XC	136	S574	144	S605XC	200	S6124XJSL	151
S3200XCSL	133	S393	197	S4814XE	136	S575	181	S605XCSL	151	S6124XNSL	151
S3200XE	133	S394	185	S4814XJ	136	S577	181	S605XE	200	S6124XRSL	151
S3200XESL	133	S398	194	S4814XN	136	S579	181	S605XESL	151	S6125SL	157
S3200XJ	133	S4070SL	145	S4814XR	136	S581	181	S605XJ	200	S6125XCSL	151
S3200XJSL	133	S41	179	S4816	137	S583SL	181	S605XJSL	151	S6125XESL	151
S3200XN	133	S416SL	145	S4816XC	136	S585	193	S605XN	200	S6125XJSL	151
S3200XNSL	133	S42	180	S4816XE	136	S5870SL	144	S605XNSL	151	S6125XNSL	151
S3200XR	133	S4200	134	S4816XJ	136	S600	208	S605XR	200	S6125XRSL	151
S3200XRSL	133	S4200SL	134	S4816XN	136	S6000	175	S605XRSL	151	S6126SL	157
S32XC	186	S4200XC	133	S4816XR	136	S6000SL	175	S606	201	S6126XCSL	151
S32XE	186	S4200XCSL	133	S507	196	S6002	139	S6061	153	S6126XESL	151
S32XJ	186	S4200XE	133	S508	200	S6002SL	139	S6062	157	S6126XJSL	151
S32XK	186	S4200XESL	133	S529	163	S6006	177	S6062SL	158	S6126XNSL	151
S32XN	186	S4200XJ	133	S5425	167	S6006SL	178	S6063	156	S6126XRSL	151
S32XR	186	S4200XJSL	133	S5425SL	167	S6008	141	S6063STC	205	S6128SL	153
S3300	130	S4200XN	133	S543	163	S6008SL	141	S6063XC	151	S6130SL	140
S3300XC	126	S4200XNSL	133	S545SL	163	S6009	160	S6063XE	151	S6131SL	142
S3300XE	126	S4200XR	133	S549	196	S6009SL	161	S6063XJ	151	S6132SL	146
S3300XJ	126	S4200XRSL	133	S5700	129	S601	201	S6063XK	151	S6134SL	141
S3300XK	126	S426	182	S5700SL	130	S6010	161	S6063XN	151	S6135SL	143
S3300XN	126	S43	183	S5700XC	125	S6013	193	S6063XR	151	S6200	134

S6200SL.....	134	S8000SL.....	132	S818XE.....	152	S82610XC.....	201	S8321XR.....	186	S84200XNSL.....	133
S6200XC.....	133	S8000SL.....	137	S818XJ.....	152	S82610XE.....	201	S8322.....	190	S84200XR.....	133
S6200XCSSL.....	133	S8000XC.....	127	S818KK.....	152	S82610XJ.....	201	S8323.....	190	S84200XRSL.....	133
S6200XE.....	133	S8000XCSSL.....	131	S818XN.....	152	S82610XN.....	201	S8324.....	190	S84305XC.....	187
S6200XESL.....	133	S8000XCSSL.....	136	S818XR.....	152	S82610XR.....	201	S8325.....	191	S84305XE.....	187
S6200XJ.....	133	S8000XE.....	127	S81929P.....	192	S82620.....	200	S8326.....	190	S84305XJ.....	187
S6200XJSL.....	133	S8000XESL.....	131	S81929PXC.....	187	S82630.....	199	S8327.....	190	S84305XK.....	187
S6200XN.....	133	S8000XESL.....	136	S81929PXE.....	187	S82640.....	200	S8328.....	190	S84305XN.....	187
S6200XNSL.....	133	S8000XJ.....	127	S81929PXJ.....	187	S82650.....	199	S832XC.....	186	S84305XR.....	187
S6200XR.....	133	S8000XJSL.....	131	S81929PXX.....	187	S82660.....	199	S832XE.....	186	S84308.....	188
S6200XRSL.....	133	S8000XJSL.....	136	S81929PXN.....	187	S82670.....	199	S832XJ.....	186	S84309.....	190
S6201SL.....	135	S8000XK.....	127	S81929PXR.....	187	S828.....	157	S832XK.....	186	S84310.....	185
S6240.....	135	S8000XKSL.....	131	S81933P.....	175	S829.....	153	S832XN.....	186	S84311.....	184
S6240SL.....	135	S8000XKSL.....	136	S81935P.....	176	S829SL.....	153	S832XR.....	186	S84312.....	191
S626.....	146	S8000XN.....	127	S81936P.....	176	S82SL.....	170	S833.....	177	S84313.....	190
S6500.....	147	S8000XNSL.....	131	S81937P.....	177	S82X.....	166	S83300.....	129	S84314.....	175
S6500SL.....	147	S8000XNSL.....	136	S81938P.....	179	S82XCSSL.....	167	S83300XC.....	126	S84315.....	192
S6520.....	200	S8000XR.....	127	S81939P.....	178	S82XE.....	166	S83300XE.....	126	S84316.....	182
S6534.....	197	S8000XRSL.....	131	S81940P.....	179	S82XESL.....	167	S83300XJ.....	126	S84318.....	190
S6536.....	184	S8000XRSL.....	136	S81941P.....	180	S82XJ.....	166	S83300XK.....	126	S84319.....	176
S6550.....	147	S807.....	194	S81942P.....	182	S82XJSL.....	167	S83300XN.....	126	S84320.....	183
S6550SL.....	147	S807XC.....	194	S81983.....	180	S82XK.....	166	S83300XR.....	126	S84321.....	191
S6560.....	183	S807XE.....	194	S82.....	169	S82XKSL.....	167	S83301.....	207	S84322.....	186
S6565.....	183	S807XJ.....	194	S820.....	145	S82XN.....	166	S83400L.....	130	S84323.....	183
S6565SL.....	184	S807XK.....	194	S8200.....	207	S82XNSL.....	167	S83400LXC.....	126	S84324.....	178
S6568.....	183	S807XN.....	194	S8201.....	208	S82XR.....	166	S83400LXE.....	126	S84325.....	177
S6570.....	204	S807XR.....	194	S8202SL.....	170	S82XRSL.....	167	S83400LXJ.....	126	S84326.....	181
S6572.....	194	S808.....	157	S8204SL.....	170	S830.....	192	S83400LXK.....	126	S84327.....	179
S6575.....	174	S808SL.....	157	S8207SL.....	170	S830XC.....	187	S83400LXN.....	126	S84328.....	177
S6576.....	174	S80XC.....	167	S821.....	144	S830XE.....	187	S83400LXR.....	126	S84329.....	180
S6577.....	174	S80XE.....	167	S82103.....	132	S830XJ.....	187	S83400R.....	130	S84330.....	180
S6580.....	164	S80XJ.....	167	S82103XC.....	131	S830XK.....	187	S83400RXC.....	126	S84521.....	165
S6580SL.....	164	S80XK.....	167	S82103XE.....	131	S830XN.....	187	S83400RXE.....	126	S84521SL.....	165
S6582.....	164	S80XN.....	167	S82103XJ.....	131	S830XR.....	187	S83400RXJ.....	126	S84525.....	165
S668.....	140	S80XR.....	167	S82103XK.....	131	S831.....	208	S83400RXK.....	126	S84525SL.....	165
S682.....	167	S810.....	208	S82103XN.....	131	S8310.....	170	S83400RXN.....	126	S84527.....	166
S685L.....	130	S81000.....	208	S82103XR.....	131	S8310SL.....	170	S83400RXR.....	126	S84527SL.....	166
S685LXC.....	126	S81086SL.....	158	S82104.....	132	S8311.....	169	S83401L.....	207	S84586SL.....	140
S685LXE.....	126	S81086XCSL.....	152	S82105.....	132	S8311SL.....	170	S83401R.....	207	S8467.....	185
S685LXJ.....	126	S81086XESL.....	152	S82105XC.....	131	S83120.....	198	S83500L.....	130	S84800.....	208
S685LXK.....	126	S81086XJSL.....	152	S82105XE.....	131	S831203.....	198	S83500LXC.....	126	S84810.....	137
S685LXN.....	126	S81086XKSL.....	152	S82105XJ.....	131	S831203XC.....	197	S83500LXE.....	126	S84810SL.....	137
S685LXR.....	126	S81086XNSL.....	152	S82105XK.....	131	S831203XJ.....	197	S83500LXJ.....	126	S84810XC.....	136
S685R.....	130	S81086XRSL.....	152	S82105XN.....	131	S831203XK.....	197	S83500LXK.....	126	S84810XCSSL.....	136
S685RXC.....	126	S81100.....	207	S82105XR.....	131	S831203XC.....	197	S83500LXN.....	126	S84810XE.....	136
S685RXE.....	126	S81186SL.....	157	S82106.....	132	S831203XJ.....	197	S83500LXR.....	126	S84810XESL.....	136
S685RXK.....	126	S8120.....	208	S82106XC.....	131	S831203XR.....	197	S83500R.....	130	S84810XJ.....	136
S685RXN.....	126	S81208.....	157	S82106XE.....	131	S83120XC.....	198	S83500RXC.....	126	S84810XJSL.....	136
S685RXR.....	126	S81225.....	153	S82106XJ.....	131	S83120XE.....	198	S83500RXE.....	126	S84810XN.....	136
S691.....	129	S8132.....	188	S82106XK.....	131	S83120XJ.....	198	S83500RXJ.....	126	S84810XNSL.....	136
S691XC.....	125	S8132SL.....	188	S82106XN.....	131	S83120XK.....	198	S83500RXK.....	126	S84810XR.....	136
S691XE.....	125	S814.....	140	S82106XR.....	131	S83120XN.....	198	S83500RXN.....	126	S84810XRSL.....	136
S691XJ.....	125	S8140.....	158	S82107.....	132	S83120XR.....	198	S83500RXR.....	126	S84812.....	137
S691XK.....	125	S81401.....	132	S82107XC.....	131	S8313.....	170	S83501L.....	207	S84812SL.....	137
S691XN.....	125	S81405.....	191	S82107XE.....	131	S8313SL.....	170	S83501R.....	207	S84812XC.....	136
S691XR.....	125	S8140STC.....	205	S82107XJ.....	131	S83142.....	197	S83540.....	200	S84812XCSSL.....	136
S6975.....	200	S8140XC.....	152	S82107XK.....	131	S83143.....	195	S83600L.....	130	S84812XE.....	136
S704.....	203	S8140XE.....	152	S82107XN.....	131	S83147.....	196	S83600LXC.....	126	S84812XESL.....	136
S707.....	202	S8140XJ.....	152	S82107XR.....	131	S83149.....	196	S83600LXE.....	126	S84812XJ.....	136
S708.....	203	S8140XK.....	152	S82200.....	132	S83152.....	195	S83600LXJ.....	126	S84812XJSL.....	136
S709.....	173	S8140XN.....	152	S82200XC.....	131	S83153.....	195	S83600LXK.....	126	S84812XN.....	136
S7125SL.....	191	S8140XR.....	152	S82200XE.....	131	S83154.....	196	S83600LXN.....	126	S84812XNSL.....	136
S721.....	202	S8141.....	198	S82200XJ.....	131	S83155.....	196	S83600LXR.....	126	S84812XR.....	136
S735.....	203	S8144.....	191	S82200XK.....	131	S8316.....	170	S83600R.....	130	S84812XRSL.....	136
S736.....	202	S8145.....	191	S82200XN.....	131	S8317.....	204	S83600RXC.....	126	S84813.....	137
S745.....	203	S8145SL.....	191	S82200XR.....	131	S8318.....	191	S83600RXE.....	126	S84813XC.....	136
S751SL.....	171	S8149.....	182	S82213.....	149	S8319.....	191	S83600RXJ.....	126	S84813XE.....	136
S751XCSSL.....	167	S8149SL.....	140	S82213SL.....	149	S832.....	191	S83600RXK.....	126	S84813XJ.....	136
S751XESL.....	167	S815.....	140	S82223.....	148	S8320.....	191	S83600RXN.....	126	S84813XN.....	136
S751XJSL.....	167	S816.....	139	S82223SL.....	148	S83200.....	134	S83600RXR.....	126	S84813XR.....	136
S751XKSL.....	167	S81645.....	204	S82233.....	150	S83200SL.....	134	S83601L.....	207	S84814.....	137
S751XNSL.....	167	S81646.....	165	S82233SL.....	150	S83200XC.....	133	S83601R.....	207	S84814XC.....	136
S751XRSL.....	167	S81646SL.....	165	S82250.....	132	S83200XCSSL.....	133	S837.....	182	S84814XE.....	136
S752.....	203	S81649.....	197	S822XC.....	166	S83200XE.....	133	S8386.....	185	S84814XJ.....	136
S755.....	208	S81650.....	200	S822XE.....	166	S83200XESL.....	133	S8386SL.....	185	S84814XN.....	136
S757SL.....	163	S81651.....	147	S822XJ.....	166	S83200XJ.....	133	S8387.....	185	S84814XR.....	136
S758SL.....	160	S81651SL.....	147	S822XK.....	166	S83200XJSL.....	133	S8390.....	197	S84816.....	137
S770.....	174	S81652.....	147	S822XN.....	166	S83200XN.....	133	S8392.....	185	S84816XC.....	136
S771.....	172	S81652SL.....	147	S822XR.....	166	S83200XNSL.....	133	S84200.....	134	S84816XE.....	136
S773.....	173	S81653.....	184	S82382.....	149	S83200XR.....	133	S84200SL.....	134	S84816XJ.....	136
S774.....	173	S81653SL.....	184	S82382SL.....	149	S83200XRSL.....	133	S84200XC.....	133	S84816XN.....	136
S80.....	171	S81654.....	184	S82385.....	150	S8321.....	191	S84200XCSSL.....	133	S84816XR.....	136
S8000.....	130	S81654SL.....	184	S82385SL.....	150	S8321XC.....	186	S84200XE.....	133	S84886SL.....	132
S8000-12.....	129	S81656.....	184	S82389.....	148	S8321XE.....	186	S84200XESL.....	133	S84886XCSL.....	131
S8000-18.....	129	S817.....	141	S82389SL.....	148	S8321XJ.....	186	S84200XJ.....	133	S84886XCSL.....	131
S8000-9.....	129	S818.....	158	S82600.....	127	S8321XK.....	186	S84200XJSL.....	133	S84886XESL.....	131
		S81828.....	157	S82610.....	201	S8321XN.....	186	S84200XNSL.....	133		
		S818XC.....	152								

Fiber-Classic® & Smooth-Star® *Continued*

S84886XESL.....	136	S85710XRSL.....	208	S8601XCSSL.....	152	S86580.....	164	S896XJ.....	205
S84886XJSL.....	131	S85715.....	129	S8601YESL.....	152	S86580SL.....	164	S896XK.....	205
S84886XJSL.....	136	S85715XC.....	125	S8601XJSL.....	152	S8675SL.....	191	S896XN.....	205
S84886XKSL.....	131	S85715XE.....	125	S8601XKSL.....	152	S867SL.....	183	S896XR.....	205
S84886XKSL.....	136	S85715XJ.....	125	S8601XNSL.....	152	S8682.....	167	S897.....	208
S84886XNSL.....	131	S85715XK.....	125	S8601XRSL.....	152	S8682SL.....	167	S89701.....	183
S84886XNSL.....	136	S85715XN.....	125	S8602.....	199	S8685L.....	130	S8971.....	188
S84886XRSL.....	131	S85715XR.....	125	S86021.....	192	S8685LXC.....	126	S8972.....	198
S84886XRSL.....	136	S85720.....	129	S86021XC.....	187	S8685LXE.....	126	S898.....	170
S8489.....	186	S85720SL.....	208	S86021XE.....	187	S8685LXL.....	126	S898SL.....	170
S8498.....	185	S85720XC.....	125	S86021XJ.....	187	S8685LXK.....	126	S90.....	171
S8498SL.....	186	S85720XCSSL.....	208	S86021XK.....	187	S8685LXN.....	126	S902.....	164
S8508.....	200	S85720XE.....	125	S86021XN.....	187	S8685LXR.....	126	S902SL.....	164
S85225SL.....	130	S85720XESL.....	208	S86021XR.....	187	S8685R.....	130	S90SL.....	132
S85225XCSSL.....	127	S85720XJ.....	125	S86022XC.....	186	S8685RXC.....	126	S90XC.....	167
S85225XESL.....	127	S85720XJSL.....	208	S86022XE.....	186	S8685RXC.....	126	S90XE.....	167
S85225XJSL.....	127	S85720XK.....	125	S86022XJ.....	186	S8685RXJ.....	126	S90XJ.....	167
S85225XKSL.....	127	S85720XKSL.....	208	S86022XK.....	186	S8685RXK.....	126	S90XK.....	167
S85225XNSL.....	127	S85720XN.....	125	S86022XN.....	186	S8685RXN.....	126	S90XN.....	167
S85225XRSL.....	127	S85720XNSL.....	208	S86022XR.....	186	S8685RXR.....	126	S90XR.....	167
S85226SL.....	129	S85720XR.....	125	S86025.....	177	S8691.....	129	S91.....	160
S85226XCSSL.....	125	S85720XRSL.....	208	S86026.....	182	S8691XC.....	125	S912.....	163
S85226XESL.....	125	S85721.....	207	S86027.....	176	S8691XE.....	125	S916.....	140
S85226XJSL.....	125	S85725.....	129	S86029.....	179	S8691XJ.....	125	S916SL.....	140
S85226XKSL.....	125	S85725XC.....	125	S8602SL.....	142	S8691XK.....	125	S91SL.....	160
S85226XNSL.....	125	S85725XE.....	125	S86030.....	180	S8691XN.....	125	S92.....	170
S85226XRSL.....	125	S85725XJ.....	125	S86031.....	177	S8691XR.....	125	S9200.....	134
S85227SL.....	130	S85725XK.....	125	S86032.....	175	S86975.....	200	S9200XC.....	133
S85227XCSSL.....	126	S85725XN.....	125	S86035.....	188	S8704.....	203	S9200XE.....	133
S85227XESL.....	126	S85725XR.....	125	S86036.....	183	S8707.....	202	S9200XJ.....	133
S85227XJSL.....	126	S8572SL.....	145	S8604.....	199	S8708.....	203	S9200XN.....	133
S85227XKSL.....	126	S8573SL.....	145	S8605.....	201	S8721.....	202	S9200XR.....	133
S85227XNSL.....	126	S8574.....	144	S8605SL.....	157	S8735.....	203	S925.....	198
S85227XRSL.....	126	S8575.....	181	S8605XC.....	200	S8736.....	202	S92SL.....	132
S85228SL.....	130	S8579.....	181	S8605XE.....	200	S8745.....	203	S92XC.....	166
S85228XCSSL.....	126	S8581.....	181	S8605XJ.....	200	S8752.....	203	S92XE.....	166
S85228XESL.....	126	S8583SL.....	181	S8605XN.....	200	S880.....	171	S92XJ.....	166
S85228XJSL.....	126	S85892.....	139	S8605XR.....	200	S880SL.....	171	S92XK.....	166
S85228XKSL.....	126	S85892SL.....	139	S8606.....	201	S880XC.....	167	S92XN.....	166
S85228XNSL.....	126	S85893.....	141	S8606SL.....	157	S880XCSSL.....	167	S92XR.....	166
S85228XRSL.....	126	S85893SL.....	141	S8606XC.....	200	S880XE.....	167	S93.....	207
S85229SL.....	130	S85895.....	145	S8606XE.....	200	S880XESL.....	167	S9320.....	198
S85229XCSSL.....	126	S85895SL.....	145	S8606XJ.....	200	S880XJ.....	167	S93203.....	198
S85229XESL.....	126	S85896.....	144	S8606XN.....	200	S880XJSL.....	167	S93203XC.....	197
S85229XJSL.....	126	S85896SL.....	144	S8606XR.....	200	S880XK.....	167	S93203XE.....	197
S85229XKSL.....	126	S85897.....	178	S8607.....	201	S880XKSL.....	167	S93203XJ.....	197
S85229XNSL.....	126	S85898.....	161	S86074.....	179	S880XN.....	167	S93203XK.....	197
S85229XRSL.....	126	S85898SL.....	161	S8607SL.....	157	S880XNSL.....	167	S93203XN.....	197
S85230SL.....	208	S85901.....	162	S8607XC.....	201	S880XR.....	167	S93203XR.....	197
S8529.....	163	S85902.....	163	S8607XE.....	201	S880XRSL.....	167	S9320XC.....	198
S8545SL.....	163	S85902SL.....	163	S8607XJ.....	201	S881.....	170	S9320XE.....	198
S85700.....	129	S85905.....	175	S8607XN.....	201	S881SL.....	170	S9320XJ.....	198
S85700SL.....	208	S85907.....	176	S8607XR.....	201	S881XC.....	166	S9320XK.....	198
S85700XC.....	125	S85908.....	179	S8608.....	201	S881XCSSL.....	167	S9320XN.....	198
S85700XCSSL.....	208	S85909.....	180	S8608XC.....	201	S881XE.....	166	S9320XR.....	198
S85700XE.....	125	S85910SL.....	192	S8608XE.....	201	S881XESL.....	167	S9342.....	197
S85700XESL.....	208	S85910XCSSL.....	187	S8608XJ.....	201	S881XJ.....	166	S9343.....	195
S85700XJ.....	125	S85910XCSSL.....	187	S8608XN.....	201	S881XJSL.....	167	S9347.....	196
S85700XJSL.....	208	S85910XJSL.....	187	S8608XR.....	201	S881KK.....	166	S9349.....	196
S85700XK.....	125	S85910XKSL.....	187	S8609.....	199	S881KXSL.....	167	S9352.....	195
S85700XKSL.....	208	S85910XNSL.....	187	S86107.....	178	S881XN.....	166	S9353.....	195
S85700XN.....	125	S85910XRSL.....	187	S86200.....	134	S881XNSL.....	167	S9354.....	196
S85700XNSL.....	208	S85912SL.....	175	S86200SL.....	134	S881XR.....	166	S9355.....	196
S85700XR.....	125	S85914SL.....	176	S86200XC.....	133	S881XRSL.....	167	S95.....	160
S85700XRSL.....	208	S85915SL.....	177	S86200XCSSL.....	133	S882.....	170	S960.....	208
S85701.....	207	S85916SL.....	178	S86200XE.....	133	S887.....	160	S97.....	163
S85705.....	129	S85917SL.....	179	S86200XESL.....	133	S887SL.....	160	S971.....	188
S85705XC.....	125	S85918SL.....	178	S86200XJ.....	133	S888.....	160	S972.....	175
S85705XE.....	125	S85920SL.....	182	S86200XJSL.....	133	S888SL.....	160	S973.....	178
S85705XJ.....	125	S85922SL.....	180	S86200XN.....	133	S891.....	161	S975.....	159
S85705XK.....	125	S85924SL.....	157	S86200XNSL.....	133	S891SL.....	161	S975SL.....	159
S85705XN.....	125	S85925SL.....	157	S86200XR.....	133	S892.....	162	S977.....	160
S85705XR.....	125	S85926SL.....	157	S86200XRSL.....	133	S89200.....	134	S979.....	159
S8571.....	145	S85927SL.....	139	S86201SL.....	135	S89200XC.....	133	S981.....	160
S85710.....	129	S85928SL.....	153	S86240.....	135	S89200XE.....	133	S982.....	161
S85710SL.....	208	S85930SL.....	145	S86240SL.....	135	S89200XJ.....	133	S983.....	162
S85710XC.....	125	S85931SL.....	141	S86500.....	147	S89200XN.....	133	S992.....	174
S85710XCSSL.....	208	S85932SL.....	143	S86500SL.....	147	S89200XR.....	133	S997.....	172
S85710XE.....	125	S85934SL.....	144	S86520.....	200	S892SL.....	162	S999.....	173
S85710XESL.....	208	S8600.....	208	S86533.....	197	S893.....	178	SART.....	209
S85710XJ.....	125	S8600XC.....	201	S86536.....	184	S894.....	159		
S85710XJSL.....	208	S8600XE.....	201	S86550.....	147	S894SL.....	159		
S85710XK.....	125	S8600XJ.....	201	S86550SL.....	147	S895.....	161		
S85710XKSL.....	208	S8600XN.....	201	S86560.....	183	S895SL.....	161		
S85710XN.....	125	S8600XR.....	201	S86560SL.....	184	S896.....	205		
S85710XNSL.....	208	S8601.....	201	S86565.....	183	S896XC.....	205		
S85710XR.....	125	S8601SL.....	158	S86570.....	204	S896XE.....	205		

100.....	233	104XE.....	228	19730T.....	239	371SLHD.....	226	6186SL.....	235	8321XJ.....	235
104.....	229	104XJ.....	228	19740T.....	239	374HD.....	226	6186XCSL.....	222	8321XK.....	235
105.....	229	104XK.....	228	19750T.....	239	391HD.....	225	6186XCSSL.....	234	8321XN.....	235
108.....	223	104XN.....	228	198SL.....	223	391SLHD.....	225	6186XESL.....	222	8321XR.....	235
118.....	223	104XR.....	228	198SL.....	235	395HD.....	228	6186XESL.....	234	835HD.....	228
128.....	223	1089SLHD.....	225	203HD.....	233	395SLHD.....	228	6186XJSL.....	222	86184SL.....	235
130.....	223	108XC.....	222	205HD.....	233	396HD.....	230	6186XJSL.....	234	86185SL.....	235
131.....	229	108XE.....	222	206HD.....	229	397HD.....	228	6186XNSL.....	222	86186SL.....	235
137.....	229	108XJ.....	222	206HDXC.....	228	416SL.....	222	6186XNSL.....	234	896XC.....	237
139.....	221	108XK.....	222	206HDXE.....	228	426HD.....	227	6186XRSL.....	222	896XE.....	237
198.....	223	108XN.....	222	206HDXJ.....	228	430HD.....	230	6186XRSL.....	234	896XJ.....	237
310.....	221	108XR.....	222	206HDXK.....	228	430SLHD.....	227	620SL.....	221	896XK.....	237
369.....	221	1101HD.....	229	206HDXN.....	228	454HD.....	232	623HD.....	227	896XN.....	237
571.....	221	1101XCHD.....	228	206HDXR.....	228	4572SLHD.....	225	625HD.....	230	896XR.....	237
610.....	221	1101XEHD.....	228	2109HD.....	225	469HD.....	225	625SLHD.....	227	916SL.....	221
620.....	221	1101XJHD.....	228	210HD.....	233	469SLHD.....	225	626SL.....	222	956SLHD.....	224
626.....	222	1101XKHD.....	228	210SLHD.....	229	508HD.....	231	627HD.....	227	959HD.....	225
800.....	238	1101XNHD.....	228	210SLHDXC.....	228	5425SL.....	225	628HD.....	230	959HDXC.....	225
808.....	234	1101XRHD.....	228	210SLHDXE.....	228	544HD.....	224	628SLHD.....	227	959HDXCSSL.....	225
810.....	238	1102HD.....	229	210SLHDXJ.....	228	546SLHD.....	224	630HD.....	226	959HDXE.....	225
818.....	235	1111HD.....	227	210SLHDXK.....	228	576HD.....	227	631HD.....	227	959HDXESL.....	225
828.....	234	1112HD.....	227	210SLHDXN.....	228	578HD.....	227	632SL.....	223	959HDXJ.....	225
829.....	234	1113HD.....	227	210SLHDXR.....	228	582HD.....	227	632SL.....	235	959HDXJSL.....	225
896.....	238	1114HD.....	226	2110HD.....	225	584SLHD.....	227	632XCSL.....	222	959HDXK.....	225
916.....	221	1115HD.....	226	2111HD.....	225	588HD.....	230	632XCSSL.....	234	959HDXKSL.....	225
1006.....	221	1116HD.....	226	211HD.....	226	601HD.....	232	632XESL.....	222	959HDXN.....	225
1028.....	222	1117HD.....	226	236HD.....	233	601XCHD.....	232	632XESL.....	234	959HDXNSL.....	225
1029.....	221	1118HD.....	227	237HD.....	233	601XEHD.....	232	632XJSL.....	222	959HDXR.....	225
1200.....	223	1120HD.....	227	2382HD.....	222	601XJHD.....	232	632XJSL.....	234	959HDXRSL.....	225
1201.....	223	1121HD.....	229	2382SL.....	222	601XNHD.....	232	632XKSL.....	222	959SLHD.....	225
1202.....	223	1123HD.....	229	2385HD.....	222	601XRHD.....	232	632XKSL.....	234	961HD.....	225
1203.....	223	1123HDXC.....	228	2385SL.....	222	602HD.....	231	632XNSL.....	222	961HDXC.....	225
5425.....	225	1123HDXE.....	228	2389HD.....	222	604HD.....	231	632XNSL.....	234	961HDXE.....	225
8132.....	236	1123HDXJ.....	228	2389SL.....	222	605HD.....	232	632XRSL.....	222	961HDXJ.....	225
8145.....	236	1123HDXK.....	228	243HD.....	229	605HDXC.....	231	632XRSL.....	234	961HDXK.....	225
8206.....	236	1123HDXN.....	228	255HD.....	233	605HDXE.....	231	6500HD.....	222	961HDXN.....	225
8317.....	237	1123HDXR.....	228	256HD.....	233	605HDXJ.....	231	6500SL.....	222	961HDXR.....	225
8321.....	236	115HD.....	229	262HD.....	229	605HDXN.....	231	6520HD.....	231	965HD.....	224
8322.....	236	118XC.....	223	262HDXC.....	228	605HDXR.....	231	6560HD.....	228	965SLHD.....	224
8323.....	236	118XE.....	223	262HDXE.....	228	606HD.....	232	6565HD.....	228	966SLHD.....	224
8324.....	236	118XJ.....	223	262HDXJ.....	228	606HDXC.....	231	6565SLHD.....	228	967HD.....	224
8704.....	237	118XK.....	223	262HDXK.....	228	606HDXE.....	231	6568HD.....	228	967SLHD.....	224
8708.....	238	118XN.....	223	262HDXN.....	228	606HDXJ.....	231	6570HD.....	233	968HD.....	224
8752.....	237	118XR.....	223	262HDXR.....	228	606HDXN.....	231	6570SLHD.....	233	969HD.....	233
03142HD.....	224	1200SL.....	223	263HD.....	231	606HDXR.....	231	6572HD.....	230	971SLHD.....	224
1001HD.....	226	1200SL.....	234	263HDXC.....	230	607HD.....	232	6578HD.....	226	978HD.....	233
1002HD.....	226	1201SL.....	223	263HDXE.....	230	607HDXC.....	231	6580SLHD.....	224	980HD.....	229
1004HD.....	229	1201SL.....	234	263HDXJ.....	230	607HDXE.....	231	6582HD.....	224	980HDXC.....	228
1005HD.....	233	1202SL.....	223	263HDXK.....	230	607HDXJ.....	231	6720HDXCSSL.....	225	980HDXE.....	228
1006SL.....	221	1202SL.....	234	263HDXN.....	230	607HDXL.....	231	6720HDXCSSL.....	225	980HDXJ.....	228
1007HD.....	226	128XC.....	222	263HDXR.....	230	607HDXR.....	231	6720HDXJSL.....	225	980HDXK.....	228
1007SLHD.....	226	128XE.....	222	263SLHD.....	229	608HD.....	232	6720HDXKSL.....	225	980HDXN.....	228
1008HD.....	230	128XJ.....	222	263SLHDXC.....	228	608HDXC.....	231	6720HDXNSL.....	225	980HDXR.....	228
1009HD.....	224	128XK.....	222	263SLHDXE.....	228	608HDXE.....	231	6720HDXRSL.....	225	982HD.....	229
1009SLHD.....	224	128XN.....	222	263SLHDXJ.....	228	608HDXJ.....	231	6720SLHD.....	225	982HDXC.....	228
100SL.....	223	128XR.....	222	263SLHDXK.....	228	608HDXN.....	231	6975HD.....	231	982HDXE.....	228
100SL.....	235	130SL.....	223	263SLHDXN.....	228	608HDXR.....	231	704HD.....	232	982HDXJ.....	228
100XCSSL.....	223	130SL.....	234	263SLHDXR.....	228	609HD.....	231	707HD.....	232	982HDXK.....	228
100XCSSL.....	234	132HD.....	228	289HD.....	231	610SL.....	221	708HD.....	232	982HDXN.....	228
100XESL.....	223	132SLHD.....	229	289HDXC.....	230	613HD.....	227	721HD.....	232	982HDXR.....	228
100XESL.....	234	139SL.....	221	289HDXE.....	230	615HD.....	230	735HD.....	232	984HD.....	228
100XJSL.....	223	1400SLHD.....	225	289HDXJ.....	230	615SLHD.....	227	736HD.....	232	988HD.....	227
100XJSL.....	234	1403HD.....	225	289HDXK.....	230	6184SL.....	223	745HD.....	232	989HD.....	227
100XKSL.....	223	1405HD.....	229	289HDXN.....	230	6184SL.....	235	752HD.....	232	996HD.....	226
100XKSL.....	234	1405SLHD.....	229	289HDXR.....	230	6184XCSSL.....	222	818SL.....	235	999HD.....	227
100XNSL.....	223	1406HD.....	229	294HD.....	230	6184XCSSL.....	234	818XC.....	234	AXRT.....	239
100XNSL.....	234	1408HD.....	229	294SLHD.....	226	6184XESL.....	222	818XCSSL.....	234	BSRT.....	239
100XRSL.....	223	1411HD.....	231	296HD.....	233	6184XESL.....	234	818XE.....	234	CNRT.....	239
100XRSL.....	234	1643HD.....	233	296HDXC.....	233	6184XJSL.....	222	818XESL.....	234	CX30T.....	239
1011HD.....	226	1643SLHD.....	233	296HDXE.....	233	6184XJSL.....	234	818XJ.....	234	CXRT.....	239
1020HD.....	226	1644HD.....	225	296HDXJ.....	233	6184XNSL.....	222	818XJSL.....	234	EC30T.....	239
1022HD.....	226	1644SLHD.....	225	296HDXK.....	233	6184XNSL.....	234	818XK.....	234	ECRT.....	239
1024HD.....	226	1650HD.....	231	296HDXN.....	233	6184XRSL.....	222	818XKSL.....	234	FWRT.....	239
1025HD.....	226	1651HD.....	222	296HDXR.....	233	6184XRSL.....	234	818XN.....	234	KNRT.....	239
1029SL.....	221	1651SL.....	222	296SLHD.....	233	6185SL.....	223	818XNSL.....	234	LT30T.....	239
1032HD.....	227	1657HD.....	228	296SLHDXC.....	233	6185SL.....	235	818XR.....	234	LTRT.....	239
1035HD.....	227	1657SLHD.....	228	296SLHDXE.....	233	6185XCSSL.....	222	818XRSL.....	234	PBRT.....	239
1037HD.....	224	1659HD.....	228	296SLHDXJ.....	233	6185XCSSL.....	234	8206XC.....	235	RSRT.....	239
1037SLHD.....	224	1660HD.....	228	296SLHDXK.....	233	6185XESL.....	222	8206XE.....	235	SART.....	239
1039HD.....	224	1662HD.....	230	296SLHDXN.....	233	6185XESL.....	234	8206XJ.....	235	TS100.....	238
1039SLHD.....	224	19020T.....	239	296SLHDXR.....	233	6185XESL.....	222	8206XK.....	235	TS104.....	236
1040HD.....	224	19055T.....	239	309HD.....	226	6185XJSL.....	234	8206XN.....	235	TS104XC.....	235
1040SLHD.....	224	19200T.....	239	310SL.....	221	6185XNSL.....	222	8206XR.....	235	TS104XE.....	235
1041HD.....	224	19210T.....	239	311HD.....	230	6185XNSL.....	234	828SL.....	235	TS104XJ.....	235
1041SLHD.....	224	19220T.....	239	311SLHD.....	226	6185XRSL.....	222	829SL.....	234	TS104XK.....	235
1042HD.....	224	19520T.....	239	369SL.....	221	6185XRSL.....	222	8321XC.....	235	TS104XN.....	235
104XC.....	228	19720T.....	239	371HD.....	230	6186SL.....	234	8321XE.....	235	TS104XR.....	235

Steel *Continued*

TS105.....	236	TS296XCSSL.....	237
TS108.....	234	TS296XE.....	237
TS108XC.....	234	TS296XESL.....	237
TS108XE.....	234	TS296XJ.....	237
TS108XJ.....	234	TS296XJSL.....	237
TS108XK.....	234	TS296XK.....	237
TS108XN.....	234	TS296XKSL.....	237
TS108XR.....	234	TS296XN.....	237
TS115.....	236	TS296XNSL.....	237
TS118.....	235	TS296XR.....	237
TS118XC.....	234	TS296XRSL.....	237
TS118XE.....	234	TS72SL.....	221
TS118XJ.....	234	TS704.....	237
TS118XK.....	234	TS708.....	238
TS118XN.....	234	TS752.....	237
TS118XR.....	234		
TS1200.....	234		
TS1201.....	234		
TS1202.....	234		
TS1203.....	234		
TS128.....	234		
TS128XC.....	234		
TS128XE.....	234		
TS128XJ.....	234		
TS128XK.....	234		
TS128XN.....	234		
TS128XR.....	234		
TS130.....	234		
TS131.....	236		
TS132.....	236		
TS132SL.....	236		
TS137.....	236		
TS1405SL.....	236		
TS1408.....	236		
TS1411.....	237		
TS198.....	235		
TS206.....	236		
TS206XC.....	235		
TS206XE.....	235		
TS206XJ.....	235		
TS206XK.....	235		
TS206XN.....	235		
TS206XR.....	235		
TS210.....	238		
TS210SL.....	236		
TS210XCSSL.....	235		
TS210XESL.....	235		
TS210XJSL.....	235		
TS210XKSL.....	235		
TS210XNSL.....	235		
TS210XRSL.....	235		
TS236.....	237		
TS237.....	238		
TS243.....	236		
TS255.....	237		
TS256.....	238		
TS262.....	236		
TS262XC.....	235		
TS262XE.....	235		
TS262XJ.....	235		
TS262XK.....	235		
TS262XN.....	235		
TS262XR.....	235		
TS263.....	237		
TS263SL.....	236		
TS263XC.....	237		
TS263XCSSL.....	235		
TS263XE.....	237		
TS263XESL.....	235		
TS263XJ.....	237		
TS263XJSL.....	235		
TS263XK.....	237		
TS263XKSL.....	235		
TS263XN.....	237		
TS263XNSL.....	235		
TS263XR.....	237		
TS263XRSL.....	235		
TS289.....	237		
TS289XC.....	237		
TS289XE.....	237		
TS289XJ.....	237		
TS289XK.....	237		
TS289XN.....	237		
TS289XR.....	237		
TS296.....	238		
TS296SL.....	238		
TS296XC.....	237		

Fire

100.....	243
1005HD.....	243
203HD.....	243
205HD.....	243
210HD.....	243
969HD.....	243
978HD.....	243
SSF100.....	243
SSF1100.....	242
SSF120.....	242
SSF160.....	243
SSF200.....	242
SSF205.....	242
SSF220.....	242
SSF31.....	242
SSF45.....	242
SSF4800.....	242
SSF600.....	243
SSF755.....	242
SSF8100.....	243
SSF81100.....	242
SSF8120.....	242
SSF8160.....	243
SSF8200.....	242
SSF8205.....	242
SSF8220.....	242
SSF831.....	242
SSF84800.....	242
SSF8600.....	243
SSF93.....	242
SSF960.....	242
TS100.....	243
TS210.....	243

Pulse®

DRS2131SL.....	255	S4CLSL.....	256	S81086XNSL.....	255
DRS82131SL.....	255	S4LAX.....	252	S81086XRSL.....	255
S10AXSL.....	256	S4LCL.....	253	S810AX.....	253
S10CLSL.....	256	S4LPB.....	251	S810AXSL.....	256
S10PBSL.....	255	S4LXC.....	253	S810CL.....	254
S10XCGL.....	256	S4LXE.....	253	S810CLSL.....	256
S10XESL.....	256	S4LXJ.....	253	S810LAX.....	253
S10XJSL.....	256	S4LXK.....	253	S810LCL.....	254
S10XKSL.....	256	S4LXN.....	253	S810LCLSL.....	256
S10XNSL.....	256	S4LXR.....	253	S810LAX.....	253
S10XRSL.....	256	S4PB.....	251	S810LCL.....	254
S1651SL.....	255	S4PBSL.....	255	S810LCLSL.....	256
S1AX.....	250	S4RAX.....	252	S810LCLSL.....	256
S1BL.....	248	S4RCL.....	253	S810LCLSL.....	256
S1BS.....	248	S4RPP.....	251	S810LCLSL.....	256
S1CL.....	250	S4RXC.....	253	S810LCLSL.....	256
S1CX.....	250	S4RXE.....	253	S810LCLSL.....	256
S1EC.....	250	S4RXJ.....	253	S810LCLSL.....	256
S1LAX.....	250	S4RXK.....	253	S810LCLSL.....	256
S1LBL.....	248	S4RXN.....	253	S810LCLSL.....	256
S1LBS.....	248	S4RXX.....	253	S810LCLSL.....	256
S1LCL.....	250	S4XC.....	253	S810LCLSL.....	256
S1LCX.....	250	S4XCSSL.....	256	S810LCLSL.....	256
S1LEC.....	250	S4XE.....	253	S810LCLSL.....	256
S1LLT.....	250	S4XESL.....	256	S810LCLSL.....	256
S1LPB.....	249	S4XJ.....	253	S810LCLSL.....	256
S1LRS.....	249	S4XJSL.....	256	S810LCLSL.....	256
S1LSA.....	249	S4XK.....	253	S810LCLSL.....	256
S1LSG.....	249	S4XKSL.....	256	S810LCLSL.....	256
S1LSN.....	249	S4XN.....	253	S810LCLSL.....	256
S1LT.....	250	S4XNSL.....	256	S810LCLSL.....	256
S1LXC.....	250	S4XR.....	253	S810LCLSL.....	256
S1LXE.....	250	S4XRSL.....	256	S810LCLSL.....	256
S1LXJ.....	250	S572SL.....	255	S810LCLSL.....	256
S1LXK.....	250	S5AX.....	252	S810LCLSL.....	256
S1LXN.....	250	S5AXSL.....	256	S810LCLSL.....	256
S1LXR.....	250	S5CL.....	254	S810LCLSL.....	256
S1PB.....	249	S5CSSL.....	256	S810LCLSL.....	256
S1RAX.....	250	S5LAX.....	252	S810LCLSL.....	256
S1RBL.....	249	S5LCL.....	253	S810LCLSL.....	256
S1RBS.....	248	S5LPB.....	251	S810LCLSL.....	256
S1RCL.....	250	S5LXC.....	253	S810LCLSL.....	256
S1RCX.....	250	S5LXE.....	253	S810LCLSL.....	256
S1REC.....	250	S5LXJ.....	253	S810LCLSL.....	256
S1RLT.....	250	S5LXK.....	253	S810LCLSL.....	256
S1RPB.....	249	S5LXN.....	253	S810LCLSL.....	256
S1RRS.....	249	S5LXR.....	253	S810LCLSL.....	256
S1RS.....	249	S5PB.....	251	S810LCLSL.....	256
S1RSA.....	249	S5PBSL.....	255	S810LCLSL.....	256
S1RSG.....	249	S5RAX.....	252	S810LCLSL.....	256
S1RSN.....	249	S5RCL.....	254	S810LCLSL.....	256
S1RXC.....	250	S5RPB.....	251	S810LCLSL.....	256
S1RXE.....	250	S5RXC.....	254	S810LCLSL.....	256
S1RXJ.....	250	S5RXE.....	254	S810LCLSL.....	256
S1RXK.....	250	S5RXJ.....	254	S810LCLSL.....	256
S1RXN.....	250	S5RXK.....	254	S810LCLSL.....	256
S1RXR.....	250	S5RXN.....	254	S810LCLSL.....	256
S1SA.....	249	S5RXX.....	254	S810LCLSL.....	256
S1SG.....	249	S5XC.....	254	S810LCLSL.....	256
S1SN.....	249	S5XCSSL.....	256	S810LCLSL.....	256
S1XC.....	250	S5XE.....	254	S810LCLSL.....	256
S1XE.....	250	S5XESL.....	256	S810LCLSL.....	256
S1XJ.....	250	S5XJ.....	254	S810LCLSL.....	256
S1XK.....	250	S5XJSL.....	256	S810LCLSL.....	256
S1XN.....	250	S5XK.....	254	S810LCLSL.....	256
S1XR.....	250	S5XKSL.....	256	S810LCLSL.....	256
S2382SL.....	255	S5XN.....	254	S810LCLSL.....	256
S2385SL.....	255	S5XNSL.....	256	S810LCLSL.....	256
S2389SL.....	255	S5XR.....	254	S810LCLSL.....	256
S2AX.....	248	S5XRSL.....	256	S810LCLSL.....	256
S2CL.....	248	S601SL.....	255	S810LCLSL.....	256
S2CX.....	248	S601XCSSL.....	255	S810LCLSL.....	256
S2EC.....	248	S601XESL.....	255	S810LCLSL.....	256
S2PB.....	248	S601XJSL.....	255	S810LCLSL.....	256
S2RS.....	248	S601XKSL.....	255	S810LCLSL.....	256
S2SG.....	248	S601XNSL.....	255	S810LCLSL.....	256
S2SN.....	248	S601XRSL.....	255	S810LCLSL.....	256
S2XC.....	248	S602SL.....	255	S810LCLSL.....	256
S2XE.....	248	S604SL.....	255	S810LCLSL.....	256
S2XJ.....	248	S6130SL.....	255	S810LCLSL.....	256
S2XK.....	248	S6134SL.....	255	S810LCLSL.....	256
S2XN.....	248	S6500SL.....	255	S810LCLSL.....	256
S2XR.....	248	S81086SL.....	255	S810LCLSL.....	256
S4570SL.....	255	S81086XCSSL.....	255	S810LCLSL.....	256
S4AX.....	252	S81086XESL.....	255	S810LCLSL.....	256
S4AXSL.....	256	S81086XJSL.....	255	S810LCLSL.....	256
S4CL.....	253	S81086XKSL.....	255	S810LCLSL.....	256

S81LLT.....	250	S84XK.....	253	S8LPB.....	251
S81LPB.....	249	S84XKSL.....	256	S8LXC.....	254
S81LRS.....	249	S84XN.....	253	S8LXE.....	254
S81LSA.....	249	S84XNSL.....	256	S8LXJ.....	254
S81LSG.....	249	S84XR.....	253	S8LXK.....	254
S81LT.....	250	S84XRSL.....	256	S8LXN.....	254
S81LXC.....	250	S8572SL.....	255	S8LXR.....	254
S81LXE.....	250	S85927SL.....	255	S8PB.....	251
S81LXJ.....	250	S85931SL.....	255	S8RAX.....	253
S81LXK.....	250	S85932SL.....	255	S8RCL.....	254
S81LXN.....	250	S85AX.....	252	S8RPB.....	251
S81LXR.....	250	S85AXSL.....	256	S8RXC.....	254
S81PB.....	249	S85CL.....	254	S8RXE.....	254
S81RAX.....	250	S85CLSL.....	256	S8RXJ.....	254
S81RBL.....	249	S85LAX.....	252	S8RXK.....	254
S81RBS.....	248	S85LCL.....	253	S8RXN.....	254
S81RCL.....	250	S85LPB.....	251	S8RXR.....	254
S81RCX.....	250	S85LXC.....	253	S8XC.....	254
S81REC.....	250	S85LXE.....	253	S8XE.....	254
S81RLT.....	250	S85LXJ.....	253	S8XJ.....	254
S81RPB.....	249	S85LXK.....	253	S8XK.....	254
S81RRS.....	249	S85LXN.....	253	S8XN.....	254
S81RS.....	249	S85LXR.....	253	S8XR.....	254
S81RSA.....	249	S85PB.....	251	S9AX.....	253
S81RSG.....	249	S85PBSL.....	255	S9AXSL.....	256
S81RXC.....	250	S85RAX.....	252	S9CL.....	254
S81RXE.....	250	S85RCL.....	254	S9CDSL.....	256
S81RXJ.....	250	S85RPB.....	251	S9LAX.....	253
S81RXK.....	250	S85RXC.....	254	S9LCL.....	254
S81RXN.....	250	S85RXE.....	254	S9LPC.....	251
S81RXR.....	250	S85RXJ.....	254	S9LXC.....	254
S81SA.....	249	S85RXK.....	254	S9LXE.....	254
S81SG.....	249	S85RXN.....	254	S9LXJ.....	254
S81XC.....	250	S85RXX.....	254	S9LXK.....	254
S81XE.....	250	S85RXXR.....	254	S9LXN.....	254
S81XJ.....	250	S85XC.....	254	S9LXR.....	254
S81XK.....	250	S85XCGL.....	256	S9PB.....	251
S81XN.....	250	S85XE.....	254	S9PBSL.....	255
S81XR.....	250	S85XESL.....	256	S9RAX.....	253
S82382SL.....	255	S85XJ.....	254	S9RCL.....	254
S82385SL.....	255	S85XJSL.....	256	S9RPB.....	251
S82389SL.....	255	S85XK.....	254	S9RXC.....	254
S83AX.....	248	S85XKSL.....	256	S9RXE.....	254
S83CL.....	248	S85XN.....	254	S9RXJ.....	254
S83CX.....	248	S85XNSL.....	256	S9RXK.....	254
S83EC.....	248	S85XR.....	254	S9RXN.....	254
S83PB.....	248	S85XRSL.....	256	S9RXX.....	254
S83RS.....	248	S86500SL.....	255	S9XC.....	254
S83SG.....	248	S86AX.....	252	S9XCGL.....	256
S83SN.....	248	S86AXSL.....	256	S9XE.....	254
S83XC.....	248	S86CL.....	254	S9XESL.....	256
S83XE.....	248	S86CLSL.....	256	S9XJ.....	254
S83XJ.....	248	S86LAX.....	252	S9XJSL.....	256
S83XK.....	248	S86LCL.....	254	S9XK.....	254
S83XN.....	248	S86LPB.....	251	S9XKSL.....	256
S83XR.....	248	S86LXC.....	254	S9XN.....	254
S84586SL.....	255	S86LXE.....	254	S9XNSL.....	256
S84AX.....	252	S86LXJ.....	254	S9XR.....	254
S84AXSL.....	256	S86LXK.....	254	S9XRSL.....	256
S84CL.....	253	S86LXN.....	254		
S84CLSL.....	256	S86LXR.....	254		
S84LAX.....	252	S86PB.....	251		
S84LCL.....	253	S86PBSL.....	255		
S84LPB.....	251	S86RAX.....	252		
S84LXC.....	253	S86RCL.....	254		
S84LXE.....	253	S86RPB.....	251		
S84LXJ.....	253	S86RXC.....	254		
S84LXK.....	253	S86RXE.....	254		
S84LXN.....	253	S86RXJ.....	254		
S84LXR.....	253	S86RXK.....	254		
S84PB.....	251	S86RXN.....	254		
S84PBSL.....	255	S86RXX.....	254		
S84RAX.....	252	S86RXXR.....	254		
S84RCL.....	253	S86XC.....	254		
S84RPB.....	251	S86XCGL.....	256		
S84RXC.....	253	S86XE.....	254		
S84RXE.....	253	S86XESL.....	256		
S84RXJ.....	253	S86XJ.....	254		
S84RXK.....	253	S86XJSL.....	256		
S84RXN.....	253	S86XK.....	254		
S84RXR.....	253	S86XKSL.....	256		
S84XC.....	253	S86XN.....	254		
S84XCGL.....	256	S86XNSL.....	256		
S84XE.....	253	S86XR.....	254		
S84XESL.....	256	S86XRSL.....	256		
S84XJ.....	253	S8AX.....	253		
S84XJSL.....	256	S8CL.....	254		
		S8LAX.....	253		
		S8LCL.....	254		



Top: Fiber-Classic Mahogany Collection, Calix Glass, Door – FCM82223, Finish – Acorn
 Bottom: Impressions Storm & Entry Door System – IM8100, Finish – White; Fiber-Classic Mahogany Collection, Chord Glass, Door – FCM84810XC, Finish – Tumbleweed



Tools of the Trade

Check out these helpful resources for dealers, builders and remodelers.

Architectural Home Styles Guide

Get inspired to choose entry doors by design with our interactive guide to popular home styles at thermatru.com/inspiration.



Advancement Center

Learn about Therma-Tru products and programs on our new online training platform at brainshark.com/thermatru.



Certified Door System Installation Program

Build your knowledge, skills and confidence with comprehensive door system installer training from Therma-Tru – the expert in fiberglass door systems – and OSI® – the expert in construction sealants. Get started today at thermatru.com/installer.



Digital Vault

Explore the Digital Vault to find logos, images, literature and more to help you promote the Therma-Tru products you offer. Create an account today at thermatru.widencollective.com/login.



Trade Professionals Online

Find everything from selling tools and training materials to technical information at thermatru.com/professionals.



Design Your Door

Homeowners can research and design a door with their own personal touch – all from the convenience of home. To get started, visit thermatru.com/design-your-door.





THERMA-TRU® DOORS

thermatru.com

1-800-THERMA-TRU (843-7628)

1750 Indian Wood Circle
Maumee, OH 43537



#thermatru

Cover: Classic Craft Fir Grain Door – CCA81166; Low-E Glass, Sidelites – CCA3500SL, Finish – Acorn
Back Cover: Classic Craft Mahogany Grain, Low-E Glass with SDLs, Door – CCM82806, Finish – Tumbleweed

©2024 Therma-Tru Corp. All rights reserved. All trademarks and images featured are owned by their respective company and used with permission. Registered trademarks are registered in the U.S. and may be registered internationally. Therma-Tru Corp. and Larson Manufacturing Company, LLC are part of Fortune Brands Innovations, Inc. – an industry-leading home and security products company. ENERGY STAR is a government program that helps consumers protect the environment through superior energy efficiency and is a registered trademark of the U.S. Department of Energy and the U.S. Environmental Protection Agency.

Part #MAFL2024 HESB / JAN 2024