EC MATERIAL SAFETY DATA SHEET.

1. <u>Product and Manufacturer Identification:</u>

Trade Name: WT GLEANER

Manufacturer: Pearson and Black Ltd

4 Gold Crest Guisborough Cleveland TS 14 8 PJ

Tel: 07860 805024 Fax: 01287 6102442

e-mail: chris@pearsonandblack.com

2. <u>Composition and Information on Ingredients</u>

Substance Name	Cas number	EINECS	Risk phrase
Trisodium Nitrilotriacetate	5064-31-3	225-768-6	R22.36
Sodium Metasilicate	6834-92-0	229-912-9	R34,37
2-Butoxyethanol	111-76-2	203-905-0	R20/21/22, 36/38
Non-ionic Surfactant	6839-46-3		R22,41
Alkylamine dicarboxylate	90170-43-7	290-476-8	R36.
Cationic Surfactant	68989-03-7		R36:R51/53

Non-Classified Materials To 100%

3. <u>Hazards Identification:</u>

Health Effects - Inhalation:

N/A.

Health Effects – Ingestion:

May cause significant systemic effects if swallowed. Signs and symptoms include possible nausea and/or vomiting.

Health Effects – Skin:

Prolonged contact may cause dryness or irritation.

Health Effects – Eyes

May cause irritation to eyes accompanied by redness and/or burning, which may be severe with tear formation.

Environmental Effects:

Not expected to cause significant environmental impact.

4. First Aid Procedures

Skin Contact: Drench the affected skin with running water to remove all traces of product.

Eye Contact: Bathe the eye with running water for 10 minutes. If symptoms persist obtain medical

advice.

Ingestion: Do not induce vomiting. If swallowing has occurred drink plenty of water and seek

medical advice immediately.

Never give anything by mouth to an unconscious person.

Inhalation: Remove casualty from exposure and allow to rest.

EC MATERIAL SAFETY DATA SHEET.

5. Fire Fighting Measures

Not classed as flammable however if involved in fire may emit noxious fumes.

Extinguish with Foam, Dry Chemical Powder or Carbon Dioxide.

Keep containers cool by water spray.

Heating may cause pressure rise with risk of container bursting.

In serious fire it may be necessary to wear compressed air breathing apparatus.

6. Accidental Release Measures

Small Spillages:

Hose down with cold water.

Large Spillages:

Construct temporary dikes with any suitable inert material to prevent the product spreading.

Transfer to suitable containers for recovery or disposal.

Absorb remaining material with sand or other inert material.

Personal Precautions:

Wear appropriate protective clothing. See Section 8.

Material may create slippery conditions underfoot.

Environmental Precautions:

Try to prevent the material from entering drains or watercourses.

Advise Authorities if large spillage has entered watercourses or sewer or has contaminated soil or vegetation.

7. **Handling and Storage**

Handling:

Avoid contact with eyes, skin and clothing.

Keep container tightly closed when not in use.

Storage:

Store away from sources of heat or ignition.

Store in original containers as supplied by manufacturer.

8. Exposure Controls/ Personal Protection

Occupational Exposure Standards:

No occupational exposure limit listed in current editions of EH40 (UK Health and Safety Executive Threshold Limit Values) (American Conference of Governmental Industrial Hygienists.)

The following protection is recommended.

Respiratory Protection: Not normally required.

Hand Protection: Rubber gloves.

Eve Protection: Wear suitable eye/face protection.

Body Protection: Wear suitable overalls.

EC MATERIAL SAFETY DATA SHEET.

9. <u>Physical and Chemical Properties</u>

Physical State: Clear liquid
Colour: Yellow
Odour: Minimal
pH Value: 12.5 – 13.0

Boiling Range/Point: N/A

Melting Point: Not Applicable.

Flash Point: N/A
Solubility in Water: Soluble

Density (kg/m^3) ca. 1090 at 20 °C

Viscosity: N/A

10. <u>Stability and Reactivity</u>

Stability:

Stable under normal conditions.

Conditions to avoid:

Protect form frost. Do not mix with other material.

Hazardous Decomposition Products:

None known.

11. <u>Toxicological Information</u>

Acute Toxicity: Harmful by ingestion.

Irritation Skin: This material is an irritant to the skin.
Irritation Eyes: Expected to cause irritation to the eyes.

12. <u>Ecological Information</u>

Ecological Overview. Not expected to cause significant environmental impact.

Mobility: The product will dissolve in water. Persistence / Degradability: The product is readily biodegradable.

Bioaccumulation: Low.

Ecotoxicity: The product is toxic to aquatic organism.

13. <u>Disposal</u>

Product Disposal:

When disposing of waste or surplus material avoid contact with the eyes and skin. See Section 8 for personal protection equipment.

Where practical, surplus material should be recovered and recycled.

Dispose of in accordance with all applicable local and national regulations.

Seek advice from local waste authority or supplier for guidance.

Container Disposal:

Labels should not be removed from containers unless thoroughly washed and cleaned. Dispose of empty containers with care.

EC MATERIAL SAFETY DATA SHEET.

14. Transport Information

R22: Harmful if swallowed.

15. Regulatory Information



Labelling Information: Irritant

Risk Phrases:

R22: Harmful if swallowed.R36/38: Irritating to eyes and skin.

Safety Phrases:

S36/37/39: Wear suitable protective clothing, gloves and eye/face protection.

S26: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S28: After contact with skin, wash with plenty of water.

S25: Avoid contact with eyes.S24: Avoid contact with skin.S2: Keep out reach of children.

Addition Classification Information.

This product is classified on the basis of information compiled by CESIO on the toxicological properties of surfactants.

16. Other Information

MSDS first issued 7th March 2005

MSDS Data revised 23rd January 2008

Uses and restrictions:

The uses of this product include the following:

Traffic Film Remover, De-Greaser and Rust Inhibitor

Disclaimer

The information contained in this document is intended to describe the product only in terms of health & safety and environmental requirements for the purpose of its safe handling, use and disposal and is to the best of the supplier's knowledge and belief correct. It is strongly advised the customer should satisfy

themselves (by appropriate testing if necessary) that the product is suitable for their purpose and conditions of use and that their facilities and arrangements are suitable for handling or using the product. This information does not comprise a technical or performance specification for the product.