KENTUCKY RIVER



Established 1986




KENTUCKY RIVER AUTHORITY

627 WILKINJON BLVD. FRANKFORT, KY 40601 (502)564-2866

NAVIGATION CHARTS

LEGEND



NOTES ABOUT THE USE OF THESE CHARTS AND THE INFORMATION PRESENTED:

These charts were originally developed in 1966 by the U. S. Army Corps of Engineers as freehand drawings based on U. S. Geological Survey maps current at that time. Since the charts are no longer available through the Corps of Engineers, the Kentucky River Authority contracted he U. S. Geological Survey in 2001to reproduce these charts in a form which could be edited. Most of the features of the charts show the same information as the last update by the Corps of Engineers in 1988. The Kentucky River Authority has updated features important to boaters such as: locations of ramps, docks and other points of recreational interest. The edits were not based on detailed field survey and the Authority welcomes any corrections or additions of information on these charts. The width of the river is distorted to approximately twice its scale size in order to show the detail of features. The depth of the channel along the sail line is estimated to be no less than 6 feet, however water conditions continually change the bottom contours of the river. Therefore the Kentucky River Authority therefore does not warrant the actual depth of the channel at any location and warns boaters to be alert to shallow areas and other navigational hazards. Historically known hazards such as shoals and bars are shown based on best available information. These hazards change shape and location over time but generally exist near any stream confluence and boaters should be on alert when approaching these areas. Mile points are numbered consecutively traveling upstream from the mouth of the Kentucky River near Carrollton. Some inaccuracies exist in mile-points to agree with historic locations of well known features on the river. Features are denoted as being on the left or right hand bank when facing downstream.

Boaters should use extreme caution while boating near the Locks and Dams. Restricted areas and Danger areas are marked on these navigation charts and these areas are marked with "Keep Out" and "Danger Dam" buoys. The buoys are subject to shifting during high water, so boaters should observe the restricted area limits when buoys are not present.

The dams on the Kentucky River are classified as "low-head dams" which inherently present a greater danger to boaters. Upstream of these dams, it is difficult to determine the dam's existence, since it blends with the horizon. Because there is constant overflow, the velocity of flow increases as you approach the dam, and can pull a boat over the dam quickly.

Downstream of the dams, the overflow creates a powerful circular hydraulic which can continuously pull a boat underwater and trap it

Boaters are also asked to stay out of the approach area to the locks unless intending to lock through. During operation of the locks a rush of water could capsize a small craft.

To report a spill of hazardous material or other pollution concern please call the Kentucky Division of Water hot line at 800-928-2380 or 502-564-2380.

To report an accident, drowning, missing person or fish & wildlife violation, please call the Fish and Wildlife Hot Line at 800-252-5378.

To report a navigational hazard, please call the U.S. Coast Guard at 502-582-6439 or the Corps of Engineers at 502-315-6692.

For any of the above situations call the Kentucky River Authority at 502-564-2866 during weekday hours.

The Kentucky River Authority wishes everyone safe and enjoyable recreational use of the Kentucky River.

GENERAL NOTES AND LEGEND

NAVIGATION CHARTS

KENTUCKY RIVER

SHEET A

LOCK NO.	1	2	3	4	5	6	7	8	9	10	11	12	13	14
MILES ABOVE MOUTH	4.0	31.0	42.0	65.0	82.2	96.2	117.0	139.9	157.5	176.4	201.0	220.9	239.9	249.0
LENGTH OF POOL ABOVE DAM (MI.)	27.0	11.0	23.0	17.2	14.0	20.8	22.9	17.6	18.9	24.6	19.9	19.0	9.1	
DATE BUILT	1836-42	1836-42	1836-42	1836-42	1836-42	1888-91	1896-97	1898-00	1901-03	1902-05	1904-06	1907-10	1909-15	1911-17
DATE PUT IN OPERATION	1839	1839	1840	1840	1842	1891	1897	1900	1903	1905	1906	1910	1914	1917
CHAMBER DIMENSIONS (FT)	38x145	38x145	38x145	38x145	38x145	52x147	52x147	52x146	52x148	52x148	52x148	52x148	52x148	52x148
LOWER SILL, ELEV.	404.64	420.90	434.67	447.95	462.05	476.80	490.89	506.60	524.60	542.70	559.05	577.10	593.90	611.40
NORMAL POOL ELEV., LOWER	419.44	427.67	441.00	454.33	468.55	483.54	497.20	513.07	531.26	548.60	565.70	583.05	600.10	617.90
LOWER SILL DEPTH (FT) AT NORMAL POOL	14.80	6.77	6.33	6.38	6.50	6.74	6.31	6.47	6.66	5.90	6.65	5.95	6.20	6.50
UPPER SILL, ELEV. ¹	419.44	433.40	445.72	462.15	473.54	487.80	503.91	520.60	538.60	556.70	573.05	590.50	608.30	625.80
NORMAL POOL ELEV., UPPER ²	427.67	441.00	454.33	468.55	483.54	497.20	513.07	531.26	548.60	565.70	583.05	600.10	617.90	634.40
UPPER SILL DEPTH (FT) AT NORMAL POOL (i.e. STAGE AT NORMAL POOL)	8.23	7.60	8.61	6.40	10.00	9.40	9.16	10.66	10.00	9.00	10.00	9.60	9.60	8.60
LIFT-NORMAL POOL TO NORMAL POOL (FT)	8.23	13.33	13.33	14.22	14.99	13.66	15.87	18.19	17.34	17.10	17.35	17.05	17.80	16.50
MAXIMUM HIGH WATER ELEV.3	479.74	490.25	495.52	510.62	523.59	536.84	555.67	571.10	585.40	596.85	612.45	629.75	651.30	661.40
DEPTH (FT) M.H.W. ABOVE NORMAL UPPER POOL ELEV.	52.07	49.25	41.19	42.07	40.1	39.64	42.6	39.8	36.8	31.15	29.4	29.65	33.4	27.00
DATE OF HIGH WATER	1937	1937	1937	1978	1978	1978	1978	1978	1978	1978	1978	1939	1929	1939

<u>NOTES</u>

All elevations are referred to 1929 NGVD

1. Zeroes of all gages are at sill elevations.

2. To view recent stage readings, go to website: http://waterdata.usgs.gov/ky/nwis/current/?type=flow

3. Maximum high water elevations at Locks 5, 7, 8, 9 and 11 are based on profile data.

NAVIGATION LOCKS DATA
NAVIGATION CHARTS
KENTUCKY RIVER

SHEET B

KENTUCKY RIVER BOAT RAMPS AND FACILITIES

				Ramp	Ramp	Facilities Other		
<u>POOL</u>	RAMP NAME	Phone No.	<u>COUNTY</u>	<u>Type</u>	<u>Fees</u>	Than Ramp	River Location *	<u>Driving Directions</u>
Ohio River	City of Carrollton		Carroll	В	No		Ohio Mile 545.2 L	End of Main Street in Carrollton
	Point Park Ramp		Carroll	A	No			US 42 in Carrollton, confluence of Ky and Ohio Rivers
Lock 1		CLOSED	Carroll				Ky Mile 4 R	
	Twin Eagle Creek Ramp		Owen	Α	No		Ky Mile 17.5 R	Ky 22 W of Owenton to Gratz; N on Ky 355 to management area
	Lockport Ramp		Henry	В	No		Ky Mile 30.9 L	US 421 N of New Castle; right on Ky 202; right on Hwy 389 to Lockport
11- 0	Lockport (Variip	01.0055	, , , , , , , , , , , , , , , , , , , 		140			60 42 TN of New Gastle, right of TNy 202, right of TNy 303 to Lockport
Lock 2		CLOSED	Henry				Ky Mile 31 L	
	Six Mile Creek Ramp		Henry	В	No		Ky Mile 31.1 L	US 421 N of New Castle; right on Ky 202; right on Hwy 389 to Lockport, left on Lock Rd
Lock 3		CLOSED	Henry				Ky Mile 42 L	
	Still Waters Boat Ramp	502-223-8896	Franklin	В	Yes	Camp	Ky Mile 51.9 R	US 127 N of Frankfort (10 mi); cross Elkhorn Cr. Bridge; L to Still Waters Marina
	Steele Branch Ramp		Franklin	В	No		Ky Mile 55.1 R	US 127 N of Frankfort (6.5 mi); L on Stele Br Rd to river
		502-227-2465		В	Yes	Camp, Fuel, Food	Ky Mile 55.8 R	US 127 N of Frankfort (6.5 mi); L on Stele Br Rd to river
Lock 4	Ky River Campgrounds	502-227-2463		Ь	162	Camp, ruei, rood	Ky Mile 65 L	US 127 N OF Frankfort (6.5 mil), E off Stelle Bi Rd to five
LOCK 4	Bellpoint Boat Dock	502-223-8338	Franklin	None		Dock	Ky Mile 65.5 L	US 127 S to downtown Frankfort, L into Bellpoint on Kentucky Avenue.
	River View Park Dock	302-223-1233	Franklin	None		Dock, Dine, Lodge, Exhib		US 127 S to downtown Frankfort, L to Wilkinson St., 1/4 Mile on L to River View Park
	Benson Creek Boat Ramp		Franklin	A	No	Dock, Diffe, Louge, Extrib		US 127S to Grankfort, R on Hwy1211; .2 M R on Benson Valley Rd
	Benson Creek Marina	502-695-9238		None	140	Docking, Fuel, Store		US 127S to Frankfort, R on Hwy1211; .2 M R on Benson Valley Rd
		502-093-9238		A	No	Food, Dock, Fuel,	Ky Mile 66.2 R	Wapping St. in Frankfort behind Paul Sawyer Library
	Old Lawrenceburg Rd Ram		Franklin	В	No	Food, Dock, Fuel,	Ky Mile 68.8 L	US 127 S of Frankfort; L on Hwy 676; L on Hwy 420 Old Lawrenceburg Rd
Lock 5	Old Lawrenceburg Rd Ram	CLOSED	Anderson	В	140		Ky Mile 82.2 L	03 127 3 of Franklott, E off Hwy 676, E off Hwy 420 Old Lawrenceburg Rd
LOCK 3	Fint's Ramp	CLOSED	Anderson	B	No		Ky Mile 84.5 L	US 62 E of Lawrenceburg; R on Hwy 1510
Lock 6	I III S I Camp	CLOSED	Woodford		INO		Ky Mile 96.2 R	OS 02 E of Lawrenceburg, N of Triwy 1510
LOCK O	Oregan Road Ramp	CLOGLD	Mercer	В	No		Ky Mile 97.3 L	US 127 N of Harrodsburg to Salvisa, R on Oregan Rd
	Cummins Ferry Ramp		Woodford		No		Ky Mile 104.9 R	Ky 33 S of Versailles; R on Cummins Ferry Rd
	Cummins Ferry Marina	859-865-2003	Mercer	B	Yes	Fuel, Dock, Food, Camp		US 127 S of Lawrenceburg; L on Ky 1988: end of Cummins Ferry Rd
	Wards Landing	859-865-2003 859-734-2875	Mercer	None		Dining	Ky Mile 113.4 L	US 68 E of Harrodsburg to Ky River; R before River crossing
	Palisades Adventures		Mercer	В	Yes	Dock, Camp	Ky Mile 113.5 L	US 68 E of Harrodsburg to Ky River; R before River crossing
Lock 7		CLOSED	Jessamine			,	Ky Mile 117 R	
	Shakertown Village	800-734-5611	Mercer	None		Dine, Exhibit, Lodging	<u> </u>	US 68 E of Harrodsburg, S of Lexington across from intersection of Ky 33
	Shaker Landing Dixie Belle			None		Boat Cruises	Ky Mile 117.5 L	US 68, .2 miles N of Shakertown, dead end road to Landing
	High Bridge Ramp		Jessamine	В	Yes		Ky Mile 117.6 R	Ky 29 S of Nicholasville through Wilmore to High Bridge, R on Lock Road
	Camp Nelson	859-548-2113	Garrard	В	Yes	Camp, Exhibit	Ky Mile 135 L	US 27 N of Lancaster (13.2 mi.); at bridge over River
Lock 8		CLOSED	Jessamine			1,	Ky Mile 139.9 R	, , ,
	Ky 39 Ramp		Jessamine	Α	No		Ky Mile 146.1 R	Ky 39 S of Nicholasville to road end
	Hunter's Ferry		Garrard	В	No		Ky Mile 146.2 R	Ky 39 N of Lancaster through Buckeye to River
	Poosey Ridge Ramp		Madison	Α	No		Ky Mile 149 L	Ky 52 SW of Richmond; R on Hwy 1295 to Kirksville; R on Ky 595 to River
	Riverfront Boat Dock		Jessamine	В	Yes		Ky Mile 157 R	Ky 39 S of Nicholasville; L on Hwy 1541 300 yds
Lock 9		CLOSED	Jessamine				Ky Mile 157.5 R	
	Clays Ferry Boat Dock		Fayette	Α	Yes		Ky Mile 170 R	US 25 S of Lexington to Clays Ferry; R on Hwy 2328 to Ramp
	River View Marina	859-527-3800	Clark	None		Dock, Camp Fuel, Food	Ky Mile 175 R	I-75 N of Richmond Exit 95, L on Ky 627,R on old Ky 627
	Boonesborough State Park			В	No	Camp, Food, Exhibits	Ky Mile 175.9 L	I-75 N of Richmond Exit 95, L on Ky 627, N to state park
Lock 10	CLOSED	859-527-3356					Ky Mile 176.4 L	
	Davis Boat Dock	859-527-3146	Clark	Α	Yes	Dock, Dine	Ky Mile 176.8 R	Ky 627 S of Winchester; L on Old Ky 627; L Ford-Hampton Rd to River
	Happy Hour Boat Dock		Clark	В	Yes	Dock	Ky Mile 179.3 R	
	Gibson's Red River Ramp	859-745-1603	Clark	В	Yes	Dock, Camp	Ky Mile 190.8 R	Ky 89 S of Winchester to Trapp, R on Red River Rd, St on Ferry Rd to River
	College Hill Ramp F&W		Madison		No		Ky Mile 190.8 L	US 52 E of Richmond to Waco; L on ky 977 to River
Lock 11			Estill				Ky Mile 201 R	
	Irvine Ramp & Howell Rest			В	No	Dock, Dine	Ky Mile 218 L	Ky 52 W of Irvine to junction of Ky 89; ramp at W bridge abutment
Lock 12		CLOSED	Estill				Ky Mile 220.9 R	
	Ravena American Legion		Estill	В	Yes		Ky Mile 221.2 R	Ky 52 E of Irvine to Ravena; Hwy 1571 SE of Ravena 1 mi
	Lock 13 Ramp		Lee	В	No		Ky Mile 239.9 L	Ky11 S of Beattyville;R on Ky587;R on Ky399;R on SpencerRidge Rd, R on Evelyn Rd to River
Lock 13		CLOSED	Lee				Ky Mile 239.9 L	
Lock 14		CLOSED	Lee				Ky Mile 249 R	
	Beattyville Ramp		Lee	В	No		Ky Mile 256 R	Ky 52 in Beattyville
	Perry Co Park Ramp		Perry	В	No		N. Fork Hazard	Ky 15 SE of Hazard to Perry Park Rd.

* River mile location of facilities is followed by L or R, indicating the left or right bank of the stream when facing downstream.

An "A" ramp is suitable for all personnal water craft. B ramps are for water craft less than 20 feet in length. Some additional small private and fee ramps not listed on this schedule are shown on the charts.

NAVIGATION CHARTS SHEET C

