




INSTRUCTION MANUAL



Chaise Lounge
ITEM NO: ATL-C007

! NOTICE

Do not overtighten screws. (Insert all screws before tighten screws.)

- Please do not exceed the weight limitations of this item.
- Do not stand on or use any part of this item as a step ladder.
- Firmly secure all bolts, screws and nuts before use.
- Reconfirm that all bolts, screws, and nuts are secure every 90 days.
- Do not use or store this item in the proximity of open flame or flammable/combustible chemicals.
- Be aware that some parts are heavy and have sharp edges.
- Be very careful when folding chair to avoid smashing your hands or fingers.

TOOLS REQUIRED



ALLEN WRENCH
(PROVIDED)



WRENCH
(PROVIDED)



CHAIR
330 LBS
CAPACITY



2 PERSON
ASSEMBLY




UP TO 30 MIN.
ASSEMBLY

HARDWARE

1


M6 x 60mm
BOLT



4 PCS

2

M6 x 50mm
BOLT



12 PCS

3

M6 x 50mm
SCREW



6 PCS

4

M6 NUT



4 PCS

5

M6 x 35m
WASHER



4 PCS

6

WRENCH



1 PCS

7

ALLEN
WRENCH




1 PC

PARTS

A


CHAIR SEAT



1 PC

B


FRONT LEFT
CHAIR LEG



1 PC

C


FRONT RIGHT
CHAIR LEG



1 PC


D

RAILS BETWEEN
LEGS



3 PCS


PARTS



PRODUCT ASSEMBLY - OVERALL VIEW

1

Look at following overall view of this chair and learn the exact position of each parts to be assembled.




PRODUCT ASSEMBLY

2


Attach part B Front Left Leg, part E Middle Left Leg and part G Rear Left Leg to part A Chair Seat and part D Leg Rails with part 2 bolt.

Do not tighten screws too much at this stage.



3

Do same to the right legs.




PRODUCT ASSEMBLY

4

Attach part J Right Arm to part F Middle Right Leg and Part H Rear Leg with part I Bolt and part 5 washer and part 4 nut.

Do same to attach part I Left Arm.



5

Congratulations You finish the assembly of this Chaise Lounge.

