

### Syllabus Content:

#### 4.3.1 Programming paradigms



Show understanding of what is meant by a programming paradigm



Show understanding of the characteristics of a number of programming paradigms (low-level, imperative (procedural), object-oriented, declarative) – low-level programming



Demonstrate an ability to write low-level code that uses various address modes:

- immediate, direct, indirect, indexed and relative (see Section 1.4.3 and Section 3.6.2)
- imperative programming- see details in Section 2.3 (procedural programming)



Object-oriented programming (OOP)

- demonstrate an ability to solve a problem by designing appropriate classes
- demonstrate an ability to write code that demonstrates the use of classes, inheritance, polymorphism and containment (aggregation)



declarative programming

- demonstrate an ability to solve a problem by writing appropriate facts and rules based on supplied information
- demonstrate an ability to write code that can satisfy a goal using facts and rules

**Programming paradigm** – a set of programming concepts.

**Low-level programming** – programming instructions that use the computer's basic instruction set.

**Imperative programming** – programming paradigm in which the steps required to execute a program are set out in the order they need to be carried out.

**Object-oriented programming (OOP)** – a programming methodology that uses self-contained objects, which contain programming statements (methods) and data, and which communicate with each other.

**Class** – a template defining the methods and data of a certain type of object.

**Attributes (class)** – the data items in a class.

**Method** – a programmed procedure that is defined as part of a class.

**Encapsulation** – process of putting data and methods together as a single unit, a class.

**Object** – an instance of a class that is self-contained and includes data and methods.

**Property** – data and methods within an object that perform a named action.

**Instance** – An occurrence of an object during the execution of a program.

**Data hiding** – technique which protects the integrity of an object by restricting access to the data and methods within that object.

**Inheritance** – process in which the methods and data from one class, a superclass or base class, are copied to another class, a derived class.

**Polymorphism** – feature of object-oriented programming that allows methods to be redefined for derived classes.

**Overloading** – feature of object-oriented programming that allows a method to be defined more than once in a class, so it can be used in different situations.

**Containment (aggregation)** – process by which one class can contain other classes.

**Getter** – a method that gets the value of a property.

**Setter** – a method used to control changes to a variable.

**Constructor** – a method used to initialise a new object.



### Programming paradigm:

A programming paradigm is a set of programming concepts and is a fundamental style of programming. Each paradigm will support a different way of thinking and problem solving. Paradigms are supported by programming language features. Some programming languages support more than one paradigm. There are many different paradigms, not all mutually exclusive. Here are just a few different paradigms.

#### Low-level programming paradigm



The features of Low-level programming languages give us the ability to manipulate the contents of memory addresses and registers directly and exploit the architecture of a given processor.



We solve problems in a very different way when we use the low-level programming paradigm than if we use a high-level paradigm.



Note that each different type of processor has its own programming language. There are 'families' of processors that are designed with similar architectures and therefore use similar programming languages.



For example, the Intel processor family (present in many PC-type computers) uses the x86 instruction set.

#### Imperative programming paradigm



Imperative programming involves writing a program as a sequence of explicit steps that are executed by the processor. Most of the programs use imperative programming (Chapters 11 to 15 and Chapters 23 to 26).



An imperative program tells the computer how to get a desired result, in contrast to declarative programming where a program describes what the desired result should be.



Note that the procedural programming paradigm belongs to the imperative programming paradigm. There are many imperative programming languages, Pascal, C and Basic to name just a few.

#### Object-oriented programming paradigm



The object-oriented paradigm is based on objects interacting with one another. These objects are data structures with associated methods.



Many programming languages that were originally imperative have been developed further to support the object-oriented paradigm.



Examples include Pascal (under the name Delphi or Object Pascal) and Visual Basic (the .NET version being the first fully object-oriented version). Newer languages, such as Python and Java, were designed to be object-oriented from the beginning




## Object Oriented Programming

### Class


In **object-oriented programming**, a **class** is a blueprint for creating **objects** (a particular data structure), providing initial values for state (member variables or attributes), and implementations of behavior (member functions or methods).

The user-defined objects are created using the `class` keyword. The class is a blueprint that defines a nature of a future object. An **instance** is a specific object created from a particular class. Classes are used to create and manage new objects and support **inheritance**—a key ingredient in object-oriented programming and a mechanism of reusing code.



The image above shows how a `Car` object can be the template for many other `Car` instances. In the image, there are three instances: `polo`, `mini`, and `beetle`. Here, we will make a new class called `Car`, that will structure a `Car` object to contain information about the car's model, the color, how many passengers it can hold, its speed, etc. A class can define types of operations, or methods, that can be performed on a `Car` object. For example, the `Car` class might specify an `accelerate` method, which would update the `speed` attribute of the car object.

**Object Oriented Programming** - modeling some system or process by using objects or classes.



### Concept of OOP

Previous chapters covered programming using the procedural aspect of our programming languages. Procedural programming groups related programming statements into subroutines. Related data items are grouped together into record data structures. To use a record variable, we first define a record type. Then we declare variables of that record type.

OOP goes one step further and groups together the record data structure and the subroutines that operate on the data items in this data structure. Such a group is called an '**object**'.

The feature of data being combined with the subroutines acting on the data is known as **encapsulation**.

To use an object, we first define an object type. An object type is called a class.

**Encapsulation:** combining data and subroutines into a class

**Class:** a type that combines a record with the methods that operate on the properties in the record

### Example of using a record

A car manufacturer and seller wants to store details about cars. These details can be stored in a record structure

```
TYPE CarRecord
    DECLARE VehicleID      : STRING
    DECLARE Registration   : STRING
    DECLARE DateOfRegistration: DATE
    DECLARE EngineSize     : INTEGER
    DECLARE PurchasePrice  : CURRENCY
END TYPE
```

We can write program code to access and assign values to the fields of this **record**. For example:

```
PROCEDURE UpdateRegistration(BYREF ThisCar : CarRecord, BYVAL
NewRegistration)
ThisCar.Registration ← NewRegistration
END PROCEDURE
```

We can call this procedure from anywhere in our program. This seems a well-regulated way of operating on the data record. However, we can also access the record fields directly from anywhere within the scope of **ThisCar**:

```
ThisCar.EngineSize ← 2500
```

### Classes in OOP

The idea behind classes in OOP is that attributes can only be accessed through methods written as part of the class definition and validation can be part of these methods. The direct path to the data is unavailable. Attributes are referred to as 'private'. The methods to access the data are made available to programmers, so these are 'public'. Classes are templates for objects. When a class type has been defined it can be used to create one or more objects of this class type.

**Attributes:** the data items of a class

**Methods:** the subroutines of a class


**Object:** an instance of a class

The first stage of writing an object-oriented program to solve a problem is to design the classes. This is part of object-oriented design. From this design, a program can be written using an object-oriented programming (OOP) language.

The programming languages the syllabus prescribes can be used for OOP: Python 3, VB.NET and Delphi/ObjectPascal.

### Class parts

The parts that make up a class is shown below



#### Class Car

' Each attribute must be preceded by PRIVATE  
 Private VehicleID As String  
 Private Registration As String = " " 'String will be in " "  
 Private DateOfRegistration As Date = #1/1/1900# 'Date between # #  
 Private EngineSize As Integer  
 Private PurchasePrice As Decimal = 0.0

'Every public method header must start with Public

'The constructor always has identifier New

```
Public Sub New(ByVal n As String, ByVal e As String)
    VehicleID = n
    EngineSize = e
End Sub
```

```
Public Sub SetPurchasePrice(ByVal p As Decimal)
    PurchasePrice = p
End Sub
```

```
Public Sub SetRegistration(ByVal r As String)
    Registration = r
End Sub
```

```
Public Sub SetDateOfRegistration(ByVal d As Date)
    DateOfRegistration = d
End Sub
```

```
Public Function GetVehicleID() As String
    Return(VehicleID)
End Function
```

```
Public Function GetRegistration() As String
    Return (Registration)
End Function
```




```
Public Function GetDateOfRegistration() As Date
    Return (DateOfRegistration)
End Function
```


```
Public Function GetEngineSize() As Integer
    Return (EngineSize)
End Function
```

```
Public Function GetPurchasePrice() As Decimal
    Return (PurchasePrice)
End Function
```

End Class





### Advantages of OOP over procedural languages

-  The advantage of OOP is that it produces robust code.
-  The attributes can only be manipulated using methods provided by the class definition.
-  This means the attributes are protected from accidental changes.

 Classes provided in module libraries are thoroughly tested. If you use tried and tested building blocks to construct your program, you are less likely to introduce bugs than when you write code from scratch.






### Designing classes and objects

When designing a class:

-  We need to think about the **attributes** we want to store.
-  We also need to think about the **methods we need to access the data and assign values to the data of an object.**
-  A data type is a blueprint when declaring a variable of that data type.
-  A class definition is a blueprint when declaring an object of that class.



### Attributes

The Car class has a number of attributes that can be altered.

-  In the above example, the attributes are "colour", "model", "brand", "speed" and "direction".
-  If the value of an attribute can be altered, then it is stored as a variable.
-  If you don't want to allow the value to be altered, then it is stored as a constant.
-  Attributes are normally 'private' which means only methods within the class can alter their value.
-  It is possible to have 'public' attributes i.e. variables that can be altered directly by external code, but that kind of loses the point of object orientated programming.

### Instantiation



Creating a new object is known as **'instantiation'**.

-  Any data that is held about an object must be **accessible**, otherwise there is no point in storing it.
-  We therefore need methods to access each one of these attributes.

### Constructor:

A constructor **instantiates** the object and **assigns initial values to the attributes.**

**Constructor:** a special type of method that is called to create a new object and initialise its attributes

-  A class can have many methods i.e. functions, that use the methods' attributes.
-  The most important of these methods is the **constructor.**





This is the method that creates an instance of the class i.e. it creates an object.



When an object is to be created, the constructor is called.

### Getters:

These methods are usually referred to as **getters**.



They get an attribute of the object.



When we first set up an object of a particular class, we use a constructor.

### Setters:

Any properties that might be updated after instantiation will need subroutines to update their values.



These are referred to as setters.



Some properties **get set** only at instantiation. These don't need setters.



This makes an object more robust, because you cannot change properties that were not designed to be changed.

### WORKED EXAMPLE:

Consider the car data from above section

When a car is manufactured it is given a unique vehicle ID that will remain the same throughout the car's existence. The engine size of the car is fixed at the time of manufacture. The registration ID will be given to the car when the car is sold.


In our program, when a car is manufactured, we want to create a new car object. We need to instantiate it using the constructor. Any attributes that are already known at the time of instantiation can be set with the constructor. In our example, **vehicle ID** and **Engine size** can be set by the constructor. The other attributes are assigned values at the time of purchase and registration. So we need setters for them. The identifier table for the car class is shown in Table below:



Identifier	Description
Car	Class identifier
VehicleID	Unique ID assigned at time of manufacture
Registration	Unique ID assigned after time of purchase
DateOfRegistration	Date of registration
EngineSize	Engine size assigned at time of manufacture
PurchasePrice	Purchase price assigned at time of purchase
Constructor()	Method to create a Car object and set properties assigned at manufacture
SetPurchasePrice()	Method to assign purchase price at time of purchase
SetRegistration()	Method to assign registration ID
SetDateOfRegistration()	Method to assign date of registration
GetVehicleID()	Method to access vehicle ID
GetRegistration()	Method to access registration ID
GetDateOfRegistration()	Method to access date of registration
GetEngineSize()	Method to access engine size
GetPurchasePrice()	Method to access purchase price







We can represent this information as a class diagram in Figure

### Car Class Diagram





## Writing object-oriented code

### Declaring a class in:

-  Attributes should always be declared as **'Private'**.
-  This means they can only be accessed through the class methods.
-  Methods can be called from the main program, so they have to be declared as **'Public'**.
-  There are other modifiers (such as **'Protected'**), but they are beyond the scope of this book.
-  The **syntax** for declaring classes is quite different for the different programming languages.
-  We will look at the three chosen languages. You are expected to write programs in one of these.

#### TASK27.01

-  Copy the car class definition into your program editor and write a simple program to test that each method works.
-  A business wants to store data about companies they supply. The data to be stored includes: company name, email address, date of last contact.
  - Design a class Company and draw a **class diagram**.
  - Write program code to declare the class. Company name and email address are to be set by the constructor and will never be changed.
  - Instantiate one object of this class and test your class code works.

### Declaring a class in Visual Basic:

Module Module1

Class Car

' Each attribute must be preceded by PRIVATE

Private VehicleID As String

Private Registration As String = " " 'String will be in " "

Private DateOfRegistration As Date = #1/1/1900# 'Date between # #

Private EngineSize As Integer

Private PurchasePrice As Decimal = 0.0

'Every public method header must start with Public

'The constructor always has identifier New

Public Sub New(ByVal n As String, ByVal e As String)

VehicleID = n

EngineSize = e

End Sub



```
Public Sub SetPurchasePrice(ByVal p As Decimal)
    PurchasePrice = p
End Sub

Public Sub SetRegistration(ByVal r As String)
    Registration = r
End Sub

Public Sub SetDateOfRegistration(ByVal d As Date)
    DateOfRegistration = d
End Sub

Public Function GetVehicleID() As String
    Return(VehicleID)
End Function

Public Function GetRegistration() As String
    Return (Registration)
End Function

Public Function GetDateOfRegistration() As Date
    Return (DateOfRegistration)
End Function

Public Function GetEngineSize() As Integer
    Return (EngineSize)
End Function

Public Function GetPurchasePrice() As Decimal
    Return (PurchasePrice)
End Function
End Class

Sub Main()
    Dim ThisCar As New Car("ABC1234", 2500)
    ThisCar.SetPurchasePrice(12000)
    Console.WriteLine(ThisCar.GetVehicleID())
    Console.ReadLine()

    ThisCar = Nothing ' garbage collection
End Sub

End Module
```

### TASK27.01



A business wants to store data about companies they supply. The data to be stored includes: company name, email address, date of last contact.

- Design a class Company and draw a **class diagram**.
- Write program code to declare the class. Company name and email address are to be set by the constructor and will never be changed.
- Instantiate one object of this class and test your class code works.

Module Module1

Class Company

```
Private CompanyName As String
Private EmailAddress As String
Private DateOfLastContact As Date

Public Sub New(ByVal n, ByVal e) 'constructor
    CompanyName = n
    EmailAddress = e
    DateOfLastContact = #1/1/1900#
End Sub

Public Sub SetDateOfLastContact(ByVal d)
    DateOfLastContact = d
End Sub

Public Function GetCompanyName()
    Return (CompanyName)
End Function

Public Function GetEmailAddress()
    Return (EmailAddress)
End Function

Public Function GetDateOfLastContact()
    Return (DateOfLastContact)
End Function
End Class
```

Sub Main()

```
Dim ThisCompany As New Company("SLimited", "abc@slimited.cie")
```


```
ThisCompany.SetDateOfLastContact(#1/2/2016#)
Console.WriteLine(ThisCompany.GetDateOfLastContact())
```

```
Console.ReadLine()
```

End Sub

End Module

Class diagram



## Instantiating a class

To use an object of a class type in a program the object must first be **instantiated**. This means the memory space must be reserved to store the attributes. The following code instantiates an object **ThisCar** of **class car**.

<b>VB.NET</b>	<code>Dim ThisCar As New Car("ABC1234", 2500)</code>
---------------	--

## Using a method

To call a method in program code, the object identifier is followed by the method identifier and the parameter list.

The following code sets the purchase price for an object **ThisCar** of class **Car**.

<b>VB.NET</b>	<code>ThisCar.SetPurchasePrice(12000)</code>
---------------	--

The following code gets and prints the vehicle ID for an object **ThisCar** of class **Car**.


<b>VB.NET</b>	<code>Console.WriteLine(ThisCar.GetVehicleID())</code>
---------------	--

## Inheritance

The advantage of OOP is that we can design a class (**a base class** or a **superclass**) and then derive further classes (**subclasses**) from this **base class**.

This means that we write the code for the base class only once and the subclasses make use of the attributes and methods of the base class, as well as having their own attributes and methods.

This is known as inheritance and can be represented by an inheritance diagram



**Inheritance:** all attributes and methods of the base class are copied to the subclass

### WORKED EXAMPLE

Implementing a library system  
Consider the following problem:





-  A college library has items for loan.
-  The items are currently books and CDs.
-  Items can be borrowed for three weeks.
-  If a book is on loan, it can be requested by another borrower.


Table below shows the information to be stored.

Library item	
Book	CD
Title of book*	Title of CD*
Author of book*	Artist of CD*
Unique library reference number*	Unique library reference number*
Whether it is on loan*	Whether it is on loan*
The date the book is due for return*	The date the CD is due for return*
Whether the book is requested by another borrower	The type of music on the CD (genre)

The information to be stored about books and CDs needs further analysis. Note that we could have a variable Title, which stores the book title or the CD title, depending on which type of library item we are working with. There are further similarities (shown in above table).


There are some items of data that are different for books and CDs. Books can be requested by a borrower. For CDs, the genre is to be stored.

We can define a class **Libraryitem** and derive a **Book** class and a **CD** class from it. We can draw the inheritance diagrams for the **Libraryitem**, **Book** and **CD** classes as in Figure below



Inheritance diagram for Library Item, Book and CD classes

Analysing the attributes and methods required for all library items and those only required for books and only for CDs, we arrive at the class diagram in Figure below



A base class that is never used to create objects directly is known as an abstract class. **Libraryitem** is an abstract class.

**Abstract class:** a base class that is never used to create objects directly

### Declaring a base class and derived classes (subclasses) in VB.NET

The code below shows how a base class and its subclasses are declared in VB.NET.



```
Class LibraryItem
    Private Title As String
    Private Author_Artist As String
    Private ItemID As Integer
    Private OnLoan As Boolean = False
    Private DueDate As Date = Today

    Sub Create(ByVal t As String, ByVal a As String, ByVal i As Integer)
        Title = t
        Author_Artist = a
        ItemID = i
    End Sub

    Public Function
        GetTitle() As String.Return (Title)
    End Function

    ' other Get methods go here

    Public Sub Borrowing()
        OnLoan = True
        DueDate = DateAdd(DateInterval.Day, 21, Today()) '3 weeks from today
    End Sub

    Public Sub Returning()
        OnLoan = False
    End Sub

    Sub PrintDetails()
        Console.WriteLine(Title & " ; " & ItemID & " ; " & OnLoan & " ; " & DueDate)
    End Sub
End Class

Class Book 'A subclass definition
Inherits LibraryItem 'The Inherits statement is first statement of subclass definition
Private IsRequested As Boolean = False
    Public Function GetIsRequested() As Boolean
        Return (IsRequested)
    End Function
    Public Sub SetIsRequested()
        IsRequested = True
    End Sub
End Class

Class CD
Inherits LibraryItem 'The Inherits statement is first statement of subclass definition
Private Genre As String
    Public Function GetGenre() As String
        Return (Genre)
    End Function
    Public Sub SetGenre(ByVal g As String)
        Genre = g
    End Sub
End Class
```



**Instantiating a subclass**

Creating an object of a subclass is done in the same way as with any class (See Section 27.03).

<b>VB.NET</b>	<pre>Dim ThisBook As New Book()  Dim ThisCD As New CD()  ThisBook.Create(Title, Author, ItemID)  ThisCD.Create(Title, Artist, ItemID)</pre>
---------------	---

**Using a method**

Using an object created from a subclass is exactly the same as an object created from any class.

**TASK 27.02**

Copy the class definitions for LibraryItem, Book and CD into your program editor. Write the additional get methods. Write a simple program to test that each method work

```
Module Module1
  Class LibraryItem
    Private Title As String
    Private Author_Artist As String
    Private ItemID As Integer
    Private OnLoan As Boolean = False
    Private DueDate As Date = Today

    Sub Create(ByVal t As String, ByVal a As String, ByVal i As Integer)
      Title = t
      Author_Artist = a
      ItemID = i
    End Sub
    Public Function GetTitle() As String
      Return (Title)
    End Function
    Public Function GetAuthor_Artist() As String
      Return (Author_Artist)
    End Function
    Public Function GetItemID() As Integer
      Return (ItemID)
    End Function
    Public Function GetOnLoan() As Boolean
      Return (OnLoan)
    End Function
    Public Function GetDueDate() As Date
      Return (DueDate)
    End Function
    Public Sub Borrowing()
      OnLoan = True
      DueDate = DateAdd(DateInterval.Day, 21, Today()) '3 weeks from today
    End Sub
  End Class
End Module
```

```
Public Sub Returning()  
    OnLoan = False  
End Sub  
  
Public Sub PrintDetails()  
    Console.Write(Title & "; " & ItemID & "; " & OnLoan & "; ")  
    Console.WriteLine(DueDate)  
End Sub  
End Class  
  
Class Book  
    Inherits LibraryItem  
    Private IsRequested As Boolean = False  
  
    Public Function GetIsRequested() As Boolean  
        Return (IsRequested)  
    End Function  
  
    Public Sub SetIsRequested()  
        IsRequested = True  
    End Sub  
End Class  
  
Class CD  
    Inherits LibraryItem  
    Private Genre As String = ""  
  
    Public Function GetGenre() As String  
        Return (Genre)  
    End Function  
  
    Public Sub SetGenre(ByVal g As String)  
        Genre = g  
    End Sub  
End Class  
  
Sub Main()  
    Dim ThisBook As New Book()  
    Dim ThisCD As New CD()  
  
    ThisBook.Create("Computing", "Sylvia", 1234)  
    ThisCD.Create("Let it be", "Beatles", 2345)  
    ThisBook.PrintDetails()  
    ThisCD.PrintDetails()  
  
    Console.ReadLine()  
  
End Sub  
End Module
```

**TASK27.03**

Write code to define a Borrower class as shown in the class diagram in Figure 27.05




Figure 27.05 Borrower class diagram

The constructor should initialise ItemsOnLoan too. UpdateitemsOnLoa-no should increment ItemsOnLoan by an integer passed as parameter.

Write a simple program to test the methods

Module Module1

Class Borrower

Private BorrowerName As String

Private EmailAddress As String

Private BorrowerID As Integer

Private ItemsOnLoan As Integer

Public Sub Create(ByVal n As String, ByVal e As String, ByVal b As Integer)

BorrowerName = n

EmailAddress = e

BorrowerID = b

ItemsOnLoan = 0

End Sub

Public Function GetBorrowerName() As String

GetBorrowerName = BorrowerName

End Function

Public Function GetEmailAddress() As String

GetEmailAddress = EmailAddress

End Function











```

Public Function GetBorrowerID() As Integer
    GetBorrowerID = BorrowerID
End Function
Public Function GetItemsOnLoan() As Integer
    GetItemsOnLoan = ItemsOnLoan
End Function
Public Sub UpdateItemsOnLoan(ByVal n As Integer)
    ItemsOnLoan += n
End Sub
Public Sub PrintDetails()
    Console.WriteLine("Borrower      : " & BorrowerName)
    Console.WriteLine("ID          : " & BorrowerID)
    Console.WriteLine("email       : " & EmailAddress)
    Console.WriteLine("Items on loan: " & ItemsOnLoan)
End Sub
End Class

Sub Main()
    Dim NewBorrower As New Borrower()
    NewBorrower.Create("Sylvia", "adc@cie", 123)
    NewBorrower.UpdateItemsOnLoan(3)
    NewBorrower.PrintDetails()
    NewBorrower.UpdateItemsOnLoan(-1)
    NewBorrower.PrintDetails()
    Console.ReadLine()
End Sub
End Module

```

## Polymorphism

-  The constructor method of the base class is redefined in the subclasses.
-  The constructor for the Book class calls the constructor of the Libraryitem class and also initialises the IsRequested attribute.
-  The constructor for the CD class calls the constructor of the Libraryitem class and also initialises the Genre attribute.
-  The PrintDetails method is currently only defined in the base class.
-  This means we can only get information on the attributes that are part of the base class.
-  To include the additional attributes from the subclass, we need to declare the method again.
-  Although the method in the subclass will have the same identifier as in the base class, the method will actually behave differently.
-  This is known as polymorphism.

## Garbage collection

When objects are created they occupy memory. When they are no longer needed, they should be made to release that memory, so it can be re-used. If objects do not let go of memory, we eventually end up with no free memory when we try and run a program. This is known as 'memory leakage'.

How do our programming languages handle this?

<b>VB.NET</b>	A garbage collector automatically reclaims memory from objects that are no longer referred to by the running program.
---------------	---




In VB.NET we used Class Car earlier

When we want to reclaim memory we use following code for Garbage collection:

```
ThisCar = Nothing ' garbage collection
```

## Exception handling

Run-time errors can occur for many reasons.

-  Some examples are division by zero, invalid array index or trying to open a non-existent file.
-  Run-time errors are called '**exceptions**'.
-  They can be handled (resolved) with an error subroutine (known as an '**exception handler**'), rather than let the program crash.

Using pseudocode, the error-handling structure is:

```
TRY
    <statementsA>
EXCEPT
    <statementsB>
END TRY
```

Any run-time error that occurs during the execution of **<statementsA>** is caught and handled by executing **<statementsB>**. There can be more than one EXCEPT block, each handling a different type of exception. Sometimes a FINALLY block follows the exception handlers. The statements in this block will be executed regardless of whether there was an exception or not.

VB.NET is designed to treat exceptions as abnormal and unpredictable erroneous situations. You may find you need to include exception handling in the code for Worked Example 26.02. Otherwise the end of file is encountered and the program crashes.

<b>VB.NET</b>	<pre>NumberString = Console.ReadLine() Try     n = Int(NumberString)     Console.WriteLine(n) Catch     Console.WriteLine("this was not an integer") End Try</pre>
---------------	--

**TASK 26.03**

Add exception-handling code to your programs for Task 26.01 or Task 26.02. Test your code handles exceptions without the program crashing

**Solution code is written below:**

```






Module Module1
    Class Borrower
        Private BorrowerName As String
        Private EmailAddress As String
        Private BorrowerID As Integer
        Private ItemsOnLoan As Integer
        Public Sub Create(ByVal n As String, ByVal e As String, ByVal b As Integer)
            BorrowerName = n
            EmailAddress = e
            BorrowerID = b
            ItemsOnLoan = 0
        End Sub
        Public Function GetBorrowerName() As String
            GetBorrowerName = BorrowerName
        End Function
        Public Function GetEmailAddress() As String
            GetEmailAddress = EmailAddress
        End Function
        Public Function GetBorrowerID() As Integer
            GetBorrowerID = BorrowerID
        End Function
        Public Function GetItemsOnLoan() As Integer
            GetItemsOnLoan = ItemsOnLoan
        End Function
        Public Sub UpdateItemsOnLoan(ByVal n As Integer)
            ItemsOnLoan += n
        End Sub
        Public Sub PrintDetails()
            Console.WriteLine("Borrower      : " & BorrowerName)
            Console.WriteLine("ID          : " & BorrowerID)
            Console.WriteLine("email       : " & EmailAddress)
            Console.WriteLine("Items on loan: " & ItemsOnLoan)
        End Sub
    End Class

    Sub Main()
        Dim NewBorrower As New Borrower()
        NewBorrower.Create("Sylvia", "adc@cie", 123)
        NewBorrower.UpdateItemsOnLoan(3)
        NewBorrower.PrintDetails()
        NewBorrower.UpdateItemsOnLoan(-1)
        NewBorrower.PrintDetails()
        Console.ReadLine()
    End Sub
End Module

```



## Containment {aggregation}

-  Containment means that one class contains other classes.
-  For example, a car is made up of different parts and each part will be an object based on a class.
-  The wheels are objects of a different class to the engine object.
-  The engine is also made up of different parts.
-  Together, all these parts make up one big object.


### Containment Diagram



**Containment:** a relationship in which one class has a component that is of another class type.

### WORKED EXAMPLE:

Using containment A college runs courses of up to 50 lessons. A course may end with an assessment. Object-oriented programming is to be used to set up courses. The classes required are shown in figure:





### WORKED EXAMPLE solution VB.NET :

```
Module Module1 'CONTAINMENT
    Class Assessment
        Private AssessmentTitle As String
        Private MaxMarks As Integer

        Public Sub Create(ByVal t As String, ByVal m As Integer)
            AssessmentTitle = t
            MaxMarks = m
        End Sub

        Public Sub OutputAssessmentDetails()
            Console.Write(AssessmentTitle & "Marks: " & MaxMarks)
        End Sub
    End Class

    Class Lesson
        Private LessonTitle As String
        Private DurationMinutes As Integer
        Private RequiresLab As Boolean

        Public Sub Create(ByVal t As String, ByVal d As Integer, ByVal r As Boolean)
            LessonTitle = t
            DurationMinutes = d
            RequiresLab = r
        End Sub

        Public Sub OutputLessonDetails()
            Console.WriteLine(LessonTitle & " " & DurationMinutes)
        End Sub
    End Class

    Class Course
        Private CourseTitle As String
        Private MaxStudents As Integer
        Private NumberOfLessons As Integer = 0
        Private CourseLesson(50) As Lesson
        Private CourseAssessment As Assessment

        Public Sub Create(ByVal t As String, ByVal m As Integer)
            CourseTitle = t
            MaxStudents = m
        End Sub

        Sub AddLesson(ByVal t As String, ByVal d As Integer, ByVal r As Boolean)
            NumberOfLessons = NumberOfLessons + 1
            CourseLesson(NumberOfLessons) = New Lesson
            CourseLesson(NumberOfLessons).Create(t, d, r)
        End Sub

        Public Sub AddAssessment(ByVal t As String, ByVal m As Integer)
            CourseAssessment = New Assessment
            CourseAssessment.Create(t, m)
        End Sub
    End Class
End Module
```

```
Public Sub OutputCourseDetails()  
    Console.Write(CourseTitle)  
    Console.WriteLine("Maximum number of students: " & MaxStudents)  
    For i = 1 To NumberOfLessons  
        CourseLesson(i).OutputLessonDetails()  
    Next  
End Sub  
End Class  
  
Sub Main()  
    Dim MyCourse As New Course  
    MyCourse.Create("Computing", 10) ' sets up a new course  
    MyCourse.AddAssessment("Programming", 100) ' adds an assessment  
    ' add 3 lessons  
    MyCourse.AddLesson("Problem Solving", 60, False)  
    MyCourse.AddLesson("Programming", 120, True)  
    MyCourse.AddLesson("Theory", 60, False)  
  
    'check it all works  
    MyCourse.OutputCourseDetails()  
    Console.ReadLine()  
End Sub  
End Module
```

### References:



Cambridge AS & A level Coursebook

Cambridge AS & A level Teacher's Resource

AS & A level Computer Science by HODDER EDUCATION