

Kısaltmalar ve akronimler

99mTc: Teknesyum-99m

ACE-I: Anjiyotensin dönüştürücü enzim inhibitörü

Ach: Asetilkolin

AKS: Akut koroner sendrom(lar)

AF: Atriyal fibrilasyon

ABH: Akut böbrek hasarı

ALPHEUS: Assessment of Loading with the P2Y12 Inhibitor Ticagrelor or Clopidogrel to Halt Ischemic Events in Patients Undergoing Elective Coronary Stenting

ANOCA: Angina with non-obstructive coronary arteries

ARB: Anjiyotensin reseptör blokeri

ARC-HBR: Academic Research Consortium for High

Bleeding Risk

ARNI: Anjiyotensin reseptörü neprilisin inhibitörü

ART: Antiretroviral tedavi

ASKVH: Aterosklerotik kardiyovasküler hastalık

ASE: Amerikan Ekokardiyografi Derneği

AUGUSTUS: Open-Label, 2 × 2 Factorial, Randomized Controlled, Clinical Trial to Evaluate the Safety of Apixaban versus Vitamin K Antagonist and

Aspirin versus Aspirin Placebo in Patients with Atrial Fibrillation and Acute Coronary Syndrome or Percutaneous Coronary Intervention

BARC: Bleeding Academic Research Consortium

b.i.d: günde iki kez

VKİ: Vücut kitle indeksi

KB: Kan basıncı

KH/dk: Dakikadaki kalp atım sayısı

KABG: Koroner arter baypas greftleme

KAK: Koroner arter kalsifikasyonu

KAKS: Koroner arter kalsiyum skoru

CACS-CL: KAKS + risk faktörü ağırlıklı klinik olasılık
(RF-CL) modeli

KAH: Koroner arter hastalığı

CANTOS: Canakinumab Antiinflammatory Thrombosis

Outcome Study

CAPRIE: Clopidogrel versus Aspirin in Patients at Risk of

Ischaemic Events

KKB: Kalsiyum kanal blokeri

KKS: Kronik koroner sendrom(lar)

KBTA: Koroner bilgisayarlı tomografi anjiyografisi

CFC: Koroner akış kapasitesi

CFR: Koroner akış rezervi

CFVR: Koroner akım hızı rezervi

CHA2DS2-VASc: Konjestif kalp yetmezliği veya sol ventrikül disfonksiyonu, hipertansiyon, yaş ≥ 75 (iki katına çıkarılmış),

diyabet, inme (iki katına çıkarılmış), vasküler hastalık, yaş 65-74, cinsiyet kategorisi (kadın)

CI: Güven aralığı

KBH: Kronik böbrek hastalığı

KMD: Koroner mikrovasküler disfonksiyon

KMR Kardiyak manyetik rezonans

COLCOT: Colchicine Cardiovascular Outcomes Trial

COMPASS: Cardiovascular Outcomes for People Using

Anticoagulation Strategies

COURAGE: Clinical Outcomes Utilizing Revascularization

and Aggressive Drug Evaluation

CRT: Kardiyak resenkronizasyon tedavisi

BT: Bilgisayarlı tomografi

KVH: Kardiyovasküler hastalık

CYP2C19: Sitokrom P450 2C19

CYP3A4: Sitokrom P450 3A4

CZT Kadmiyum-çinko-tellürid

İATT Çift antitrombosit tedavi

DEFINE GPS:

DES: İlaç salımlı stent

DEFINE-FLAIR:

DHP: Dihidropiridin

DM: Diyabetes mellitus

DOAK Direkt oral antikoagulan

dPR: Diyastolik basınç oranı

DSE: Dobutamin stres ekokardiyografisi

EACTS: Avrupa Kardiyo-Torasik Cerrahi Derneği

EACVI: Avrupa Kardiyovasküler Görüntüleme Derneği

EKG: Elektrokardiyogram

EF: Ejeksiyon fraksiyonu

eGFR: Tahmini glomerüler filtrasyon hızı

EMA: Avrupa İlaç Ajansı

ESC: Avrupa Kardiyoloji Derneği

EXCEL: Sol Ana Arter Revaskülarizasyonunun Etkinliği Açısından XIENCE ile Koroner Arter Baypas Cerrahisinin Değerlendirilmesi

FAME: Çoklu Damar Değerlendirmesinde Fraksiyonel Akım Rezervi ile Anjiyografinin Karşılaştırılması

FFR Fraksiyonel Akım Rezervi

FFR-BT: Koroner Bilgisayarlı Tomografi

Anjiyografiden Türetilen Fraksiyonel Akım Rezervi

FREEDOM Diyabetli Hastalarda Çoklu Damar Revaskülarizasyonu Stratejileri

GDMT: Kılavuz Yönergelerine Uygun Tıbbi Tedavi

GI: Gastrointestinal

GIP: Glikoza Bağımlı İnsülinotropik polipeptit

GLOBAL:

LEADERS: Ticagrelor plus aspirin for 1 month, followed by

ticagrelor monotherapy for 23 months vs. aspirin plus clopidogrel or ticagrelor for 12 months, followed by aspirin monotherapy for 12 months after implantation of a drug-eluting stent (DES): a multicentre, open-label, randomized superiority trial

GLP-1: Glukagon benzeri peptit

GLP-1: Glukagon benzeri peptid-1

GUSTO: Global Utilization of Streptokinase and Tissue

Plasminogen Activator for Occluded Arteries

HbA1c: Glikozile hemoglobin

HBR Yüksek kanama riski

HDL-C: Yüksek yoğunluklu lipoprotein kolesterol

KY: Kalp yetmezliği

KYhdEF: Hafif derecede azalmış ejeksiyon fraksiyonlu kalp yetmezliği

KYkef: Korunmuş ejeksiyon fraksiyonlu kalp yetmezliği

KYdEF: Düşük ejeksiyon fraksiyonlu kalp yetmezliği

HIV: İnsan immün yetmezlik virüsü

HMR: Hiperemik miyokardiyal hız direnci

HOST-EXAM: Harmonizing Optimal Strategy for Treatment of
Coronary Artery Stenosis-EXtended

Antiplatelet Monotherapy

HR: Hazard ratio

hs-CRP: Yüksek duyarlılıklı C-reaktif protein

HSR: Hiperemik stenoz direnci

i.k: İntrakoroner

i.v.: İntravenöz

IKA: İnvaziv koroner anjiyografi

ICD: İmplant edilebilir kardiyoverter defibrilatör

ICFT: İnvaziv koroner fonksiyonel test

iFR: Instantaneous wave-free ratio

iFR- : Instantaneous Wave-free Ratio versus Fractional

SWEDEHEART: Flow Reserve in Patients with Stable Angina Pectoris or Acute Coronary Syndrome

İLİAS: Inclusive Invasive Physiological Assessment in Angina Syndromes

IMR: Index of microcirculatory resistance

INOCA: Ischaemia with non-obstructive coronary arteries

INR: Uluslararası normalleştirilmiş oran

IQR: Interquartile range

İSCHEMİA: Initial Invasive or Conservative Strategy for Stable Coronary Disease (trial)

ISR: Stent içi restenoz

ISTH: International Society on Thrombosis and Haemostasis

IVUS: İnvaziv ultrason

LAD: Sol ön inen arter

SLDB: Sol dal bloğu

LDL-K: Düşük yoğunluklu lipoprotein kolesterol

LGE: Geç gadolinyum kontrastlanması

LIMA: Sol internal meme arteri

LITA: Sol internal torasik arter

LMCA: Sol ana koroner arter

LMKAH: Sol ana koroner arter hastalığı

LODOCO2: LOw-DOse COlchicine 2

LOE: Kanıt düzeyi

SV: Sol ventrikül

SVEF: Sol ventrikül ejeksiyon fraksiyonu

MACCE: Majör advers kardiyak veya serebrovasküler olaylar

MACE Majör advers kardiyovasküler olaylar

MASTER-DAPT: Management of High Bleeding Risk Patients Post Bioresorbable Polymer Coated Stent Implantation with an Abbreviated versus Standard DAPT Regimen

MBF: Miyokardiyal kan akımı

MCE: Miyokardiyal kontrast ekokardiyografi

MCS Mekanik dolaşım desteği

MFR: Miyokardiyal akım rezervi

mHealth Mobil cihaz tabanlı sağlık hizmeti

MI: Miyokard enfarktüsü

MIDCAB : Minimally invasive direct coronary artery bypass

MRA Mineralokortikoid reseptör antagonisti

MRG: Manyetik rezonans görüntüleme

MRR: Mikrovasküler direnç rezervi

MVA: Mikrovasküler anjina

MVD: Çok damar hastalığı

NNH: Zarar vermek için gereken sayı

Olumsuz bir olayı önlemek için tedavi edilmesi gereken NNT sayısı

NOBLE: Nordic–Baltic–British Left Main Revascularisation Study

NSTEMI: ST segment yükselmesiz miyokard enfarktüsü

NTG: Nitrogliserin

NYHA New York Kalp Derneği

OAC Oral antikoagülan

OCT: Optik koherens tomografi

OR: Odds ratio

ORBITA: Objective Randomised Blinded Investigation with optimal medical Therapy of Angioplasty in stable angina

ORBITA-COSMIC: Coronary Sinus Reducer Objective Impact on Symptoms, MRI Ischaemia and Microvascular Resistance

PAH: Periferik arter hastalığı

PAR Proteazla aktive olan reseptör

PARR-2: F-18-Fluorodeoxyglucose Positron Emission Tomography Imaging-Assisted Management of Patients with Severe Left Ventricular Dysfunction and Suspected Coronary Disease: a Randomized, Controlled Trial

PKG: Perkütan koroner girişim

PCSK9: Proprotein konvertaz subtilisin/keksin tip 9

Pd/Pa Distal koroner basınç/aort basınç oranı

PDE-5: Fosfodiesteraz-5

PEGASUS-TIMI54: Prevention of Cardiovascular Events in Patients with Prior Heart Attack Using Ticagrelor Compared to Placebo on a Background of Aspirin Thrombolysis In Myocardial Infarction

PESA: Progression of Early Subclinical Atherosclerosis

PET: Pozitron emisyon tomografisi

PRECISE-DAPT: PREdicting bleeding Complications In patients undergoing Stent implantation and subSequent Dual AntiPlatelet Therapy

PRECOMBAT: Randomized Trial of Stents versus Bypass Surgery for Left Main Coronary Artery Disease (trial)

PRIZE: Precision Medicine with Zibotentan in Microvascular Angina

PROM: Hasta tarafından bildirilen sonuç ölçüsü

PROMISE: Prospective Multicenter Imaging Study for Evaluation of Chest Pain

PTP: Pre-test probability

QFR Kantitatif akış oranı

YKL: Yaşam kalitesi

R3F: French FFR Registry

RAAS: Renin-anjiyotensin-aldosteron sistemi

RK: Randomize kontrollü çalışma

REVIVED-BCIS2: Percutaneous Revascularization for Ischemic Left Ventricular Dysfunction

RF-CL: Risk faktörü ağırlıklı klinik olasılık

RFR Göreceli akış rezervi

RIPCORDER: Routine Pressure Wire Assessment Influence Management Strategy at Coronary Angiography for Diagnosis of Chest Pain trial

RR: Rölatif risk

RWTA: Bölgesel sistolik duvar kalınlaşması anormallikleri

TATT: Tek antitrombosit tedavi

SCORE2: Systematic Coronary Risk Estimation 2

SCORE2-OP: Systematic Coronary Risk Estimation 2–Older Persons

SCOT-HEART: Scottish Computed Tomography of the Heart

SELECT: Semaglutide Effects on Cardiovascular Outcomes in People With Overweight or Obesity

SGLT2: Sodyum-glikoz kotransporter 2

SLE: Sistemik lupus eritematozus

SPECT Tek foton emisyonlu bilgisayarlı tomografi

STEMI: ST segment yükselmeli miyokard enfarktüsü

STICH: Surgical Treatment for Ischemic Heart Failure

STS-PROM: Society of Thoracic Surgeons Predicted Risk of Mortality

SURMOUNT: Efficacy and Safety of Tirzepatide Once Weekly in Participants Without Type 2 Diabetes Who Have Obesity or Are Overweight With Weight-

Related Comorbidities: A Randomized, Double-Blind, Placebo-Controlled Trial

SYNTAX: SYnergy between PCI with TAXUS and Cardiac Surgery

THEMIS: The Effect of Ticagrelor on Health Outcomes in diabEtes Mellitus patients Intervention Study

TID Transient ischaemic dilatation

TIMI: Thrombolysis In Myocardial Infarction

Tx: Thromboxane

TWILIGHT: Ticagrelor with Aspirin or Alone in High-Risk

Patients after Coronary Intervention

vFFR: Vessel fractional flow reserve

VKA: Vitamin K antagonisti

VSA: Vazospastik angina

VTE Venous trombo-embolism

WARRIOR: Women's IschemiA Trial to Reduce Events in Non-ObstRuctIve CORonary Artery Disease

WOMEN: What is the Optimal Method for Ischemia Evaluation of Women

X-ECG: Egzersiz ECG testi