

STATE-BIHAR.



DATE: 08/01/2008

SCIR (Standing Committee Inspection Report); DIR (Departmental Inspection Report); UC (Under Consideration); NR (Not Recommended); SIR (Supplementary Inspection Report); PS (Power Supply)

port); Std. 1); NC (Not &E (Tools & Marks

Name, Address & File No. of Institute for ref. & Future correspondence	Trade(s)	Units for which affil. sought / recommended by			Remarks
		Instt.	Std. Comm.	DC	
48 Bhartiya ITC, Danapur, Distt. Patna Bihar DGET-6/4/15/2007-TC	Electrician Fitter	2(1+1) 2(1+1)	2(1+1) 2(1+1)	2(1+1) 2(1+)	SCIR-26/10/2007 w.e.f. Aug 2007
49 Maulana Minnatullah rehman Memo Tech Institute ITC, Imarat Complex, Phulwari Shariff, Distt. Patna Pin-801505 Bihar DGET-6/4/2/94-TC	Fitter Fitter	2(1+1) Addl. 2(1+1)	- Addl. 2(1+1)	One Total 3(2+)	SCIR-15/9/2005 SIR-5/10/2006 w.e.f. Aug 2005 SCIR-28/10/2006 w.e.f. Aug 2006
50 Imarat Mujibiah Tech Institute, Darbhanga Near Sardar Pin-846006 Bihar DGET-6/4/3/99-TC	Electrician	Addl. 2(1+1)	Addl. 2(1+1)	Total 2(1+1)	SCIR-15/9/2005
51 Gautam Budh ITC, Nayachack, PO Manoharpur, Kachihuara, Distt. Patna Pin-800016 Bihar DGET-6/4/5/2007-TC	Electrician	2(1+1)	2(1+1)	2(1+1)	SCIR-17/10/2007 w.e.f. Aug 2007

S.K. Singh
Principal
Gautam Budh Industrial Training Centre
Nayachak, Patna

STATE-BIHAR

DATED 5-10-2007

SCM (Standing Committee Inspection Report) DIF (Departmental Inspection Report)
 Commr (Standing Committee) JC (Under Consideration) NF (Not Recommended) NC (Not
 Considered) SIF (Supplementary Inspection Report) PS (Power Supply) T&E (Tools &
 Equipment)

Name, Address & File No. of Institute for ref. & Future correspondence	Trade	Units for which affiliation sought			Remarks
		Instt.	Std. Comm.	DGET	
5 Mata Kamleshwari devi Smarak Sansthan ITC, Pachasa Distt. Bihar Sarif Bihar DGE&T- 6/4/4/2006-TC	Fitter	4(2+2)	4(2+2)	*Addl. Two Total 2(1+1)	SCIR-6/7/2007 All trades w.e.f. Aug 2007 *two units have been rejected since lathe machine cannot work. of 1 fitter in trade Fitter.
	Electrician	4(2+2)	4(2+2)	Addl. Four Total 6(3+3)	
	Mechanic Diesel	4(2+2)	4(2+2)	Total 4(2+2)	
6 Gautam Budh ITC, Nayachak, P.O. Manoharpur, Kachhuara, Patna-800016 Bihar DGE&T- 6/4/5/2007-TC	Fitter	Addl. One Unit		Total 2(1+1)	DIR-12/9/2007 w.e.f Aug 2007

Latish

S.K. Singh
 12 Principal
 Gautam Budh Industrial Training Centre
 Nayachak, Patna

STATE: Bihar



DATED: 24/08/2012

Note: - As per NCVT decision all the instructors must be trained within three years. The State Director/Commissioner/Pvt management are requested to sponsor 30% instructors every year for Training in Trainer Program (in any CTI module) of DGET field Institute.

SCIR (Standing Committee Inspection Report); DIR (Departmental Inspection Report); Std. Comm (Standing Committee); NR (Not Recommended); NC (Not Considered); SIR (Supplementary Inspection Report); PS (Power Supply); T&E (Tools & Equipment)						
Name, Address & File No. of Institute for ref. & Future correspondence draft	Trade	Units for which affiliation sought / recommended by			Approval by Sub-Committee of NCVT	Remarks
		Instt.	Std. Comm.			
23 Gautam Budh Private ITI, At. Nayachak, PO. Manoharpur Kachhuara, Dist. Patna Bihar DGET-6/4/5/2007-TC	Electrician	Addl. 6(3+3)	Addl. 6(3+3)		Addl. 6(3+3) Total 8(4+4)	SCIR-30/5/2011 SIR-29/7/2011 SIR-8/11/2011 SIR-16/8/2012 w.e.f. Aug 2012
24 Heera Private ITI, Nufar, Bhagwanpur, Dist. Muzzaffarpur Bihar DGET-6/4/13/2012-TC	Electrician Fitter	4(2+2) 4(2+2)	4(2+2) 4(2+2)		4(2+2) 4(2+2)	SCIR-17/1/2012 SIR-16/8/2012 w.e.f. Aug 2012

एन. के. श्रीवास्तव/स. के. श्रीवास्तव
प्रशिक्षण अधीक्षक/प्रशिक्षण केंद्र
रोजगार एवं प्रशिक्षण विभाग/एन. के. सी.
अथवा रोजगार विभाग
Ministry of Labour & Employment
संयुक्त शासन/भारत सरकार
नई दिल्ली/New Delhi

S.K. Singh

12/08/2012

Principal
Gautam Budh Industrial Training Centre
Nayachak, Patna

-6-