




**TEEMORE
ENGINEERING**
LIVESTOCK HOUSING SPECIALISTS



BEEF PRODUCT BROCHURE

2023-2024




Teemore Engineering has been at the heart of innovation within the agricultural engineering sector for almost 50 years. During this time the products sourced, designed and produced have evolved to meet the requirements of modern dairy and beef farmers.


All manufactured goods are produced at Teemore’s head office site based outside the village of Derrylin in Fermanagh where large stocks of finished products are stored ready for distribution. In more recent years a new storage depot was opened at Whitchurch in Shropshire in the heart of England where again goods are stock piled ready for distribution.

Teemore are a market leader in the design and production of cow cubicles. Our focus has revolved around the comfort of the cow and engineered to stand the test of time.

TEEMORE ENGINEERING QR CODES



- 1
OPEN YOUR
PHONE CAMERA
- 2
FOCUS ON THE
PRODUCT QR CODE
- 3
TAP THE POP-UP
TO OPEN THE
PRODUCT PAGE



BEEF PRODUCT BROCHURE


- GATES & BARRIERS 4
- CUBICLES 20
- MATS & MATTRESSES 24
- RUBBER FLOORING 28
- DRINKERS 32
- CRUSHES & HANDLING 38
- FEEDERS 52
- VENTILATION 56
- PRODUCT INDEX 60

BEEF PRODUCT BROCHURE

GATES & BARRIERS

WE OFFER BOTH BESPOKE AND OFF THE SHELF GATING SOLUTIONS TO MEET ALL YOUR PENNING AND HANDLING NEEDS, WITH THE SAFETY OF BOTH LIVESTOCK AND HANDLERS A PRIORITY.


HEADLOCKS



handle has two positions; lock and feed



patented locking mechanism



Jourdain Safety IV Headlocks



Designed and manufactured to suit a wide range of ages and breeds of livestock maximising the safety and comfort for both the farmer and the animal. Unbeatable quality and durability these sturdy headlocks are built to last.

- Link up to 6 panels together
- Heifer/calf guards to close small dangerous spaces
- Anti-choke system to release a fallen animal
- Adjustable end pieces for ease of installation
- Pendulum bar is bushed at pivot point for increased longevity
- Adjustable collar width
- Hot dipped galvanised (ISO 9002 Certified)
- Release animals one by one or release all together





HEADLOCKS



Bull Headlock

Reinforced headlock specifically designed for bulls. A must have for any bull pen creating a safe working environment when cleaning or bedding.

BARRIER



60mm & 76mm Diagonal Feed Barrier





Diagonal barrier designed to maximise feeding spaces while reducing feed wastage. All standard sizes are kept in stock. Cost effective feed barrier option and suitable for various animal sizes making it a very popular choice by farmers.

Timber Diagonal Gate



Diagonal barrier complete with timber base is designed to swing open as a complete gate. Ideal for feed passages where access to penning is required on a regular basis. Standard sizes available in stock with bespoke sizes available on request.


HEADLOCKS



Feston Headlocks

The Feston headlock is constructed from 60mm tube welded to 76mm beam, ensuring durability when dealing with heavier cattle.

BARRIER



Feston Barrier

Feed Barrier option for horned cattle while reducing the possibility of calves escaping.

- spring steel top and bottom rail
- adjustable end pieces for ease of fitting

CUSTOMER TESTIMONIAL




"I've already been recommending it to fellow longhorn breeders! I haven't met a single other breeder who uses such a system. They either use ring feeders inside conventional open sheds, or dairy-style open sided feed fences with a single rail along the top. The Feston system has proved a real talking point for visitors on our farm. Blonde breeders, corn delivery drivers and sales reps alike have all been intrigued."

Jane Mycock
Sycamore longhorns



GATE



2 Bar Fattening Feed Rail

The Jourdain 2 bar fattening feed rail is produced from 101mm octagonal tube and designed for beef cattle. It is extremely heavy duty and can be raised by rotation without having to remove it, making it ideal for a store to beef finishing shed.



GATE




3 Bar Fattening Feed Rail


The Jourdain 3 bar feed rail offers easy adjustment for different stock sizes. The three settings of the rail allow for greater adaptability to match stock sizes. The barrier is extremely heavy duty and works well for beef cattle and high stock ratios



GATE



5 bar standard back



5 bar drinker back

*Each gate comes in two parts – the Gate Back and the Gate End



5 Bar Standard Back


5 tubes made from tube ø 60mm, length 2.5m. Compatible with all 5 Bar Ends.



5 Bar Drinker Back

5 tubes made from tube ø 60mm, length 2.5m. Compatible with all 5 Bar Ends.

GATE



5 Bar Panel Gate

The Jourdain 5 Bar Panel Gate is most suited towards calves and young heifers. It is 1.15 meters in height and is available in various lengths from 0.6 – 7.0 meters.

GATE



Surlock 101 Brackets

Range of Surlock brackets for use with spring latch receivers.

GATE



5 Bar Square Gate

Heavy duty 5 bar centre latch square gate end is designed with 1 metre of telescopic adjustment within each size. This flexibility allows any opening to be catered for up to 7 metres.



GATE



5 Bar Spring Gate

Heavy duty 5 bar spring latch gate end is designed with 1 metre of telescopic adjustment within each size. This flexibility allows any opening to be fitted up to 7 metres.



GATE



5 Bar Man Escape Gate

Heavy duty 5 bar man escape panel is designed with 1 metre of telescopic adjustment within each size. This flexibility allows any opening to be fitted up to 7.3 metres.



GATE




5 Bar Access Arch Gate

Heavy duty 5 bar man escape panel is designed with 1 metre of telescopic adjustment within each size. This flexibility allows any opening to be catered for up to 7.9 metres.



GATE




5 Bar Drinker Bowl Gate

Jourdain Heavy duty 5 bar drinker bowl panel is designed with 1 metre of telescopic adjustment within each size. This flexibility allows any opening to be catered for up to 7.3 metres.



GATE




5 Bar Drinker Trough Gate

Heavy duty 5 bar trough panel is designed with 1 metre of telescopic adjustment within each size. This flexibility allows any opening to be catered for up to 7.3 metres.



GATE



4 Bar Panel Gate

Heavy duty 4 bar panel end designed with 1 or 2 metres of telescopic adjustment within each size. Ideal for dividing pens. 2 metre extension available by using long panel end.



GATE




4 Bar Square Gate

Heavy duty 4 bar centre latch square gate end is designed with 1 or 2 metres of telescopic adjustment within each size. 2 metre extension available by using long panel end.



GATE




5 Bar Calf Creep Gate

Heavy duty 5 bar creep panel is designed with 1 metre of telescopic adjustment within each size. This flexibility allows any opening to be catered for up to 7.5 metres.



GATE



5 Bar Short Calf Creep Gate

Teemore heavy duty 5 bar creep panel is designed with 700mm of telescopic adjustment. This creep end is designed for short openings but can be incorporated into a longer panel if the size option is available.



GATE



4 Bar Spring Gate

Heavy duty 4 bar spring latch gate end is designed with 1 or 2 metres of telescopic adjustment within each size. 2 metre extension available by using long panel end.



GATE



4 Bar Drinker Bowl Gate

Heavy duty 4 bar drinker bowl panel area designed with 1 metre of telescopic adjustment within each size. 2 metre extension available by using long panel end.



GATE




4 Bar Drinker Trough Gate

Heavy duty 4 bar trough panel is designed with 1 metre of telescopic adjustment within each size. 2 metre extension available by using long panel end.



GATE




4 Bar Calf Creep Gate

Heavy duty 4 bar creep panel is designed with 1 metre of telescopic adjustment within each size. This flexibility allows any opening to be catered for, up to 7.5 metres.



GATE



4 Bar Short Calf Creep Gate

Heavy duty 4 bar creep panel is designed with 700mm of telescopic adjustment. This creep end is designed for short openings but can be incorporated into a longer panel if the



GATE




4 Bar Man Escape Gate

Heavy duty 4 bar man escape panel is designed with 1 metre of telescopic adjustment within each size. 2 metre extension available by using long panel end.



GATE



4 Bar Access Arch Gate

Heavy duty 4 bar access arch panel is designed with 1 metre of telescopic adjustment within each size. Access gate available as separate piece




CUSTOMER TESTIMONIAL

“The use of the 5- bar access arch was crucial for this shed in County Cavan, “What we wanted was a good, natural flow, to keep animals calm when they go up the crush”. The access arch was the ideal solution for this requirement.”

**Killashandra
County Cavan**

GATE



4 direction strap hanger

Strap Hangers


Range of strap hangers for use with Jourdain 101mm and 140mm octagonal posts.



Octagonal Posts & Clamps

Jourdain 101mm and 140mm stock friendly octagonal posts. The patented 8-sided shape eliminates the chance of rotating when either set in a socket or concrete.

GATE



4 direction post hanger

Hangers

Range of hangers for use with 120mm box posts.



120mm Box Posts

The box post is ideal for any penning situation, especially in areas where gates are opened continuously. This is because the box post is a lot more secure, and eliminates posts turning.

Fixtures & Fittings

TR9903
Dairy wall
reinforcer

PR6001
Headlock man passage end

SQ9945
SAFETY® IV Locking stop

SQ9944
Stop

PA9904
Spacer pin

SQ9939
Individual locking pin

SQ9943
Control pipe
joining pipe

SQ9901
Dropper

MO0260
Reinforcement for prefabricated
wall 150-200 mm

SQ9941
Safety IV control handle

TE 7003
Centre support on wall

TE7004
Centre support 100mm wall panel

TE8060
Feed timber
support angle

PR5052
Extension end

PR5053
Extended end
closure bar

TE7000
Timber bracket

TE7005
Centre support
76mm timber

VE2505
42/27mm Claw clamp

MO5050
Standard swinging end-
length - 280mm

MO5052
Flat end piece -
length - 250mm

MO5053
Embossed end

MO5054
Welded Straight End -
length - 340mm

AT0201
42/42mm Claw clamp

PR9910
60/42mm Claw clamp

Fixtures & Fittings

FE2102
Flat hanger
(pair)

FE2102S
Flat hanger slotted
(pair)

FE2104
3" Spacer hanger
(pair)

FE2104S
3" Spacer hanger
slotted (pair)

FE2105
2" Spacer hanger
(pair)

FE2105S
2" Spacer hanger
slotted (pair)

FE2117
Multi fix bracket
(pair)

TE8127
RSJ centre latch
receiver (pair)

TE7018
Swing over gate bracket

TE8065
4 & 5 Bar centre latch over-lapping
gate bracket

TE8064
4 & 5 Bar spring latch over-lapping
gate bracket

TE8128
RSJ side edge receiver
(pair)

TE8126
RSJ side latch
receiver (pair)

TE6000
Long wall
hanger


TE7007
2.1mtr RSJ
post 7"x4"

TE6997
2mtr RSJ
post 6"x6"

FE2112
Wide wall
hanger (pair)

TE7019
Drop latch

GATE




Automatic Calving Yoke with Operation Gate

The Jourdain Single calving yoke coupled with the operation gate are ideal for single calving pens. The yoke with the quick release mechanism and the lower bottom bar ensures the animals safety during calving.



GATE

5 bar end




Automatic Calving Yoke with 2 in 1 Gate

The telescopic 2 in 1 calving gate is ideal for dividing 2 calving pens and can be coupled with the Jourdain head locking yoke leaving it accessible from both sides. 2 in 1 calving gate can be paired with any of the 5 bar ends.



GATE

5 bar end




Ex 5 Calving Gate and Operation Gate

The Telescopic Jourdain Ex 5 Calving yoke can be incorporated into any of the 5 bar backs to create a pen divide. Hangers can be mounted on either side of the yoke on which to mount the operation gate.



GATE

5 bar end




3 in 1 Calving Gate

The Jourdain 3 in 1 calving gate is suited to divide two pens as the cow can enter the head yoke from either side. The built in operation gate can swing either direction so the gate can service both pens..




GATE




Field Panel

Teemore's country style field gates are suitable for use in gaps ranging from 3.65m – 4.87m. Ideal for entrances to fields around the farm.



Spring Latch Field Gate

Jourdain telescopic 5 bar field gate is commonly used for field access or smaller animal sheds. The Jourdain auto-lock latch ensures secure yet easy to use closure.




Drinker Bowl Field Panel

Jourdain telescopic 5 bar drinker bowl panel is ideal for dividing pens of small animals allowing them to share a drinker between the 2 groups.




GATE




7 Bar Gate / Panel

7 bar gates designed specifically for use in fields or for small animal housing designs. The lower five bars have a 95mm spacing, preventing smaller animals from catching their head between bars.



GATE



**Extendable Sheeted Doors
5ft + 6ft**

Extendable sheeted doors are premanufactured on-site and sheeted once the specific size required is available. Made from 60 x 60mm with 50 x 50mm box insert, with double spring latches for secure closure.



BEEF PRODUCT BROCHURE

CUBICLES

WORKING WITH FARMING EXPERTS, WE CONTINUE TO DEVELOP INNOVATIVE COW CUBICLE SOLUTIONS TO SUIT THE UK AND IRISH BEEF FARMING MARKETS.

CUBICLES




Super Loop Cow Cubicle



Super loop cow cubicles were the first cantilever cubicle designed and manufactured by Teemore Engineering, developing an excellent reputation for comfort and quality amongst farmers.



CUBICLES




Deluxe Cow Cubicle



Deluxe cow cubicles are high neck rail open fronted cow cubicle mounted on a floor bracket maximizing lunging space with no bottom rail. With a 1250mm head rail height makes them the ideal solution for the large modern dairy cows.



CUBICLES



Zig-Zag Head Rail

Zig zag neck rail increases neck rail height in the centre of each cubicle, creating a comfortable standing position, straighter lying and promotes cleaner cubicles. Can be retro fitted onto low neck rail cubicles to increase cow comfort.

CUBICLES



**Brisket Board
Timber Bracket**

Adjustable bracket, U-bolting to the bottom of cubicle loop, for attaching timber to act as a brisket board mounted at 45-degree angle to cubicle bed.



BEEF PRODUCT BROCHURE

MATS & MATTRESSES

WE CARRY A RANGE OF COW MATTRESSES THAT ALLOW YOUR HERD TO FEEL SAFE AND SECURE IN A CLEAN AND COMFORTABLE ENVIRONMENT, WITH CONFIDENCE IN THEIR FOOTING.

MATTRESSES



- 300kg/m³ (density)
- 40mm Thickness with Cover
- 1,700mm Depth



Elista Mattress

A high density 100% latex mattress system designed to maximise heifer comfort. Covered with the new generation non slip top cover ensures an easy clean hygienic top surface.

MATTRESSES




- 240kg/m³ (density)
- 45mm Thickness with Cover
- First Generation Top Cover



Tempa Mattress

Tempa mattress is a 45mm thick, 100% latex mattress system. Covered with the 1st generation top cover, which has a granulated surface, this mattress provides grip and longevity.

MATS



- 23mm Thick
- 5'10" x 3'9" Straight Edge
- 5'10" x 3'8" Interlocking



Standard Cow Mat

The standard cow mat provides a good level of cow comfort suitable for dairy and suckler cows. The underside has a honeycomb design providing shock absorption with a hammer top design for increased grip.

MATS




- 17mm Thick
- 5'10" x 3'9"



Economy Cow Mat

The economy cow mat is a straight edge rubber cubicle mat. Ideal for shorter housing periods giving a vast improvement over concrete. This mat is 17mm thick with small impact studs on the bottom side.

MATS



- 30mm Thick
- 1.8m x 1.14m
- 4% Slope



Interlocking Super Soft Mat

The super soft interlocking cow mat with a studded under surface provides maximum comfort for the modern dairy cow. This mat is 30mm thick, and 1.8m long. Spacers are available to ensure the mat aligns with the cubicle space.

MATS



- 38mm Thick
- 1.8m, 1.7m or 1.5m Depth
- Continuous Roll



Studded Rubber Roll

Continuous 18mm studded roll is ideal for use in cow, heifer and calf cubicle with sizes available to suit the various bed lengths. This continuous roll system is ideal for non-standard cubicle widths.



Silage Pit Bags

The Silage Pit Bags are an environmentally friendly alternative for covering the base layer of polythene on grass or maize silage pits.



Dairy Scratchy – Rubber Animal Scratcher

The dairy scratchy allows cows to satisfy their natural need to scratch in order to shed parasites, scabs and mites. Ideal for farms where tail painting is used as a method of heat detection.

BEEF PRODUCT BROCHURE

RUBBER FLOORING

AT TEEMORE WE OFFER RUBBER FLOORINGS WHICH NOT ONLY SIGNIFICANTLY IMPROVE THE GRIP AND COMFORT FOR THE ANIMALS BUT SOME HAVE BEEN PROVEN TO REDUCE AMMONIA

RUBBER FLOORING



SR Slat Rubber

New reinforced design with a high grip profile and 5 years warranty. A wide range of sizes to suit different slat sizes, Diamond pattern with little studs provides excellent grip.



RUBBER FLOORING




SDR Slat Rubber

SDR rubber is a comfortable and smooth rubber for cows to walk on and has been tested to reduce ammonia by 30% and certified by the Vera protocol. The 2-rib rubber is fitted to slats by the solid wedges hammered into the gaps in the slats.



RUBBER FLOORING



- 22mm Thick
- 1,000mm x 1,000mm
- x4 sides interlocking



Max Grip 4 & 8

The max grip mat has a penny grip surface and is ideal for use in milking parlours, walkways and collecting yards providing a comfortable confident walking surface for dairy carousel-widget.

MATS



- 28mm Thick
- 1,800mm x 1,120mm
- 2 sides interlocking



HD Alley Mat

Featuring a high-grip 'penny' surface, the HD Alley Mat ensures excellent traction, giving cows a secure foothold as they move around. This promotes confident and stable movement, reducing the risk of slips and falls.

RUBBER FLOORING



Calving Pen Elista Mattress

The Elista calving mattress offers exceptional comfort, permanent hygiene and safety for your animals during birthing. Thanks to the rubber surface the product is waterproof, it improves sanitary conditions.

MATS



- 18mm Thick
- 2210mm (w) x 305mm, 610mm, 915mm, 1,220mm (l)
- 2 sides interlocking



Toe Piece Matting

The toe piece matting is designed for high volume areas. This mat is ideal for feeding areas especially. Provides excellent grip and comfort.

MATS



- 4.5mm Thick, 7kgm² (standard)
- 7.0mm Thick, 10kgm² (heavy-duty)
- 1,200mm or 1,800mm x custom length



V Rubber Ramp Matting

Heavy duty rubber roll with high grip V shapes on top surface. Ideal for steep walkways or loading ramps.

RUBBER FLOORING



Sani-Feed

The acidic nature of animal feed has a damaging and corrosive effect of concrete, The Sani-Feed is an easy to clean barrier which protects the concrete.

BEEF PRODUCT BROCHURE

DRINKERS

AT TEEMORE ENGINEERING, WE SUPPLY A FULL RANGE OF DRINKERS, TROUGHS AND BOWLS TO THE AGRICULTURE MARKET THAT CATERS FOR A WIDE VARIETY OF INSTALLATIONS TYPES AND SPECIFIC REQUIREMENTS.

DRINKERS



Stainless Steel Fast Empty

The stainless steel fast empty drinker is a non-corrosive option to ensure a cleaner more hygienic water supply for your cows.

DRINKERS



Galvanised Fast Empty

The Teemore Engineering range of fast empty drinkers offer a new alternative to the traditional tip over drinker. There is a standard range of sizes with bespoke sizes available on request.

DRINKERS



2 Mtr Stainless Steel Bolt to Wall Drinker

Bolt to wall drinker with screw cap for emptying. The drinker is tapered towards the emptying valve to ensure faster flow and a better wash out.

DRINKERS



Bolt to Wall Drinker

Bolt to wall drinker with fast empty valve for easy cleaning. This centre ball valve drinker is ideal for servicing 2 pens. The drinker is fully galvanised.

DRINKERS



Teemore Stainless Steel Drinker

Single stainless-steel drinker complete with self-fill valve and bottom bung for easy draining/cleaning. Suitable for beef housing and calving pens. Water connection can be used from either side.

DRINKERS



Teemore Stainless Steel Single Bowl

The Teemore Stainless single bowl is ideal to place between two pens of beef stock, due to its stainless-steel design, paired if its ease of access for the animal to drink. Can also be easily used in heifer and calf housing units.

DRINKERS



Teemore Stainless Steel Double Bowl

The Teemore Stainless Double bowl is ideal to place between two pens of beef stock, due to its stainless-steel design, paired if its ease of access for the animal to drink. Can also be easily used in heifer and calf housing units.

DRINKERS



La Buvette Single Bowl

Single cast iron bowl with easy access ball valve.

DRINKERS



La Buvette Double Bowl

Double cast iron bowl complete with stainless steel valve cover. Ideally suited to mount between two pens.

DRINKERS



Standard Drinker

Self-filling plastic drinking bowl with optional rump rail, suitable for beef housing/ calving pen. Fitted with a bottom bung for easy drain, and water connection from the side.


DRINKERS



Nozzle Drinker

Single cast iron nozzle fill bowl that can be plumbed from either top to bottom. The drinker is operated by the animal pressing its nose into the drinker, which opens the fill valve allowing water into the bowl.

DRINKERS



Dumpy Drinker

JFC “Dumpy Tip-over Drinker” is a 3.5 litre tipping drinker bowl that allows the farmer to empty the bowl by the press of a button.




BEEF PRODUCT BROCHURE

CRUSHES & HANDLING

WITH YEARS OF ON-FARM EXPERIENCE, OUR TEAM CAN ADVISE ON THE MOST EFFECTIVE AND EFFICIENT OPTIONS FOR YOUR LIVESTOCK HANDLING NEEDS, FROM CALF DEHORNING CRATES TO HEAVY DUTY CRUSH AND RACE EQUIPMENT.

CRUSHES



Teemore Crush Gate

The Teemore Engineering side lever gate with 3-piece front cage is the ideal gate for working with varied stock sizes and types, and those with larger horns.



CRUSHES




Clipex Crush Gate

Clipex crush gate is a squeeze crush gate ideal for use with heavy cattle. Product is manufactured and galvanised to provide the best finish. Clipex crush gate is extremely heavy duty.



CRUSHES



Universal Crush Gate

This crush gate designed for a one-man operation with automatic locking. Robust build to suit all types of beef or dairy animals.



CRUSHES



Morris Head Gate with One Piece Cage

Available with optional on-piece cage. This manually operated gate include the ability to adjust gate width to suit all stock types.



CRUSHES



Semi-Auto Crush Gate

This popular gate is a cost-effective solution to crush all races. The semi-automatic gate is suitable for one-man operations, with simple one lever operation.



CRUSHES




Head Scoop

Designed to take the challenging work out of dosing and treating cattle, ensuring both operator and animal safety.



CRUSHES



Fully Automatic Crush Gate

Fully automatic crush gate, simple one-man operation, making it easier to handle larger numbers of cattle through the crush.



CRUSHES



Clipex Head Scoop

Designed to take the challenging work out of dosing and treating cattle, ensuring both operator and animal safety.



CRUSHES



Gallagher Load Bars

Load bars are an absolutely essential component if you want to start weighing your animals. The load bars are mounted under a platform or other flat surface that the animal walks on.

CRUSHES



Gallagher EID Reader

These high Performance Readers provide a super fast read of both HDX & FBX-B tags, and with an ergonomic and hard wearing design they are the perfect tool for portable EID data collection.

CRUSHES



Gallagher Clocks

Gallagher's weigh-scales for animals are the first on the market to have integrated EID readers that simplify the weighing process and the collection of data from your livestock.

CRUSHES



Anti-backing Bar

This portable anti backing bar is ideal for retaining the animals when in the crush race. Spring loaded operation.

CRUSHES



Crush Back / Side Access Gate

Simple robust gate ideal for the back or side access in any crush race. Incorporating a spring latch for extra security.

CRUSHES



Teemore Weigh Platform kit

Teemore's weigh platform is ideal for a fitted race and crush. Made from 4.5mm non-slip chequered aluminium and with a width of 660mm and 2139mm in length it is suited to any standard crush set-up. Kit comes as standard with WO data clock and 580/1500KG Cells.


CRUSHES



Guillotine Gate

This sliding gate is ideal for the back or centre of any modern handling system. Gives full control of livestock without entering the penning.

HANDLING



Post & Rail System

The post and rail system offers robust fixed railing with various design options available. Teemore offer a design service to aid our customer in designing their dream facilities. Teemore put handler and animal safety at the forefront of its handling facilities design.



HANDLING



Jourdain Circular Handling System

Range of Jourdain handling system components such as the circular forcing pen, chicane and race.



HANDLING



Post & Panel System

The post and panel option offers a strong flexible crush, with excellent access to allow animals out at any point in the race. Ideal for drafting or releasing a down animal.



HANDLING



Economy Handler

The Economy handler is perfect for adding a circular system to any handler system.



HANDLING




Easy Handler

The easy handler is the ideal solution for any handling system. This product helps to direct cattle toward the race with minimal stress.



HANDLING



Maxi Handler

The maxi handler is the ideal solution for any handling system. This product helps to direct cattle toward the race with minimal stress.



CRUSHES



Clipex HDX 900 Crush

The HDX900 crush has a built-in floor with a single sided parallel squeeze, which enables the crush to squeeze up the animal to ensure safer operations.



CRUSHES



Clipex HDX 1100 Crush

The Clipex 1100 series is the ideal cattle crush to help keep cattle calm by creating a quiet environment.



CRUSHES



Clipex HDX 1500 Crush

1500 Series Cattle Crush Double Squeeze. Increase Animal, Vet & Farmer Safety with Reduced Animal Stress.

CRUSHES



Uni 2000

The Uni 2000 crush is available with either the universal or fully automatic crush gate. This crush provides good side access with removable top bars.

CRUSHES



Universal Cattle Tech

This Nugent beef crush provides a safe working environment with excellent access for working with all stock types.

CRUSHES



Economy Crush

This cost-effective cattle crush is ideal for transporting between farms, with a semi-automatic front gate as standard.

CRUSHES



Morris Beef Crush

Robust heavy-duty crush, ideal for beef farmers. Incorporates the Morris one piece crush head.

CRUSHES



Dehorning Crate

The Teemore Engineering crate is designed to make dehorning a simple one-man operation, with both calf and operator safety the number one priority.

CRUSHES



Marechalle Portable Race

This portable crush system is designed to be moved from farm to farm towed by a tractor. This race is 6.50 metres in length with a variable width option to immobilise cattle when working with.



CRUSHES



Coral Panels


The Jourdain coral panel is manufactured as a light portable hurdle, linked by chain for quick and simple assembly. Ideal for portable cattle handling, with the option of a holding arch to create temporary crush races.

BEEF PRODUCT BROCHURE

FEEDERS

DECADES OF WORKING CLOSELY WITH FARMERS MEANS OUR ATTENTION TO QUALITY AND DETAIL IS MATCHED BY THE STRENGTH AND ROBUSTNESS OF OUR FEEDERS, ENSURING THEY ARE BOTH LONG LASTING AND SECURE.

FEEDERS




2 & 3 Metre Creep Feeder



The Jourdain creep feeder is available in the 2 and 3 metre widths. This unique design of meal hopper with a separate hinged penning system offering flexibility for creep feeding calves or larger beef animals.

FEEDERS



Headlock Feeder



This Jourdain covered square feeder equipped with the Jourdain safety 4 headlock is designed to catch cattle when feeding in a yard or field. This is ideal for AI or scanning, significantly reducing stress on both animal and operator.

FEEDERS




4-Sided Tombstone Feeder



This Jourdain covered square feeder equipped with the tomb stone barrier has no top rail, ideal for feeding the long-horned animals reducing the risk of harm or injury.

FEEDERS




Diagonal Feeder

This Jourdain covered square feeder equipped with the diagonal barrier, reduces feed wastage when feeding bailed hay or silage.



FEEDERS




Horned Cattle Feeder

The Jourdain covered square feeder equipped with the feston feed fence provides a strong solution to feeding those larger animals with long horns or bigger heads.



FEEDERS



Round Tombstone Feeder

Jourdain round feeder, ideal for all animal types including horned cattle, bulls & horses.



FEEDERS



Modular Trough

This Jourdain galvanised trough system is ideal for feeding in passageways. The trough sheets can be joined together with the intermediate chairs to form a trough to create a full length trough.



FEEDERS




Modular Hay Rack

The Jourdain modular hay rack is ideal for use with calves and sheep. The hayrack is extremely heavy duty, incorporating 70mm bar spacing, allowing easier access to hay and straw, as those with mesh.



FEEDERS




Hang on Trough

Jourdain's barrier-mounted trough is a feeding trough that is designed to be mounted on a barrier or fence. It is a popular choice for use in livestock feeding applications, as it provides a safe and efficient way to feed animals.



FEEDERS



Hang on Gate Feeder

This popular, fully galvanised, hang on bird proof feeder is ideal for in house feeding. Allows for adjustable meal flow with a 75kg capacity.



BEEF PRODUCT BROCHURE

VENTILATION

AT TEEMORE WE REALISE THAT THE VARIATIONS WITHIN THE UK AND IRISH CLIMATES DEMANDS FLEXIBILITY TO ANY VENTILATION SYSTEM.


SCREENS



Bay Screen

The Galebreaker Bay screen is the market leader for fast fit, long lasting, weather protection. Easy to install and fully adjustable, able to fit all openings.


SCREENS



Roller Screen

The Galebreaker Rollerscreen system is a spring-operated windbreak allowing for variable ventilation as well as weather protection.

DOORS



Agri Door Manual

An industry leading solution providing easy access to all types of farm buildings, the Agridoor Manual works on either the inside or outside of buildings.


DOORS



Agri Door Electric

The Agridoor Electric is a sectional, fast operating door with the features and benefits of our Manual Agridoor.

DOORS



Maxi Door


Maxidoor folding door system provides weather protection and ventilation for large openings of up to 20 metres wide. Designed for multi-purpose use, suitable for grain storage, feed stores, livestock buildings and general purpose buildings.

DOORS



Roller Door

Fast opening, chain driven door – the safe, affordable alternative to large, sheeted doors.



PRODUCT INDEX

GATES & BARRIERS	4	DRINKERS.....	32
Jourdain Safety IV Headlocks.....	5	Stainless Steel Fast Empty.....	33
Bull Headlock	6	Galvanised Fast Empty	33
60mm & 76mm Diagonal Feed Barrier.....	6	2 Mtr Stainless Steel Bolt to Wall Drinker	34
Timber Diagonal Gate	6	Bolt to Wall Drinker	34
Feston Headlocks	7	Teemore Stainless Steel Drinker	34
Feston Barrier.....	7	Teemore Stainless Steel Single Bowl.....	35
2 Bar Fattening Feed Rail.....	8	Teemore Stainless Steel Double Bowl.....	35
3 Bar Fattening Feed Rail.....	8	La Buvette Single Bowl.....	35
5 Bar Standard Back.....	9	La Buvette Double Bowl.....	35
5 Bar Drinker Back.....	9	Standard Drinker	36
5 Bar Panel Gate.....	9	Nozzle Drinker.....	36
Surlock 101 Brackets	9	Dumpy Drinker	36
5 Bar Square Gate.....	10	CRUSHES & HANDLING	38
5 Bar Spring Gate.....	10	Teemore Crush Gate	39
5 Bar Drinker Bowl Gate.....	10	Clipex Crush Gate	39
5 Bar Drinker Trough Gate.....	10	Universal Crush Gate	40
5 Bar Calf Creep Gate.....	10	Semi-Auto Crush Gate	40
5 Bar Short Calf Creep Gate.....	10	Fully Automatic Crush Gate.....	40
5 Bar Man Escape Gate	11	Morris Head Gate with One Piece Cage.....	41
5 Bar Access Arch Gate.....	11	Head Scoop	41
4 Bar Panel Gate.....	11	Clipex Head Scoop	41
4 Bar Square Gate.....	11	Gallagher Load Bars	42
4 Bar Spring Gate	11	Gallagher EID Reader.....	42
4 Bar Drinker Bowl Gate.....	11	Gallagher Clocks	42
4 Bar Drinker Trough Gate.....	12	Anti-backing Bar	43
4 Bar Calf Creep Gate	12	Teemore Weigh Platform kit	43
4 Bar Short Calf Creep Gate.....	12	Crush Back / Side Access Gate	43
4 Bar Man Escape Gate	12	Guillotine Gate	43
4 Bar Access Arch Gate.....	12	Post & Rail System.....	44
Octagonal Posts & Clamps	13	Post & Panel System.....	44
120mm Box Posts	13	Jourdain Circular Handling System	45
Fixtures & Fittings.....	14	Economy Handler.....	45
Automatic Calving Yoke with Operation Gate	16	Easy Handler	46
Ex 5 Calving Gate and Operation Gate	16	Maxi Handler	46
Automatic Calving Yoke with 2 in 1 Gate.....	17	Clipex HDX 900 Crush.....	47
3 in 1 Calving Gate.....	17	Clipex HDX 1100 Crush	47
Field Panel.....	18	Clipex HDX 1500 Crush	48
Spring Latch Field Gate	18	Universal Cattle Tech	48
Drinker Bowl Field Panel	18	Uni 2000.....	49
7 Bar Gate / Panel	19	Economy Crush.....	49
Extendable Sheeted Doors 5ft + 6ft.....	19	Morris Beef Crush	50
CUBICLES	20	Marechalle Portable Race	50
Super Loop Cow Cubicle	21	Dehorning Crate	51
Deluxe Cow Cubicle	21	Coral Panels.....	51
Zig-Zag Head Rail.....	22	FEEDERS.....	52
Brisket Board Timber Bracket.....	22	2 & 3 Metre Creep Feeder.....	53
MATS & MATTRESSES	24	Headlock Feeder.....	53
Elista Mattress	25	4-Sided Tombstone Feeder.....	53
Tempa Mattress.....	25	Diagonal Feeder	54
Standard Cow Mat.....	26	Horned Cattle Feeder	54
Economy Cow Mat.....	26	Round Tombstone Feeder	54
Interlocking Super Soft Mat.....	26	Modular Trough.....	55
Studded Rubber Roll	26	Modular Hay Rack.....	55
Silage Pit Bags	27	Hang on Trough.....	55
Dairy Scratchy – Rubber Animal Scratcher	27	Hang on Gate Feeder	55
RUBBER FLOORING	28	VENTILATION.....	56
SR Slat Rubber	29	Bay Screen.....	57
SDR Slat Rubber.....	29	Roller Screen	57
Max Grip 4 & 8	30	Agri Door Manual	57
HD Alley Mat.....	30	Agri Door Electric	58
Toe Piece Matting.....	30	Maxi Door	58
V Rubber Ramp Matting	30	Roller Door	58
Calving Pen Elista Mattress	31		
Sani-Feed	31		

TEEMORE ENGINEERING LTD

Derrylin, Enniskillen, Co. Fermanagh, N. Ireland, BT92 9BL

Tel: 028 6774 8377 (NI/UK) / 048 6774 8377 (IRE)

Email: info@teemoreengineering.com

www.teemoreengineering.com

