

Ventilation IAQ Solutions Price List

Effective Date March, 2024

Supersedes all Previous Price Lists



Order Placement, Email to: PESNA-IAQ@us.panasonic.com

Order Support : (866) 292-7299, Follow prompts for Region

Model Number	Product Family	Product Family / Description	Country of Origin	UPC	Unit of Measure	Pallet Qty. / Notes	List	MAP
FV-0511VK3	WhisperGreen® Select	WhisperGreen®Select Single Speed Fan, high speed 50/80/110 CFM, <0.3/<0.3/<0.3 sone, ENERGY STAR® Most Efficient - qualified, 2x8 construction New!	MX	8 851741842 4	1	42	\$289.00	\$192.99
FV-0511VKL3	WhisperGreen® Select	WhisperGreen®Select Single Speed Fan/Dimmable LED Light & Night-light, high speed 50/80/110 CFM, <0.3/<0.3/<0.3 sone, ENERGY STAR® Most Efficient - qualified, 2x8 construction, New!	MX	8 851741846 2	1	42	\$428.00	\$270.99
FV-1115VK3	WhisperGreen® Select	WhisperGreen®Select Single Speed Fan, high speed 110/130/150 CFM, <0.3/<0.3/<0.3 sone, ENERGY STAR® Most Efficient - qualified, 2x8 construction New!	MX	8 8517041844 8	1	42	\$363.00	\$240.99
FV-1115VKL3	WhisperGreen® Select	WhisperGreen®Select Single Speed Fan/Dimmable LED Light & Night-light, high speed 110/130/150 CFM, <0.3/<0.3/0.4 sone, ENERGY STAR® Most Efficient - qualified, 2x8 construction, New!	MX	8 8517041848 6	1	42	\$541.00	\$331.99
FV-0511VKS3	WhisperGreen® Select	WhisperGreen®Select Dual Speed Fan, high speed 50/80/110 CFM, low speed 30-100 CFM for continuous operation, <0.3/<0.3/<0.3 sone, ENERGY STAR® Most Efficient-qualified, 2x8 construction, New!	MX	8 8517041843 1	1	42	\$323.00	\$213.99
FV-0511VKS3	WhisperGreen® Select	WhisperGreen®Select Dual Speed Fan/Dimmable LED Light & Night-light , high speed 50/80/110 CFM, low speed 30-100 CFM for continuous operation, <0.3/<0.3/<0.3 sone, ENERGY STAR® Most Efficient-qualified, 2x8 construction, New!	MX	8 8517041847 9	1	42	\$462.00	\$281.99
FV-0511VKS3S	WhisperGreen® Select	WhisperGreen®Select Dual Speed Fan/Architectural Grille, high speed 50/80/110 CFM, low speed 30-100 CFM for continuous operation, <0.3/<0.3/<0.3 sone, ENERGY STAR® Most Efficient-qualified, 2x8 construction, New!	MX	8 8517041845 5	1	42	\$350.00	\$232.99
FV-0511VKS3K	WhisperGreen® Select	WhisperGreen®Select Dual Speed Fan/Architectural Grille with 5 CCT LED Light and Night Light , high speed 50/80/110 CFM, low speed 30-100 CFM for continuous operation, <0.3/<0.3/<0.3 sone, ENERGY STAR® Most Efficient, 2x8 construction, New!	MX	8 8517041878 3	1	42	\$590.00	\$392.99
FV-CMVK3	WhisperGreen® Select Motion/Condensation Sensor Module	Smart Action® Combined Motion Sensor + Condensation Sensor, New!	MX	8 8517041966 7	1	Single Piece Price/ Case Quantity of 8	\$120.00	\$101.99
FV-15NLSF5H	WhisperFresh™ Select	WhisperFresh®Select Customizable Fresh Air Supply Fan, adjustable for 50/60/70/80/90/100/110/130/150 CFM, adjustable relative humidity level setting from 30% to 80% (RH), 6" duct, MERV 13 filter included, ENERGY STAR®-qualified, New Hard Wire Version!	MX	8 8517043013 6	1	28	\$792.00	\$472.99
FV-0511VK2	WhisperGreen® Select	WhisperGreen®Select Single Speed Fan, high speed 50/80/110 CFM, <0.3/<0.3/<0.3 sone, ENERGY STAR®-qualified, 2x8 construction	MX	8 8517033734 3	1	42	\$289.00	\$192.99
FV-0511VKL2	WhisperGreen® Select	WhisperGreen®Select Single Speed Fan/Dimmable LED Light & Night-light, high speed 50/80/110 CFM, <0.3/<0.3/0.4 sone, ENERGY STAR®-qualified, 2x8 construction	MX	8 8517033735 0	1	42	\$441.00	\$278.99
FV-1115VK2	WhisperGreen® Select	WhisperGreen®Select Single Speed Fan, high speed 110/130/150 CFM, <0.3/<0.3/<0.3 sone, ENERGY STAR®-qualified, 2x8 construction	MX	8 8517033738 1	1	42	\$363.00	\$240.99
FV-1115VKL2	WhisperGreen® Select	WhisperGreen®Select Single Speed Fan/Dimmable LED Light & Night-light, high speed 110/130/150 CFM, <0.3/<0.3/0.4 sone, ENERGY STAR®-qualified, 2x8 construction	MX	8 8517033739 8	1	42	\$541.00	\$331.99
FV-0511VKS2	WhisperGreen® Select	WhisperGreen®Select Dual Speed Fan, high speed 50/80/110 CFM, low speed down to 30 CFM for continuous operation, <0.3/<0.3/<0.3 sone, ENERGY STAR®-qualified, 2x8 construction	MX	8 8517033736 7	1	42	\$323.00	\$213.99
FV-0511VKS2	WhisperGreen® Select	WhisperGreen®Select Dual Speed Fan/Dimmable LED Light & Night-light, high speed 50/80/110 CFM, low speed down to 30 CFM for continuous operation, <0.3/<0.3/0.4 sone, ENERGY STAR®-qualified, 2x8 construction	MX	8 8517033737 4	1	42	\$475.00	\$288.99
FV-VS15VK1	WhisperGreen® Select	WhisperGreen®Select Variable Speed Module	MX	8 85170 18005 5	8*	Single Piece Price/ Case Quantity of 8	\$26.00	\$21.99
FV-MSVK1	WhisperGreen® Select	WhisperGreen®Select Motion Sensor Module	MX	8 85170 18006 2	8*	Single Piece Price/ Case Quantity of 8	\$30.00	\$26.99
FV-CSVK1	WhisperGreen® Select	WhisperGreen®Select Condensation Sensor Module	MX	8 85170 18007 9	8*	Single Piece Price/ Case Quantity of 8	\$76.00	\$64.99
FV-0511VQ1	WhisperCeiling® DC	WhisperCeiling®DC Fan, 50/80/110 CFM, <0.3/<0.3/<0.3 sone, ENERGY STAR®-qualified, 2x8 construction	MX	8 85170 32493 0	1	42	\$238.00	\$160.99
FV-0511VQL1	WhisperCeiling® DC	WhisperCeiling®DC Fan/Dimmable LED Light & Night-light, 50/80/110 CFM, <0.3/<0.3/0.4 sone, ENERGY STAR®-qualified, 2x8 construction	MX	8 85170 32495 4	1	42	\$365.00	\$246.99
FV-1115VQ1	WhisperCeiling® DC	WhisperCeiling®DC Fan, 110/130/150 CFM, <0.3/<0.3/<0.3 sone, ENERGY STAR®-qualified, 2x8 construction	MX	8 85170 32494 7	1	42	\$311.00	\$235.99
FV-1115VQL1	WhisperCeiling® DC	WhisperCeiling®DC Fan/Dimmable LED Light & Night-light, 110/130/150 CFM, <0.3/<0.3/0.4 sone, ENERGY STAR®-qualified, 2x8 construction	MX	8 85170 32496 1	1	42	\$438.00	\$288.99

All prices, units, weights, and specifications are subject to change without notice.

*Subject to Broken Pack Service Charge if MOQ not met (VF-BPSC)

**Must be ordered in its minimum quantities; can not be ordered with broken pack charge

Ventilation IAQ Solutions Price List

Model Number	Product Family	Product Family / Description	Country of Origin	UPC	Unit of Measure	Pallet Qty. / Notes	List	MAP
FV-0511VQC1	WhisperSense® DC	WhisperCeiling®DC Fan/Motion & Condensation Sensor, 50/80/110 CFM, <0.3/<0.3/<0.3 sone, ENERGY STAR®-qualified, 2x8 construction	MX	8 85170 32497 8	1	42	\$322.00	\$213.99
FV-0511VQCL1	WhisperSense® DC	WhisperCeiling®DC Fan/Dimmable LED Light & Night-light/Motion & Condensation Sensor, 50/80/110 CFM, <0.3/<0.3/0.4 sone, ENERGY STAR®-qualified, 2x8 construction	MX	8 85170 32639 2	1	42	\$449.00	\$310.99
FV-20VQ3	WhisperCeiling®	WhisperCeiling® Fan, 190 CFM, 0.8 sone, 6" duct, ENERGY STAR®-qualified	CN	0 92281 13449 9	1	36	\$357.00	\$213.99
FV-30VQ3	WhisperCeiling®	WhisperCeiling® Fan, 290 CFM, 2.0 sones, 6" duct, ENERGY STAR®-qualified	CN	0 92281 13450 5	1	36	\$374.00	\$235.99
FV-40VQ4	WhisperCeiling®	WhisperCeiling® Fan, 390 CFM, 3.0 sones, 6" duct.	CN	8 85170 10876 9	1	24	\$567.00	\$342.99
FV-0511VF1	WhisperFit® DC	WhisperFit®DC Fan, 50/80/110 CFM, <0.3/<0.3/0.8 sone, ENERGY STAR®-qualified, 2x6 construction, repair & remodeling	MX	8 85170 37546 8	1	48	\$217.00	\$129.99
FV-0511VFL1	WhisperFit® DC	WhisperFit®DC Fan/Dimmable LED Light, 50/80/110 CFM, <0.3/<0.3/0.4 sone, ENERGY STAR®-qualified, 2x6 construction, repair & remodeling	MX	8 85170 37547 5	1	48	\$315.00	\$188.99
FV-0511VFC1	WhisperFit® DC	WhisperFit®DC Fan/Condensation Sensor, 50/80/110 CFM, <0.3/0.3/0.8 sone, ENERGY STAR®-qualified, 2x6 construction, repair & remodeling	MX	8 85170 37548 2	1	48	\$283.00	\$169.99
FV-0510VS1	WhisperValue® DC	WhisperValue®DC Single Speed Fan, high speed 50/80/100 CFM, <0.3/0.4/0.9 sone, ENERGY STAR®-qualified, 2x4 construction, ceiling or wall mount, multi-family	MX	8 85170 30629 5	1	66	\$143.00	\$94.99
FV-0510VSA1	WhisperValue® DC	WhisperValue®DC Fan Contractor Pack/4 Housings only. Use with FV-0510VSB1 Motor/Grille Assembly Contractor Pack	MX	8 85170 30631 8	4*	120 -Single Piece Price/ Case Quantity of 4	\$41.00	\$26.99
FV-0510VSB1	WhisperValue® DC	WhisperValue®DC Fan Contractor Pack/4 Motor/Grille Assembly. Use with FV-0510VSA1 Housing Contractor Pack	MX	8 85170 30633 2	4*	120 -Single Piece Price/ Case Quantity of 4	\$102.00	\$64.99
FV-0510VSL1	WhisperValue® DC	WhisperValue®DC Fan/Dimmable LED Light & Night-light, 50/80/100 CFM, <0.3/0.4/0.9 sone, ENERGY STAR®-qualified, 2x4 construction, multi-family	MX	8 85170 31782 6	1	66	\$243.00	\$165.99
FV-0810VSS1	WhisperValue® DC	WhisperValue®DC Dual Speed Fan, high speed 50/80/100 CFM, low speed down to 30 CFM for continuous operation, <0.3/0.4/0.9 sone, ENERGY STAR®-qualified, 2x4 construction, ceiling or wall mount, multi-family	MX	8 85170 31784 0	1	66	\$176.00	\$106.99
FV-0810VSSL1	WhisperValue® DC	WhisperValue®DC Dual Speed Fan/Dimmable LED Light & Night-light, high speed 50/80/100 CFM, low speed down to 30 CFM for continuous operation, <0.3/0.4/0.9 sone, ENERGY STAR®-qualified, 2x4 construction, multi-family	MX	8 85170 31788 8	1	66	\$276.00	\$181.99
FV-0510VSC1	WhisperValue® DC	WhisperValue®DC Single Speed Fan/Condensation Sensor, high speed 50/80/100 CFM, <0.3/0.4/0.9 sone, ENERGY STAR®-qualified, 2x4 construction, ceiling or wall mount, multi-family	MX	8 85170 31786 4	1	66	\$214.00	\$128.99
FV-0510VSL1	WhisperValue® DC	WhisperValue®DC Fan/Dimmable LED Light & Night-light/Condensation Sensor, 50/80/100 CFM, <0.3/0.4/0.9 sone, ENERGY STAR®-qualified, 2x4 construction, multi-family	MX	8 85170 31790 1	1	66	\$313.00	\$213.99
FV-VS43R	WhisperValue Accessory	WhisperValue®DC 4" Oval to 3" Round Duct Adapter, 24 gauge, fire code rated	CA	8 85170 13654 0	8*	640 -Single Piece Price/ Case Quantity of 8	\$9.70	\$5.99
FV-JD	WhisperValue Accessory	WhisperValue®DC Transfer Register Box for room-to-room powered ventilation, wall mount, 2x4 construction	US	8 85170 20165 1	4*	256 - Single Piece Price/ Case Quantity of 4	\$33.50	\$23.99
FV-0709VB1	EcoVent®	EcoVent® Fan, 70/90 CFM, 0.7/1.5 sone, ENERGY STAR®-qualified, 2x6 construction, production builders/ manufactured housing	MX	8 85170 41524 9	1	132	\$110.00	\$97.99
FV-07VBA1A	EcoVent®	EcoVent® Fan Contractor Pack/4 Housings only with pre-attached junction box and duct adapter. Use with FV-07VBB1 Motor/Grille Assembly Contractor Pack	MX	8 851703 7020 3	4**	288 - Single Piece Price/ Case Quantity of 4	\$48.00	\$28.99
FV-07VBB1	EcoVent®	EcoVent® Fan Contractor Pack/4 Motor/Grille Assembly. Use with FV-07VBA1A Housing Contractor Pack	MX	8 85170 18635 4	4**	192 -Single Piece Price/ Case Quantity of 4	\$62.00	\$36.99
PC-RD05C5	FlexDamper™	FlexDamper™ Ceiling Radiation Damper for Combustible and Non-Combustible Assemblies; for WhisperGreen® Select, WhisperCeiling®DC, WhisperSense®DC, WhisperFit®DC, WhisperValue®DC	US	8 66083 00020 3	6**	Single Piece Price/ Must be ordered in multiples of 6	\$93.80	\$75.99
FV-08VRE2	WhisperRecessed® LED	WhisperRecessed®LED Fan/Dimmable LED Light, 80 CFM, ENERGY STAR®-qualified, 1.0 sone.	CN	8 85170 30273 0	1	56	\$252.00	\$160.99
FV-0511VH1	WhisperWarm® DC	WhisperWarm®DC Fan/1600W Heater, 50/80/110 CFM, <0.3/<0.3/0.7 sone	MX	8 85170 37417 1	1	30	\$504.00	\$301.99
FV-0511VHL1	WhisperWarm® DC	WhisperWarm®DC Fan/Dimmable LED Light & Night-light/1600W Heater, 50/80/110 CFM, <0.3/<0.3/0.7 sone, 20 amp service required	MX	8 85170 37418 8	1	30	\$651.00	\$389.99
FV-06VE1	WhisperComfort® 60	WhisperComfort®60 Spot Energy Recovery Ventilator (ERV), 50/40/30/20 CFM on supply and exhaust with 60 CFM boost, MERV 13 filter included, 4" or 5" duct, ceiling and wall mount, for spaces <1,000 sq. ft.	MX	8 85170 41768 7	1	18	\$860.00	\$608.99
FV-FL1306VE1	WhisperComfort® 60	WhisperComfort® 60 MERV 13 Supply Air Replacement Filter	CN	8 8517043432 5	1*	Single Piece Price/ Case Quantity of 4	\$22.50	\$18.99
FV-10VECR2	Intelli-Balance® 100	Intelli-Balance®100 Mirrored and Corded Any Climate Energy Recovery Ventilator (ERV), 50/60/70/80/90/100 CFM for exhaust and supply, occupant-controlled boost function; for residential, single-family installations with mirrored floor plans; MERV 8 filter included, ASHRAE 62.2 timing function, 4" or 6" duct	MX	8 85170 40450 2	1	8	\$1,736.00	\$1,036.99

All prices, units, weights, and specifications are subject to change without notice.

*Subject to Broken Pack Service Charge if MOQ not met (VF-BPSC)

**Must be ordered in its minimum quantities; can not be ordered with broken pack charge

Ventilation IAQ Solutions Price List

Model Number	Product Family	Product Family / Description	Country of Origin	UPC	Unit of Measure	Pallet Qty. / Notes	List	MAP
FV-10VEEC2RH	Intelli-Balance® 100	Intelli-Balance®100 Mirrored and Hardwired Any Climate Energy Recovery Ventilator (ERV), 50/60/70/80/90/100 CFM for exhaust and supply, occupant-controlled boost function; for residential, single-family installations with mirrored floor plans; MERV 8 filter included, ASHRAE 62.2 timing function, 4" or 6" duct	MX	8 85170 41648 2	1	8	\$1,736.00	\$1,036.99
FV-10VEEC2	Intelli-Balance® 100	Intelli-Balance®100 Corded Any Climate Energy Recovery Ventilator (ERV), 50/60/70/80/90/100 CFM for exhaust and supply, occupant-controlled boost function; MERV 8 filter included, ASHRAE 62.2 timing function, 4" or 6" duct	CN	8 85170 37402 7	1	8	\$1,736.00	\$1,036.99
FV-10VEEC2H	Intelli-Balance® 100	Intelli-Balance®100 Hardwired Any Climate Energy Recovery Ventilator (ERV), 50/60/70/80/90/100 CFM for exhaust and supply, occupant-controlled boost function; MERV 8 filter included, ASHRAE 62.2 timing function, 4" or 6" duct	MX	8 85170 41646 8	1	8	\$1,736.00	\$1,036.99
FV-10VEE2	Intelli-Balance® 100	Intelli-Balance®100 Corded Temperate Climate Energy Recovery Ventilator (ERV), 50/60/70/80/90/100 CFM for exhaust and supply, occupant-controlled boost function; MERV 8 filter included, ASHRAE 62.2 timing function, 4" or 6" duct	CN	8 85170 37401 0	1	8	\$1,651.00	\$985.99
FV-10VEE2H	Intelli-Balance® 100	Intelli-Balance®100 Hardwired Temperate Climate Energy Recovery Ventilator (ERV), 50/60/70/80/90/100 CFM for exhaust and supply, occupant-controlled boost function; MERV 8 filter included, ASHRAE 62.2 timing function, 4" or 6" duct	MX	8 85170 41647 5	1	8	\$1,651.00	\$985.99
FV-WC10VE1	WhisperVent™ Wall Cap	Wall Cap, Double chambers for 100 CFM exhaust and 100 CFM supply air; for WhisperComfort®60, Intelli-Balance® 100, Intelli-Balance®200	MX	8 85170 41525 6	1	TBD	\$190.00	\$134.99
FV-FL0810VE1	Intelli-Balance® 100	Intelli-Balance® 100 MERV 8 Supply Air Replacement Filter.	CN	8 85170 30742 1	4*	360 - Single Piece Price/ Case Quantity of 4	\$45.00	\$37.99
FV-FL1310VE1	Intelli-Balance® 100	Intelli-Balance® 100 MERV 13 Supply Air Replacement Filter	CN	8 85170 30744 5	4*	360 - Single Piece Price/ Case Quantity of 4	\$53.00	\$42.99
FV-20VEEC1	Intelli-Balance® 200	Intelli-Balance®200 Corded Any Climate Energy Recovery Ventilator (ERV), 60/80/100/120/140/160/180/200 CFM for exhaust and supply, occupant-controlled boost function; MERV 13 filter included, ASHRAE 62.2 timing function, 6" duct; floor, ceiling, or wall mount	CN	8 85170 38039 4	1	2	\$3,780.00	\$2,725.99
FV-SW20VEEC1	Intelli-Balance® 200	Intelli-Balance® 200 LCD Wall Control for occupant-controllable power on/off, air volume for supply and exhaust, ASHRAE intermittent timer and air volume, boost mode control, reset filter maintenance reminder	CN	8 85170 38040 0	1	2	\$294.00	\$282.99
FV-FL0820VE1	Intelli-Balance® 200	Intelli-Balance®200 MERV 8 Supply Air Replacement Filter	CN	8 85170 38041 7	4*	384 - Single Piece Price/ Case Quantity of 4	\$121.00	\$116.99
FV-FL1320VE1	Intelli-Balance® 200	Intelli-Balance®200 MERV 13 Supply Air Replacement Filter	CN	8 85170 38042 4	4*	384 - Single Piece Price/ Case Quantity of 4	\$130.00	\$124.99
FV-FLHP20VE1	Intelli-Balance® 200	Intelli-Balance®200 HEPA Supply Air Replacement Filter	CN	8 85170 38043 1	4*	384 - Single Piece Price/ Case Quantity of 4	\$141.00	\$135.99
FV-NLF46RES	Recessed Inlet®	Recessed Inlet® Exhaust or Supply Inlet Dimmable LED Light for remote mount in-line fans or Energy Recovery Ventilators (ERV's). Includes (1) replaceable 11W, ENERGY STAR® 2.0 certified, GU24 base LED lamp	CN	8 85170 30275 4	1	64	\$193.00	\$128.99
FV-01VCN1	WhisperAir Repair®	WhisperAir Repair® Spot Air Purifier, for spaces up to 200 sq. ft., maintenance-free with no ductwork or filter changes needed, ceiling mount	MX	8 8517038076 9	1	144	\$300.00	\$212.99
FV-NLF04G	Atmosphere Inline Fans	Atmosphere In-line Fans Accessory 4" duct, ABS inlet grille and metal plate	CN	0 92281 13452 9	1	160	\$46.00	\$32.99
FV-NLF06G	Atmosphere Inline Fans	Atmosphere In-line Fans Accessory 6" duct, ABS inlet grille and metal plate	CN	0 92281 13453 6	1	160	\$46.00	\$32.99
PC-NLF04S	Atmosphere Inline Fans	Atmosphere In-line Fans Accessory 4" Single Inlet Kit, includes (1) ABS Inlet Grille, (1) Backdraft Damper: (6) Clamps	US	0 92281 13454 3	1	64	\$111.00	\$69.99
PC-NLF06S	Atmosphere Inline Fans	Atmosphere In-line Fans Accessory 6" Single Inlet Kit, includes (1) ABS Inlet Grille, (1) Backdraft Damper: (6) Clamps	US	0 92281 13455 0	1	64	\$121.00	\$74.99
PC-NLF04D	Atmosphere Inline Fans	Atmosphere In-line Fan Accessory 4" Double Pick-up Kit, includes (2) ABS Inlet Grilles: (2) Backdraft Dampers, (12) Clamps, (1) Y-Adapter ((4" - 4" x 2)	US	0 92281 13456 7	1	64	\$221.00	\$139.99
PC-NLF06D	Atmosphere Inline Fans	Atmosphere In-line Fan Accessory 6" Double Pick-up Kit, includes (2) ABS Inlet Grilles: (2) Backdraft Dampers, (12) Clamps, (1) Y-Adapter ((6" - 6" x 2)	US	0 92281 13457 4	1	64	\$243.00	\$149.99
PC-NLF64D	Atmosphere Inline Fans	Atmosphere In-line Fan Accessory 6" Double Pick-up Kit, includes (2) 6" - 4" Double ABS Inlet Grilles: (2) Backdraft Dampers, (12) Clamps, (1) Y-Adapter (6" - 4" x 2)	US	0 92281 13458 1	1	64	\$221.00	\$149.99
FV-15NLF51	WhisperFresh® Select	WhisperFresh® Select Customizable Fresh Air Supply Fan, adjustable for 50/60/70/80/90/100/110/130/150 CFM, adjustable relative humidity level setting from 30% to 80% (RH), 6" duct, MERV 13 filter included, ENERGY STAR®-qualified	CN	8 85170 33083 2	1	28	\$792.00	\$472.99
FV-FL0815NL1	WhisperFresh® Select	WhisperFresh® Select MERV 8 Supply Air Replacement Filter	CN	8 85170 33727 5	4*	1024 - Single Piece Price/ Case Quantity of 4	\$57.00	\$48.99

All prices, units, weights, and specifications are subject to change without notice.

*Subject to Broken Pack Service Charge if MOQ not met (VF-BPSC)

**Must be ordered in its minimum quantities; can not be ordered with broken pack charge

Ventilation IAQ Solutions Price List

Model Number	Product Family	Product Family / Description	Country of Origin	UPC	Unit of Measure	Pallet Qty. / Notes	List	MAP
FV-FL1315NL1	WhisperFresh™ Select	WhisperFresh® Select MERV 13 Supply Air Replacement Filter	CN	8 85170 33726 8	4*	1024 -Single Piece Price/ Case Quantity of 4	\$61.00	\$51.99
DBF-DEDPV	Atmosphere Inline Fans	Atmosphere Clothes Dryer Exhaust Duct Power Ventilator (DEDPV), all-in-one with integrated pressure switch, monitor, lint trap; UL705-certified	CA	6 28507 10205 0	1	TBD	\$866.67	\$499.99
VTX-DEDPV	Atmosphere Inline Fans	Atmosphere Clothes Dryer Exhaust Duct Power Ventilator (DEDPV), UL705-certified, with integrated pressure switch	CA	6 28507 10206 7	1	TBD	\$693.33	\$399.99
LT4	Atmosphere Inline Fans	4" Lint Trap for Atmosphere VTX-DEDPV Clothes Dryer Exhaust Duct Power Ventilator	CN	6 28507 70006 5	1	TBD	\$56.00	\$32.99
LT4S	Atmosphere Inline Fans	4" Lint Trap for 2x4 wall installations of Atmosphere VTX-DEDPV Clothes Dryer Exhaust Duct Power Ventilator	CN	6 28507 70008 9	1	TBD	\$58.67	\$33.99
SLT	Atmosphere Inline Fans	Slim Lint Trap for stackable dryer installation of Atmosphere VTX-DEDPV Clothes Dryer Exhaust Duct Power Ventilator, 41 sq. in. filtering area increases dryer efficiency, 4" duct adapter	CN	6 28507 70010 2	1	TBD	\$112.00	\$64.99
APS	Atmosphere Inline Fans	Pressure Sensing Switch with Timer Board for Atmosphere VTX-DEDPV Clothes Dryer Exhaust Duct Power Ventilator, integral delay timer with 10 minutes on, 15 seconds off cycle	CN	6 28507 70003 4	1	TBD	\$92.00	\$70.99
ACS-5	Atmosphere Inline Fans	Solid State Current Sensor for Atmosphere VTX-DEDPV Clothes Dryer Exhaust Duct Power Ventilator to control high current line-voltage AC loads, factory-set 5 minute turn-off time	CN	6 28507 70004 1	1	TBD	\$44.00	\$33.99
VTX400	Atmosphere Inline Fans	Atmosphere Corded In-line Fan, 200 CFM at 0.2 s.p., for high static pressure applications and long duct runs, 4" duct, backdraft damper not included; speed controller available separately	CA	6 28507 10002 5	1	48	\$325.33	\$187.99
VTX400C	Atmosphere Inline Fans	Atmosphere Corded In-line Fan with Integrated Current Sensor, 200 CFM at 0.2 s.p., for high static pressure applications and long duct runs, 4" duct, backdraft damper not included, speed controller available separately	CA	6 28507 60027 3	1	48	\$381.33	\$220.99
VTX400P	Atmosphere Inline Fans	Atmosphere Corded Centrifugal In-line Fan with Integrated Pressure Switch, 200 CFM at 0.2 s.p., for high static pressure applications and long duct runs, 4" duct, backdraft damper not included, speed controller available separately	CA	6 28507 10201 2	1	18	\$466.67	\$269.99
VTX600L	Atmosphere Inline Fans	Atmosphere Corded Centrifugal In-line Fan, 257 CFM at 0.2 s.p., for high static pressure applications and long duct runs, 6" duct, backdraft damper not included, speed controller available separately	CA	6 28507 10003 2	1	48	\$360.00	\$207.99
VTX600	Atmosphere Inline Fans	Atmosphere Corded Centrifugal In-line Fan, 465 CFM at 0.2 s.p., for high static pressure applications and long duct runs, 6" duct, backdraft damper not included, speed controller available separately	CA	6 28507 10004 9	1	18	\$458.67	\$264.99
VTX800L	Atmosphere Inline Fans	Atmosphere Corded Centrifugal In-line Fan, 602 CFM at 0.2 s.p., for high static pressure applications and long duct runs, 8" duct, backdraft damper not included, speed controller available separately	CA	6 28507 10005 6	1	18	\$485.33	\$280.99
VTX800	Atmosphere Inline Fans	Atmosphere Corded Centrifugal In-line Fan, 681 CFM at 0.2 s.p., for high static pressure applications and long duct runs, 8" duct, backdraft damper not included, speed controller available separately	CA	6 28507 10006 3	1	18	\$546.67	\$315.99
VTX1000	Atmosphere Inline Fans	Atmosphere Corded Centrifugal In-line Fan, 723 CFM at 0.2 s.p., for high static pressure applications and long duct runs, 10" duct, backdraft damper not included, speed controller available separately	CA	6 28507 10007 0	1	18	\$605.33	\$349.99
VTX1200L	Atmosphere Inline Fans	Atmosphere Corded centrifugal In-line Fan, 846 CFM at 0.2 s.p., for high static pressure applications and long duct runs, 12" duct, backdraft damper not included, speed controller available separately	CA	6 28507 10010 0	1	12	\$698.67	\$403.99
VTX1200	Atmosphere Inline Fans	Atmosphere Corded Centrifugal In-line Fan, 1067 CFM at 0.2 s.p., for high static pressure applications and long duct runs, 12" duct, backdraft damper not included, speed controller available separately	CA	6 28507 10009 4	1	12	\$826.67	\$476.99
S-600	Atmosphere Inline Fans	Atmosphere Corded Mixed-Flow In-line Fan, 312 CFM at 0.2 s.p., 6" duct, sealed casing, compact design, backdraft damper included, speed controller available separately	CN	6 28507 10501 3	1	12	\$466.67	\$269.99
S-800	Atmosphere Inline Fans	Atmosphere Corded Mixed-flow In-line Fan, 688 CFM at 0.2 s.p., 8" duct, sealed casing, compact design, backdraft damper included, speed controller available separately	CN	6 28507 10502 0	1	12	\$546.67	\$315.99
S-1000	Atmosphere Inline Fans	Atmosphere Corded Mixed-Flow In-line Fan, 1032 CFM at 0.2 s.p., 10" duct, sealed casing, compact design, backdraft damper included, speed controller available separately	CN	6 28507 10503 7	1	12	\$733.33	\$423.99
D-65 Black	Atmosphere Inline Fans	Vortex Destratification Fan, 1082 CFM for facilities with 15'-75' high ceilings to create uniform air temperatures and energy savings; speed controller available separately; black	CN	6 28507 10504 4	1	18	\$973.33	\$561.99
D-65 White	Atmosphere Inline Fans	Vortex Destratification Fan, 1082 CFM for facilities with 15'-75' high ceilings to create uniform air temperatures and energy savings; speed controller available separately; white	CN	6 28507 10505 1	1	18	\$973.33	\$561.99
AVR-5	Atmosphere Inline Fans	Atmosphere Solid State Variable Speed AC Motor Speed Controller, rotary-style, fits in 2" X 4" electrical wall box, white	CN	6 28507 40004 0	1	N/A	\$41.00	\$31.99
ADAT-2.5	Atmosphere Inline Fans	Atmosphere Dial-a-Temp Solid State Variable Speed Control, plug-in design, on-off switch, high to low variable, black	HK	6 28507 40001 9	1	N/A	\$58.00	\$44.99

All prices, units, weights, and specifications are subject to change without notice.

*Subject to Broken Pack Service Charge if MOQ not met (VF-BPSC)

**Must be ordered in its minimum quantities; can not be ordered with broken pack charge

Ventilation IAQ Solutions Price List

Model Number	Product Family	Product Family / Description	Country of Origin	UPC	Unit of Measure	Pallet Qty. / Notes	List	MAP
MBK95	Atmosphere Inline Fans	Replacement mounting brackets for VTX400, VTX400P, VTX500, or VTX600L	CN	6 28507 10301 9	1	TBD	\$12.00	\$923.99
MBK13	Atmosphere Inline Fans	Replacement mounting brackets for VTX1200, VTX1200L	CN	6 28507 10302 6	1	TBD	\$14.00	\$10.99
MBK16	Atmosphere Inline Fans	Replacement mounting brackets for VTX600, VTX800L, VTX800, and VTX1000	CN	6 28507 10303 3	1	TBD	\$16.50	\$12.99
ADC4	Atmosphere Inline Fans	Adjustable Duct Clamp for 4" diameter product	CN	6 28507 20007 7	1	TBD	\$18.00	\$13.99
ADC6	Atmosphere Inline Fans	Adjustable Duct Clamp for 6" diameter product	CN	6 28507 20009 1	1	TBD	\$22.00	\$16.99
ADC8	Atmosphere Inline Fans	Adjustable Duct Clamp for 8" diameter product	CN	6 28507 20010 7	1	TBD	\$26.00	\$20.99
ADC10	Atmosphere Inline Fans	Adjustable Duct Clamp for 4" diameter product	CN	6 28507 20011 4	1	TBD	\$30.00	\$23.99
ADC12	Atmosphere Inline Fans	Adjustable Duct Clamp for 4" diameter product	CN	6 28507 20012 1	1	TBD	\$36.00	\$27.99
ADC14	Atmosphere Inline Fans	Adjustable Duct Clamp for 4" diameter product	CN	6 28507 20013 8	1	TBD	\$41.00	\$31.99
ADC16	Atmosphere Inline Fans	Adjustable Duct Clamp for 4" diameter product	CN	6 28507 20014 5	1	TBD	\$44.00	\$33.99
FV-WCCS1-W	WhisperControl®	WhisperControl® Condensation Sensor Plus Wall Switch, manual on/off, condensation sensor automatically activates exhaust fan to control humidity and turns off after desired combination of humidity and temperature is attained, 30-minute countdown timer, white, wall plate included	CN	8 85170 05028 0	6*	Single Piece Price/ Case Quantity of 6	\$63.10	\$53.99
FV-WCCS2-W	WhisperControl™	WhisperControl® Condensation Sensor Plus Wall Switch, manual on/off/light, condensation sensor automatically activates exhaust fan to control humidity and turns off after desired combination of humidity and temperature is attained, 30-minute countdown timer, white, wall plate included	CN	8 85170 05030 3	6*	Single Piece Price/ Case Quantity of 6	\$70.20	\$58.99
FV-WCD01-W	WhisperControl™	WhisperControl® Preset Countdown and Hourly Timer, manual on/off, pre-set countdown timer from 5-60 minutes to operate fan for the selected period of time per hour, white, wall plate included	CN	8 85170 05529 2	6*	Single Piece Price/ Case Quantity of 6	\$58.00	\$48.99
FV-WCD02-W	WhisperControl™	WhisperControl® Preset Countdown and Hourly Timer, manual on/off/light, pre-set countdown timer from 5-60 minutes to operate fan for the selected period of time per hour, white, wall plate included	CN	8 85170 20752 3	6*	Single Piece Price/ Case Quantity of 6	\$65.60	\$53.99
FV-WCSW21-W	EcoSwitch™	EcoSwitch™ 2 Function On/Off Fan/Light Rocker Switch, white, wall plate included	CN	8 85170 05034 1	6*	Single Piece Price/ Case Quantity of 6	\$13.40	\$12.99
FV-WCSW31-W	EcoSwitch™	EcoSwitch™ 3 Function On/Off Fan/Light/Night-light Rocker Switch, white, wall plate included	CN	8 85170 05036 5	6*	Single Piece Price/ Case Quantity of 6	\$14.88	\$13.99
FV-WCSW41-W	EcoSwitch™	EcoSwitch™ 4 Function On/Off Fan/Light/Night-light/Heater Rocker Switch, white, wall plate included, for FV-0511VHL1 WhisperWarm®DC Fan /Heater/LED Light	MX	8 85170 05038 9	6*	Single Piece Price/ Case Quantity of 6	\$66.00	\$53.99
FV-WCPT1-W	WhisperControl™	SmartExhaust™ Fan/LED Light Wall Control Delay Timer Switch. Programmable ventilation setting to set the number of minutes per hour the fan should run. Programmable delay setting to set the number of minutes the fan should run after the bathroom light has been turned off. White; wall plate not included. Broken pack option not available for this item.	CN	8 851700 4859 1	6*	Single Piece Price/ Case Quantity of 6	\$115.14	\$92.99
EZSV14	EZ Soffit Vent™	EZSoffitVent™ Soffit Termination System, for ventfans up to 110 CFM using 4" ducting	US	8 66704 00030 8	1	140	\$36.30	\$32.99
EZSV14	EZ Soffit Vent™	EZSoffitVent™ Soffit Termination System, for ventfans up to 110 CFM using 4" ducting	US	8 66704 00030 8	+50	Single Piece Price/ Must order qty 50 or more	\$36.30	\$32.99
FV-GL3TDA	Designer Grille	Designer Replacement Grille, 13", fits WhisperCeiling®DC FV-0511VQ1, FV-1115VQ1	CN	0 37988 87057 8	1	60	\$37.00	\$32.99
FV-GL3TDB	Designer Grille	Designer Replacement Grille, 14-1/5", fits WhisperCeiling®DC FV-0511VQ1, FV-1115VQ1	CN	0 37988 87058 5	1	60	\$37.00	\$32.99
SACG2K-04	SelectCycler™ System	Select Cycler® Whole House Ventilation Kit, includes wall mount controller, motorized supply damper with 4" duct and fan/light wall switch, white; wall plate not included.	CN	8 57702 00115 2	1	N/A	\$653.36	\$499.99
SACG2K-06	SelectCycler™ System	Select Cycler® Whole House Ventilation Kit, includes wall mount controller, motorized supply damper with 6" duct and fan/light wall switch, white; wall plate not included.	CN	8 57702 00114 5	1	N/A	\$619.02	\$474.99
SACG2K-08	SelectCycler™ System	Select Cycler® Whole House Ventilation Kit, includes wall mount controller, motorized supply damper with 8" duct and fan/light wall switch, white; wall plate not included.	CN	8 57702 00116 9	1	N/A	\$679.34	\$521.99
VF-BPSC	N/A	Broken Pack Service Charge Modules/Controls/Switches/Adapters/ Filters	N/A	N/A	1	N/A to MAP	\$3.50	\$3.50

All prices, units, weights, and specifications are subject to change without notice.

*Subject to Broken Pack Service Charge if MOQ not met (VF-BPSC)

**Must be ordered in its minimum quantities; can not be ordered with broken pack charge

PANASONIC TERMS & CONDITIONS OF SALE:

Break Pack Pricing:

A \$3.50 Broken Pack Service charge will be applied to any WhisperGreen Select Plug 'N Play Module, WhisperControl/EcoSwitch, WhisperValue Duct Adapter, Transfer Register Box (TRB) or Filters ordered in less than standard Master Pack quantities.
Example: For Each Model #: Master Pack ordered= No Service Charge; Less than a Master Pack ordered=\$3.50 Service Charge

Freight Policy:

All ventilation fan orders must exceed \$1,500 .00 net to qualify for free freight. If under \$1500.00, the customer pays the freight
Note: The \$1,500.00 is after any discounts that may be applied to the order.
Note: If there are Special handling charges incurred beyond normal freight charges, you will be subject to additional charges added to your invoice.
If goods are purchased Freight Collect, the customer will need to address all claims directly with your Carrier.

Small Order Charge : \$50.00 will be added to all orders under \$500.00 **Model FV-SOC should be listed as a line item on the purchase order.**

Limited Warranty:

AC Motor and ALL other Parts: For 3 years (36 months) from the date of the original purchase.
DC/ECM Motor: For 6 years (72 months) from the date of the original purchase.
LED: For 5 years (60 months) from the date of the original purchase.
AC Motor and ALL other Parts: For 3 years (36 months) from the date of the original purchase.
Atmosphere In-Line Fans - Dryer Exhaust Duct Power Ventilators, VTX, and S-Series fans 10 years from the date of original purchase.

Payment Terms: 1% 30 Net 60

Replacement Parts

All part orders (excluding warranty) should be submitted on a separate PO to Panasonic Parts Center at pstcparts@us.panasonic.com
Purchase Orders must include your Panasonic account number. These orders cannot be combined with a regular stock order.
Parts are excluded from prepaid freight orders, therefore, will be charged freight.
All Price and availability inquiries for service parts can be emailed to pstcparts@us.panasonic.com

In Warranty Replacement Parts

Please contact your local manufacturer rep agency for assistance.

Freight Receiving Procedure & Freight Damage Policy and Reporting

Visible Loss or Damage

Shortage:

At the time of delivery; the consignee must:

1. Check the labels on all shipping boxes and/or pallets to be certain they belong to you.
2. Count the actual number of boxes and/or pallets and compare them to the shipping manifest.
3. Note all discrepancies before signing and have drivers verify the shortage and quantity of goods on the Delivery Receipt and Bill of Lading.
4. Requests for a replacement product on orders received short should be directed by phone or email to your regional customer service team representative.

Damage:

At the time of delivery; the consignee must:

1. Check each unit for visible signs of damage.
2. Open any shipment that shows signs of loss or damage while the driver is present.
3. Record exact, detailed descriptions of the results of the examination on both the driver's delivery receipt/bill of lading, and your copy of the delivery receipt/bill of lading.

***If visible damages occur that are unacceptable, we ask that you **refuse** these goods.

Items will be returned free astray to the origination warehouse - per contract. If the driver will not accept these items, receive them notating on the delivery receipt the number of cartons damaged. Have the driver also sign this receipt. Immediately notify, through email your Sales Representative or Panasonic Customer Service representative so that the necessary return arrangements can be made to bring the damaged goods back to our warehouse.

Concealed Loss or Damage

Please adhere to the following guidelines:

1. Concealed loss or damage must be reported to the Carrier by the customer within 5 days of delivery to file a hidden, concealed damage claim. Document and photograph the packaging and the damage. We ask that you also report this damage to your Panasonic Customer Service Representative.
2. Contact the carrier immediately requesting an Inspection Report. Per our Carrier Agreement, the Carrier will send an independent Inspector or a Carrier Representative to review the shipment and prepare a report according to our agreement. Keep the shipment (containers and contents) in the same condition that they were in when the damage was discovered.
3. Once the inspection is completed, you should return goods to the Panasonic origin listed on the Delivery Receipt by the same Carrier, placing the following on the Bill of Lading:
 - List-Original Pro #
 - The notation "Damaged Goods to be Returned Free Astray" on paperwork. This information must be listed on the Bill of Lading to avoid freight charges.
4. If a Carrier refuses to accommodate this request, please contact our Panasonic Customer Service team for immediate assistance.
5. The "Carriers refusal to accommodate" must be documented in writing by letter or e-mail to ensure acknowledgment of this communication.

Note: Your signature on a delivering carrier's freight Bill of Lading (BOL) constitutes acceptance of the merchandise in good order.

If you do not inspect before signing you are, for all practical purposes, waiving "our" mutual right to collect on a damage claim, no matter if the damage is visible or "concealed".

Do not contact your manufacturer sales representative to request a scrap credit for damaged goods.

We will not accept debits for damages and shortages that have not been reported. Claims of this type will be denied.

U.S. Government Work. If your project is for the government please let us know.

The following provision applies only to direct sales by Company to the US Government. The Parties acknowledge that Parts ordered and delivered under this Agreement are Commercial Items as defined under Part 12 of the Federal Acquisition Regulation (FAR). In particular, Company agrees to be bound only by those Federal contracting clauses that apply to "commercial" suppliers and that are contained in FAR 52.212-5 (a).

This provision applies only to indirect sales by Company to the US Government. Parts shall not be resold to or used in work for any government entity, unless notated on initial Purchase Order or Contract to Company.

As a Commercial Item Subcontractor, Company accepts only the following mandatory FAR flow down provisions: 52.222-26; 52.222-35; 52.222-36; 52.222-21; 52.222-55; 52.222-62. If the sale of the Parts is in connection with a U.S. Government contract, Customer certifies that it has provided and will provide current, accurate, and complete information, representations and certifications to all government officials, including but not limited to the contracting officer and officials of the Small Business Administration, on all matters related to the prime contract, including but not limited to all aspects of its ownership, eligibility, and performance.

Panasonic Eco Systems North America, Division of Panasonic Corporation of North America

Two Riverfront Plaza
Newark, NJ 07102