

Outrigger Stabilizers





© Outrigger Stabilizer Types

We offer a full range of multi-purpose hydraulic outrigger stabilizers.

	ТҮРЕ	DESCRIPTION	AVAILABLE WITH:	CRANE SIZE**	TYPICAL USES
E		Cross beam with two side extensions and two hydraulic legs.	Manual or hydraulic extensions. Adjustable, manual tilt up or fixed height legs.	2 -120 t/m 14,430 to 865,920 ft/lbs	Main or auxiliary stabilizers for truck mounted cranes and equipment.
В		Cross beam with one side extension.	Manual or hydraulic extension. Adjustable, manual tilt up or fixed height legs.	4 -31 t/m 29,000 to 224,000 ft/lbs	With side or corner mounted cranes, such as on mechanics service body trucks.
F		Cross beam with two fixed legs.	Adjustable, manual tilt up or fixed height legs.	2-31 t/m 14,430 to 224,000 ft/lbs	For centre mounted cranes or other equipment that is stable without lateral extensions.
н		Half stabilizer; short beam with one side extension and one hydraulic leg.	Adjustable, manual tilt up or fixed height legs.	2-4 t/m 14,430 to 29,000 ft/lbs	With small cranes or other equipment that is side mounted.



Outrigger Stabilizer Types

	ТҮРЕ	DESCRIPTION	AVAILABLE WITH:	CRANE SIZE**	TYPICAL USES
С		Leg only (no cross beam) with mounting plate and lock valve.	Adjustable, manual tilt up or fixed height legs.	2-120 t/m 14,430 to 865,920 ft/lbs	General purpose use such as for post drivers, trailers, ditchers and for use as a landing leg.
т		Stabilizer assembly with integrated mounting base for BigMax TC Series cranes.	Adjustable, manual tilt up or fixed height legs.	1-4 t/m 7,200 to 29,000 ft/lbs	Enables mounting of small crane directly to truck chassis (in lieu of a deck mounted crane).
X		Front bumper- mounted stabilizer. Leg only with mounting plate and lock valve.	Adjustable, manual tilt up or fixed height legs.	2-120 t/m 14,430 to 865,920 ft/lbs	Boom trucks or cabover trucks.

Type E: Styles and Sizes

TYPE E OUTRIGGER STABILIZER STYLES	CRANE SIZE	APPLICATION	
In-Line Beam	2 - 31 t/m	for single axle trucks	
Parallel Beam	10 - 50 t/m	for intermediate sized tandem axle trucks	
Parallel Beam Plus	40 - 70 t/m	with internal tubing suitable for rugged environments	
Parallel Beam Under Chassis Mount	30 - 80 t/m	for special applications demanding a lower centre of gravity and compact mounting	
Parallel Beam Extra Wide	Up to 120 t/m	for heavy duty tandem triple-axle trucks	





We offer an array of multi-purpose hydraulic outrigger stabilizers suitable for all types of mobile equipment, including cranes up to 120 ton metres. And, we provide retail customers, fleets, dealers and OEMs with excellent prices and personal service.

Choice

- Seven styles of outriggers suitable for light and heavy duty applications More than 50 models extending up to 20 feet
- Varying outrigger heights with fixed, tilt up or adjustable legs
 Manual or pilot-operated lock valves

Economy

• Excellent pricing • Comprehensive two year parts and labour warranty • Lighter, high tensile steel equals more payload

Service


• Fast delivery of outriggers from stock • Selection and ordering assistance • Technical support when you need it






Leg Options

Adjustable Leg



Tilt-up Leg



Non-adjustable Leg





SALES · SERVICE · INSTALLATION · FINANCING OPTIONS AVAILABLE

TORONTO (HEAD OFFICE)

1665 Shawson Dr. Mississauga, ON, L4W 1T7 Tel: 905.564.5800 Toll Free: 1.800.668.6012

EDMONTON

111 - 26230 Twp 531 A Acheson, AB, T7X 5A4 Tel: 7809606826 Toll Free: 1.800.661.7335

TORONTO (EAST)

55 Nashdene Rd. Scarborough, ON, MIV OCI Tel: 416.321.0660 Toll Free: 1.800.269.6590

CALGARY

4311-122nd Ave. S.E. Calgary, AB, T2Z 4V3 Tel: 403.720.8033 Toll Free: 1.800.267.0559

HALIFAX

141A Joseph Zatzman Dr. Dartmouth, NS, B3B 1M7 Tel: 902.468.8288 Toll Free: 1.866.661.7742

REGINA

2304 Emmet Hall Road Regina, SK, S4N 3M3 Tel: 306.566.9880 Toll Free: 1.855.345.1064

MONTREAL

900 Montee de Liesse St. Laurent, PQ, H4T 1N8 Tel: 514.856.0407 Toll Free: 1.800.361.9291

VANCOUVER

19150-96th Ave. - Unit 1 Surrey, BC, V4N 3R3 Tel: 604.888.4464 Toll Free: 1.800.473.1717









www.driveproducts.com