

STAR TRAC® 4 SERIES

The 4 Series cardio line from Star Trac is the perfect solution for the hospitality and multi-housing markets. With premium full color flat panel displays, quick select adjustment keys, and optional personal viewing screen, the 4 series provides smaller facilities with the look and performance of a full commercial product.



MANAGEMENT SOLUTIONS

ECOFIT® asset management solutions let you see beyond the basics of which machines are most used – you'll get insights that show you if you should rotate machine placements to improve maintenance scheduling, identify and plan preventative maintenance to ensure equipment is available to members and much more.



CONSOLE 15" TOUCHSCREEN

The 15" Capacitive Touch OpenHub Console offers a premium user interface design, Star Trac 20 HIIT Programming, RunTV and web-based media access for news, entertainment and workout motivation. With standard features like HDMI streaming, Bluetooth connectivity and TV tuner options, this is a display that has something for every user.





4-TR TREADMILL

	BASE FEATURES				
DECK SYSTEM	Reversible MDF deck with phenolic coating				
RUNNING BELT SYSTEM	22in (55cm) wide belt				
SIZE OF RUNNING SURFACE	60in x 22in (152cm x 55cm)				
ABSORPTION SYSTEM	Triple cell cushioning system provides maximum shock absorption making the entire deck a sweet spot				
STEP UP HEIGHT	7in (17cm)				
INCLINE RANGE	0-15% max incline				
SPEED RANGE	0.5-12.5mph (0.5-20kmh)				
HEART RATE MEASUREMENT SYSTEM	Telemetry and contact HR				
CENTER CONTROLS BAR	Warm bar with contact HR and Emergency Stop				
DISPLAY	Choose from Full Color 10" LCD, 10" Capacitive Touchscreen or 15" OpenHub Touchscreen				
USER DETECT SYSTEM	Yes, programmable on/off				
ACCESSORIES	Bottleholder, pre-wired for PVS entertainment, USB port				
MAX USER WEIGHT	450lb (205kg)				
DRIVE SYSTEM	3 HP DC motor				
ELECTRICAL REQUIREMENTS	110V/15 Amp with standard outlet; or 220V/15 Amp				
ADDITIONAL FEATURES	3.5in rollers				
	EDAME				

	FRAME		
MATERIAL	Powder Coated Steel Frame		
CUSTOMIZABLE	Paint color options approval required		
STANDARD COLOR OPTIONS	60 Black		
LENGTH	81in (206cm)		
WIDTH	32in (81cm)		
HEIGHT	60in (152cm)		
PRODUCT WEIGHT	399lbs (181kg)		
SHIPPING DIMENSIONS	89in x 36in x 23in (226cm x 92cm x 59cm)		
SHIPPING WEIGHT	442lbs (201kg)		

ADDITIONAL SKUS

9-3613-4TR-110-15A-10IN-60BLK 9-3614-4TR-220CE-UL-10IN-60BLK 9-3613-4TR-110-15A-10-TS-60BLK 9-3614-4TR-220CE-UL-10-TS-60BLK 9-3613-4TR-110-15A-15-ATSC-60BLK 9-3614-4TR-220CE-UL-15-ATSC-60BLK 9-3613-4TR-110-15A-15-PAL-60BLK 9-3613-4TR-120CE-UL-15-PAL-60BLK





4-CT CROSS TRAINER

	BASE FEATURES		
STEP UP HEIGHT	11in (28cm)		
STRIDE TYPE	Fixed		
STRIDE LENGTH	20in (51cm)		
HEART RATE MEASUREMENT SYSTEM	Telemetry and contact HR		
MOVEMENT ARMS	Standard upright design		
CONTROLS	On Display		
DISPLAY	Choose from Full Color 10" LCD, 10" Capacitive Touchscreen or 15" OpenHub Touchscreen		
ACCESSORIES	Bottle holder, pre-wired for PVS entertainment, USB port		
MAX USER WEIGHT	450lb (204kg)		
DRIVE	Front drive		
RESISTANCE SYSTEM	Alternator		
ELECTRICAL REQUIREMENTS	LCD is self-generating; touch screen and PVS options require 12V/5 Amp power supply		
START UP WATTS	20		
ADDITIONAL FEATURES	Step up assist		
	FRAME		
MATERIAL	Powder Coated Steel Frame		
CUSTOMIZABLE	Paint color options approval required		
STANDARD COLOR OPTIONS	60Black		
LENGTH	76in (193 cm)		
WIDTH	30in (76 cm)		
HEIGHT	72in (182 cm)		
PRODUCT WEIGHT	273lbs (124 kg)		
SHIPPING DIMENSIONS	79in x 25in x 38in (201cm x 63cm x 97cm)		
SHIPPING WEIGHT (BOXED)	309lbs (140kg)		
	SKUS		

9-4080-4CT-10IN-60BLK 9-4080-4CT-10-TS-60BLK 9-4080-4CT-15-ATSC-60BLK 9-4080-4CT-15-PAL-60BLK





4-UB UPRIGHT BIKE

	· ·		
	BASE FEATURES		
HEART RATE MEASUREMENT SYSTEM	Telemetry and contact HR		
CONTROLS	Console		
BOTTOM BRACKET	ISIS		
PEDALS	One-sided platform with removable strap		
SEAT ADJUSTMENT	Pop pin		
DISPLAY	Choose from Full Color 10" LCD, 10" Capacitive Touchscreen or 15" OpenHub Touchscreen		
ACCESSORIES	Bottle holder, pre-wired for PVS entertainment		
MAX USER WEIGHT	450lb (204kg)		
DRIVE SYSTEM	Alternator		
ELECTRICAL REQUIREMENTS	LCD is self-generating; touch screen and PVS options require 12V/5 Amp power supply		
START UP WATTS	20		
ADDITIONAL FEATURES	Elbow pads support multiple riding positions in comfort		
	FRAME		
MATERIAL	Powder Coated Steel Frame		
CUSTOMIZABLE	Paint color options approval required		
STANDARD COLOR OPTIONS	60 Black		
LENGTH	46in (117cm)		
WIDTH	23in (58cm)		
HEIGHT	57in (145cm)		
PRODUCT WEIGHT	132lbs (60kg)		
SHIPPING DIMENSIONS	48in x 23in x 34in (121cm x 58cm x 86cm)		
SHIPPING WEIGHT	152lbs (69kg)		
	SKUS		

9-3180-4UB-10IN-60BLK 9-3180-4UB-10-TS-60BLK 9-3180-4UB-15-ATSC-60BLK 9-3180-4UB-15-PAL-60BLK





4-RB RECUMBENT BIKE

I IID IIEGGIIIDEITI DIITE			
	BASE FEATURES		
HEART RATE MEASUREMENT SYSTEM	Telemetry and contact HR		
CONTROLS	Console- quick key select		
BOTTOM BRACKET	ISIS		
PEDALS	Commercial-grade pedals with adjustable straps provide ease of set-up and durable performance		
SEAT ADJUSTMENT	Wrap around adjustment bar for ease of use		
DISPLAY	Choose from Full Color 10" LCD, 10" Capacitive Touchscreen or 15" OpenHub Touchscreen		
ACCESSORIES	Bottle holder, pre-wired for PVS entertainment		
MAX USER WEIGHT	450lb (204kg)		
DRIVE SYSTEM	Alternator		
ELECTRICAL REQUIREMENTS	LCD is self-generating; touch screen and PVS options require 12V/5 Amp power supply		
START UP WATTS	20		
ADDITIONAL FEATURES	Walk-thru design, USB port		
	FRAME		
MATERIAL	Powder Coated Steel Frame		
CUSTOMIZABLE	Paint color options approval required		
STANDARD COLOR OPTIONS	60 Black		
LENGTH	68in (172cm)		
WIDTH	23in (59cm)		
HEIGHT	54in (137cm)		
PRODUCT WEIGHT	186lbs (84kg)		
SHIPPING DIMENSIONS	67in x 23in x 31in (170cm x 58cm x 80cm)		
SHIPPING WEIGHT	208lbs (94kg)		
	SKUS		

9-3190-4RB-10IN-60BLK 9-3190-4RB-10-TS-60BLK 9-3190-4RB-15-ATSC-60BLK 9-3190-4RB-15-PAL-60BLK









CONSOLES

DISPLAY	4 Series 15" Touchscreen	4 Series 10" Touchscreen	4 Series 10"
DISPLAY TYPE	Capacitive Touchscreen	Capacitive Touchscreen	Full Color LCD Display, non-touch
MULTI-LANGUAGE OPTIONS	English, German, Spanish, Dutch, Portuguese, French, Italian, Swedish, Russian, Finnish, Danish, Chinese, Japanese, Turkish, Polish, Russian, Hebrew, Czech, Slovak	English, German, Spanish, Dutch, Portuguese, French, Italian, Swedish, Russian, Chinese, Japanese, Polish	English, German, Spanish, Dutch, Portuguese, French, Italian, Swedish, Russian, Chinese, Japanese, Polish
PRE-PROGRAMMABLE WORK OUTS	Yes, 20+	Yes, 20+	Yes, 20+
QUICK START OPTIONS	Yes, single button start options	Yes, single button start options	Yes, single button start options
TV TUNER ENABLED	Yes (Global TV tuner options)	No	No
ETHERNET AND WIFI ENABLED	Yes	No	No
BLUETOOTH DATA TRACKING/APP CONNECTIVITY	Yes	No	No
BLUETOOTH HEADPHONES	Yes	No	No
BLUETOOTH HEART RATE	Yes	No	No
APPLE GYMKIT/SAMSUNG GALAXY WATCH CONNECTIVITY	Yes	No	No
RUNTV INTEGRATED WORKOUT VIDEOS	Yes	No	No
INTEGRATED WEB-BASED APPS	Yes	No	No
CUSTOMIZABLE HOME SCREEN	Yes	No	No
HDMI STREAMING	Yes; cables not included	No	No
USB	USB port for software updates and device charging; cables not included	USB port for software updates and device charging; cables not included	USB port for software updates and device charging; cables not included
RFID	Optional	No	No
IPTV/SET TOP BOX COMPATIBLE	Yes, add-on accessories required	No	No
ANT+ FOR GROUP DISPLAY	Yes	No	No
PERSONAL FAN	Yes, programmable auto start	Yes, programmable auto start	Yes, programmable auto start
ASSET MANAGEMENT	Ecofit Optional	Ecofit Optional	Ecofit Optional
TABLET HOLDER	Integrated front	Integrated front	Integrated front
PVS	No	No	Optional
800/900 MHZ RECEIVER	No	No	No

Core Health & Fitness is more than gym equipment, we offer innovative solutions for all your facility needs. This is why we've brought together five of the most recognizable fitness brands to ensure our customers can offer their members authentic fitness experiences. Whether working with us directly or through our partners and distributors worldwide, we provide the highest quality equipment backed by a service and support team that will always go the extra mile to get you what you need, when you need it. Partner with us and see how our Core Values motivate our every decision.





SIGNAL INPUTS

PVS FEATURES

PVS

DISPLAY TYPE

RESOLUTION

TUNER OPTIONS

DIGITAL AND ANALOG SUPPORT

INPUT RF SIGNAL RANGE

CLOSE CAPTION

HEADPHONE JACK

4 Series

15.6" HD LED

1366 x 768

"1) ATSC/NTSC/QAM 2) PAL/DVB-T/DVB-C"

Yes

Coax, HDMI

-70 dBm(Min) ~ - 10 dBm(Max)

3.5mm on Display

SKUS

700-0489-20 BLACK PVS, PAL TUNER w/ 4-TR MOUNT 700-0489-74 PVS, PAL TUNER w/ 4-TR MOUNT 700-0490-20 BLACK PVS, ATSC/NTSC TUNER w/ 4-TR MOUNT 700-0490-74 PVS, ATSC/NTSC TUNER w/ 4-TR MOUNT 700-0491-20 BLACK PVS. PAL TUNER w/ 4-CT/UB/RB MOUNT 700-0491-74 PVS, PAL TUNER w/ 4-CT/UB/RB MOUNT 700-0492-20 BLACK PVS, ATSC/NTSC TUNER w/ 4-CT/UB/RB MOUNT 700-0492-74 PVS, ATSC/NTSC TUNER w/ 4-CT/UB/RB MOUNT

Core Health & Fitness is more than gym equipment, we offer innovative solutions for all your facility needs. This is why we've brought together five of the most recognizable fitness brands to ensure our customers can offer their members authentic fitness experiences. Whether working with us directly or through our partners and distributors worldwide, we provide the highest quality equipment backed by a service and support team that will always go the extra mile to get you what you need, when you need it. Partner with us and see how our Core Values motivate our every decision.

