

STAR TRAC® S SERIES

Designed specifically for those looking for solid, commercial-quality operation at an exceptional value, our S Series doesn't cut corners. Featuring all of Star Trac's popular user-focused features like adjustable personal fans, easy-up and wrap-around seat adjusts and dual-platform pedals, the S Series gives you many of the features you'd never expect to find for the price. And then it goes beyond with components like our large LED display with oversized buttons and text, providing the easiest and most intuitive operation available.



MANAGEMENT SOLUTIONS

ECOFIT® asset management solutions let you see beyond the basics of which machines are most used – you'll get insights that show you if you should rotate machine placements to improve maintenance scheduling, identify and plan preventative maintenance to ensure equipment is available to members and much more.



PERSONAL VIEWING SCREEN (PVS)

All of our S-Series cardio products are pre-wired to accept an add-on 15.6" HD Personal Viewing Screen. The PVS mounts seamlessly to the product, and an integrated control keypad inserts into the front of the cardio display for easy control.





S-TRC TREADMILL

BASE FEATURES		
Reversible MDF deck with phenolic coating		
22in (55cm) wide belt		
60in x 22in (152cm x 55cm)		
Triple cell cushioning system provides maximum shock absorption making the entire deck a sweet spot		
7in (25.4cm)		
0-15% max incline		
0.5-12.5mph (0.5-20kmh)		
Telemetry and contact HR		
Warm bar with contact HR and Emergency Stop		
LED		
Yes, programmable on/off		
Multiple bottle and accessory holders, pre-wired for PVS entertainment		
500lb (227kg)		
5 HP AC motor		
110V/20 Amp dedicated circuit with NEMA 5-20 outlet; or 220V/15 Amp dedicated circuit with NEMA 6-15 outlet		
3.5in rollers		
FRAME		
Powder Coated Steel Frame		
Paint color options approval required		
Star Trac Silver		
81in (206cm)		
32in (81cm)		
58in (147cm)		
381lbs (173kg)		
84in x 36in x 23in (214cm x 91cm x 58cm)		
459lbs (208kg)		

9-3581-MUSAP0 9-3582-MOCEP0





S-TRX TREADMILL

BASE FEATURES		
DECK SYSTEM	Reversible MDF deck with phenolic coating	
RUNNING BELT SYSTEM	22in (55cm) wide belt	
SIZE OF RUNNING SURFACE	60in x 22in (152cm x 55cm)	
ABSORPTION SYSTEM	Triple cell cushioning system provides maximum shock absorption making the entire deck a sweet spot	
STEP UP HEIGHT	7in (25.4cm)	
INCLINE RANGE	0-15% max incline	
SPEED RANGE	0.5-12.5mph (0.5-20kmh)	
HEART RATE MEASUREMENT SYSTEM	Telemetry and contact HR	
CENTER CONTROLS BAR	Warm bar with contact HR and Emergency Stop	
DISPLAY	LED	
USER DETECT SYSTEM	Yes, programmable on/off	
ACCESSORIES	Multiple bottle and accessory holders, pre-wired for PVS entertainment	
MAX USER WEIGHT	350lb (159kg)	
DRIVE SYSTEM	3 HP DC motor	
ELECTRICAL REQUIREMENTS	110V/20 Amp dedicated circuit with NEMA 5-20 outlet; or 220V/15 Amp dedicated circuit with NEMA 6-15 outlet	
ADDITIONAL FEATURES	3.5in rollers	
	FRAME	
MATERIAL	Powder Coated Steel Frame	
CUSTOMIZABLE	Paint color options approval required	
STANDARD COLOR OPTIONS	Star Trac Silver	
LENGTH	81in (206cm)	
WIDTH	32in (81cm)	
HEIGHT	55in (140cm)	
NET WEIGHT	370lbs (168kg)	
SHIPPING DIMENSIONS	84in x 36in x 23in (214cm x 91cm x 58cm)	
SHIPPING WEIGHT	445lbs (202kg)	
	ADDITIONAL SKUS	

9-3573-MUSAP3 9-3572-MOCEP0





S-CTX CROSS TRAINER

C-OTA CHOOC THAILEN			
	BASE FEATURES		
STEP UP HEIGHT	11in (28cm)		
STRIDE TYPE	Fixed		
STRIDE LENGTH	18in (48cm)		
HEART RATE MEASUREMENT SYSTEM	Telemetry and contact HR		
MOVEMENT ARMS	Standard upright design		
CONTROLS	On Display		
DISPLAY	Fixed LED		
ACCESSORIES	Multiple bottle and accessory holders, pre-wired for PVS entertainment		
MAX USER WEIGHT	350lb (159kg)		
DRIVE	Front drive		
RESISTANCE SYSTEM	Alternator		
ELECTRICAL REQUIREMENTS	LED is self-generating; PVS option requires 12V/5 Amp power supply		
START UP WATTS	20		
ADDITIONAL FEATURES	Rear courtesy step		
	FRAME		
MATERIAL	Powder Coated Steel Frame		
CUSTOMIZABLE	Paint color options approval required		
STANDARD COLOR OPTIONS	Star Trac Silver		
LENGTH	76in (193cm)		
WIDTH	30in (76cm)		
HEIGHT	72in (182cm)		
PRODUCT WEIGHT	337lbs (153kg)		
SHIPPING DIMENSIONS	79in x 30in x 50in (201cm x 75cm x 128cm)		
SHIPPING WEIGHT	425lbs (193kg)		

SKUS





S-RBX RECUMBENT BIKE

BASE FEATURES		
HEART RATE MEASUREMENT SYSTEM	Telemetry and contact HR	
CONTROLS	Console	
BOTTOM BRACKET	Morse Taper	
PEDALS	One-sided, self-leveling platform with removable ratcheting strap and morse taper mounting	
SEAT ADJUSTMENT	Wrap around adjustment bar for ease of use	
DISPLAY	Fixed LED	
ACCESSORIES	Multiple bottle and accessory holders, pre-wired for PVS entertainment	
MAX USER WEIGHT	350lb (159kg)	
DRIVE SYSTEM	Alternator	
ELECTRICAL REQUIREMENTS	LED is self-generating; PVS option requires 12V/5 Amp power supply	
START UP WATTS	20	
ADDITIONAL FEATURES	Walk-thru design; fold-down armrests alleviate shoulder tension and allow for a more relaxed posture	
	FRAME	
MATERIAL	Powder Coated Steel Frame	
CUSTOMIZABLE	Paint color options approval required	
STANDARD COLOR OPTIONS	Star Trac Silver	
LENGTH	66in (168cm)	
WIDTH	26in (66cm)	
HEIGHT	53in (135cm)	
PRODUCT WEIGHT	185lbs (84kg)	
SHIPPING DIMENSIONS	75in x 22in x 33in (191cm x 57cm x 84cm)	
SHIPPING WEIGHT	208lbs (95kg)	

CITOC





S-UBX UPRIGHT BIKE

	BASE FEATURES
HEART RATE MEASUREMENT SYSTEM	Telemetry and contact HR
CONTROLS	Console
BOTTOM BRACKET	Morse Taper
PEDALS	One-sided, self-leveling platform with removable ratcheting strap and morse taper mounting
SEAT ADJUSTMENT	Easy up ratcheting seat for ease of use
DISPLAY	Fixed LED
ACCESSORIES	Multiple bottle and accessory holders, pre-wired for PVS entertainment
MAX USER WEIGHT	350lb (159kg)
DRIVE SYSTEM	Alternator
ELECTRICAL REQUIREMENTS	LED is self-generating; PVS option requires 12V/5 Amp power supply
START UP WATTS	20
ADDITIONAL FEATURES	Elbow pads support multiple riding positions in comfort
	FRAME
MATERIAL	Powder Coated Steel Frame
CUSTOMIZABLE	Paint color options approval required
STANDARD COLOR OPTIONS	Star Trac Silver
LENGTH	46in (117cm)
WIDTH	23in (58cm)
HEIGHT	57in (145cm)
PRODUCT WEIGHT	141lbs (64kg)
SHIPPING DIMENSIONS	48in x 22in x 34in (122cm x 57cm x 86cm)
SHIPPING WEIGHT	157lbs (71kg)

9-3140-MINTP0





PVS FEATURES

PVS	S series
DISPLAY TYPE	15.6" HD LED
RESOLUTION	1366 x 768
TUNER OPTIONS	1) ATSC/NTSC/QAM 2) PAL/DVB-T/DVB-C 3) Pro:Idiom
DIGITAL AND ANALOG SUPPORT	Yes
SIGNAL INPUTS	Coax, HDMI
INPUT RF SIGNAL RANGE	-70 dBm(Min) ~ - 10 dBm(Max)
CLOSE CAPTION	Yes
HEADPHONE JACK	3.5mm Integrated on PVS face

SKUS

700-0177 KIT, PVS, MYE, 15.6" ATSC/NTSC, S-UBX 700-0178 KIT, PVS, MYE, 15.6" ATSC/NTSC, S-RBX 700-0179 KIT, PVS, MYE, 15.6" ATSC/NTSC, S-CTX 700-0180 KIT, PVS, MYE, 15.6" ATSC/NTSC, S-TRC 700-0181 KIT, PVS, MYE, 15.6" ATSC/NTSC, S-TRX 700-0182 KIT, PVS, MYE, 15.6" PAL/SECAM, S-UbX 700-0183 KIT, PVS, MYE, 15.6" PAL/SECAM, S-RBX 700-0184 KIT, PVS, MYE, 15.6" PAL/SECAM, S-CTX 700-0186 KIT, PVS, MYE, 15.6" PAL/SECAM, S-TRC 700-0186 KIT, PVS, MYE, 15.6" PAL/SECAM, S-TRX 700-0426 KIT, PVS, MYE, 15.6" PRO:IDIOM, S-UBX 700-0428 KIT, PVS, MYE, 15.6" PRO:IDIOM, S-CTX 700-0429 KIT, PVS, MYE, 15.6" PRO:IDIOM, S-TRC 700-0429 KIT, PVS, MYE, 15.6" PRO:IDIOM, S-TRC 700-0430 KIT, PVS, MYE, 15.6" PRO:IDIOM, S-TRX

Core Health & Fitness is more than gym equipment, we offer innovative solutions for all your facility needs. This is why we've brought together five of the most recognizable fitness brands to ensure our customers can offer their members authentic fitness experiences. Whether working with us directly or through our partners and distributors worldwide, we provide the highest quality equipment backed by a service and support team that will always go the extra mile to get you what you need, when you need it. Partner with us and see how our Core Values motivate our every decision.

