

SWEEPERS - RIDER

1050

The 1050 Sweeper is the perfect step up to higher productivity from walk behind units. It is small enough to go through a 32" opening but is large enough to clean a 42" path with ease.

MAX PRODUCTIVITY

BATTERY RUN TIME

KEY SPECS

55,000 ft²/h 3.0-4.8 h

42" cleaning path 19 gal capacity

MOST FREQUENT USE

RETAIL

HOSPITALITY

CLEANING CONTRACTORS

EDUCATION



CONTROL PANEL



LARGE CAPACITY




BATTERY BOX





SLS ™ System can be electric or mechanical and allows great cleaning performances thanks to a constant pressure on the floor.





Other Features

- Maximum protection against impact
- Large sweeping path
- SLS (Self-Leveling System) automatic main brush pressure control
- Dust micro filtration
- Dust flap for large debris collection
- Pre-programmed working settings
- Adjustable side brush rpm
- Heavy duty chassis in fully coated steel

- Easy to use control panel
- Great working visibility
- Automatic stop (by pedal release) in working mode
- Manual low dump discharge system
- Main brush replacement without tools
- Dust filter replacement without tools
- Self cleaning filter system
- Automatic main brush lift in reverse

1050

PRODUCTIVITY

Max theoretical productivity	ft²/h - m²	55,000/ 6,300 m ²
Max working width	in/mm	42 in/ 1050 mm
Hopper volume	Gal/ l	19 gal/ 70 l
Weight	lbs/ kg	382 lbs/ 173 kg
Max Speed	mph/ kph	4 mph/ 6 kph
Run time	min	180-290

AVAILABLE ACCESSORIES

12V 210 AH BATTERY 12V 230 AH BATTERY

12V210

12V100-AGM

6V 225 AGM BATTERY 12V140-AGM

CHARGER WET/ GEL BACA00136 **BATTERY WATERING SYSTEM**CR-BWS-L-4











GET RIGHT SIZED

	Description	Continuous run-time	Theoretical ft ² / h	Maximum Theoretical ft ² /charge	Ft ² charge efficiency (70%)
1050	210 ah Battery	4.0	55,333	221,331	154,932
1050	225ah AGM Battery	3.0	55,333	165,998	116,119
1050	230ah AGM Battery	4.8	55,333	265,597	185,918

