



# **T12** Compact Battery-Powered Rider Scrubber

Get the power of a heavy-duty floor scrubber with the compact, easily maneuverable T12 Compact Battery Ride-On Floor Scrubber. Engineered for easy operation and maintenance, the T12 combines innovative features and substantial power for an effective clean.

#### **Available Technologies**



ec-H2O<sup>™</sup> technology

IRIS® Asset Manager



High capacity battery power sources

## **Engineered for Productivity**



- Operate easily with operator controls are easy to use with the 1-Step<sup>™</sup> Start Button that simplifies training and ensures consistent cleaning performance.
- Easy to identify maintenance Touch Points ensure daily maintenance items are checked and your investment is properly maintained and protected.
- **3. Convenient right hand dash** mounted controls with horn button (*T12 only*).

- Clean floors from edge to edge and achieve a 28% wider scrub path with the optional scrubbing side brush.
- **5. Promote a safe cleaning environment** with the safety light package with headlights and AV backup alarm (*standard on T12 XP, optional on T12*).
- 6. Easily maneuver the scrubber while cleaning controls stay fixed in the center of the steering wheel with the Touch-n-GoTM Control Module (*T12 XP only*).

#### **Optional Accessories**




**Vac wand** provides convenient and quick off machine spill recovery.



**Spray hose** allows for remote access to the cleaning solution for hard to reach areas and makes machine cleanup easier.



Protect operators by shielding them from falling objects with the FOPS certified overhead guard.



- Enhanced ergonomics that allow ease of use through intuitive controls and excellent visibility.
- 2. Achieve consistent, cost-effective cleaning with QA Controls<sup>™</sup> by locking in ideal machine settings for your unique cleaning needs
- 3. Extend component life and reduce maintenance cost with the AC brushless propelling motor that operates more efficiently than traditional DC motors.
- **4. Reduce fatigue and increase operator safety** with the large operator compartment allowing substantial leg room while providing easy ingress and egress from either side of the machine.
- **5. Improve cleaning results** with the scrub head (disk or cylindrical) that best suits the application and simplify maintenance with no-tool brush change.
- 6. Reduce the risk of slip and fall accidents with the Dura-Track<sup>™</sup> parabolic squeegee system that provides excellent water recovery and can be changed easily without tools.

#### **Optional Accessories**



Lower maintenance and repair costs with a heavyduty **front bumper**.



Rear squeegee protection kit prevents damage to the machine.



**Deluxe seat** (standard onT12 XP, optional onT12).

## T12 Specifications

#### **CLEANING SYSTEM**

Scrubing Path (standard)   with scrubbing side brush	32 in / 810 mm   41 in / 1,040 mm
Disk brush motor (2)	1.0 hp / .75 kW
Disk brush speed	325 rpm
Disk brush down pressure (variable to)	250 lb / 114 kg
Cylindrical brush motor (2)	1.0 hp / .75 kW
Cylindrical brush speed	600 rpm
Cylindrical brush down pressure (variable to)	200 lb / 91 kg
Solution tank	35 gal / 132 L
Recovery tank	44 gal / 166 L
Vacuum fan   speed   water lift	0.8 hp / 0.6 kW   14,500 rpm   65 in / 1,650 mm
PROPELLING SYSTEM	
Propel speed forward (variable to)   Propel speed reverse (variable to)	5.0 mph / 8 km / h   2.5 mph / 4 km / h
Gradeability (transport at gross weight)   working (scrubbing)	8° / 14.1%   4° / 7%
BATTERY SELECTIONS (EST. CONTINUOUS RUNTIME: ECONOMY MODE)	
Battery optional packages	Wet 240 AH   Wet 360 AH
	Lithium-Ion 110 AH (4.1 kWh)   Lithium-Ion 221 AH (8.2 kWh)   Lithium-Ion 276 AH (10.2 kWh
MACHINE SPECIFICATIONS	
Length basic machine	67.25 in / 1,710 mm
Width, body	37.25 in / 945 mm
Height (top of steering wheel)	56 in / 1,420 mm
With overhead guard	82.5 in / 2,095 mm
Weight empty (no battery)	1,030 lb / 468 kg
Minimum aisle turn	83 in / 2,110 mm
Sound level (Disk: Mode #2*)   (Cylindrical: Mode #2*)	62 dBA; Kpa 3 dBA   63 dBA; Kpa 3 dBA
Sound pressure level tested per IEC 60335-2-72	
*Vacuum On, Squeegee Down, Brushes On, Brushes Up	
WARBANTY	

Specifications subject to change without notice.

### Tennant-Reinvent how the world cleans

With a vision to become a global leader in sustainable cleaning innovation that empowers our customers to create a cleaner, safer and healthier world, Tennant creates solutions that are changing the way the world cleans.



#### We are where you are

Tennant has the industry's largest direct sales and service organization and a well-supported network of authorized distributors worldwide.

#### Buying, leasing, renting

We offer flexible options to get you the machines you need, however you need them.



#### Solutions for your unique needs

Whatever your cleaning needs, Tennant offers a variety of high quality equipment to help you increase your cleaning productivity.



#### Tennant*True*®

Optimize equipment performance and protect your investment with Tennant*True®* parts and service.

For a demonstration or additional information,

#### call +1.800.553.8033 or email info@tennantco.com

t12-brochure-en-noam 10/19

©2019 The Tennant Company logo and other trademarks designated with the symbol "®" are trademarks of Tennant Company registered in the United States and/or other countries. Tennant Company's products are sold and serviced through subsidiaries of Tennant Company and distributors. All rights reserved.

#### www.tennantco.com | info@tennantco.com

#### Tennant

701 North Lilac Drive Minneapolis, MN 55422 USA

USA/Canada: +1.800.553.8033 Quebec: +1.800.361.9050 Overseas: +1.763.540.1315