## PHYSICAL OR CHEMICAL HAZARDS:

Combustible. Do not use or store near heat or open flame.

## STORAGE AND DISPOSAL

Pesticide Storage: Store in a dry, cool area and away from direct sunlight. Do not double stack pallets. Use first in, first out storage system.

Pesticide Disposal: To avoid wastes, use all material in this container by application according to label directions. If wastes cannot be avoided, offer remaining product to a waste disposal facility or pesticide disposal program (often such programs are run by

Container Handling and Disposal: Nonrefillable container, Do not reuse or refill this container. Clean container promptly after emptying. Dispose of container into an approved trash receptacle. Offer for recycling if available or reconditioning it

## Mixed solution can be used as a disinfectant for eight (8) days Mix Date:





TruSepta

EEP OUT OF REACH OF CHILDREN

DIRECTIONS combined, creates an effective Bactericide, Cleans, Disinfectants MIXING DIRECTIONS FOR ACTIVATION TRUSEFIA (Part A) is formulated as one component of a two-part COMO MEZCLAR & Deodorizes in one step Add **Pharmaceutical Manufacturing Applications: Mixed TRUSEPTA is** B to A for daily use in the cleaning and disinfection of hard, nonporous

surfaces in pharmaceutical manufacturing, production.

ISO 7 and ISO 8 areas, clean rooms, floors, walls, ceilings,

equipment, stainless steel, glass, hard nonporous plastics,

vinyl flooring, transfer carts, hoods, bench tops, drawers,

cabinets and other hard nonporous surfaces and equipment

compounding and research facilities, including all ISO 5, ISO 6,

aluminum. Formica, polycarbonates used for barrier systems.

TRUSEPTA is a two-part system and when Part A and Part B are



Shake 15 seconds



listed on this label.

• Mixed Products are Not a Skin Sensitizer Does Not Contain Bleach

Pre-cleaning not required

Ready to Use!

Meets AOAC Use-Dilution Test Standards for Pharmaceutical

- Use Cleaner & Disinfectant on hard, non-porous surfaces
- One-Step Cleaner and Disinfectant for Pharmaceutical Use Broad Spectrum Pharmaceutical Manufacturing Use
- Disinfectant on hard, non-porous surfaces • Kills Odor-Causing Bacteria
- Prolonged or Frequent Repeated Skin Contact with Mixed products will Not Cause Allergic Reaction

system and therefore must not be used alone as a disinfectant without activating. Activate TRUSEPTA prior to

TOTAL MIXED SOLUTION	109.08 fl. oz.
TRUSEPTA Part A	108.00 fl. oz.
TRUSEPTA Part B	1.08 fl. oz.

1. Using appropriate personal protective equipment (PPE), remove the cap on the

TRUSEPTA (Part A) large container to expose the opening: 2. Obtain the TRUSEPTA

DIRECTIONS FOR USE (Part A must be Mixed with Part B. There are no standalone claims)

Activator (Part B) small container (red label) and remove the child protective cap. CAREFULLY pour the entire contents of the TRUSEPTA Activator (Part B) small container (red label) into Part A large container, 3, Replace cap on the empty TRUSEPTA Activator (Part B) small container (red label) and discard as directed; 4. Replace cap on the TRUSEPTA (Part A) large container and shake or mix for approximately 15 seconds to combine the solution, TRUSEPTA Mixed Solution is now Ready-to-Use as directed. 5. Mark the activation date on the product use container using a permanent marker. Once Part A and Part B are Mixed, the Mixed solution can be used as a disinfectant for eight (8) days. Dispose of any Solution that has exceeded this timeframe post activation.

GENERAL CLEANING & DEODORIZING DIRECTIONS Mixed TRUSEPTA is for use in general cleaning and deodorizing. Apply a generous amount of TRUSEPTA, the Mixed TRUSEPTA solution, to soiled area using a cloth, mop, sponge, brush or mechanical DISINFECTION DIRECTIONS Mixed TRUSEPTA is for use in disinfecting hard. nonporous surfaces to kill the following pathogens: Staphylococcus aureus (ATCC 6538), Pseudomonas aeruginosa (ATCC 15442), Salmonella enterica (ATCC 10708). TO CLEAN, DISINFECT, AND DEODORIZE Apply Mixed TRUSEPTA using a cloth, mop. sponge or mechanical coarse spray device or by total immersion until the surface is thoroughly wet. Treated surfaces must remain wet for 5 minutes. Do not rinse. Allow

to air dry. Gross soil must be removed prior to disinfecting.

SEE QR CODE

Manufactured for CSN Inc.



Peroxyacetic Acid......15.0000%

INERT INGREDIENTS:......63.0000% Manufactured for CSN Inc.

SUPPLEMENTAL PAMPHLET FOR FOR EMERGENCY MEDICAL INFORMATION COMPLETE DIRECTIONS AND CALL TOLL FREE: 1-800-222-1222 ADDITIONAL PRECAUTIONARY

## FIRST AID FOR TRUSEPTA ACTIVATOR (Part B)

**SOLUTION ONLY** 

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. Call a poison control center or physician for treatment advice. IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or physician for treatment advice.

IF SWALLOWED: Call poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything to an unconscious person.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice. NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of

gastric lavage. Have the product container with you when calling a poison control center or going for treatment. CSN Inc. 1883 South 5070 West Salt Lake City UT 84104, EPA Reg. No. 96194-1-100220 EPA Est. No. 98179