

EPICYBER

COMPANY OSINT



CASE STUDY



🚩 EXPOSED BY A MISCONFIGURATION: UNLOCKING A CHINESE COMPANY'S NETWORK

🔍 WHAT HAPPENED?

WE FOUND A MISCONFIGURED SYMFONY API EXPOSED INTERNAL ENVIRONMENT VARIABLES, INCLUDING CREDENTIALS, EMAIL ADDRESSES, AND THIRD-PARTY INTEGRATIONS.

💡 WHAT WE UNCOVERED:

- ✓ EMPLOYEE CONNECTIONS – ADMIN EMAILS LINKED TO OTHER ORGANIZATIONS
- ✓ THIRD-PARTY RELATIONSHIPS – INTEGRATION WITH CARGOWISE AND OTHER LOGISTICS PLATFORMS
- ✓ SENSITIVE CREDENTIALS – JWT TOKENS, DATABASE PASSWORDS, AND SMTP CREDENTIALS
- ✓ OPERATIONAL INSIGHTS – API LOGS REVEALING INTERNAL DATA PROCESSING AND WORKFLOWS

A SIMPLE MISCONFIGURATION LED TO DEEP ORGANIZATIONAL INSIGHTS, REVEALING BUSINESS RELATIONSHIPS, KEY PERSONNEL, AND BACKEND INFRASTRUCTURE.

**⚡ WANT TO MASTER OSINT INVESTIGATIONS?
LEARN MORE AT [EPCYBER.COM](https://epcyber.com)**

Key	Value
ADMIN_EMAIL	"[REDACTED]"
API_URL	"https://api.sandbox.[REDACTED]"
APP_DEBUG	"1"
APP_SECRET	"[REDACTED]3c"
[REDACTED]_END_POINT	"https://[REDACTED].cn"
[REDACTED]_LOGIN	"[REDACTED]"
[REDACTED]_PASSWORD	"Changeme1[REDACTED]"
CORS_ALLOW_ORIGIN	"*https://(app.sandbox.[REDACTED].cn localhost:[REDACTED])"
CORS_ALLOW_ORIGIN_PROD	"https://(app.sandbox.[REDACTED].cn localhost:[REDACTED])"
DATABASE_URL	"mysql://[REDACTED]:[REDACTED]@mysql/[REDACTED]_api"
DOCTRINE_ENCRYPT_HALITE_KEY	"[REDACTED]"
EMAIL_FROM	"no-reply@mail.[REDACTED].cn"
ENABLE_INJECTION_ATTACK	"true"
INFOLOG_DATA_QUEUE	"[REDACTED]"
JWT_PASSPHRASE	"g[REDACTED]"
JWT_PRIVATE_KEY_PATH	"config/jwt/private.pem"
JWT_PUBLIC_KEY_PATH	"config/jwt/public.pem"
JWT_TOKEN_TTL	"86400"
[REDACTED]_CALLBACK_SALT	"[REDACTED]J"
[REDACTED]_CALLBACK_URL	"https://api.sandbox.t[REDACTED].cn/[REDACTED]/callback"
[REDACTED]_APP_SECRET	"[REDACTED]"
REDIS_URL	"redis://[REDACTED]:6379"
ROLLBAR_ACCESS_TOKEN	"[REDACTED]"
S3_REQUESTS_STORAGE_BUCKET	"[REDACTED]"
S3_REQUESTS_STORAGE_ENDPOINT	"oss-cn-[REDACTED].aliyuncs.com"
S3_REQUESTS_STORAGE_ID	"[REDACTED]o"
S3_REQUESTS_STORAGE_PATH_PREFIX	"sandbox"
S3_REQUESTS_STORAGE_REGION	"oss-cn-[REDACTED]"
S3_REQUESTS_STORAGE_SECRET	"[REDACTED]"
S3_STORAGE_BUCKET	"[REDACTED]"
S3_STORAGE_BUCKET_ENDPOINT	"true"
S3_STORAGE_ENDPOINT	"[REDACTED].cn"
S3_STORAGE_ID	"[REDACTED]5"
S3_STORAGE_PATH_PREFIX	"sandbox"
S3_STORAGE_REGION	"oss[REDACTED]"
S3_STORAGE_SECRET	"[REDACTED]"
S3_STORAGE_USE_PATH_STYLE_ENDPOINT	"true"
SENTRY_DSN	"[REDACTED]"
[REDACTED]_APP_KEY	"[REDACTED]"
[REDACTED]_CLIENT_SECRET	"[REDACTED]"
STORAGE_UPLOADS_SOURCE	"[REDACTED].storage.s3"
VUL_API_BASE_URL	"https://api.sandbox.[REDACTED]"