



Contractor Grade 1 Hp Air Compressors (110 volt)

		dB	CFM @90 PSI	Gal	Steel	Aluminum	Weight	Wheels	Air Ports	Auto Drain
10TL		60	2.2	N/A	✓		25 lbs	No	1	
1510		75	2.2	1.5	✓		30 lbs	No	1	
2010A		60	2.2	2.0		✓	35 lbs	No	1	
4610AC		60	2.2	4.6		✓	44 lbs	No	2	
4610S		60	2.2	4.6	✓		56 lbs	No	2	
4710W		75	2.2	4.7	✓		35 lbs	✓	1	
8010		60	2.2	8.0	✓		48 lbs	✓	1	
8010AD		60	2.2	8.0	✓		49 lbs	✓	1	✓
8010A		60	2.2	8.0		✓	37 lbs	✓	1	
8010AAD		60	2.2	8.0		✓	38 lbs	✓	1	✓



Contractor Grade 1.5 Hp Air Compressors (110 volt)

20015



20015HP



dB	CFM @90 PSI	Max PSI	Gal	Steel	Weight	Wheels	Air Ports	Auto Drain
----	-------------	---------	-----	-------	--------	--------	-----------	------------

70	2.9	135	20.0	✓	89 lbs	✓	2	
----	-----	-----	------	---	--------	---	---	--

70	3.8	175	20.0	✓	113 lbs	✓	2	
----	-----	-----	------	---	---------	---	---	--

 Contractor Grade 2.0 Hp Air Compressors (110 volt)		dB	CFM @90 PSI	Gal	Steel	Aluminum	Weight	Wheels	Air Ports	Auto Drain
4620AC		70	5.3	4.6		✓	64 lbs	No	2	
5020W		70	5.3	5.0	✓		82 lbs	✓	2	
10020C		70	5.3	10.0	✓		82.5 lbs	✓	2	
10020CAD		70	5.3	10.0	✓		84 lbs	✓	2	✓
10020AC		70	5.3	10.0		✓	64 lbs	✓	2	
10020ACAD		70	5.3	10.0		✓	65 lbs	✓	2	✓
10020CHAD		70	5.3	10.0	✓		75 lbs	No	1	✓
15020C		70	5.3	15.0	✓		90 lbs	No	1	
20020		70	5.3	20.0	✓		114 lbs	✓	2	
20020AD		70	5.3	20.0	✓		115 lbs	✓	2	✓



80% Dry Air Compressors (90-125 PSI)

8010DSPC



8010DSPCAD
(with auto drain)



10020DC/DCAD
(with auto drain)



10020DC-22060



10020DCAD-22060
(with auto drain)



10020DSMAD
(with auto drain)



20040DC



20040DCAD
(with auto drain)



20040DSPCAD
(with auto drain)



60040DCAD
(with auto drain)



dB	Gal	Hp	CFM @90PSI	Cabinet	SMART	vac/Amp
40	8	1.0	3.0	✓		110/7.6
40	8	1.0	3.0	✓		110/7.6
70	10	2.0	5.3			110/14
70	10	2.0	5.3			220/7.5
70	10	2.0	5.3			220/7.5
70	10	2.0	5.3		✓	110/14
75	20	4.0	10.6			220/14
75	20	4.0	10.6			220/14
65	20	4.0	10.6	✓		220/14
75	60 ASME	4.0	10.6			220/14

	dB	Gal	Hp	CFM @90PSI	Cabinet	SMART	vac/Amp
10020HDCADC 	70	10	2.0	5.3			110/14
10020HDCADC-22060 	70	10	2.0	5.3			220/7.5
10020HDSMADC 	70	10	2.0	5.3		✓	110/14
10020HDSPCADC 	58	10	2.0	5.3	✓		110/14
20040DCADC 	75	20	4.0	10.6			220/14
20040DSMADC 	75	20	4.0	10.6		✓	220/14
20040DSPCADC 	65	20	4.0	10.6	✓		220/14
60040DCADC 	75	60 ASME	4.0	10.6			220/14
60040DSMADC 	75	60 ASME	4.0	10.6		✓	220/14
20060DCC 	78	20	6.0	14.6			220/22



Stationary 'Oil-Free' Air Compressors (90-125 PSI)

	dB	Gal	Hp	CFM @90PSI	Cabinet	SMART	vac/Amp
20040C 	75	20	4.0	10.6			220/14
20040SM 	75	20	4.0	10.6		✓	220/14
20040CAD (with auto drain) 	75	20	4.0	10.6			220/14
20040SMAD (with auto drain) 	75	20	4.0	10.6		✓	220/14
20040SPCAD (with auto drain) 	65	20	4.0	10.6	✓		220/14
60040CAD (ASME/with auto drain) 	75	60	4.0	10.6			220/14
60040SMAD (ASME/with auto drain) 	75	60	4.0	10.6		✓	220/14
20060CAD (with auto drain) 	78	20	6.0	14.6			220/24
60065C (ASME/3-Phase 208/230v) 	85	60	6.5	17.0			208-230 15A
80060C (ASME/1-Phase 208/230v) 	76	80	6.0	16.8			208-230 24A

SMART AIR COMPRESSORS

Standard and Dry Air Models

10020DSMAD

10 Gallon
2 HP Motor
125 PSI MAX
5.3 CFM @90PSI
70 Decibels
80% Dry Air

Automatic Drain Valve




SMART CONTROLLER

10020HDSMADC

10 Gallon
2 HP Motor
125 PSI MAX
5.3 CFM @90PSI
70 Decibels
98% Dry Air

ISO 8573 2.3.1 Compliant




SMART CONTROLLER

20040SM

20 Gallon
4 HP Motor
125 PSI MAX
10.6 CFM @90PSI
75 Decibels




SMART CONTROLLER

20040SMAD

20 Gallon
4 HP Motor
125 PSI MAX
10.6 CFM @90PSI
75 Decibels

Automatic Drain Valve




SMART CONTROLLER

20040DSMADC

20 Gallon
4 HP Motor
125 PSI MAX
10.6 CFM @90PSI
75 Decibels
98% Dry Air

Automatic Drain Valve




SMART CONTROLLER

60040SMAD

60 Gallon
4 HP Motor
125 PSI MAX
10.6 CFM @90PSI
75 Decibels

Automatic Drain Valve




SMART CONTROLLER

60040DSMADC

60 Gallon
4 HP Motor
125 PSI MAX
10.6 CFM @90PSI
75 Decibels
98% Dry Air

Automatic Drain Valve




SMART CONTROLLER

Remotely control ON/OFF times, Pressure Levels, etc. with Mobile/Desktop

