



Contractor Grade 1 Hp Air Compressors (110 volt)

		dB	CFM @90 PSI	Gal	Steel	Aluminum	Weight	Wheels	Air Ports	Auto Drain
10TL		60	2.2	N/A	✓		25 lbs	No	1	
1510		75	2.2	1.5	✓		30 lbs	No	1	
2010A		60	2.2	2.0		✓	35 lbs	No	1	
4610AC		60	2.2	4.6		✓	44 lbs	No	2	
4610S		60	2.2	4.6	✓		56 lbs	No	2	
4710W		75	2.2	4.7	✓		35 lbs	✓	1	
8010		60	2.2	8.0	✓		48 lbs	✓	1	
8010AD		60	2.2	8.0	✓		49 lbs	✓	1	✓
8010A		60	2.2	8.0		✓	37 lbs	✓	1	
8010AAD		60	2.2	8.0		✓	38 lbs	✓	1	✓



Contractor Grade 1.5 Hp Air Compressors (110 volt)

20015



20015HP



dB	CFM @90 PSI	Max PSI	Gal	Steel	Weight	Wheels	Air Ports	Auto Drain
----	-------------	---------	-----	-------	--------	--------	-----------	------------

70	2.9	135	20.0	✓	89 lbs	✓	2	
----	-----	-----	------	---	--------	---	---	--

70	3.8	175	20.0	✓	113 lbs	✓	2	
----	-----	-----	------	---	---------	---	---	--



		dB	CFM @90 PSI	Gal	Steel	Aluminum	Weight	Wheels	Air Ports	Auto Drain
4620AC		70	5.3	4.6		✓	64 lbs	No	2	
5020W		70	5.3	5.0	✓		82 lbs	✓	2	
10020C		70	5.3	10.0	✓		82.5 lbs	✓	2	
10020CAD		70	5.3	10.0	✓		84 lbs	✓	2	✓
10020AC		70	5.3	10.0		✓	64 lbs	✓	2	
10020ACAD		70	5.3	10.0		✓	65 lbs	✓	2	✓
10020CHAD		70	5.3	10.0	✓		75 lbs	No	1	✓
15020C		70	5.3	15.0	✓		90 lbs	No	1	
20020		70	5.3	20.0	✓		114 lbs	✓	2	
20020AD		70	5.3	20.0	✓		115 lbs	✓	2	✓



80% Dry Air Compressors (90-125 PSI)

8010DSPC



8010DSPCAD
(with auto drain)



10020DC/DCAD
(with auto drain)



10020DC-22060



10020DCAD-22060
(with auto drain)



10020DSMAD
(with auto drain)



20040DC



20040DCAD
(with auto drain)



20040DSPCAD
(with auto drain)



60040DCAD
(with auto drain)



dB	Gal	Hp	CFM @90PSI	Cabinet	SMART	vac/Amp
40	8	1.0	3.0	✓		110/7.6
40	8	1.0	3.0	✓		110/7.6
70	10	2.0	5.3			110/14
70	10	2.0	5.3			220/7.5
70	10	2.0	5.3			220/7.5
70	10	2.0	5.3		✓	110/14
75	20	4.0	10.6			220/14
75	20	4.0	10.6			220/14
65	20	4.0	10.6	✓		220/14
75	60 ASME	4.0	10.6			220/14

	dB	Gal	Hp	CFM @90PSI	Cabinet	SMART	vac/Amp
10020HDCADC 	70	10	2.0	5.3			110/14
10020HDCADC-22060 	70	10	2.0	5.3			220/7.5
10020HDSMADC 	70	10	2.0	5.3		✓	110/14
10020HDSPCADC 	58	10	2.0	5.3	✓		110/14
20040DCADC 	75	20	4.0	10.6			220/14
20040DSMADC 	75	20	4.0	10.6		✓	220/14
20040DSPCADC 	65	20	4.0	10.6	✓		220/14
60040DCADC 	75	60 ASME	4.0	10.6			220/14
60040DSMADC 	75	60 ASME	4.0	10.6		✓	220/14
20060DCC 	78	20	6.0	14.6			220/22



Stationary 'Oil-Free' Air Compressors (90-125 PSI)

	dB	Gal	Hp	CFM @90PSI	Cabinet	SMART	vac/Amp
20040C 	75	20	4.0	10.6			220/14
20040SM 	75	20	4.0	10.6		✓	220/14
20040CAD (with auto drain) 	75	20	4.0	10.6			220/14
20040SMAD (with auto drain) 	75	20	4.0	10.6		✓	220/14
20040SPCAD (with auto drain) 	65	20	4.0	10.6	✓		220/14
60040CAD (ASME/with auto drain) 	75	60	4.0	10.6			220/14
60040SMAD (ASME/with auto drain) 	75	60	4.0	10.6		✓	220/14
20060CAD (with auto drain) 	78	20	6.0	14.6			220/24
60065C (ASME/3-Phase 208/230v) 	85	60	6.5	17.0			208-230 15A
80060C (ASME/1-Phase 208/230v) 	76	80	6.0	16.8			208-230 24A



Sound Proof Cabinet Air Compressors (90-125 PSI)

8010SPC/SPCAD
(with optional auto drain)



8010DSPC/DSPCAD
(with optional auto drain)



10020SPC/SPCAD
(with optional auto drain)



10020SMSPC



10020DSPC



10020DSPCAD
(with auto drain)



10020HDSPCADC
(with auto drain)



20040SPCAD
(with auto drain)



20040DSPCAD
(with auto drain)



20040DSPCADC
(with auto drain)



dB	Gal	Hp	CFM @90PSI	Dry Air	SMART	vac/Amp
40	8	1.0	3.0			110/7.6
40	8	1.0	3.0	80%		110/7.6
58	10	2.0	5.3			110/14
58	10	2.0	5.3		✓	110/14
58	10	2.0	5.3	80%		110/14
58	10	2.0	5.3	80%		110/14
58	10	2.0	5.3	98% (ISO 8573 2.3.1)		110/14
65	20	4.0	10.6			220/14
65	20	4.0	10.6	80%		220/14
65	20	4.0	10.6	98% (ISO 8573 2.3.1)		220/14

SMART AIR COMPRESSORS

Standard and Dry Air Models

10020DSMAD

10 Gallon
2 HP Motor
125 PSI MAX
5.3 CFM @90PSI
70 Decibels
80% Dry Air

Automatic Drain Valve




SMART CONTROLLER

10020HDSMADC

10 Gallon
2 HP Motor
125 PSI MAX
5.3 CFM @90PSI
70 Decibels
98% Dry Air

ISO 8573 2.3.1 Compliant




SMART CONTROLLER

20040SM

20 Gallon
4 HP Motor
125 PSI MAX
10.6 CFM @90PSI
75 Decibels




SMART CONTROLLER

20040SMAD

20 Gallon
4 HP Motor
125 PSI MAX
10.6 CFM @90PSI
75 Decibels

Automatic Drain Valve




SMART CONTROLLER

20040DSMADC

20 Gallon
4 HP Motor
125 PSI MAX
10.6 CFM @90PSI
75 Decibels
98% Dry Air

Automatic Drain Valve




SMART CONTROLLER

60040SMAD

60 Gallon
4 HP Motor
125 PSI MAX
10.6 CFM @90PSI
75 Decibels

Automatic Drain Valve




SMART CONTROLLER

60040DSMADC

60 Gallon
4 HP Motor
125 PSI MAX
10.6 CFM @90PSI
75 Decibels
98% Dry Air

Automatic Drain Valve




SMART CONTROLLER

Remotely control ON/OFF times, Pressure Levels, etc. with Mobile/Desktop

