



80% Dry Air Compressors (90-125 PSI)

8010DSPC



8010DSPCAD
(with auto drain)



10020DC/DCAD
(with auto drain)



10020DC-22060



10020DCAD-22060
(with auto drain)



10020DSMAD
(with auto drain)



20040DC



20040DCAD
(with auto drain)



20040DSPCAD
(with auto drain)



60040DCAD
(with auto drain)



dB	Gal	Hp	CFM @90PSI	Cabinet	SMART	vac/Amp
40	8	1.0	3.0	✓		110/7.6
40	8	1.0	3.0	✓		110/7.6
70	10	2.0	5.3			110/14
70	10	2.0	5.3			220/7.5
70	10	2.0	5.3			220/7.5
70	10	2.0	5.3		✓	110/14
75	20	4.0	10.6			220/14
75	20	4.0	10.6			220/14
65	20	4.0	10.6	✓		220/14
75	60 ASME	4.0	10.6			220/14

	dB	Gal	Hp	CFM @90PSI	Cabinet	SMART	vac/Amp
10020HDCADC 	70	10	2.0	5.3			110/14
10020HDCADC-22060 	70	10	2.0	5.3			220/7.5
10020HDSMADC 	70	10	2.0	5.3		✓	110/14
10020HDSPCADC 	58	10	2.0	5.3	✓		110/14
20040DCADC 	75	20	4.0	10.6			220/14
20040DSMADC 	75	20	4.0	10.6		✓	220/14
20040DSPCADC 	65	20	4.0	10.6	✓		220/14
60040DCADC 	75	60 ASME	4.0	10.6			220/14
60040DSMADC 	75	60 ASME	4.0	10.6		✓	220/14
20060DCC 	78	20	6.0	14.6			220/22



Stationary ‘Oil-Free’ Air Compressors (90-125 PSI)

	dB	Gal	Hp	CFM @90PSI	Cabinet	SMART	vac/Amp
20040C 	75	20	4.0	10.6			220/14
20040SM 	75	20	4.0	10.6		✓	220/14
20040CAD (with auto drain) 	75	20	4.0	10.6			220/14
20040SMAD (with auto drain) 	75	20	4.0	10.6		✓	220/14
20040SPCAD (with auto drain) 	65	20	4.0	10.6	✓		220/14
60040CAD (ASME/with auto drain) 	75	60	4.0	10.6			220/14
60040SMAD (ASME/with auto drain) 	75	60	4.0	10.6		✓	220/14
20060CAD (with auto drain) 	78	20	6.0	14.6			220/24
60065C (ASME/3-Phase 208/230v) 	85	60	6.5	17.0			208-230 15A
80060C (ASME/1-Phase 208/230v) 	76	80	6.0	16.8			208-230 24A

SMART AIR COMPRESSORS

Standard and Dry Air Models

10020DSMAD

10 Gallon
2 HP Motor
125 PSI MAX
5.3 CFM @90PSI
70 Decibels
80% Dry Air

Automatic Drain Valve




SMART CONTROLLER

10020HDSMADC

10 Gallon
2 HP Motor
125 PSI MAX
5.3 CFM @90PSI
70 Decibels
98% Dry Air

ISO 8573 2.3.1 Compliant




SMART CONTROLLER

20040SM

20 Gallon
4 HP Motor
125 PSI MAX
10.6 CFM @90PSI
75 Decibels




SMART CONTROLLER

20040SMAD

20 Gallon
4 HP Motor
125 PSI MAX
10.6 CFM @90PSI
75 Decibels

Automatic Drain Valve




SMART CONTROLLER

20040DSMADC

20 Gallon
4 HP Motor
125 PSI MAX
10.6 CFM @90PSI
75 Decibels
98% Dry Air

Automatic Drain Valve




SMART CONTROLLER

60040SMAD

60 Gallon
4 HP Motor
125 PSI MAX
10.6 CFM @90PSI
75 Decibels

Automatic Drain Valve




SMART CONTROLLER

60040DSMADC

60 Gallon
4 HP Motor
125 PSI MAX
10.6 CFM @90PSI
75 Decibels
98% Dry Air

Automatic Drain Valve




SMART CONTROLLER

Remotely control ON/OFF times, Pressure Levels, etc. with Mobile/Desktop

