

U.S.



Automotive

FREE SHIPPING ON ORDERS OF \$100 OR MORE

TO ORDER: 1-800-777-7094 MONDAY TO FRIDAY 7 A.M. – 7 P.M. CT | www.amsoil.com

Free Shipping on orders
of \$100 or more in the
contiguous U.S.*

**BECOME AN AMSOIL
PREFERRED CUSTOMER FOR
EVEN MORE GREAT BENEFITS:**



**Pay Wholesale
Prices**



Free Shipping



**Get Exclusive
Product Offers**



Free Gear

Randomly receive free
hats, shirts or other gear
when you place an order.



P.C. Points

Earn points on all
purchases. Every
50 points earned is
redeemable for \$1
off a future order.



Referral Rewards


Refer friends and family
members to the AMSOIL
P.C. Program and receive
500 bonus points when the
referred customer makes a
qualifying purchase.

Sign up at www.amsoil.com/pc today
and use this referral number. ▼

Referral # _____



*Orders below that threshold pay a flat shipping rate of
\$8.99. Exclusions apply. See the shipping & handling policy
at www.amsoil.com/storefront/shippinginformation.aspx



Product Index

Motor Oil	13
European Motor Oil	22
Classic/Collector Car Motor Oil	23
Diesel Oil	26
Oil Analysis	27
Transmission Fluid	29
Filters	31
Gasoline Additives	33
Grease	33
Diesel Additives	36
Brake Fluid/Brake & Parts Cleaner	37
Cleaners and Protectants	38
Coolant and Power Steering Fluid	39




All AMSOIL lubricants and filters are covered by the AMSOIL Limited Warranty. For details visit www.amsoil.com/warranty.aspx.

Automotive

AMSOIL synthetic motor oils are crafted in the lab using ultra-premium base oils and additives. We don't fool around with conventional refining techniques or low-grade chemicals that leave performance to chance. We design lubricants to precise requirements and the highest performance standards so you can be confident that your vehicle is protected.

- **Industry**-leading performance and protection
- **Engineered** for advanced automotive technology like turbos and direct injection
- **Reserve** protection that allows you to go longer between oil changes if you choose





This is a great fully synthetic oil that never disappoints. I love the extended change intervals that I get with this product. I can run this oil for extended drain intervals and not worry one bit.

– **Stephen**
Foxworth, Miss.



My car runs smooth, the spark plugs look clean, and I actually save money by the longer oil change intervals. I didn't expect the improved mpg that resulted as well. I now use AMSOIL products in all my cars and I couldn't be happier.

– **Mike**

Federal Way, Wash.

European

European performance and styling define a culture of exceptional engineering. AMSOIL matches that devotion to precision by engineering oil that exceeds the demands of your European vehicle. When excellence is required, you need AMSOIL.

AMSOIL European Car Formula provides premium protection, outstanding cleanliness, minimum exhaust emissions and all-season performance.

- **Emissions** system protection
- **Outstanding** all-season performance
- **Excellent** for turbochargers



**All trademarked names and images are the property of their respective owners and may be registered marks in some countries. No affiliation or endorsement claim, express or implied, is made by their use. All products advertised here are developed by AMSOIL for use in the applications shown.*



I've used the product in my 2008 Dodge Ram 2500 since the first oil change. I currently have 147,000 miles on it and it doesn't burn a drop of oil, runs smooth and has a ton of power. I think AMSOIL is going to give me that quarter-million mile mark.

— **Mark**
Las Vegas

Diesel

We engineer our synthetic diesel oils with the same passion and pride you put into your diesel, providing protection you can depend on in the most severe operating conditions. Your investment deserves a diesel oil that's up to the challenge. Your investment deserves AMSOIL.

- **Excellent** wear protection
- **Reduced** oil consumption
- **Excels** in extreme temperatures



*All trademarked names and images are the property of their respective owners and may be registered marks in some countries. No affiliation or endorsement claim, express or implied, is made by their use. All products advertised here are developed by AMSOIL for use in the applications shown.





I have a 1971 Chevrolet C10 350 and a 1967 Chevrolet El Camino 283 – both are flat-tappet cam engines. Z-ROD, with the added zinc, gives them the protection they need so I don't have to worry about wiping a cam.

– **Randy**
Rockville, Md.

Classic

There's a reason they're called classics. These legendary cars had horsepower to spare, and styling to accompany it. It's only right to pair them with lubricants designed to help you put all that power on the pavement.

AMSOIL delivers synthetic lubricants specially designed to provide maximum horsepower and advanced protection in classic cars. With unique, high-end formulations and proprietary rust and corrosion protection, AMSOIL provides the precision performance your classic car deserves.


- **High-zinc** formula
- **Performs** on the street & protects during storage
- **Withstands** extreme heat





Signature Series Fights Viscosity Breakdown

AMSOIL fights viscosity breakdown **better than the competition**^o, providing superior protection of pistons, cams and bearings.



^oBased on independent testing of AMSOIL Signature Series, Schaeffer's Supreme 9000 Full Synthetic, Lucas Synthetic, Valvoline Conventional Daily Protection, Mobil 1 Annual Protection and Pennzoil 5W-30 in the Kurt Orbach Test. Oils purchased on 5/3/18.



ASM



ALM



AZO



ASL



ATM



AZF



AMR



Signature Series Synthetic Motor Oil

Engineered for enthusiasts seeking maximum protection and performance. Precision-formulated with cutting-edge technology and a longstanding devotion to making the world's best motor oil. The result: engine protection that blows the doors off the highest industry standards.

0W-20²⁴

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ASMQT	-EA	1 Quart	10.00	13.30
ASMQT	-CA	12 Quarts	113.90	157.50
ASM1G	-EA	1 Gallon	39.25	52.00
ASM1G	-CA	4 Gallons	149.35	206.25

5W-20²⁴

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ALMQT	-EA	1 Quart	9.65	12.85
ALMQT	-CA	12 Quarts	110.10	152.65
ALM1G	-EA	1 Gallon	37.90	50.40
ALM1G	-CA	4 Gallons	144.30	199.85

0W-30²⁴

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AZOQT	-EA	1 Quart	10.00	13.30
AZOQT	-CA	12 Quarts	113.90	157.50
AZO1G	-EA	1 Gallon	39.25	52.00
AZO1G	-CA	4 Gallons	149.35	206.25

5W-30²⁴

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ASLQT	-EA	1 Quart	9.65	12.85
ASLQT	-CA	12 Quarts	110.10	152.65
ASL1G	-EA	1 Gallon	37.90	50.40
ASL1G	-CA	4 Gallons	144.30	199.85

10W-30²⁴

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ATMQT	-EA	1 Quart	9.65	12.85
ATMQT	-CA	12 Quarts	110.10	152.75
ATM1G	-EA	1 Gallon	37.90	50.45
ATM1G	-CA	4 Gallons	144.30	199.95

0W-40²⁴

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AZFQT	-EA	1 Quart	10.00	13.30
AZFQT	-CA	12 Quarts	113.90	157.50

5W-50²⁴

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AMRQT	-EA	1 Quart	10.00	13.30
AMRQT	-CA	12 Quarts	113.90	157.55

Tough-to-reach fill hole?

Order a flexible pour spout with your oil to make the job easier. Fits quarts and gallons.

STOCK#	P.C. PRICE	FULL PRICE
G1230	0.70	0.80

²⁴See page 39 for Proposition 65 information for this product.

How Do AMSOIL Products Stand Up?

Gasoline Vehicles

OUTPERFORMS INDUSTRY STANDARDS

The Sequence IVA Engine Test simulates extended periods of stop-and-go driving – conditions that encourage engine wear. We used Signature Series 0W-20, the lightest viscosity in the line, to further increase the severity of the test. **AMSOIL Signature Series Synthetic Motor Oil provided 75 percent more engine protection against horsepower loss and wear¹ than required by the industry standard**, extending the life of vital components like pistons and cams.

PROTECTS AGAINST LSPI

Occurring in today's advanced engines, low-speed pre-ignition (LSPI) is the spontaneous ignition of the fuel/air mixture prior to spark-triggered ignition. Original equipment manufacturers (OEMs) like GM* have addressed the issue by designing tests to determine a motor oil's ability to prevent LSPI. **Signature Series Synthetic Motor Oil provided 100 percent protection against LSPI²** – zero occurrences were recorded throughout five consecutive tests.

¹Based on independent testing of AMSOIL Signature Series 0W-20, in ASTM D6891 as required by the API SN PLUS specification.

²Based on independent testing of AMSOIL Signature Series 5W-30 motor oil, in the LSPI engine test as required for the GM dexos1® Gen 2 specification.

^{*}All trademarked names and images are the property of their respective owners and may be registered marks in some countries. No affiliation or endorsement claim, express or implied, is made by their use. All products advertised here are developed by AMSOIL for use in the applications shown.





Signature Series Guards Turbos

Protects turbochargers **72% better** than required^c by the GM dexos1[®] Gen 2 specification.




Signature Series controlled heat and minimized performance-robbing deposits on the turbo-bearing and shaft surfaces.

^cBased on independent testing of AMSOIL Signature Series 5W-30 in the GM turbo coking test.

Signature Series Cleans

AMSOIL Signature Series Synthetic Motor Oil has **50% more** detergents^d to help keep oil passages clean and promote oil circulation. It provides **90% better** protection against sludge^{dd}.




The oil pick-up tube screen is virtually free of sludge.

^dvs. AMSOIL OE Motor Oil

^{dd}Based on independent testing of AMSOIL Signature Series 5W-30 in the ASTM D6593 engine test for oil screen plugging as required by the API SN specification.

Signature Series Neutralizes Acids

AMSOIL Signature Series is fortified with a heavy treatment of detergent additive and it delivers **30% more** acid neutralizing power^e than Mobil 1, and **36% more** than Royal Purple, helping engines to stay cleaner, longer.




^eBased upon independent testing of Mobil 1 Annual Protection Full Synthetic 5W-30, Royal Purple High Performance 5W-30 and AMSOIL Signature Series 5W-30 in ASTM D2896. Oils purchased 05/03/18.

XL Resists Oil Breakdown

Provides **64% more protection** against oil breakdown^F than required by the GM dexos1[®] Gen 2 specification.

GM OXIDATION AND DEPOSIT (GMOD) TEST

Lower Number = Better Viscosity Control



^FBased on independent testing of AMSOIL XL 5W-30 motor oil in the GMOD engine test required for the GM dexos1 Gen2 specification.





XL Synthetic Motor Oil

For enthusiasts who want to do something extra for their vehicle. Engineered for advanced automotive technology, including turbos and direct injection. Boosted formulation delivers more cleaning power and wear protection that lasts up to 12,000 miles or 1 year, whichever comes first.

● XL 0W-20

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
XLZQT	-EA	1 Quart	7.20	9.85
XLZQT	-CA	12 Quarts	81.90	116.25
XLZ1G	-EA	1 Gallon	28.05	38.25
XLZ1G	-CA	4 Gallons	106.70	151.30

● XL 5W-20

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
XLMQT	-EA	1 Quart	7.20	9.85
XLMQT	-CA	12 Quarts	81.90	116.25
XLM1G	-EA	1 Gallon	28.05	38.25
XLM1G	-CA	4 Gallons	106.70	151.35

● XL 5W-30

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
XLFQT	-EA	1 Quart	7.20	9.85
XLFQT	-CA	12 Quarts	81.90	116.25
XLF1G	-EA	1 Gallon	28.05	38.25
XLF1G	-CA	4 Gallons	106.70	151.35

● XL 10W-30

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
XLTQT	-EA	1 Quart	7.20	9.85
XLTQT	-CA	12 Quarts	81.90	116.30
XLT1G	-EA	1 Gallon	28.05	38.25
XLT1G	-CA	4 Gallons	106.70	151.40

○ XL 10W-40

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
XLOQT	-EA	1 Quart	7.20	9.85
XLOQT	-CA	12 Quarts	81.90	116.30
XLO1G	-EA	1 Gallon	28.05	38.30
XLO1G	-CA	4 Gallons	106.70	151.45

¹vs. AMSOIL OE Motor Oil

All trademarked images are the property of their respective owners and may be registered marks in some countries. No affiliation or endorsement claim, express or implied, is made by their use.

AMSOIL Synthetic motor oils achieved 100% protection against LSPI*

Our synthetic motor oils feature unique chemistry proven to protect your engine against the harmful effects of low-speed pre-ignition (LSPI). LSPI is the spontaneous ignition of the fuel/air mixture prior to spark-triggered ignition. Most new engines feature gasoline direct-inject (GDI), often coupled with a turbocharger. These technologies heighten the possibility of LSPI events, which can destroy pistons and connecting rods. A properly formulated motor oil is critical for protecting engines from LSPI.

Original equipment manufacturers (OEMs) like GM have addressed the issue by designing tests to determine a motor oil's ability to prevent LSPI. OE, XL and Signature Series Synthetic Motor Oil achieved **100 percent protection against LSPI*** in the engine test required by GM's dexos1® Gen 2 specification – zero occurrences were recorded throughout five consecutive tests.



Signature Series Protects Against LSPI

AMSOIL Synthetic Motor Oils achieved
100% protection against LSPI.^B



Example of piston damage due to an LSPI event observed during the testing of a competitor's motor oil. The red arrows indicate sections of the ring land that have broken away from the piston.

^BBased on zero LSPI events in five consecutive tests of AMSOIL Signature Series, XL and OE 5W-30 Motor Oil in the LSPI engine test required by the GM dexos1 Gen 2 specification.




^BBased on zero LSPI events in five consecutive tests of AMSOIL Signature Series, XL and OE 5W-30 Motor Oil in the LSPI engine test required by the GM dexos1 Gen 2 specification. All trademarked names and images are the property of their respective owners and may be registered marks in some countries. No affiliation or endorsement claim, express or implied, is made by their use. All products advertised here are developed by AMSOIL for use in the applications shown.



OE Protects Against Wear

Provides **47 percent more** wear protection.⁶



⁶Based on independent testing of OE 0W-20 in the Peugeot TU3M Wear Test as required by the dexos1 Gen 2 specification.



OE Synthetic Motor Oil

Delivers 100% synthetic engine protection for advanced automotive technology, including turbos and direct injection. Specifically formulated for the longer drain intervals recommended by original equipment (OE) manufacturers.

● OE 0W-16

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
OESQT	-EA	1 Quart	5.45	7.75
OESQT	-CA	12 Quarts	62.25	90.95

● OE 0W-20

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
OEZQT	-EA	1 Quart	5.45	7.75
OEZQT	-CA	12 Quarts	62.25	90.95
OEZ1G	-EA	1 Gallon	21.40	30.10
OEZ1G	-CA	4 Gallons	81.35	118.65

● OE 5W-20

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
OEMQT	-EA	1 Quart	5.45	7.75
OEMQT	-CA	12 Quarts	62.25	91.00
OEM1G	-EA	1 Gallon	21.40	30.10
OEM1G	-CA	4 Gallons	81.35	118.70

● OE 5W-30

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
OEFQT	-EA	1 Quart	5.45	7.75
OEFQT	-CA	12 Quarts	62.25	91.00
OEF1G	-EA	1 Gallon	21.40	30.10
OEF1G	-CA	4 Gallons	81.35	118.65

● OE 10W-30

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
OETQT	-EA	1 Quart	5.45	7.75
OETQT	-CA	12 Quarts	62.25	91.05

All trademarked images are the property of their respective owners and may be registered marks in some countries. No affiliation or endorsement claim, express or implied, is made by their use.

EUROPEAN CAR FORMULA

European Car Formula Synthetic Motor Oil

Specially formulated for the lubrication needs of European gasoline and diesel cars and light trucks.

5W-30¹³

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AELQT	-EA	1 Quart	10.65	14.05
AELQT	-CA	12 Quarts	121.15	166.70
AEL1G	-EA	1 Gallon	41.75	55.05
AEL1G	-CA	4 Gallons	159.00	218.55

5W-40

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AFLQT	-EA	1 Quart	9.45	12.60
AFLQT	-CA	12 Quarts	107.45	149.10
AFL1G	-EA	1 Gallon	36.95	49.20
AFL1G	-CA	4 Gallons	140.70	195.05

0W-40

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
EFOQT	-EA	1 Quart	8.85	11.85
EFOQT	-CA	12 Quarts	100.80	140.50

5W-40¹³

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
EFMQT	-EA	1 Quart	6.85	9.45
EFMQT	-CA	12 Quarts	78.15	111.45
EFM1G	-EA	1 Gallon	26.95	36.90
EFM1G	-CA	4 Gallons	102.50	146.00

¹³See page 39 for Proposition 65 information for this product.





Z-ROD® Synthetic Motor Oil

High-zinc, high-phosphorus formulation engineered specifically for classic cars and performance vehicles.

10W-30

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ZRTQT	-EA	1 Quart	9.00	12.05
ZRTQT	-CA	12 Quarts	102.55	143.00

20W-50

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ZRFQT	-EA	1 Quart	9.35	12.50
ZRFQT	-CA	12 Quarts	106.65	148.30

Assembly Lube¹⁷

Formulated to cling to engine parts and provide exceptional wear protection in newly built or rebuilt high-performance, racing and other four-stroke engines.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
EALTB	-EA	(1) 4-oz. Tube	7.65	9.80
EALTB	-CA	(12) 4-oz. Tubes	87.15	116.30

Break-In Oil¹⁷

Allows for quick and efficient piston ring seating in new and rebuilt high-performance and racing engines.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
BRKQT	-EA	1 Quart	6.70	9.25
BRKQT	-CA	12 Quarts	76.10	109.10

¹⁷See page 39 for Proposition 65 information for this product.



How Do AMSOIL Products Stand Up?

Diesel Vehicles

MORE BUILT-IN PROTECTION

Detroit Diesel*, a leader in diesel engine technology, sets a standard for measuring cylinder liner and ring wear with its DD13 Scuffing Test for the DFS 93K222 specification. The test simulates real-world use with a modified Detroit Diesel DD13 diesel engine. Cylinder liner scuffing and top ring wear are measured and used oil analysis is performed to determine wear levels during the test.

Independent testing shows **AMSOIL Heavy-Duty Synthetic Diesel Oil** delivers **4X more protection against wear than required by Detroit Diesel's standard¹**. For even greater protection, **Signature Series Max-Duty Synthetic Diesel Oil** provides **6X more wear protection than required by the standard²**.

¹Based on independent testing in the Detroit Diesel DD13 Scuffing Test for specification DFS 93K222 using 10W-30 as worst-case representation.

²Based on independent testing in the Detroit Diesel DD13 Scuffing Test for specification DFS 93K222 using 5W-30 as worst-case representation.





Keeps Turbos Clean


AMSOIL Signature Series Max-Duty Synthetic Diesel Oil provides protection boosted to the max, delivering up to **60% better turbo cleanliness^d** and withstanding the extra demands you place on the turbo when pulling heavy loads or updating the tune for maximum horsepower.

^dBased on specification standards of CAT C13 2nd Ring Top Land Carbon testing.

Protects Against Rust

Provides up to **2X better** rust protection.^k


Test results describe and represent properties of oils that were acquired on the dates listed in Table 1 (see www.amsoil.com/rusttest.aspx). Results do not apply to any subsequent reformulations of such oils or to new oils introduced after completion of testing. All oils were available to consumers at the time of purchase. Testing was completed in November 2017.



^kBased on industry standard testing using the NMMA FC-W Rust Test.

Reduces Oil Consumption

Provides up to **66% less** oil consumption than required by the API CK-4 standard in the Caterpillar-1N oil consumption test.



^aAll trademarked names and images are the property of their respective owners and may be registered marks in some countries. No affiliation or endorsement claim, express or implied, is made by their use. All products advertised here are developed by AMSOIL for use in the applications shown.

DHD

DZF



DEO



DME



ADN



ADO



ADP



Signature Series Max-Duty Synthetic Diesel Oil

The top tier of AMSOIL protection and performance for diesel engines. Provides 6X more engine protection.*

5W-30

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
DHDQT	-EA	1 Quart	9.25	12.40
DHDQT	-CA	12 Quarts	105.55	146.70
DHD1G	-EA	1 Gallon	36.30	48.45
DHD1G	-CA	4 Gallons	138.20	191.95
DHDTP	-EA	(1) 2.5-Gallon	89.60	117.95
DHDTP	-CA	(2) 2.5-Gallons	170.65	233.80

0W-40

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
DZFQT	-EA	1 Quart	9.00	12.05
DZFQT	-CA	12 Quarts	102.55	142.75
DZF1G	-EA	1 Gallon	35.25	47.10
DZF1G	-CA	4 Gallons	134.20	186.65

5W-40

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
DEOQT	-EA	1 Quart	8.90	11.95
DEOQT	-CA	12 Quarts	101.60	141.70
DEO1G	-EA	1 Gallon	34.90	46.75
DEO1G	-CA	4 Gallons	132.95	185.20
DEOTP	-EA	(1) 2.5-Gallon	86.20	113.80
DEOTP	-CA	(2) 2.5-Gallons	164.10	225.55

15W-40

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
DMEQT	-EA	1 Quart	8.75	11.75
DMEQT	-CA	12 Quarts	99.70	139.30
DME1G	-EA	1 Gallon	34.25	45.95
DME1G	-CA	4 Gallons	130.45	182.05
DMETP	-EA	(1) 2.5-Gallon	84.50	111.90
DMETP	-CA	(2) 2.5-Gallons	160.95	221.70

Heavy-Duty Synthetic Diesel Oil

Outstanding protection and performance for customers seeking an upgrade over conventional and other synthetic diesel oils. Provides 4X more engine protection.**

10W-30

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ADNQT	-EA	1 Quart	5.85	8.20
ADNQT	-CA	12 Quarts	66.50	96.60
ADN1G	-EA	1 Gallon	22.85	31.95
ADN1G	-CA	4 Gallons	86.95	126.10
ADNTP	-EA	(1) 2.5-Gallon	56.00	77.40
ADNTP	-CA	(2) 2.5-Gallons	106.60	152.75

5W-40

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ADOQT	-EA	1 Quart	6.15	8.60
ADOQT	-CA	12 Quarts	70.25	101.35
ADO1G	-EA	1 Gallon	24.15	33.60
ADO1G	-CA	4 Gallons	92.00	132.55
ADOTP	-EA	(1) 2.5-Gallon	59.30	81.35
ADOTP	-CA	(2) 2.5-Gallons	112.90	160.70

15W-40

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ADPQT	-EA	1 Quart	5.90	8.30
ADPQT	-CA	12 Quarts	67.30	97.65
ADP1G	-EA	1 Gallon	23.10	32.30
ADP1G	-CA	4 Gallons	88.00	127.55
ADPTP	-EA	(1) 2.5-Gallon	56.65	78.30
ADPTP	-CA	(2) 2.5-Gallons	107.90	154.55

*Based on independent testing in the Detroit Diesel DD13 Scuffing Test for specification DFS 93K222 using 5W-30 as worst-case representation.

**Based on independent testing in the Detroit Diesel DD13 Scuffing Test for specification DFS 93K222 using 10W-30 as worst-case representation.

HDD



AME



ACD



AMO



ARO



AMSOIL CI-4+ Synthetic Diesel Oils

Provides outstanding protection for diesel applications not equipped with diesel particulate filters (DPFs) where extra TBN is desired for long service intervals.

● Series 3000 5W-30 Synthetic Heavy Duty Diesel Oil

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
HDDQT	-EA	1 Quart	9.95	13.25
HDDQT	-CA	12 Quarts	113.60	157.05
HDD1G	-EA	1 Gallon	39.10	51.85
HDD1G	-CA	4 Gallons	148.90	205.65
HDDTP	-EA	(1) 2.5-Gallon	96.65	126.40
HDDTP	-CA	(2) 2.5-Gallons	184.05	250.75

● 15W-40 Synthetic Heavy Duty Diesel and Marine Oil

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AMEQT	-EA	1 Quart	8.30	11.20
AMEQT	-CA	12 Quarts	94.50	132.65
AME1G	-EA	1 Gallon	32.45	43.70
AME1G	-CA	4 Gallons	123.50	173.20
AMETP	-EA	(1) 2.5-Gallon	79.95	106.40
AMETP	-CA	(2) 2.5-Gallons	152.25	210.70

● 10W-30/SAE 30 Synthetic Heavy Duty Diesel Oil

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ACD1G	-EA	1 Gallon	32.45	43.70
ACD1G	-CA	4 Gallons	123.50	173.10

Premium Protection Synthetic Motor Oil

Ideal for gasoline engines and diesel applications not equipped with diesel particulate filters (DPF), where the extra protection of a high-zinc formula is desired.

● 10W-40

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AMOQT	-EA	1 Quart	9.00	12.05
AMOQT	-CA	12 Quarts	102.40	142.70
AMO1G	-EA	1 Gallon	35.20	47.10
AMO1G	-CA	4 Gallons	134.00	186.60
AMOTP	-EA	(1) 2.5-Gallon	86.85	114.65
AMOTP	-CA	(2) 2.5-Gallons	165.40	227.25

● 20W-50

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AROQT	-EA	1 Quart	9.10	12.15
AROQT	-CA	12 Quarts	103.50	144.25
ARO1G	-EA	1 Gallon	35.60	47.60
ARO1G	-CA	4 Gallons	135.45	188.65

Oil Analyzers

AMSOIL offers oil analysis service options from Oil Analyzers Inc.® By analyzing used engine oil, a qualified lab can detect mechanical problems your equipment may have developed. For more information, visit www.oiltesting.com.

STOCK#	PKG./SIZE	P.C. PRICE	FULL PRICE
KIT01	1 sample kit (includes two-way postage) - U.S.	28.35	34.00
KIT02	1 sample kit (includes UPS shipping) - U.S.	28.35	33.90
KIT06	1 sample kit - U.S.	20.50	24.60
KIT14	1 value sample kit - U.S.	15.70	19.15
G1206	Oil Suction Pump w/10-ft. hose	26.25	28.90
G1571	Replacement Hose 25-ft.	8.35	9.20

All trademarked names and images are the property of their respective owners and may be registered marks in some countries. No affiliation or endorsement claim, express or implied, is made by their use. All products advertised here are developed by AMSOIL for use in the applications shown.



Performance and Protection

AMSOIL transmission fluids are designed to keep your vehicle's drivetrain **performing the way it should** with smooth shifting, no slipping or shudder and dependable torque transfer.

*All trademarked names and images are the property of their respective owners and may be registered marks in some countries. No affiliation or endorsement claim, express or implied, is made by their use. All products advertised here are developed by AMSOIL for use in the applications shown.

ATF



ATL



Signature Series Synthetic ATF

Provides reserve protection in fleet vehicles, heavy-duty pickups, work trucks and other severe-service applications that quickly break down other lubricants.

● Multi-Vehicle¹⁷

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ATFQT	-EA	1 Quart	11.45	15.05
ATFQT	-CA	12 Quarts	130.45	178.60
ATF1G	-EA	1 Gallon	45.00	59.05
ATF1G	-CA	4 Gallons	171.40	234.40
ATFTP	-EA	(1) 2.5-Gallon	111.40	144.10
ATFTP	-CA	(2) 2.5-Gallons	212.10	286.15

● Fuel-Efficient¹⁷

Provides the same benefits as AMSOIL Multi-Vehicle Synthetic Automatic Transmission Fluid in a fuel-efficient formulation engineered to exceed the requirements of GM*, Ford*, Toyota* and other original equipment manufacturers (OEMs) where low-viscosity oil is required.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ATLQT	-EA	1 Quart	11.85	15.50
ATLQT	-CA	12 Quarts	135.00	184.35
ATL1G	-EA	1 Gallon	46.60	60.95
ATL1G	-CA	4 Gallons	177.45	242.10
ATLTP	-EA	(1) 2.5-Gallon	115.40	148.85
ATLTP	-CA	(2) 2.5-Gallons	219.75	295.65

OE Synthetic ATF

Resists wear and provides smooth shifts in passenger car/light truck automatic transmissions.

● Multi-Vehicle¹⁷

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
OTFQT	EA	1 Quart	7.45	10.20
OTFQT	CA	12 Quarts	85.05	120.30
OTF1G	EA	1 Gallon	29.35	39.90
OTF1G	CA	4 Gallons	111.75	157.80
OTFTP	EA	(1) 2.5 Gallon	72.25	96.95
OTFTP	CA	(2) 2.5 Gallons	137.55	191.80

● Fuel-Efficient¹⁷

Provides the same benefits as AMSOIL OE Multi-Vehicle Synthetic Automatic Transmission Fluid in a fuel-efficient formulation engineered to exceed the requirements of GM, Ford, Toyota and other original equipment manufacturers (OEMs) where low-viscosity oil is required.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
OTLQT	EA	1 Quart	7.15	9.80
OTLQT	CA	12 Quarts	81.30	115.45
OTL1G	EA	1 Gallon	28.05	38.25
OTL1G	CA	4 Gallons	106.70	151.30
OTLTP	EA	(1) 2.5 Gallon	68.95	92.95
OTLTP	CA	(2) 2.5 Gallons	131.25	183.80

○ Synthetic CVT Fluid

Provides outstanding protection and performance for continuously variable transmissions (CVT) throughout original equipment manufacturer (OEM)-recommended drain intervals.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
CVTQT	-EA	1 Quart	10.85	14.85
CVTQT	-CA	12 Quarts	123.80	176.10
CVT1G	-EA	1 Gallon	42.70	58.15
CVT1G	-CA	4 Gallons	162.55	230.95

¹⁷See page 39 for Proposition 65 information for this product.

DCT



MTG



MTF



SVG



SVT

NEW
PACKAGING

SVO



ADA



● 100% Synthetic DCT Fluid

Designed to protect high-tech dual-clutch transmissions during the most intense, high-heat operating conditions.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
DCTQT	-EA	1 Quart	16.75	23.05
DCTQT	-CA	12 Quarts	190.90	274.55

○ Synthetic Manual Transmission and Transaxle Gear Lube¹⁵

Provides improved internal component protection. Formulated with extreme-pressure additives and advanced frictional qualities that provide smooth shifts while protecting gears, bearings and seals. Non-corrosive to yellow metals.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
MTGQT	-EA	1 Quart	14.10	18.30
MTGQT	-CA	12 Quarts	160.65	217.50
MTG05	-EA	(1) 5-gal. Pail	262.50	350.05
MTG55	-EA	55-gal. Drum	2,728.70	3,389.05

● Synthetic Synchronmesh Transmission Fluid

Specifically designed to deliver smooth shifts and superior wear protection in manual transmissions and transaxles with synchronizers.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
MTFQT	-EA	1 Quart	12.30	16.15
MTFQT	-CA	12 Quarts	140.50	191.80
MTF05	-EA	(1) 5-gal. Pail	228.90	307.85
MTF55	-EA	55-gal. Drum	2,359.10	2,960.40

SEVERE GEAR® Synthetic Gear Lube

Specifically engineered for high-demand applications, including trailer towing, heavy hauling, 4x4 off-road driving, commercial use and racing. Flexible easy-pack helps you access tough-to-reach fill holes and eliminates the need for a pump.

● 75W-90

Top fuel efficiency and cold-temperature performance

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
SVGQT	-EA	1 Quart	13.90	18.05
SVGQT	-CA	12 Quarts	158.65	215.05
SVGPK	-EA	1 Quart Easy-Pack	13.90	18.05
SVGPK	-CA	12 Quart Easy-Packs	158.65	215.05
SVG05	-EA	(1) 5-gal. Pail	249.90	334.35

● 75W-110

Extra viscosity protection without sacrificing fuel efficiency

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
SVTQT	-EA	1 Quart	14.35	18.60
SVTQT	-CA	12 Quarts	163.80	221.70
SVT05	-EA	(1) 5-gal. Pail	258.60	345.40

● 75W-140

Maximum viscosity protection for severe-duty applications

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
SVOQT	-EA	1 Quart	15.30	19.80
SVOQT	-CA	12 Quarts	174.70	235.75
SVOPK	-EA	1 Quart Easy-Pack	15.30	19.80
SVOPK	-CA	12 Quart Easy-Packs	174.70	235.75
SVO05	-EA	(1) 5-gal. Pail	276.70	368.35

● Slip Lock® Differential Additive

Designed to eliminate gear-housing chatter in cars, trucks and SUVs equipped with limited-slip differentials.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ADATB	-EA	(1) 4-oz. Tube	7.25	9.35
ADATB	-CA	(12) 4-oz. Tubes	82.65	110.40

¹⁵See page 39 for Proposition 65 information for this product.

Ea® Oil Filters

AMSOIL Ea Oil Filters rank among the highest efficiency filters available to the auto/light-truck and powersports markets, providing a filtering efficiency of 98.7 percent at 20 microns. Featuring advanced full-synthetic technology, Ea Oil Filters provide greater efficiency, capacity and durability than cellulose filters, extending engine and filter life and reducing engine wear. Call 1-800-777-7094 (Monday-Friday, 7 a.m. - 7 p.m. Central Time) or look up your vehicle at amsoil.com to determine the appropriate filter for each application.



Ea® Oil Filters

STOCK#	UNITS	P.C. PRICE	FULL PRICE		STOCK#	UNITS	P.C. PRICE	FULL PRICE
EA15K01	-EA	16.80	21.25		EA15K32	-EA	14.60	18.80
EA15K02	-EA	17.10	21.60		EA034	-EA	15.40	19.70
EA15K03	-EA	15.65	19.80		EA15K35	-EA	14.70	18.60
EA15K04	-EA	16.30	20.55		EA15K37	-EA	12.60	15.95
EA15K08	-EA	17.35	21.95		EA038	-EA	15.35	19.55
EA15K09	-EA	15.60	20.05		EA15K39	-EA	19.95	25.20
EA011	-EA	14.35	18.45		EA042	-EA	15.00	19.25
EA15K12	-EA	14.05	17.95		EA15K43	-EA	16.80	21.25
EA15K13	-EA	14.80	18.90		EA15K49	-EA	20.50	25.90
EA015	-EA	15.50	19.90		EA15K50	-EA	13.60	17.50
EA15K16	-EA	14.70	18.65		EA15K51	-EA	14.05	16.70
EA017	-EA	14.20	15.60		EA052	-EA	15.60	20.00
EA15K19	-EA	14.70	18.95		EA15K53	-EA	13.15	16.80
EA15K20	-EA	15.40	19.70		EA15K54	-EA	18.90	23.90
EA023	-EA	14.35	18.40		EA059	-EA	15.15	19.40
EA024	-EA	15.65	19.95		EA064	-EA	14.35	18.30
EA026	-EA	17.00	21.85		EA080	-EA	16.65	21.80
EA15K28	-EA	14.70	18.60		EA15K88	-EA	31.30	39.40
EA15K29	-EA	14.90	19.05		EA098	-EA	25.00	32.20
					EA099	-EA	26.20	33.85

EAHD

EABP



Ea® Heavy-Duty Extended-Life Oil Filters

Provide excellent 98.7 percent filtering efficiency and high contaminant capacity for heavy-duty on- and off-road diesel and gasoline applications. Provide extended service intervals that coincide with the maximum drain intervals of AMSOIL synthetic motor oils.

Ea Bypass Filters


High-efficiency bypass filters effectively remove minute dirt particles and soot. Provides an efficiency rating of 98.7 percent at two microns.

*All trademarked names and images are the property of their respective owners and may be registered marks in some countries. No affiliation or endorsement claim, express or implied, is made by their use. All products advertised here are developed by AMSOIL for use in the applications shown.



Industry's Most Advanced Formulation

Provides improved fuel mileage up to 5.7% and reduces emissions in gasoline-injected and port-fuel-injected engines.



Injector spray pattern **before**
P.i. treatment.



Injector spray pattern **after**
P.i. treatment.





AST



API



AQS

Gasoline Stabilizer

Helps prevent the formation of varnish and sludge in stored seasonal equipment such as snowmobiles, lawnmowers, motorcycles and boats.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ASTCN	-EA	(1) 16-oz. Bottle	10.00	13.15
ASTCN	-CA	(6) 16-oz. Bottles	57.05	78.15

P.i.¹³

Maximizes fuel economy and reduces emissions in gasoline direct-injected and port-fuel-injected engines.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
APICN	EA	(1) 12-oz. Bottle	10.65	13.85
APICN	CA	(12) 12-oz. Bottles	121.25	164.65

Quickshot®

Effectively addresses performance issues related to ethanol, water and dirty pump gas in two- and four-stroke gasoline-powered engines and powersports equipment fuel systems, restoring peak performance.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AQSCN	-EA	(1) 8-oz. Bottle	7.85	10.35
AQSCN	-CA	(6) 8-oz. Bottles	44.75	61.40
AQSQT	-EA	1 Quart	25.40	32.15
AQSQT	-CA	12 Quarts	290.15	384.35



GLC



GLC3P



GLCGN

Synthetic Multi-Purpose Grease

Delivers premium wear protection for bearings, bushings, chassis lubrication and other applications.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
GLCCR	-EA	(1) 14-oz. Cartridge	6.45	8.95
GLCCR	-CA	(10) 14-oz. Cartridges	61.45	85.25
GLC3P	-EA	(3) 3-oz. Cartridges	8.25	11.20
GLC3P	-CA	(30) 3-oz. Cartridges	78.20	105.30
GLCGN	-EA	Grease Gun Kit	30.40	41.10



GSP

Spray Grease²²

Applies quickly and evenly and is ideal for greasing hard-to-reach equipment, including hinges, springs, industrial chains, latches, slides, winches and other common applications.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
GSPSC	EA	(1) 10-oz. Spray Can	6.35	8.35
GSPSC	CA	(12) 10-oz. Spray Cans	72.45	99.00

^{13, 22} See page 39 for Proposition 65 information for this product.

*All trademarked names and images are the property of their respective owners and may be registered marks in some countries. No affiliation or endorsement claim, express or implied, is made by their use. All products advertised here are developed by AMSOIL for use in the applications shown.

Independent testing reveals AMSOIL Diesel All-In-One (ADB) provides as much as 32°F better protection against cold-temperature gelling than Howes Lubricator Diesel Treat. Plus, AMSOIL Diesel All-In-One boosts cetane by up to 4 points.¹



- **Cleans** dirty injectors to help restore horsepower and improve fuel economy



- **Lubricates** fuel pump and injectors to reduce wear



- **Fights** gelling in cold weather, enhancing fuel flow and helping prevent fuel-filter plugging



- **Increases** cetane up to 4 points for maximum horsepower, increased fuel economy and easier starts




¹Based on independent testing in July 2017 of AMSOIL Diesel All-In-One and Howes Lubricator Diesel Treat using diesel fuel representative of the U.S. marketplace and Howes' recommended treat ratio for above 0°F.

²All trademarked names and images are the property of their respective owners and may be registered marks in some countries. No affiliation or endorsement claim, express or implied, is made by their use. All products advertised here are developed by AMSOIL for use in the applications shown.




Cold Filter-Plugging Point (CFPP)

(The lower the number, the better.)




Cetane

(The higher the number, the better.)



Lubricity Improvement

(The lower the number, the better.)



The ASTM D975 diesel fuel standard specifies a wear scar below 520 µm in ASTM D6079 testing, while the Engine Manufacturers Association (EMA) specifies a wear scar below 460 µm. Testing reveals AMSOIL Diesel All-In-One provides significant lubricity improvement in diesel fuels found across the U.S., delivering exceptional wear protection.

DRC



Diesel Recovery²¹

Emergency diesel fuel treatment that dissolves the wax crystals that form when diesel fuel has surpassed its cloud point.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
DRCQT	EA	(1) 30-oz. Bottle	11.50	15.10
DRCQT	CA	(12) 30-oz. Bottles	131.05	179.70

ACB



Diesel Cetane Boost

Raises the cetane number of diesel fuel up to seven points for maximum horsepower, increased fuel economy and easier starts in all diesel engines.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ACBCN	EA	(1) 16-oz. Bottle	7.25	9.80
ACBCN	CA	(12) 16-oz. Bottles	82.70	115.50
ACBHG	EA	(1) 64-oz. Bottle	23.45	30.85
ACBHG	CA	(6) 64-oz. Bottles	133.90	184.40
ACB05	EA	(1) 5-gal. Pail	200.40	273.20

ADF



Diesel Injector Clean¹⁹

Targets traditional nozzle deposits, combustion chamber deposits and internal diesel injector deposits found in HPCR injectors. Lubricates to reduce fuel pump and injector wear. Concentrated for rapid results, maximum horsepower and up to 8 percent increased fuel economy in engines with accumulated deposits.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ADFPN	-EA	(1) 8-oz. Bottle	3.75	5.25
ADFPN	-CA	(6) 8-oz. Bottles	21.35	30.65
ADFCN	-EA	(1) 16-oz. Bottle	6.65	8.95
ADFCN	-CA	(12) 16-oz. Bottles	75.45	105.55
ADFHG	-EA	(1) 64-oz. Bottle	21.85	28.70
ADFHG	-CA	(6) 64-oz. Bottles	124.60	171.55
ADF05	-EA	(1) 5-gal. Pail	181.40	248.00

ADD



Diesel Cold Flow¹⁷

Effectively modifies wax crystal formation at low temperatures to depress diesel fuel pour point and improve cold-flow filtration properties. Lowers the CFPP by up to 40°F (22°C) in ULSD.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ADDCN	-EA	(1) 16-oz. Bottle	7.15	9.55
ADDCN	-CA	(12) 16-oz. Bottles	81.20	113.10
ADD05	-EA	(1) 5-gal. Pail	200.55	272.30

ADB



Diesel All-In-One²⁵

Combines the superior detergency and improved lubricity of Diesel Injector Clean, the excellent cold-flow and anti-gelling properties of Diesel Cold Flow and the increased horsepower and cetane of Cetane Boost in one convenient package.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ADBPEN	-EA	(1) 8-oz. Bottle	4.80	6.50
ADBPEN	-CA	(6) 8-oz. Bottles	27.15	38.35
ADBCN	-EA	(1) 16-oz. Bottle	8.55	11.35
ADBCN	-CA	(12) 16-oz. Bottles	97.35	134.40
ADBHG	-EA	(1) 64-oz. Bottle	29.50	38.15
ADBHG	-CA	(6) 64-oz. Bottles	168.40	228.00
ADB05	-EA	(1) 5-gal. Pail	254.40	340.70



Engine Fogging Oil

Helps prevent corrosion and dry starts to internal engine components found in outboard motors, lawn and garden equipment, motorcycles, snowmobiles, ATVs, motor homes and generators during storage or long periods of inactivity.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
FOGSC	EA	(1) 12-oz. Aerosol Can	7.40	9.60
FOGSC	CA	(12) 12-oz. Aerosol Cans	42.25	57.00

Power Foam® Engine Cleaner

Improves starting and performance by cleaning dirty intake systems and spark plugs; freeing sticky valves and removing gum, varnish and carbon deposits.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
APFSC	-EA	(1) 18-oz. Spray Can	7.95	10.55
APFSC	-CA	(12) 18-oz. Spray Cans	90.75	125.10

Heavy-Duty Degreaser

Formulated with powerful and fast-acting solvents, attacking petroleum-based grime on a molecular level to loosen its hold on metal, concrete, engines and other surfaces.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ADGSC	-EA	(1) 15-oz. Spray Can	14.25	18.15
ADGSC	-CA	(12) 15-oz. Spray Cans	162.55	216.15

Silicone Spray

Perfect for lubricating or protecting rubber, nylon, plastics, upholstery, vinyl, wood, cardboard, fiberglass. Also excellent for waterproofing leather products.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ALSSP	EA	(1) 10-oz. Spray Can	7.50	9.75
ALSSP	CA	(12) 10-oz. Spray Cans	85.70	115.80

Brake & Parts Cleaner

Professional strength parts cleaner that quickly removes oil, grease, brake fluid and other contaminants from brake parts and other automotive components.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
BPCSC	-EA	(1) 19-oz. Spray Can	4.40	6.05
BPCSC	-CA	(12) 19-oz. Spray Cans	49.80	70.95

DOT 3 & 4 Synthetic Brake Fluid¹¹

Superior high-temperature performance in auto/light-truck and high-performance applications.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
BFLVCN	-EA	(1) 12-oz. Bottle	6.05	8.00
BFLVCN	-CA	(12) 12-oz. Bottles	69.10	94.25

¹¹ 17, 19, 21, 25 See page 39 for Proposition 65 information for this product.

^{*}All trademarked names and images are the property of their respective owners and may be registered marks in some countries. No affiliation or endorsement claim, express or implied, is made by their use. All products advertised here are developed by AMSOIL for use in the applications shown.

AMP



AMH



FLSH



AMW



AED



AGC



RDCB



MP Metal Protector

Displaces water, penetrates, lubricates and protects metal surfaces from corrosion, including hinges, squeaky mechanical objects, electrical systems and more.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AMPSC	EA	(1) 8.75-oz. Spray Can	5.55	7.20
AMPSC	CA	(12) 8.75-oz. Spray Cans	63.00	85.05

Heavy Duty Metal Protector

Penetrates and adheres to metal surfaces, leaving a long-lasting coating that protects against the damaging effects of salt, moisture or chemical corrosion.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AMHSC	EA	(1) 15-oz. Spray Can	9.45	13.10
AMHSC	CA	(12) 15-oz. Spray Cans	107.75	155.55

Engine and Transmission Flush

Helps restore operating efficiency, increase fuel economy and reduce emissions in gasoline and diesel engines and automatic transmissions.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
FLSHCN	-EA	(1) 16-oz. Bottle	9.05	11.95
FLSHCN	-CA	(12) 16-oz. Bottles	103.15	141.90
FLSH05	-EA	(1) 5-gal. Pail	275.10	366.60

Miracle Wash®

Unique dry car wash and polish delivers outstanding performance and quick, easy and economical spray application. No water required.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AMWSC	EA	(1) 13-oz. Spray Can	8.20	10.55
AMWSC	CA	(12) 13-oz. Spray Cans	93.25	125.40

Engine Degreaser

Effectively cleans engine surfaces by cutting through grease, oil and grime.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AEDSC	EA	(1) 15-oz. Spray Can	6.90	9.00
AEDSC	CA	(12) 15-oz. Spray Cans	78.75	106.80

Glass Cleaner

Cuts through grease and grime faster than other leading glass cleaners, stays where you spray it and leaves no streaks.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AGCSC	EA	(1) 19-oz. Spray Can	3.70	4.85
AGCSC	CA	(12) 19-oz. Spray Cans	42.25	56.65

DOMINATOR® Coolant Boost

Helps reduce engine temperatures, increase horsepower, promote faster engine warm-up times and reduce radiator and engine corrosion in racing and passenger vehicles.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
RDCBCN	-EA	(1) 16-oz. Bottle	9.95	13.00
RDCBCN	-CA	(6) 16-oz. Bottles	56.65	77.20

ANTPC



ANT



ANTHD



PSF



● Passenger Car/Light Truck Antifreeze & Coolant¹²

Engineered to exceed original equipment manufacturer requirements for up to 150,000 miles or 5 years, whichever comes first, in passenger cars and light trucks.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ANTPC1G	EA	1 Gallon	15.20	23.50
ANTPC1G	CA	4 Gallons	57.75	92.20

○ Propylene Glycol Antifreeze & Coolant

Combines the benefits of biodegradability, low toxicity and all-climate protection for up to 150,000 miles or 5 years, whichever comes first, in passenger cars and light trucks. Protection up to 600,000 miles, 12,000 hours or 6 years, whichever comes first.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ANT1G	-EA	1 Gallon	29.95	41.65
ANT1G	-CA	4 Gallons	114.05	164.85

● Heavy-Duty Antifreeze & Coolant¹²

Provides superior heat transfer and excellent protection against corrosion, cylinder-liner cavitation, freezing and boilover. Protection up to 600,000 miles, 12,000 hours or 6 years, whichever comes first.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ANTHD1G	EA	1 Gallon	16.45	25.05
ANTHD1G	CA	4 Gallons	62.60	98.45

Multi-Vehicle Synthetic Power Steering Fluid¹³

Provides excellent wear protection, long component life and quiet operation in most passenger car/light trucks.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
PSFCN	-EA	(1) 16-oz. Bottle	6.70	9.00
PSFCN	-CA	(12) 16-oz. Bottles	76.25	106.30

Fluid Extraction Pump

STOCK#	UNITS	P.C. PRICE	FULL PRICE
G2576	EA	15.75	17.35

Aids in the removal of old fluids when servicing vehicles.

CALIFORNIA PROPOSITION 65 WARNING STATEMENTS

11 ⚠️WARNING: This product can expose you to 2-Methoxyethanol, which are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

13 ⚠️WARNING: This product can expose you to Benzene, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

15 ⚠️WARNING: This product can expose you to Ethanedial, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

17 ⚠️WARNING: This product can expose you to Ethylbenzene, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

19 ⚠️WARNING: This product can expose you to Naphthalene, which is known to the State of California to cause cancer, and Methanol which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

21 ⚠️WARNING: This product can expose you to Naphthalene, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

22 ⚠️WARNING: This product can expose you to Titanium dioxide, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

24 ⚠️WARNING: This product can expose you to Trace Metals, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

25 ⚠️WARNING: This product can expose you to Ethylbenzene, which is known to the State of California to cause cancer, and Methanol which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

*All trademarked names and images are the property of their respective owners and may be registered marks in some countries. No affiliation or endorsement claim, express or implied, is made by their use. All products advertised here are developed by AMSOIL for use in the applications shown.



ISO 9001/14001 REGISTERED

AMSOIL INC.
One AMSOIL Center
Superior, WI 54880

WE HONOR



(Discover in U.S. only)

AMSOIL also offers a full line of premium synthetic lubricants for powersports applications. See your servicing AMSOIL Dealer for more information.

Your Servicing AMSOIL Dealer

Use this referral number to save time and make ordering easier. Call 1-800-777-7094 or log in at amsoil.com. ▼

Referral # **5736801**

AMSOIL INC., 925 Tower Ave., Superior, WI 54880 • 715-392-7101 • Printed in the USA
© 2018, AMSOIL INC. All rights reserved. The AMSOIL logo is a registered trademark of AMSOIL INC.



Minimum 10%
Post-Consumer Fiber

G3549 9/18