

All Points RV Solutions



RV Repairs

RV Inspections

Plus More....

www.aprvs.com

817-266-1680

We are excited that you have considered All Points RV Solutions, and we look forward to providing you with the most advanced RV inspection available in today's RV market. Below is a comparison of the Points of Inspection for our Premier and Essential RV Inspection.

The inspection that is best for you depends on many factors, and while we take great pride in the service that we offer, and our Number 1 goal is to make sure that you are a Happy Camper!

Roof

| | Premier | Essential |
|---|---------|-----------|
| Inspect and rate overall roof condition. | ✓ | ✓ |
| Rate the condition of the roof vents, air conditioners, antenna, and other components mounted on the roof | ✓ | ✓ |
| Evaluate the condition of the various sealant and joints around the roof components | ✓ | ✗ |
| Identify the roof material type and the sealants that have been applied to the roof | ✓ | ✗ |
| Identify areas of concern and potential water intrusion points | ✓ | ✗ |

Sidewall and End Caps

| | | |
|---|---|---|
| Inspect and evaluate the appearance and functional condition of sidewalls, doors, windows and cargo doors | ✓ | ✓ |
| Inspect and identify the material type for the front and rear caps | ✓ | ✗ |
| Evaluate the aging and the general overall condition of the front and rear caps | ✓ | ✗ |
| Inspect and evaluate any damage, discoloration and delamination of the side wall and end cap components | ✓ | ✗ |

Slideout Rooms

| | | |
|---|---|---|
| Operate each slideout and rate its condition | ✓ | ✓ |
| Inspect and rate the roof condition | ✓ | ✓ |
| Inspect and evaluate the condition of the seals, sweeps and gaskets for possible damage | ✓ | ✗ |
| Identify the types of slideout room drive systems | ✓ | ✗ |
| Identify the types of roof material for the slideout room | ✓ | ✗ |
| Evaluate the attached wiring and utility harness that feed underneath the slideout room | ✓ | ✗ |

Awnings and Slideout Toppers

| | | |
|---|---|---|
| Operate and rate the condition of the awning frames and latching mechanism | ✓ | ✓ |
| Inspect and identify operational type of the the awnings, slideout toppers and window awnings | ✓ | ✗ |
| Evaluate and rate the condition of fabric material of the awnings | ✓ | ✗ |

Chassis Turn Signal and Running Lights (12-volt DC)

| | | |
|--|---|---|
| Activate and evaluate the operation of the DOT lights | ✓ | ✓ |
| Visually inspect the chassis battery compartment, electrical connections and batteries | ✓ | ✓ |
| Inspect the condition of the 7-pin connector receptacle | ✓ | ✗ |

120 Volt AC Electrical System (house type power)

| | | |
|---|---|---|
| Test and verify the output operation of the 120v AC to 12v DC convertor for charging the deep cycle batteries | ✓ | ✓ |
| Remove cover panel of the 120-volt circuit breaker box to visually inspect wiring, breakers and connections | ✓ | ✓ |
| Inspect and rate the condition of the power cord and its connection ends | ✓ | ✓ |
| Identify any damage or repair of the power cord | ✓ | ✓ |
| List any heat discoloration to the wiring and connections | ✓ | ✓ |
| Verify the separation of all wiring types | ✓ | ✓ |

Generator Engine

| | | |
|---|---|---|
| Identify and note the model, serial number and run hours of the generator | ✓ | ✓ |
| Check oil level | ✓ | ✓ |
| Start, operate and test the onboard generator under load | ✓ | ● |
| Test the voltage output and frequency of the generator | ✓ | ● |

Generator Radiator - if equipped

| | | |
|--|---|---|
| Visually inspect the coolant reservoir, radiator and hoses | ✓ | ✓ |
| Location of the radiator and cooling fans | ✓ | ● |

Inverter / Solar

| | | |
|---|---|---|
| Identify and note the model and serial number of the inverter | ✓ | ✓ |
| Visually inspect the wiring and electrical connections and fuses/circuit breakers | ✓ | ✓ |
| Place electrical load on inverter to verify proper operation | ✓ | ● |
| Verify voltage going into and out of the Solar controller | ✓ | ● |
| Test voltage and frequency output of the inverter under 50% load | ✓ | ● |

Coach Battery System (12v DC deep cycle battery electrical system)

| | | |
|--|---|---|
| Access and visually inspect the wiring, fuse panel and fuses of the 12v DC electrical system | ✓ | ✓ |
| Evaluate the condition, age and matched sizing of the battery stack | ✓ | ✓ |
| Locate and note the location of the battery stack | ✓ | ● |
| Evaluate and determine if positive and negative cables are correctly matched for balanced load | ✓ | ● |
| Evaluate the operation of the fresh water / waste water monitor panel for incorrect readings | ✓ | ● |

Fresh Water System

| | | |
|---|---|---|
| Verify the fresh water connections for the City Water hookup are operational | ✓ | ✓ |
| Verify the onboard fresh water tank and pressure pump system will operate and maintain pressure | ✓ | ✓ |
| Operationally test all fresh water fixtures inside and outside of the RV | ✓ | ● |
| Visually inspect the water filtration system (if installed) for leaks and filter replacement | ✓ | ● |

Waste Water Systems (Gray and Black)

| | | |
|---|---|---|
| Identify the type drain valve controls | ✓ | ✓ |
| Verify the drain cap is in place and will hold waste water | ✓ | ✓ |
| Operationally test and inspect both waste plumbing systems for leaks under sinks, toilet, and outdoor lines | ✓ | ● |
| Verify the drain valves for both systems will maintain water in their tanks | ✓ | ● |
| Operate the drain valves and test for ease of operation | ✓ | ● |

Life Safety Items

| | | |
|---|---|---|
| Perform and document LP gas timed leak test for 5 minutes at 8 inches of water column gas pressure | ✓ | ✓ |
| Test the GFCI circuits in the 6ft range of water areas in kitchen, bathroom and exterior receptacles | ✓ | ✓ |
| Test all wall receptacles for correct polarity and ground fault | ✓ | ✓ |
| Test the exterior for Hot Skin that would cause electrical shock | ✓ | ✓ |
| Emergency Exit Windows - Verify all safety windows are operational | ✓ | ✓ |
| Fire Extinguisher - Verify unit is secure in bracket and dial indicates extinguisher is fully charged | ✓ | ✓ |
| Smoke/Fire Detector - Test and verify operation of units, note manufacture date | ✓ | ✓ |
| Carbon Monoxide Detector - Test and verify operation of unit, note manufacture date | ✓ | ✓ |
| LP Gas Detector - Verify gas detection and audio alarm, note manufacture date | ✓ | ✓ |
| Verify the rubber grommet is properly sealed around the LP gas line of water heater | ✓ | ✓ |

LP Gas System

| | | |
|---|---|---|
| Visually inspect all hoses and pressure regulators for damage and age deterioration | ✓ | ✓ |
| Verify plastic cover has been installed over regulator | ✓ | ✓ |
| On Split tank system, verify the red colored single stage regulator is installed | ✓ | ✓ |

ASME tank - if equipped

| | | |
|--|---|---|
| If tank is visible, conduct a visual inspection of the tank for rust and physical damage | ✓ | ✓ |
| List the Location of the tank | ✓ | ● |
| Document the manufacture date of the ASME tank if accessible | ✓ | ● |
| List the gallon capacity of the tank | ✓ | ● |

Refrigerator

| | | |
|---|---|---|
| Operate on all heat sources - 120v ac, LP Gas and for 3 way refrigerators, 12v DC | ✓ | ✓ |
| Identify the brand, model and type of refrigerator | ✓ | ✓ |
| Collect serial and model number and verify with manufacturer if recall notice has been issued and completed | ✓ | ✓ |
| Note the location of the vent panels used by the refrigerator | ✓ | ● |
| Visually verify if baffle system on back of refrigerator are is correct and directing heat away from coils | ✓ | ● |
| Test interior temperature of upper and lower compartments of refrigerator - if has been operating 12 hours | ✓ | ● |
| Check condition of door frame, shelving, crisper drawers, door shelves and interior light | ✓ | ● |
| Evaluate and rate the door gasket seals of freezer and refrigerator box areas | ✓ | ● |

Water Heater

| | | |
|--|---|---|
| Fill tank with water (if not already) and verify operation on all heat sources | ✓ | ✓ |
| Identify the brand, model and type of water heater | ✓ | ● |
| Visually inspect burner assembly and gas exhaust system for blockages and insect infestation | ✓ | ● |
| If installed, operate and verify positioning of bypass valves on back of water heater | ✓ | ● |
| Determine if proper drain plug has been installed on water heater | ✓ | ● |
| If installed, inspect and evaluate if the correct type of dauber screen is being used | ✓ | ● |

Furnace

| | | |
|---|---|---|
| Operate and verify warm air discharge out of vents and proper return air flow to unit | ✓ | ✓ |
| If accessible, identify the brand, model and type of furnace(s) that have been installed | ✓ | ● |
| Identify the type of thermostat controls being used to operate furnace(s) | ✓ | ● |
| Visually inspect the air intake and exhaust assemblies for blockages and insect infestation | ✓ | ● |
| Monitor for unusual noise or vibration of blower motor | ✓ | ● |
| If installed, inspect and evaluate if the correct type of dauber screen is being used | ✓ | ● |

Cook Top

| | | |
|--|---|---|
| Verify the ignition and operation of all top burners | ✓ | ✓ |
| Identify the brand, model and type of cook top | ✓ | ● |
| Evaluate and rate the condition of the cook top | ✓ | ● |
| List presence and condition of stove top cover | ✓ | ● |
| Inspect and rate the condition of the metal grill top and rubber grommets of top burner area | ✓ | ● |
| Evaluate the presence of the control knobs | ✓ | ● |

Oven

| | | |
|--|---|---|
| Verify the ignition and operation of the oven flame | ✓ | ✓ |
| Identify the brand, model and type of oven | ✓ | ● |
| Evaluate and rate the condition of the oven compartment | ✓ | ● |
| Verify and document that oven can reach and maintain 350 degree temperature | ✓ | ● |
| Inspect and rate the condition of the oven door | ✓ | ● |
| Evaluate the presence of the control knobs, door handles and oven rack of the unit | ✓ | ● |

Air Conditioners

| | | |
|--|---|---|
| Perform cooling efficiency test (Delta T) on each unit | ✓ | ✓ |
| Identify the brand, model of each unit | ✓ | ● |
| Identify and list the type of cooling unit / heat pump | ✓ | ● |
| Inspect the air filters for debris and cleanliness | ✓ | ● |

Washer / Dryer - if equipped

| | | |
|--|---|---|
| Identify and list the brand, model and type of unit | ✓ | ✓ |
| Visually inspect and verify a wash and rinse cycle of the washer and dryer | ✓ | ● |
| Evaluate and rate the exterior condition of the dryer exhaust vent | ✓ | ● |
| Visually inspect for leaks or damaged hoses if access is available | ✓ | ● |

Microwave / Convection oven

| | | |
|--|---|---|
| Identify and list the brand, model, type and output wattage of the units | ✓ | ✓ |
| Operate the unit for 60 seconds utilizing cup of water and then list water temperature | ✓ | ● |
| Verify the rack and turn tables are installed | ✓ | ● |

Dishwasher - if equipped

| | | |
|---|---|---|
| Identify and list the brand, model and type of unit | ✓ | ✓ |
| Verify operation of unit and inspect for leaks and non-functioning rotating racks and wash bars | ✓ | ● |

In House vacuum - if equipped

| | | |
|---|---|---|
| Identify and list the brand, model and type of unit | ✓ | ✓ |
| Verify the operation and visually inspect the various components of the hose assembly, access doors and bag | ✓ | ● |

Electric Fireplace - if equipped

| | | |
|--|---|---|
| Identify and list the brand, model and type of unit | ✓ | ✓ |
| Operate and verify the various heat settings, fan speed levels and the back lighting | ✓ | ● |

Cook Top Exhaust Fan

| | | |
|---|---|---|
| Operate and verify the condition of the exhaust function and fan speeds | ✓ | ✓ |
| Visually inspect the filter and lighting | ✓ | ● |
| Evaluate and rate the exterior condition of the exhaust vent | ✓ | ● |

Ceiling Mounted Fans and Ceiling Exhaust Fans

| | | |
|--|---|---|
| Operate and verify condition of the fan speeds | ✓ | ✓ |
| Visually inspect the condition of the blades and motor | ✓ | ● |
| Verify lighting - if equipped | ✓ | ● |

Interior Condition and Appearance

| | | |
|--|---|---|
| Operate all interior, exterior and décor lighting --- 12v and 120v | ✓ | ✓ |
| Visually inspect all ceilings, walls, interior doors and flooring for signs of water intrusion, damage or staining | ✓ | ● |
| Operate all windows and doors noting any deficiencies or missing components | ✓ | ● |
| Evaluate the window coverings | ✓ | ● |

Cabinet and Closet Condition

| | | |
|--|---|---|
| Inspect and evaluate all cabinet doors, drawers and pull out operation | ✓ | ✓ |
| Visually inspect all counter tops and flat surface areas of the kitchen, living, bed, bath and storage areas | ✓ | ● |
| Identify and list all broken and loose cabinet and closet hardware | ✓ | ● |
| Note if appearance of previous damage repairs have been performed | ✓ | ● |

Furniture

| | | |
|---|---|---|
| Visually inspect the condition of the dinette table/booth, chairs, recliners and sofa | ✓ | ✓ |
| Visually inspect and note signs of mattress damage or staining | ✓ | ● |
| Inspect and note furniture fabric tears, discoloration and signs of excessive wear | ✓ | ● |

Entertainment System

| | | |
|--|---|---|
| Visually inspect and operate all TV and Stereo equipment | ✓ | ✓ |
| Verify DVD/disc players and radios are operational | ✓ | ● |
| Verify local channels antenna and 12v DC power signal booster is operational | ✓ | ● |
| Raise and lower roof mounted antenna if equipped | ✓ | ● |
| Verify remotes are operational | ✓ | ● |

Shower / Tub Enclosure

| | | |
|--|---|---|
| Evaluate and rate the seals around the framework and doors for water leaks | ✓ | ✓ |
| Operate the door and latch system to verify it is operational | ✓ | ✓ |
| Visually inspect the glass panels, curtains and soap dish areas | ✓ | ● |
| Inspect and evaluate for stains and chemical/mineral buildup | ✓ | ● |

Chassis and Undercarriage

| | | |
|---|---|---|
| Visually inspect for rust, damage and excessive oil on the underside of the motorhome | ✓ | ✓ |
|---|---|---|

Steering

| | | |
|--|---|---|
| Visually inspect for bent or damaged components and hydraulic leaks if visible | ✓ | ✓ |
|--|---|---|

Leveling System

| | | |
|---|---|---|
| Operate by extending and retracting the leveling system | ✓ | ✓ |
| Identify and note the brand and type of system | ✓ | ● |
| Check for hydraulic leaks or mechanical issues | ✓ | ● |

Engine

| | | |
|---|---|---|
| Make and model of the engine | ✓ | ✓ |
| Start and run engine | ✓ | ✓ |
| Verify oil level on the dipstick | ✓ | ✓ |
| Indications of engine issues or any abnormal noises while running | ✓ | ● |
| Note any noticeable oil or exhaust leaks | ✓ | ● |
| Note the oil pressure reading on the dash gauges | ✓ | ● |

Radiator

| | | |
|--|---|---|
| Visually inspect the coolant reservoir, radiator and hoses | ✓ | ✓ |
| Location of the radiator and cooling fans | ✓ | ● |

Transmission

| | | |
|--|---|---|
| Fluid level on dipstick | ✓ | ✓ |
| Indications of contaminated transmission fluid | ✓ | ● |
| Note type of transmission | ✓ | ● |

Running Gear / Tires

| | | |
|--|---|---|
| Type and number of axles | ✓ | ✓ |
| Inspect the frame, axles, springs, rims and other components for rust, oil stains and visible damage | ✓ | ✓ |
| Document the information on the tires as to their age and weight capacities | ✓ | ✓ |
| Weight Ratings for each axle set | ✓ | ● |
| Check tire pressure | ✓ | ● |
| Inspect and rate tire tread condition | ✓ | ● |
| Note any valve extensions and pressure monitors | ✓ | ● |

Hitch System / Hook Up

| | | |
|--|---|---|
| Inspect and identify the type of system used to tow vehicles | ✓ | ✓ |
| Evaluate and list modifications to hitch system | ✓ | ● |

Weight Labels and Data Plates

| | | |
|---|---|---|
| Identify and document the Vehicle Identification Number (VIN) | ✓ | ✓ |
| Document the license plate information | ✓ | ✓ |
| List the inspection sticker information - if applicable | ✓ | ✓ |
| List the RVIA Inspection Seal Number | ✓ | ✓ |
| List the Gross Vehicle Weight Rating | ✓ | ✓ |
| List the Date of Manufacture | ✓ | ✓ |
| List the Manufacturers Build sheet (if available) | ✓ | ● |

Toy Hauler

| | | |
|--|---|---|
| Check condition of cargo/ramp door, seals, hinges, springs and cables | ✓ | ✓ |
| Check condition of patio seals, spings/cables, flooring, rails and steps | ✓ | ● |
| Check Gas filling station and monitor | ✓ | ● |
| Condition of beds, tables, storage and cabinets | ✓ | ● |
| Condition of patio doors and screens | ✓ | ● |
| Condition of loft / storage area | ✓ | ● |

Outdoor Kitchen

| | | |
|---|---|---|
| Check condition, operation, temperature of refrigerator | ✓ | ● |
| Check condition and operation of cooktop | ✓ | ● |
| Check condition and operation of sink, faucet and plumbing | ✓ | ● |
| Check condition and operation of cabinets, drawers and hardware | ✓ | ● |
| Check condition and operation of door, seals and supports | ✓ | ● |

Total Points of Inspection 187 79