

THE COTTAGES ARCHITECTURAL GUIDELINES

Date Adopted: June 2020

It is the objective of the Architectural Guidelines to preserve the cohesive appearance of The Cottages neighborhood with consistency of architectural type, materials, color, and exterior design. The Cottages is to be seen as an attractive, inviting, aesthetically pleasing, well-maintained community. These guidelines promote continuity and harmony to ensure the homes form a cohesive neighborhood. In The Cottages homes are built close together so exterior choices make a great impact on surrounding homes. Updating and maintaining our homes is desirable but the overall character of the neighborhood must be preserved. Architectural guidelines promote consistency in the community concept, protect property values, preserve and perpetuate the unique residential character of The Cottages, and insure our homes meet the requirements of Pelican Landing.

All exterior work of any type requires submission of the Pelican Landing Design Review Committee (DRC) form and signed approval from The Cottages Board of Directors and the Pelican Landing DRC before work commences. The Design Review Committee meets on the 2nd Thursday of each month. Requests must be submitted via email or delivery to the PLCA office by 5:00 p.m. on the Thursday prior to the monthly meeting. The DRC form is available at www.pelicanlanding.com

The Cottages Architectural Guidelines

Exterior features of the homes that may not be changed:

- Exterior building design, stucco surfaces, and any type of ornamental trim.
- Roof tile design, style, and color
- Driveway paver design, style, and color
- Exterior paint and trim color
- Shutter design, style and color
- Gate design, style and color
- Garage door design, style, and color
- Pool and lanai cage color

THE COTTAGES ARCHITECTURAL GUIDELINES

The following Exterior features of the home may be replaced with prior approval by both The Cottages Board of Directors and the Pelican Landing Design Review Committee:

Front Entry Doors

- Front Entry Doors shall be either full or three-quarter height glass with clear or etched glass inserts. No wrought iron.
- Door style with minimal graining and consistent texture
- Color shall be that of the white trim and shall be one solid color
- Front Entry Doors shall not have separate screen doors or storm doors
- **Cabana homes**: There are 2 styles of cabana front entries--wooden gates or glass doors. Wooden gates are considered the front doors to the home and shall be the color of the white trim. (see *Gates*)

Garage Doors

- Color shall be that of the white trim and shall be one solid color
- Replacement garage doors shall be the same style and appearance as the existing design

Other Exterior Doors such as Utility and Kitchen Doors (not visible from the street)

- Color shall be that of the white trim and shall be one solid color

Walls

- All side privacy walls shall be cement block with stucco overlay painted to match the exterior house style and color and shall conform to the original existing materials, style and height.

Gates

The Cottages has several different styles of gates depending on the purpose of the gate. In general, gate replacements shall keep the existing gate design and style as closely as is possible.

- Street facing gate color of any style shall be that of the white trim
- Gate hardware shall be black or dark in tone
- **Cabana homes**: these gates are considered the front doors to the home. There are 2 styles of cabana front entries--wooden gates or glass doors. Wooden entry gates shall be the color of the white trim and match the existing design and style. Glass doors see *Front Entry Doors*
- Side Privacy Wall Gates: shall match the existing gate design and style ie., curved top
- Yard Gates: shall match the existing gate design, style and height.

Porch Railings

- Color shall be that of the white trim

Pool Cages

- All pool and lanai area enclosures shall be bronze and screening shall be dark in tone

THE COTTAGES ARCHITECTURAL GUIDELINES

Roof Tiles

Replacement tiles to match the original tiles have not been available for many years. “Painted-to-match” tiles, “close match tiles,” or moving old tiles from one area of the roof to another results in an undesirable appearance that is not in keeping with the neighborhood or Pelican Landing maintenance standard, character and consistency.

- All roof tiles shall be cement tiles.
- The Board approved replacement cement roof tile is Boral #1GCCW0308CD Slate-like Cedar Tan, black and brown antique

Gutters and Drains

Gutters are considered part of the overall community drainage plan and affect neighboring properties significantly. Drainage is governed under The Cottages and Pelican Landing covenants and requires a drawn drainage plan.

- Gutters shall be as unobtrusive as possible
- Gutter downspout termination shall not be visible from the street and underground water emitters are required.
- All gutters shall be white or shall be painted to match the exterior house color

Driveways and walkways

- All driveways and front walkways shall be uniform brick or concrete pavers that are pre-approved by the Board of Directors

Landscape Lighting

- Landscape lighting shall be as unobtrusive as possible and placed so it is not a hazard to maintenance personnel
- Landscape and exterior lighting shall not intrude or shine onto any natural preserve or lake areas
- All landscape light bulbs shall be white or clear. LED lighting shall have a “warm white” light temperature of 2500-3000k. No colored landscape lighting is allowed.

Exterior Lighting

- The original exterior light is Carriage House style. The Carriage House style exterior light is encouraged if a replacement is needed.
- Exterior light fixtures on the garage shall be white
- Glass color shall be clear or white
- Bulb color shall be clear or white. LED lights shall have a “warm white” light temperature of 2500-3000k. No colored exterior lighting is allowed.