

# Camping



**martin®**

W1B100  
VT404 MCO35 M3S  
CS04 MSI12L



CH3



MS18



CHS10T



PWH01



GR14



**martin®**

camping – BBQ – heating – service parts

# Table of contents



## Butane Cooking

VT8000.....	4
VT202.....	4
VT303.....	5
VT404.....	5
MS112.....	6
MS112L.....	6
MS18.....	7
MCS100.....	7
Specification chart.....	8

## Portable BBQ

GR14.....	10
Specification chart.....	11

## Propane Cooking

W1B100.....	12
MCS50.....	12
MCS200.....	13
MCS250.....	13
CS04.....	14
SG128.....	15
SG228.....	15
R65.....	16
Aluminum Pots.....	16
Stainless Pots.....	16
Strainer.....	17
Specification chart.....	18

## Butane & Propane Heaters

M3S.....	20
CH3.....	21
CHS7.....	22
CHS10T.....	22
CHS20T.....	23
4010W.....	24
B15.....	25
F12S.....	25
Specification chart.....	26

## Water Heater

PHW01.....	28
Specification chart.....	29

## Propane Lighting

MBL130.....	30
MPL600.....	30
MPL600PZ.....	31
Specification chart.....	31

## Combustible

Butane fuel.....	32
Butane propane mix fuel (Isobutane).....	32
Specification chart.....	33

Parts.....	34
------------	----

Accessories.....	40
------------------	----





**martin®**



M3S



CS04



VT8000



SG128



MS112L





# Butane

## Cooking

### VT8000

Product number: 220031



Piezo-Electronic ignition



Up to 130 minutes with one 228 g butane bottle

### Portable butane gas stove

# New Product



Includes a practical carrying case

## Exclusive

- ✓ Much more sturdy
- ✓ Air cooling design
- ✓ Easier to light
- ✓ Improve ignition system



# 8,000 Btu



Operates with a non-refillable butane cartridge, sold separately. 230020

### VT202

Product number: 220045



Piezo-Electronic ignition



Up to 130 minutes with one 228 g butane bottle

### Portable butane gas stove



Includes a practical carrying case



Operates with a non-refillable butane cartridge, sold separately. 230020



# 8,000 Btu



# Butane

## Cooking



### Portable butane gas stove



Includes a practical carrying case



Operates with a non-refillable butane cartridge, sold separately. 230020



### VT403

Product number: 220501



Piezo-Electronic Ignition



Up to 130 minutes with one 228 g butane bottle

**8,000 Btu**

### Infrared portable butane gas stove



Includes a practical carrying case



Operates with a non-refillable butane cartridge, sold separately. 230020



### VT404

Product number: 220501



Piezo-Electronic Ignition



Up to 130 minutes with one 228 g butane bottle

**5,300 Btu**





# Isobutane

## Cooking

### MSI12

Product number: 220018



Practical carrying bag included



Extra small



Foldable

### Backpacking stove

Operates on a disposable isobutane cylinder, sold separately  
230025



Practical carrying bag included



 **12,000 Btu**

### MSI12L


Product number: 220017



Practical carrying bag included



Small size



Foldable

### Adjustable portable stove

Operates on a disposable isobutane cylinder, sold separately  
230025



Practical carrying bag included



 **12,000 Btu**



# Isobutane

Cooking



## Trans-flame backpacking stove

**MSI8**

Product number: 220019



Operates on a disposable isobutane cylinder, sold separately 230025

**8,000 Btu**

Practical carrying bag included



Extra small



Foldable

## Isobutane two-burner stove

**MCS100**

Product number: 220020



Operates on a disposable isobutane cylinder, sold separately 230025

Practical carrying bag included



Individual brass control valves



Stainless steel thermal shield



Chrome-plated steel folding legs

**22,000 Btu**

# Butane & Isobutane Camping Cooking









VT8000



VT202



VT303

<b>Product number</b>	<b>220080</b>	<b>220031</b>	<b>220045</b>
<b>Type of gas</b>	 Butane	 Butane	 Butane
<b>UPC</b>	7 78047 11688 5	7 78047 10279 6	7 78047 10025 9
<b>Master box</b>	4	6	6
<b>Power input (Btu)</b>	8,000	8,000	5,300
<b>Portable plastic case</b>	✓	✓	✓
<b>Portable carrying bag</b>	—	—	—
<b>Adjustable temperature</b>	✓	✓	✓
<b>Run time at minimum</b>	Up to 150 min	Up to 150 min	Up to 150 min
<b>Run time at maximum</b>	Up to 80 min	Up to 80 min	Up to 80 min
<b>Cooking area</b>	440 cm <sup>2</sup> (68 in <sup>2</sup> )	440 cm <sup>2</sup> (68 in <sup>2</sup> )	440 cm <sup>2</sup> (68 in <sup>2</sup> )
<b>Oven cooking volume</b>	—	—	—
<b>Safety fuel shut-off if flame goes out</b>	—	—	—
<b>Automatic ignition system</b>	✓	✓	✓
<b>Certification</b>			



# Specifications

				
VT404	MSI12L	MSI12	MSI8	MCS100
<b>220501</b>	<b>220017</b>	<b>220018</b>	<b>220019</b>	<b>220020</b>
				
Butane	Isobutane	Isobutane	Isobutane	Isobutane
7 78047 10855 2	7 78047 11592 5	7 78047 11593 2	7 78047 11594 9	7 78047 11319 8
6	12	18	30	2
5,300	12,000	12,000	8,000	22,000
✓	–	–	–	–
–	✓	✓	✓	✓
✓	✓	✓	✓	✓
Up to 240 min	Up to 100 min	Up to 100 min	Up to 150 min	Up to 110 min Each Burner
Up to 120 min	Up to 50 min	Up to 50 min	Up to 75 min	Up to 55 min Each Burner
440 cm <sup>2</sup> (68 in <sup>2</sup> )	254 cm <sup>2</sup> (39 in <sup>2</sup> )	113 cm <sup>2</sup> (17 in <sup>2</sup> )	177 cm <sup>2</sup> (27 in <sup>2</sup> )	537 cm <sup>2</sup> (83 in <sup>2</sup> )
–	–	–	–	–
–	–	–	–	–
✓	–	–	–	–
				



# Portable BBQ

Cooking

## GR14

Product number: 665815

## Portable propane gas grill



Piezo ignition



Tubular burner



Folding support legs



Retractable warming rack



Pressure regulator for constant and stable performance



Sturdy handles



Discreet grease pan



Thermometer

En option



QCC gas hose for 20-lb tank



Low-pressure kit for RV

# 14,000 Btu



Retractable warming rack

In option



660236

Low-pressure kit for RV



660825

Gas hose with QCC for gas tank





Stainless steel tubular burner



 **martin**<sup>®</sup>  
BBQ camping cooking  
Specifications

GR14



<b>Product number</b>	<b>665815</b>
<b>Type of gas</b>	 <p><b>Optional</b> QCC gas hose for 20-lb tank</p> <p>Propane</p>
<b>Btu/hour</b>	<b>14,000</b>
<b>UPC</b>	7 78047 10283 3
<b>Stainless-steel main burners</b>	1
<b>Btu (main burners)</b>	14,000
<b>Btu (infrared burner)</b>	—
<b>Btu (side burner)</b>	—
<b>Btu (infrared back burner)</b>	—
<b>Stainless-steel rotisserie set with motor</b>	—
<b>Porcelain-coated cooking grids</b>	1
<b>Heavy-duty porcelain-coated cast-iron cooking grids</b>	—
<b>Heavy-duty stainless-steel cooking grids</b>	—
<b>Flavour bars</b>	✓
<b>Accurate thermometer</b>	✓
<b>Piezo ignition</b>	✓
<b>Automatic ignition</b>	—
<b>Electronic ignition</b>	—
<b>Grease pan</b>	✓
<b>Dust cover</b>	—
<b>Warming rack</b>	✓
<b>Ice tray</b>	—
<b>Total cooking area (in<sup>2</sup>)</b>	361
<b>Total cooking area (cm<sup>2</sup>)</b>	2,330
<b>Primary cooking area (in<sup>2</sup>)</b>	234
<b>Primary cooking area (cm<sup>2</sup>)</b>	1,510
<b>Certification</b>	



# Propane

## Cooking

### W1B100

Product number: 240002



Adjustable Heat Intensity



Uses a 1lb propane cylinder



Includes extendable base for greater stability

### Propane Burner



Operates on a disposable propane cylinder, sold separately.



 **10,000 Btu**

### MCS50

Product number: 220015



Adjustable Heat Intensity



Uses a 1lb propane cylinder



Pressure regulator for constant and stable performance

### Propane burner



Works with propane cylinder of 1 lb (16,4 oz), sold separately



Turn clockwise to lock the metal support.



Regulator included

 **8,200 Btu**



# Propane

## Cooking



### Propane stove

### MCS200

Product number: 220009



Built-in carrying handle



 **20,000 Btu**




Adjustable heat intensity



Operates on a 16.4-oz disposable propane cylinder



Pressure regulator for constant and stable performance



Operates on a disposable propane cylinder, sold separately.

### Propane stove

### MCS250

Product number: 220007



Piezo igniter (MCS250)



Built-in carrying handle



 **20,000 Btu**



Adjustable heat intensity




Operates on a 16.4-oz disposable propane cylinder



Pressure regulator for constant and stable performance



Piezo ignition



Operates on a disposable propane cylinder, sold separately.



# Propane

## Cooking

### CS04

Product number: 118100



Safety fuel shut-off if flames goes out



Works with a propane bottle of 16.4 oz



With two adjustable grids



Spacious oven heats up to 500°F

#### In option



QCC gas hose for 20-lbtank



Low-pressure kit for RV

## Propane oven & stove combo



Large brass burners provide greater uniform heat coverage



Works with a 1 lb (16.4 oz) propane bottle sold separately



Operates on a disposable propane cylinder, sold separately

# 14 600 Btu

total



**660237**  
12 feet gas hose for connecting to a low-pressure system in a RV

#### In option



**320300**  
Protective carry-bag for transport and storage



**660825**  
6 feet gas hose for connecting a 20 lb propane cylinder



# Propane

Cooking



## Propane hotplate



Regulator included for indoor use

 **12,800 Btu**

## SG128

Product number : 115035



Piezo ignition



Pressure regulator for constant and stable performance



Commercial grade



Regulator included for indoor use

## Propane hotplate



 **25,600 Btu**  
2 burners of 12,800 Btu

## SG228

Product number: 115001



Piezo ignition



Pressure regulator for constant and stable performance



Commercial grade



# Propane

## Cooking

### R65

Product number: 764253



Commercial grade




Operates with an 20-lb propane cylinder

## Outdoor propane burner




Strainer and pot sold separately

Hose/regulator included



20-lb propane cylinder sold separately



Made in Canada

# 65,000 Btu

### Pots

Product number:  
Aluminum: 240110

Product number – Aluminum: 240110  
Product number – Stainless: 240112

Product number:  
Stainless: 240112



Lobster



Spaghetti sauce



Corn cobs



Canning



Product number – Aluminum: 240110

Product number – Stainless: 240112



# Propane

Cooking



## Strainer for 50-Litre pot






## Strainer

Product number: 240111



 **martin**<sup>®</sup>  
Camping accessories  
Specifications

	 Aluminum Pot	 Stainless Pot	 Strainer
<b>Product number</b>	<b>240110</b>	<b>240112</b>	<b>240111</b>
<b>UPC</b>	7 78047 10333 5	7 78047 10387 8	7 78047 10633 6
<b>Master box</b>	1	1	6
<b>Weight</b>	1.8 Kg (4 Lb)	2.9 Kg (6.5 Lb)	1.6 Kg (3.5 Lb)
<b>Weight with lid</b>	2.3 Kg (5 Lb)	3.6 Kg (8 Lb)	–
<b>Height</b>	36 cm (14.2 in)	36 cm (14.2 in)	40 cm (15.7 in)
<b>Height with lid</b>	41 cm (16.1 in)	41 cm (16.1 in)	–
<b>Diameter</b>	40 cm (15.7 in)	40 cm (15.7 in)	32 cm (12.6 in)
<b>Built-in handles</b>	✓	✓	✓
<b>Lid included</b>	✓	✓	–
<b>Volume</b>	50 Lt	50 Lt	–



# Propane Cooking



W1B100










MCS50






MCS200

MCS250

Product number	240002	220015	220009	220007
Type of gas	 Propane	 Propane	 Propane	 Propane <small>Optional QCC gas hose for 20-lb tank</small>
UPC	7 78047 05224 4	7 78047 11686 1	7 78047 05180 3	7 78047 05179 7
Master box	6	6	2	
Power input (Btu)	10,000	8,200	20,000	
Foldable wind shields	–	–	✓	
Portable carrying bag	–	–	–	
Adjustable temperature	✓	✓	✓	
Run time at min (1 lb)	Up to 4 hours	Up to 4 hours	Up to 4 hours 2 burners	
Run time at max (1 lb)	Up to 2 hours	Up to 2,5 hours	Up to 1 hour 2 burners	
Cooking area	95 cm <sup>2</sup> (14 in <sup>2</sup> )	870 cm <sup>2</sup> (135 in <sup>2</sup> )	870 cm <sup>2</sup> (135 in <sup>2</sup> )	
Oven cooking volume	–	–	–	
Safety fuel shut-off if flame goes out	–	–	–	
Automatic ignition system	–	–	–	
Certification				

# Specifications

			
CS04	SG128	SG228	R65
<b>118100</b>	<b>115035</b>	<b>115001</b>	<b>764253</b>
 Optional QCC gas hose for 20-lb tank			 Optional QCC gas hose for 20-lb tank
Propane	Propane	Propane	Propane
7 78047 11229 0	7 78047 05064 6	7 78047 05046 2	7 78047 00028 3
2	4	2	1
14,600	12,800	25,600	65,000
✓	—	—	—
Optional	—	—	—
✓	✓	✓	✓
Up to 4 hours each burner	Up to 73 hours (20 LB)	Up to 73 Hr Each Burner	Up to 11 Hr (20 LB)
Up to 55 min Each Burner	Up to 34 hours (20 LB)	Up to 34 Hr Each Burner (20 LB)	Up to 6 Hr (20 LB)
1128 cm <sup>2</sup> (175 in <sup>2</sup> )	380 cm <sup>2</sup> (59 in <sup>2</sup> )	760 cm <sup>2</sup> (118 in <sup>2</sup> )	1600 cm <sup>2</sup> (248 in <sup>2</sup> )
24 litre	—	—	—
✓	—	—	—
✓	—	—	—
			



# Propane

## Heaters

### M3S

Product number: 240011

### Propane parabolic heater



Safety fuel shutoff if flame goes out



Operates on a 16.4-oz propane cylinder



Off / Lo / Med / Hi intensity control



Includes extendable base for greater stability



Operates on a disposable propane cylinder, sold separately.

 **3,100 Btu**





# Propane

Heaters



## Portable propane catalytic heater



Selective Temperature



Operates on a disposable propane cylinder, sold separately.

 **3,000 Btu**

### CH3

Product number: 112100



Electronic Ignition system



Operates on a 16.4-oz propane cylinder



Folding support legs



Flameless





# Propane

## Heaters

### CHS7

Product number: 112250

### Portable infrared heater



Safety fuel shutoff if flame goes out



Operates on a 16.4-oz propane cylinder



Safety tilt switch



Swivel regulator bottom connection for easy cylinder installation



Selective temperature

Operates on a disposable propane cylinder, sold separately.



 **7,000 Btu**

### CHS10T

Product number: 112300

### Portable thermostatic infrared heater



Safety fuel shutoff if flame goes out



Operates on a 16.4-oz propane cylinder



Safety tilt switch



Built-in thermostat




Selective temperature



Closed compartment for propane bottle

Operates on a disposable propane cylinder, sold separately.

**NOW**  
with built-in thermostat



 **10,000 Btu**



# Propane

Heaters



**NOW**


with built-in thermostat



## Portable thermostatic infrared heater



Adjustable temperature



6 volt blowing fan



Closed compartment for propane bottle

Operates on a disposable propane cylinder, sold separately.

**20,000 Btu**

## CHS20T

Product number: 112400



Safety fuel shutoff if flame goes out



Operates on a 16.4-oz propane cylinder



Safety tilt switch



Built-in fan



Automatic "low oxygen" safety shutoff



Robust construction







# Propane

## Heaters

**4010W**

Product number: 765001

### Camping heater



Built-in thermostat – automatic temperature control (13° C to 35° C / 55° F to 95° F)



Also available with a camouflage pattern  
Product number: 611010



 **10,500 Btu**



Safety fuel shutoff if flame goes out



Built-in thermostat



Safety tilt switch



Automatic "low oxygen" safety shutoff





# Propane


Heaters



## Infrared portable heater



Adjustable Stand



With Flame Failure Safety




10 feet gas hose / regulator for connecting a 20 lbs propane cylinder

Operates on a disposable propane cylinder, sold separately.

 **11,500 Btu**

## Gas-fired infrared portable heater



 **Energy efficient**



With Flame Failure Safety



Operates on a 1 lb (16.4 oz) disposable propane cylinder (not included)



Piezo Automatic ignition

Operates on a disposable propane cylinder, sold separately.

 **5,000 Btu**

## B15

Product number: 765001



Safety fuel shutoff if flame goes out



Adjustable Heat Intensity



Safety tilt switch



Piezo ignition

## F12S

Product number: 622001



Safety fuel shutoff if flame goes out



Adjustable Heat Intensity



Safety tilt switch



Piezo ignition





# Propane Camping Heaters



M3S















CH3

<b>Product number</b>	<b>240011</b>	<b>112100</b>
<b>Type of gas</b>	 Propane	 Propane
<b>UPC</b>	7 78047 10480 6	7 78047 11320 4
<b>Thermostat</b>	—	—
<b>Power input (Btu)</b>	3,100	3,000
<b>Carrying handle</b>	✓	✓
<b>Adjustable temperature</b>	✓	✓
<b>Adjustable heat angle</b>	—	✓
<b>Safety tilt switch</b>	—	—
<b>Automatic “low oxygen” safety shutoff</b>	—	—
<b>Safety fuel shutoff if flame goes out</b>	✓	✓
<b>Flameless</b>	—	✓
<b>Automatic ignition</b>	—	✓
<b>Piezo ignition</b>	—	—
<b>Certification</b>		



# Specifications

					
CHS7	CHS10T	CHS20T	4010W	B15	F12S
<b>112250</b>	<b>112300</b>	<b>112400</b>	<b>611005</b>	<b>765001</b>	<b>622001</b>
			 <b>Optional</b> QCC gas hose for 20-lb tank	 <b>Optional</b> QCC gas hose for 20-lb tank	
Propane	Propane	Propane	Propane	Propane	Propane
7 78047 11627 4	7 78047 10732 6	7 8047 10762 3	7 78047 05373 9	7 78047 00456 4	7 78047 11268 9
—	✓	—	✓	—	—
7,100	10,000	20,000	10,500	11,500	5,000
✓	✓	✓	✓	✓	—
✓	✓	✓	✓	✓	✓
—	—	—	—	—	—
✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	—	—
✓	✓	✓	✓	✓	✓
—	—	—	—	—	—
✓	✓	✓	✓	—	—
—	—	—	—	✓	✓
					



# Portable propane water heater

## PHW01

Product number: 113001



Safety fuel shutoff if flame goes out



Operates on a 16.4-oz propane cylinder



Safety tilt switch



Water flow control valve

### Optional



QCC gas hose for 20-lb tank



Low-pressure kit for RV

## Portable water heater



Operates on a disposable propane cylinder, sold separately.



Practical carrying bag for heater and accessories (included)



# 18,000 Btu



 **martin**<sup>®</sup>  
camping water heater  
Specifications



PWH01

<b>Product number</b>	<b>113001</b>
<b>Type of gas</b>	 <p><b>Optional</b> QCC gas hose for 20-lb tank</p> <p><b>Propane</b></p>
<b>UPC</b>	7 78047 11228 3
<b>Master box</b>	1
<b>Power input (Btu)</b>	18,000
<b>Temperature rise</b>	11°C to 29°C
<b>Minimum flow rate</b>	2 Lt/min
<b>Maximum flow rate</b>	3 Lt/min
<b>Weight</b>	9.5 Kg (21 Lb)
<b>Height</b>	36 cm (14.2 in)
<b>Overheat protection</b>	✓
<b>Tilt switch</b>	✓
<b>Pressure regulator included</b>	✓
<b>Safety fuel shut-off if flame goes out</b>	✓
<b>Portable carrying bag</b>	✓
<b>Adjustable temperature</b>	✓
<b>Built-in handle</b>	✓
<b>12V dc water pump</b>	✓
<b>Water flow valve</b>	✓
<b>Shower head with hose</b>	✓
<b>Certification</b>	





# Butane and propane

## Lightning

### MBL130

Product number: 240014



Operates on an 8-oz disposable butane cylinder



Piezo ignition



High-quality plastic control knob



Sturdy plastic base

### Camping butane lantern



2 mantles included



Operates with a non-refillable butane cartridge, sold separately. 230020



130 cd



### MPL600

Product number: 240016



High-quality plastic control knob



Includes extendable base for greater stability

### Propane lantern



2 mantles included



600 cd



# Propane

Lighting



Operates on a disposable propane cylinder, sold separately.

## Propane lantern



2 mantles included



Practical carrying bag included



600 cd

## MPL600PZ

Product number: 240017



High-quality plastic control knob



Includes extendable base for greater stability



Piezo ignition

**martin**<sup>®</sup>  
Butane/propane  
camping lighting  
Specifications









MBL130



MPL600



MPL60PZ

Product number	240014	240016	240111
Type of gas	 Butane	 Propane	 Propane
UPC	7 78047 11564 2	7 78047 10333 5	7 78047 10633 6
Master box	6	4	4
Power input (Btu)	1,800	3,700	3,700
Luminous intensity	130 cd	600 cd	600 cd
Built-in pressure regulator	✓	✓	✓
Built-in handle	✓	✓	✓
Plastic base included	✓	✓	✓
Portable carrying bag	—	—	✓
Adjustable intensity	✓	✓	✓
Piezo ignition	✓	—	✓
Mantles included	2	2	2
Globe included	S/S MESH	GLASS	GLASS
Burn time (max. Intensity)	5 hr	2.7 hr	2.7 hr
Certification			





# Combustible

Butane – Isobutane – Propane

## VT8

Product number: 230020



Made for Canadian weather

Better resistance to cold.

### Butane gas



## VT8I

Product number: 230025



Made for Canadian weather

Better resistance to cold.

### Butane/propane mix Fuel







**martin**<sup>®</sup>  
Combustible  
Specifications



Butane  
fuel



Butane/  
Propane  
mix fuel




Propane  
(1 Lb)



Propane  
(20 Lb)

<b>Product number</b>	<b>230020</b>	<b>230025</b>	–	–
<b>UPC</b>	7 78047 90001 9	7 78047 11323 5	–	–
<b>Package</b>	4 PACK	–	–	–
<b>Master box</b>	28 pcs	24 pcs	–	–
<b>Btu</b>	10,720	10,860	21,600	432,000
<b>Gas weight</b>	228 gr (8 oz)	230 gr (8.1 oz)	1 Lb	20 Lb
<b>Plastic lid cover included</b>	✓	✓	–	–
<b>Cold weather improvement</b>	✓	✓	–	–
<b>Connection</b>	Butane standard (No thread)	Thread screw valve	B.O.M.	P.O.L. QCC-1



# Parts



## GR14

Description	Code
14,000-Btu portable gas grill	665815
Burner	705855
Cooking grid	705851
Heat diffuser	705850
Thermometer	705809
Warming rack	705854
Regulator	730032
Side Handle	705820
Front Handle	705825

### Optional



**660236**  
Low-pressure  
kit for RV



**660825**  
Gas hose with QCC  
for gas tank



**705852**  
Stainless-steel  
grill



## Bistro

Description	Code
Control knob	705635
Cooking grid	705636
Electrode	705643
Grease pan	705633
Heat diffuser	705630
Left burner	705631
Right burner	705632

### Optional



**660235**  
Low-pressure  
kit for RV



**660825**  
6 feet gas hose for  
connecting a 20 lb  
propane cylinder



R65

## R65

Description	Code
Adjustable Valve (old model)	742150
Hose for valve (old model)	660140
4 ft hose and QCC regulator (new model)	660138
Cast Iron Burner	764114
Air shutter	764255



# Parts

## MCS200 & MCS250

Description	Code
Control Knob	220207
Regulator with pipe	220298

### Optional



**220299**  
Replacement hose for MCS stove



**240004**  
Plastic Base for disposable gas bottle



## SG128 & SG228

Description	Code
Regulator for indoor use	115010
Control Knob	115012
Black Support	115008
Brass Burner internal (small)	115006
Brass Burner external (big)	115007

### Optional



**660153**  
1.2-m (4-ft) gas hose with regulator



**660234**  
3-m (10-ft) gas hose for connecting to a lowpressure RV system



## CS04

Description	Code
Oven Valve	118101
Stove Valve	118102
Control Knob	118103
Heat Indicator	118104
Thermocouple	118105
Oven electrode	118106
Stove electrode	118107
Bottom leg	118108
Top Grill oven/stove	118109
Front Glass Oven	118110
Regulator	730004

### Optional



**320300**  
Protective carry-bag for transport and storage



**660237**  
12 feet gas hose for connecting to a low-pressure system in a RV



**660825**  
6 feet gas hose for connecting a 20 lb propane cylinder



# Parts



M3S

## M3S

Description	Code
Plastic Base for disposable gas bottle	240004
Thermocouple	240062
Burner	240057
Valve assembly	240061
Surety control	240065
Orifice	240068



4010W

## 4010W

Description	Code
Tilt switch cable	701105
Tilt switch	701113
ODS pilot system with thermocouple & electrode	701104
Thermostatic control valve	701100
Electrode Cable	701114
4 ft hose with M60 QCC regulator assembly	660145
Painted Casing	701006



VT404



VT8



# Parts



CHS7

## CHS7

### Optional



**660825**  
6 feet gas hose for connecting a 20 lb propane cylinder

## CHS10T



CHS10T

Description	Code
Knob	112299
Rubber base foot	112316
ODS Support	112321
Ceramic Burner	112430
Tilt Switch	701113

### Optional



**660825**  
6 feet gas hose for connecting a 20 lb propane cylinder

## CHS20T



CHS20T

Description	Code
Knob	112299
Rubber base foot	112316
Tube connection assembly	112423
Ceramic Burner	112431
Tilt Switch	701113

### Optional



**660825**  
6 feet gas hose for connecting a 20 lb propane cylinder



**660412**  
12-ft quick connector gas hose hooked up to a standard 20 lbs remote cylinder



**112401**  
110 volt converter for FAN

# Parts



## PWH01

Description	Code
Pump	113012
Regulator	730004
Shower Head	113013

### Optional



**660825**

6 feet gas hose for connecting a 20 lb propane cylinder



**660237**

12 feet gas hose for connecting to a low-pressure system in a RV



**113004**

Foldable 15 litres water bag for use as gravity water supply



## MBL130

### Optional



**230020**

Butane cylinder



**240027**

6 Pack mantles



MPL600

## MPL600 & MPL600PZ

Description	Code
Replacement lantern glass globe	240020
Knob	220207

### Optional



**240030**

Mantle 300 cd (MM-300)



**240004**

Plastic Base for disposable gas bottle



**240019**

Replacement lantern mesh globe



MPL600PZ







CMS200

M3S



MS18



MPL600PZ







For more information, see the datasheet for each product or visit our website [www.bismar.com](http://www.bismar.com)



# Accessories



## Camping accessories


Photos	Code	Model	Description	UPC	Master
	117009	L6-20	Replacement glass globe	7 78047 05071 4	8
	117011	#8	Preformed mantle	7 78047 05073 8	24
	117013	L13-6	Mantle #39	7 78047 05074 5	1
	240023	P30-03	Distribution Post QCC 30"	7 78047 05238 1	1



# Accessories



240019



240018 / 240020



220299









240030



240004

## Camping accessories

Photos	Code	Model	Description	UPC	Master
	240004	BP	Plastic base bottle support	7 78047 05226 8	1
	220299	—	Replacement hose for MCS stove	7 78047 10234 5	1
	240030	MM-300	300 candle mantle	7 78047 10485 1	—
	240018	G-100	Glass Globe	7 78047 05233 6	—
	240020	MPL-GLOBE	Universal Glass Globe	7 78047 10564 3	12
	240019	MPL-GLOBE MESH	Universal Mesh Globe	7 78047 10967 2	12

# Accessories



## Connector assemblies

Photos	Code	Model	Description	UPC	Master
	400004	M1899	ADAPTEUR POL M X QCC1.M	7 78047 07021 7	1
	400062	M2215	POL FEM. x BOM x POL	7 78047 05294 7	1
	400066	M2270	POL FEM. x BOM x POL	7 78047 10575 9	1
	400069	M2288	QCC FEM X QCC MALE X IND. GAZ	7 78047 11328 0	1
	400070	M2208	QCC F. x BOM x QCC M.	7 78047 10738 8	1
	400071	M2280	QCC F. x QCC M. x QCC M.	7 78047 10983 2	1
	401018	AF50	ADAPTEUR POL M X BOM FEM.	7 78047 10588 9	1



# Accessories



## Regulator assemblies

Photos	Code	Model	Description	UPC	Master
	650005	M55P60S	REG POL X BOM X 3/8 Male Flare	7 78047 05399 9	1
	650006	M55Q60S	REG POL X HANDLE X 3/8 Male Flare	7 78047 05400 2	1
	650012	M55HWP60S	REG POL X HANDLE X 3/8 Male Flare	7 78047 05406 4	1
	650021	M55Q145	REG QCC1 X BOM X 3/8 Male Flare	7 78047 10123 2	1
	650007	M60HP10	REG POL X BOM X 3/8 Male Flare	7 78047 05401 9	1
	650011	M60HWP60S	REG POL X BOM X 3/8 Male Flare	7 78047 05405 7	1
	650013	M60QHP10	REG QCC1 X BOM X 3/8 Male Flare	7 78047 10321 2	1

# Accessories

POL HDWL x BOM MALE SWIVEL x 1/4 I.D.



Code	Model	Description	UPC	Length
660805	R-2003-4	POL HDWL x BOM MALE SWIVEL x 1/4 I.D.	7 78047 05524 5	4 foot
660806	R-2003-6		7 78047 05525 2	6 foot
660807	R-2003-8		7 78047 05526 9	8 foot
660809	R-2003-10		7 78047 05528 3	10 foot
660812	R-2003-12		7 78047 05529 0	12 foot
660815	R-2003-15		7 78047 05530 6	15 foot

QCC x BOM MALE SWIVEL x 1/4 I.D.



Code	Model	Description	UPC	Length
660823	R-2004-4	QCC X BOM MALE SWIVEL X 1/4 I.D.	7 78047 10158 4	4 foot
660825	R-2004-6		7 78047 10160 7	6 foot
660826	R-2004-8		7 78047 10175 1	8 foot
660827	R-2004-10		7 78047 10162 1	10 foot
660829	R-2004-12		7 78047 10163 8	12 foot
660832	R-2003-15		7 78047 10164 5	15 foot

# Accessories

BOM FEM SWIVEL x BOM MALE SWIVEL x 1/4 I.D.



Code	Model	Description	UPC	Length
660-839	R-2003-4	BOM FEM SWIVEL X BOM MALE SWIVEL X 1/4 I.D.	7 78047 05534 4	4 foot
660-841	R-2003-6		7 78047 05535 1	6 foot
660-843	R-2003-8		7 78047 05536 8	8 foot
660-845	R-2003-10		7 78047 05537 5	10 foot
660-848	R-2003-12		7 78047 05538 2	12 foot

QCC x BOM MALE SWIVEL x 1/4 I.D.



Code	Model	Description	UPC	Length
660101	10HP4-4-100	3/8 SAE FLARE SWIVEL X 1/4 I.D.	7 78047 05445 3	4 foot
660103	10HP4-6-100		7 78047 05444 7	6 foot
660105	10HP4-8-100		7 78047 05448 4	8 foot
660107	10HP4-10-100		7 78047 05449 1	10 foot
660109	10HP4-12-100		7 78047 05450 7	12 foot
660111	10HP4-15-100		7 78047 05452 1	15 foot





camping – BBQ – heating – service parts



**martin**

**Bismar Inc.**

9 De Montgolfier Street  
Boucherville, QC J4B 8C4 Canada

**T** 1.800.266.1414 **F** 1.877.330.9006 **W** [www.bismar.com](http://www.bismar.com)