

Report No. NB2020030926 Date: March 19, 2020 Page: 1/9

**Applicant Name** SINGWONG ASIA PACIFIC (BOLUO)CO.,LTD.

**Applicant Address** PING'AN INDUSTRIAL PARK, BAITANG TOWN, BOLUO

COUNTY, HUIZHOU CITY, GUANGDONG PROVINCE, CHINA

INSTANT HAND SANITIZER **Product Name** 

**Received Date** March 18, 2020

**Compilation Period** March 18, 2020 to March 19, 2020

As requested by the applicant, the Safety Data Sheet is prepared **Regulatory Requirements** 

according to EU CLP Regulation (EC) No. 1272/2008.

Signed for and on behalf of Guangdong NewBest Testing Service Co., Ltd.

Approved by:



This report cannot be reproduced partly, without prior written permission of Laboratory. Any unauthorized alteration, forgery or falsification of the content of this document is unlawful. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested.

No.1, 8/F, Shengfeng Road, Venture Industrial Park, Xinhe Community, Wanjiang District, Dongguan City, China



Report No. NB2020030926 Date: March 19, 2020 Page: 2/9

## SECTION 1. Identification of the substance/preparation and company

1.1 Product Identification : INSTANT HAND SANITIZER

**1.2 Model No.** : 30ml/50ml/60ml/100ml/250ml/500ml/1000ml

1.3 Recommended Use : Effectively kill microorganisms, 75% ethanol kills many known

bacterial viruses, including e. coli, candida albicans and

staphylococcus aureus.

1.4 Manufacturer Name : SINGWONG ASIA PACIFIC (BOLUO)CO.,LTD.

1.5 Manufacturer Address : PING'AN INDUSTRIAL PARK, BAITANG TOWN, BOLUO

COUNTY, HUIZHOU CITY, GUANGDONG PROVINCE, CHINA

**1.6 Manufacturer Tel** : 0752-6363211

**1.7 Manufacturer Fax** : 0752-6363200

1.8 Manufacturer Email : YINNG@SINGWONG.COM

**1.9 Emergency Phone** : 0532-83889090

## **SECTION 2. Hazards identifications**

#### 2.1 Hazard Class:

According to EU regulation No 1272/2008(CLP), classification of risk categories.

Flammable liquids, categories 3

Serious eye damage/eye irritation, categories 2A

#### 2.2 Pictograms:





## 2.3 Signal word:

Warning

## 2.4 Hazard description:

H226 Flammable liquid and vapour



This report cannot be reproduced partly, without prior written permission of Laboratory. Any unauthorized alteration, forgery or falsification of the content of this document is unlawful. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested.

No.1, 8/F, Shengfeng Road, Venture Industrial Park, Xinhe Community, Wanjiang District, Dongguan City, China



Report No. NB2020030926 Date: March 19, 2020 Page: 3/9

H319 Causes serious eye irritation

#### 2.5 Precautionary description:

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P234 Keep only in original packaging.

P235 Keep cool - may be omitted if P411 is given on the label.

P240 Ground and bond container and receiving equipment. – if electrostatically sensitive and able to generate an explosive atmosphere.

P264 Wash ... thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection. Manufacturer/supplier or the competent authority to specify the appropriate type of equipment.

## **SECTION 3. Composition / information on ingredients**

Ingredient(s) of the product: Mixture

| Substance name         | Conc. (%) | CAS. No         | EC No     | Classification           |
|------------------------|-----------|-----------------|-----------|--------------------------|
| Ethanol                | 77.0      | 64-17-5 200-578 | 200 579 6 | Flam. Liq. 2             |
|                        | 77±2      |                 | 200-376-6 | Eye Irrit. 2; : C ≥ 50 % |
| Water                  | 21.95±2   | 7732-18-5       | 231-791-2 | 1                        |
| Glycerin               | 0.35      | 56-81-5         | 200-289-5 | .1                       |
| Aloe barbadensis, ext. | 0.1       | 94349-62-9      | 305-181-2 | 1                        |
| Acrylates C10-30 Alkyl | 0.5±0.3   | ,               | 7         | E                        |
| Acrylate Cross Polymer | 0.0±0.3   | E               | I         | E                        |
| Triethanolamine        | 0.3       | 102-71-6        | 203-049-8 | Ĩ                        |

#### **SECTION 4. First aid measures**

General advice: Immediate medical attention is required. Show this safety data sheet (SDS) to the doctor in attendance.

#### 4.1 Following inhalation:

If feeling uncomfortable, victim should be moved into fresh air. Seek medical attention.

#### 4.2 Following skin contact:



This report cannot be reproduced partly, without prior written permission of Laboratory. Any unauthorized alteration, forgery or falsification of the content of this document is unlawful. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested.

No.1, 8/F, Shengfeng Road, Venture Industrial Park, Xinhe Community, Wanjiang District, Dongguan City, China



Report No. NB2020030926 Date: March 19, 2020 Page: 4/9

Take off contaminated clothing and shoes immediately. Wash off with plenty of water for at least 15 minutes and consult a physician if feeling uncomfortable.

#### 4.3 Following eye contact:

In case of contact may cause irritation, immediately flush eyes with plenty of water for at least 15 minutes. Call a physician immediately if eyes are hurt.

## 4.4 Following ingestion:

If ingestion rinse the mouth with water.

#### **SECTION 5. Firefighting measures**

#### 5.1 Hazardous Characteristics:

Liquid and vapour are flammable.

#### 5.2 Extinguishing Media:

Dry powder, Chemical foam, Carbon dioxide, water mist.

#### 5.3 Firefighting procedures:

As in any fire, wear self-contained breathing apparatus (MSHA/NIOSH approved or equivalent) and full protective gear.

#### 5.4 Hazardous combustion products:

carbon monoxide

## **SECTION 6. Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures:

Wear appropriate protective measures (SEE SECTION 8).

Avoid inhaling vapors and contacting with skin and eye.

Ensure adequate ventilation. Remove all sources of ignition.

## 6.2 Environmental precautions:

Do not empty into drains. If the product contaminates lakes, rivers or sewages, inform appropriate authorities in accordance with local regulations.

#### 6.3 Cleaning method:

Remove by liquid absorbing material (e.g. kieselguhr) . Adhered or collected material should be



This report cannot be reproduced partly, without prior written permission of Laboratory. Any unauthorized alteration, forgery or falsification of the content of this document is unlawful. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested.

No.1, 8/F, Shengfeng Road, Venture Industrial Park, Xinhe Community, Wanjiang District, Dongguan City, China



Report No. NB2020030926 Date: March 19, 2020 Page: 5/9

promptly disposed of. Disposal of discarded waste/pollutants refers to SECTION 13.

## **SECTION 7. Safe handling and storage**

## 7.1 Handling Notes:

Usage precautions: Read and follow manufacturer's recommendations on label. Handle all packages and containers carefully to minimise spills. Keep container tightly sealed when not in use.

Advice on general occupational hygiene: Remove contaminated clothing and protective equipment before entering eating areas. Wash at the end of each work shift and before eating, smoking and using the toilet.

#### 7.2 Storage Notes:

Stored in cool and dry condition

Stored in compatible containers

Do not store with incompatible material (see section 10.2)

## **SECTION 8. Exposure controls / personal protection**

#### 8.1 Occupational Exposure Limit:

|           |                      | Occupational exposure |            | Occupational exposure |                    |  |
|-----------|----------------------|-----------------------|------------|-----------------------|--------------------|--|
| Substance | tance Country/Region |                       | limit (8h) |                       | limit (short time) |  |
|           |                      | ppm                   | mg/m³      | ppm                   | mg/m³              |  |
| Ethanol   | US-OSHA              | 1000                  | 1900       | 14                    | -                  |  |

### 8.2 Engineering Control:

Not relevant.

### 8.3 Personal Protection:

No specific eye protection required under normal use. Safety glasses or goggles recommended if handling significant quantities of undiluted product.

Hand protection not required under normal use. If prolonged contact with undiluted product is likely wear suitable gloves recommended for use with surfactants.

#### 8.4 Sanitary Measure:

Forbid smoking, eating and drinking in working places. Washing hands after handling products.



This report cannot be reproduced partly, without prior written permission of Laboratory. Any unauthorized alteration, forgery or falsification of the content of this document is unlawful. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested.

No.1, 8/F, Shengfeng Road, Venture Industrial Park, Xinhe Community, Wanjiang District, Dongguan City, China



Report No. NB2020030926 Date: March 19, 2020 Page: 6/9

## **SECTION 9. Physical and chemical properties**

| Appearance and Color                | Colourless liquid    |
|-------------------------------------|----------------------|
| Odour                               | Odorless             |
| PH value                            | 6.0-7.5              |
| Flammability                        | Combustible          |
| Density(g/cm³)                      | 0.89-0.90            |
| Relative steam density (air = 1)    | No Data              |
| Vapor pressure(MPa)                 | No Data              |
| Octanol/water partition coefficient | No Data              |
| Viscosity                           | 5,000-50,000cp @20°C |
| Flash point(℃,Closed cup)           | 13                   |
| Boiling point(°C)                   | 85-87                |
| Melting point (°C)                  | 0                    |
| Evaporation rate (kg/s)             | No Data              |
| UEL %(V/V)                          | 19                   |
| LEL %(V/V)                          | 3                    |
| Auto-ignition temperature(°C)       | No Data              |
| Decomposition temperature(°C)       | No Data              |
| Solubility                          | Insoluble in water   |

## **SECTION 10. Stability and reactivity**

## 10.1 Stability:

Stable under recommended storage and handling conditions (See section 7).

## 10.2 Material for avoiding:

Strong oxide, acid and alkali.

## 10.3 Contact conditions for avoiding:



This report cannot be reproduced partly, without prior written permission of Laboratory. Any unauthorized alteration, forgery or falsification of the content of this document is unlawful. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested.

No.1, 8/F, Shengfeng Road, Venture Industrial Park, Xinhe Community, Wanjiang District, Dongguan City, China



Report No. NB2020030926 Date: March 19, 2020 Page: 7/9

Sunlight, high temperature.

#### 10.4 Hazardous decomposition products:

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## **SECTION 11. Toxicological information**

#### 11.1 Acute toxicity:

Based on available data, the classification criteria are not met.

#### 11.2 Skin corrosion/irritation:

Based on available data, the classification criteria are not met.

#### 11.3 Serious eye damage/irritation:

Causes serious eye irritation.

#### 11.4 Respiratory or skin sensitisation:

Based on available data, the classification criteria are not met.

#### 11.5 Germ cell mutagenicity:

Based on available data, the classification criteria are not met.

## 11.6 Carcinogenicity:

Based on available data, the classification criteria are not met.

### 11.7 Reproductive toxicity:

Based on available data, the classification criteria are not met.

### 11.8 STOT-single exposure:

Based on available data, the classification criteria are not met.

### 11.9 STOT-repeated exposure:

Based on available data, the classification criteria are not met.

### 11.10 Aspiration hazard.:

Based on available data, the classification criteria are not met.

## **SECTION 12. Ecological information**



This report cannot be reproduced partly, without prior written permission of Laboratory. Any unauthorized alteration, forgery or falsification of the content of this document is unlawful. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested.

No.1, 8/F, Shengfeng Road, Venture Industrial Park, Xinhe Community, Wanjiang District, Dongguan City, China



Report No. NB2020030926 Date: March 19, 2020 Page: 8/9

#### 12.1 Toxicity:

The product does not meet the requirement for classification as an environmental hazard in accordance with directive 1999/45/EEC.

#### 12.2 Persistence and degradability:

Persistence and degradability.

The ethanol contained in this product is Readily biodegradability.

## 12.3 Bioaccumulative potential:

No data available.

### 12.4 Mobility in soil

All components are water soluble and readily absorbed into soil and are mobile in water environment.

## 12.5 Other Dangers:

No data available.

#### **SECTION 13. Disposal considerations**

## 13.1 Handling method for waste:

Handling waste according to the local regulations. Contact specific waste disposal company or companies recommended by local laws.

## 13.2 Handling method for uncleaned packaging

Processing as general waste processing after the empty container.

## **SECTION 14. Transport information**

| Packaging Label | 3                   |
|-----------------|---------------------|
| UN NO           | 1170 (ADR/RID/IMDG) |



This report cannot be reproduced partly, without prior written permission of Laboratory. Any unauthorized alteration, forgery or falsification of the content of this document is unlawful. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested.

No.1, 8/F, Shengfeng Road, Venture Industrial Park, Xinhe Community, Wanjiang District, Dongguan City, China



| Report No. | NB2020030926 | Date: | March 19, 2020 | Page: 9/9 |
|------------|--------------|-------|----------------|-----------|
|------------|--------------|-------|----------------|-----------|

| Technical name                         | ETHANOL (ETHYL ALCOHOL) or ETHANOL |  |
|--|------------------------------------|--|
| recimicarname                          | SOLUTION (ETHYL ALCOHOL SOLUTION)  |  |
| Transport hazard class                 | 3                                  |  |
| Subsidiary hazard class                | None                               |  |
| Packing group                          | II (ADR/RID/IMDG)                  |  |
| Limited quantities                     | 1L                                 |  |
| Environmental hazards                  | No                                 |  |
| EmS                                    | F-E, S-D                           |  |
| Emergency Action Code                  | .3YE                               |  |
| Hazard Identification Number (ADR/RID) | 33                                 |  |
| Tunnel restriction code                | (D/E)                              |  |
|  |                                    |  |

## **SECTION 15. Regulatory information**

Hazardous chemicals catalog

Dangerous Goods Number Of United Nations

Classification and code of dangerous goods

Occupational Safety and Health Act (OSHA)

The principle of classification of transport packaging groups of dangerous goods

In accordance with all local laws.

#### **SECTION 16. Other information**

The above information is based on the data of which we are aware and is believed to be correct as of the date hereof. Since this information may be applied under conditions beyond our control and with which may be unfamiliar and since data made available subsequent to the date hereof may suggest modifications of the information, we do not assume any responsibility for the result of its use, this information is furnished upon condition that the person receiving it shall make his own determination of the suitability of the material for his particular purpose.

\*\*\*\*\*\*\*\*\*\*\* END \*\*\*\*\*\*\*\*\*\*\*



This report cannot be reproduced partly, without prior written permission of Laboratory. Any unauthorized alteration, forgery or falsification of the content of this document is unlawful. Unless otherwise stated the results shown in this test report refer only to the sample (s) tested.

No.1, 8/F, Shengfeng Road, Venture Industrial Park, Xinhe Community, Wanjiang District, Dongguan City, China