AIRHEAD

TOWABLES



WHOWEARE

Airhead is a premium watersports brand focused on creating high-quality products for families and their friends. Innovative, well-designed products that encourage kids and adults to get outdoors, be active, and most importantly have FUN. Airhead offers equipment that is bold-yet refined, innovative-yet-approachable, and made for making memories, season after season.

MADE FOR FUN!



2 SUMMER COLLECTION







YOUR STYLE, YOUR WAY

ONE TUBE, 4+ WAYS TO RIDE!









Meet the New Mable Tailgate SPLITBACK! Choosing the way you ride just got a major upgrade. Our patent-pending, 3-riding position option now features individually adjustable backrests—so every rider can pick their favorite riding position. More comfort, more fun. Your ride, your way!



AHT50304MTS2

78 in x 65 in (198 cm x 165 cm), Patent Pending

- Adjustable split tailgate for multiple riding options: Seat, deck, chariot, mix
- Dual tow points, pull forward for seat and deck, pull backward for chariot
- Foam pads ensure a comfortable ride on the water, reduces chafing

1-3 RIDER, CAPACITY 510 LBS (231 KG)

AHT50305MTS3

84 in x 88 in (213 cm x 223 cm), Patent Pending

- Heavy-duty, foam filled handles with knuckle guards
- Speed Safety Valve, patented, smart technology for quick, easy inflating and deflating



THE TRIFECTA OF TOWABLES

ONE TUBE, 3 WAYS TO RIDE!







Choosing your ride just got better! Our patent pending 3-riding options towable takes life on the water up a notch. The towable's back rest is adjustable—use upright for a seat or chariot ride and use down for a wild deck style ride. You can even use the Mable Tailgate as a fun-in-the sun lounge.



MABLE TAILGATE 2 1-2 RIDER, CAPACITY 340 LBS (154 KG)

AHT50133MT2

77 in x 73 in (195 cm x 185 cm), Patented

- · Adjustable tailgate for three riding options: Seat, deck, chariot
- Dual tow points, pull forward for seat and deck, pull backward for chariot
- Foam pads ensure a comfortable ride on the water, reduces chafing

MABLE TAILGATE 3 1-3 RIDER, CAPACITY 510 LBS (231 KG)

AHT50303MT3

94 in x 79 in (238 cm x 200 cm), Patented

- Heavy-duty, foam filled handles with knuckle guards
- Speed Safety Valve, patented, smart technology for quick, easy inflating and deflating

NEW











LIL' MABLE 1 RIDER, CAPACITY 170 LBS (77 KG)

AHT2203LM

54 in x 34 in (137 cm x 86 cm), Patented

- Dual tow points: pull forward for seated position or backward for chariot position
- Foam pads ensure a comfortable ride on the water, reduces chafing
- Heavy-duty, double stitched nylon cover, and wrapped, foam filled handles with knuckle guards
- Speed Safety Valve, patented, smart technology for quick, easy inflating and deflating



BIG MABLE 1-2 RIDER, CAPACITY 340 LBS (154 KG)

AHT2213BM

69 in x 66 in (175 cm x 167 cm)

- Dual tow points: pull forward for seated position or backward for chariot position
- Foam pads ensure a comfortable ride on the water, reduces chafing
- Heavy-duty, double stitched nylon cover, and wrapped, foam filled handles with knuckle guards
- Speed Safety Valve, patented, smart technology for quick, easy inflating and deflating



SUPER MABLE 1-3 RIDER, CAPACITY 510 LBS (231 KG)

AHT2223SM

79 in x 78 in (200 cm x 198 cm)

- Dual tow points: pull forward for seated position or backward for chariot position
- Foam pads ensure a comfortable ride on the water, reduces chafing
- Heavy-duty, double stitched nylon cover, and wrapped, foam filled handles with knuckle guards
- Speed Safety Valve, patented, smart technology for quick, easy inflating and deflating



GREAT BIG MABLE 1-4 RIDER, CAPACITY 680 LBS (308 KG)

AHT2218GM

85 in x 93 in (215 cm x 236 cm)

- Dual tow points: pull forward for seated position or backward for chariot position
- Foam pads ensure a comfortable ride on the water, reduces chafing
- Heavy-duty, double stitched nylon cover, and wrapped, foam filled handles with knuckle guards
- Speed Safety Valve, patented, smart technology for quick, easy inflating and deflating



CLUB PALM 3 1-3 RIDER, CAPACITY 510 LBS (231 KG)

53-2228

73 in x 72 in (185 cm x 183 cm)

- Dual tow points: pull forward for seated position or backward for chariot position
- Heavy-duty, double stitched nylon cover, and wrapped, foam filled handles with knuckle guards
- Speed Safety Valve, patented, smart technology for quick, easy inflating and deflating
- Easy tow rope attachment with Kwik-Connect



CLUB PALM 1-2 RIDER, CAPACITY 340 LBS (154 KG)

53-2227

66 in x 56 in (167 cm x 142 cm)

- Dual tow points: pull forward for seated position or backward for chariot position
- Heavy-duty, double stitched nylon cover, and wrapped, foam filled handles with knuckle guards
- Speed Safety Valve, patented, smart technology for quick, easy inflating and deflating
- Easy tow rope attachment with Kwik-Connect



















CHARIOT WARBIRD 3 1-3 RIDER, CAPACITY 510 LBS (231 KG)

AHCW-1790

116 in x 85 in (294 cm x 215 cm)

- Dual tow points: pull forward for seated position or backward for chariot position
- Foam pads ensure a comfortable ride on the water, reduces chafing
- Heavy-duty, double stitched nylon cover, and wrapped, foam filled handles with knuckle guards
- Speed Safety Valve, patented, smart technology for quick, easy inflating and deflating



CHARIOT WARBIRD 2 1-2 RIDER, CAPACITY 340 LBS (154 KG)

AHCW-1780

96 in x 80 in (243 cm x 203 cm)

- Dual tow points: pull forward for seated position or backward for chariot position
- Foam pads ensure a comfortable ride on the water, reduces chafing
- \bullet Heavy-duty, double stitched nylon cover, and wrapped, foam filled handles with knuckle guards
- Speed Safety Valve, patented, smart technology for quick, easy inflating and deflating







68 in x 70 in (172 cm x 177 cm)

AHLR-T2

- Backrest with divider walls provide each rider with a separate seat
- Foam pads ensure a comfortable ride on the water, reduces chafing
- \bullet Heavy duty foam filled handles with knuckle guards
- Speed Safety Valve, patented, smart technology for quick, easy inflating and deflating



RIPPLE EFFECT 3 1-3 RIDER, CAPACITY 510 LBS (231 KG)

AHLR-T3

68 in x 94 in (172 cm x 238 cm)

- Backrest with divider walls provide each rider with a separate seat
- Foam pads ensure a comfortable ride on the water, reduces chafing
- Heavy duty foam filled handles with knuckle guards
- Speed Safety Valve, patented, smart technology for quick, easy inflating and deflating





LIVE WIRE 2 1-2 RIDER, CAPACITY 340 LBS (154 KG)

AHLW-2

73 in x 67 in (185 cm x 170 cm)

- Dual tow points: pull forward for seated position or backward for chariot position
- Heavy-duty, double stitched nylon cover, and wrapped, foam filled handles with knuckle guards
- Speed Safety Valve, patented, smart technology for quick, easy inflating and deflating
- Easy tow rope attachment with Kwik-Connect



LIVE WIRE 3 1-3 RIDER, CAPACITY 510 LBS (231 KG)

AHLW-3

76 in x 85 in (193 cm x 215 cm)

- Dual tow points: pull forward for seated position or backward for chariot position
- Heavy-duty, double stitched nylon cover, and wrapped, foam filled handles with knuckle guards
- Speed Safety Valve, patented, smart technology for quick, easy inflating and deflating
- Easy tow rope attachment with Kwik-Connect





SWITCH BACK 2 1-2 RIDER, CAPACITY 340 LBS (154 KG)

AHSB-2

91 in x 55 in (231 cm x 139 cm)

- Oversized backrest towable with heavy-duty, double stitched nylon cover
- Foam pads ensure a comfortable ride on the water, reduces chafing
- Heavy duty foam filled handles with knuckle guards
- Speed Safety Valve, patented, smart technology for quick, easy inflating and deflating

SWITCH BACK 4 1-4 RIDER, CAPACITY 680 LBS (308 KG)

AHSB-4

88 in x 70 in (223 cm x 177 cm)

- Oversized backrest towable with heavy-duty, double stitched nylon cover
- Foam pads ensure a comfortable ride on the water, reduces chafing
- Heavy duty foam filled handles with knuckle guards
- Speed Safety Valve, patented, smart technology for quick, easy inflating and deflating









AHDV-2

DEEP V Design Cuts

through Choppy Water, Giving Riders a Smoother Ride 76 in x 66 in (193 x 168 cm)

- Patent pending V-shaped nose helps tube cut through choppy water
- Fins help tube track behind boat, keeping it out of choppy water
- Fully covered, double stitched nylon cover, heavy duty and long lasting
- Heavy-duty foam filled handles with knuckle guards



ARHEAD









1-2 RIDER, CAPACITY 340 LBS (154 KG)

AHT2GF



AHT3GF

70 in x 70 in (177 cm x 177 cm)



AHT4GF

75 in x 93 in (190 cm x 236 cm)

- Bolster fins to help keep rider in place
- Heavy duty foam filled handles with knuckle guards
- Double stitched nylon cover, heavy duty and long lasting
- Speed Safety Valve, patented, smart technology for quick, easy inflating and deflating





AHVH-1

58 in x 47 in (147 cm x 119 cm), Patented

- Zero G technology creates a tapered V base, allows rider to lean in or out, bank or roll
- Bolster fins keep rider in place, double-stitched nylon cover, and wrapped, foam filled handles with knuckle guards
- Comfortable foam pad makes the ride smooth and enjoyable
- Speed Safety Valve, patented, smart technology for quick, easy inflating and deflating











HEXCITER 1-2 RIDER, CAPACITY 340 LBS (154 KG)

AHHX-1

60 in (152 cm)

- Heavy duty foam filled handles with knuckle guards
- Double stitched nylon cover, heavy duty and long lasting
- Speed Safety Valve, patented, smart technology for quick, easy inflating and deflating
- Easy tow rope attachment with Kwik-Connect



LAZER 1 RIDER, CAPACITY 170 LBS (77 KG)

AHLZ-1

70 in x 48 in (177 x 121 cm)

- Raised tail fins for leg support
- Heavy duty foam filled handles with knuckle guards
- Double stitched nylon cover, heavy duty and long lasting
- Speed Safety Valve, patented, smart technology for quick, easy inflating and deflating









AHT22SL

58 in Diameter (147 cm)

- Towable design is tapered downward for easy boarding
- Foam pad ensures a comfortable ride on the water, reduces chafing



SUPER SLICE 1-3 RIDER, CAPACITY 510 LBS (231 KG)

AHT32SSL

70 in Diameter (177 cm)



MEGA SLICE 1-4 RIDER, CAPACITY 680 LBS (308 KG)

AHT42MSL

100 in Diameter (254 cm)

- Heavy-duty, double stitched nylon cover, and wrapped, foam filled handles with knuckle guards
- Speed Safety Valve, patented, smart technology for quick, easy inflating and deflating







STARS & STRIPES 1 RIDER, CAPACITY 170 LBS (77 KG)

53-4310

57 in Diameter (144 cm)

STARS & STRIPES KIT 1 RIDER, **CAPACITY 170 LBS (77 KG)**

53-4310K

57 in Diameter (144 cm) Kit includes: towable,

50 ft (15.2 m) rope and 12 volt pump



- Double stitched nylon cover, heavy duty and long lasting
- Speed Safety Valve, patented, smart technology for quick, easy inflating and deflating





- Bolster fins to help keep rider in place
- Heavy duty foam filled handles with knuckle guards
- Double stitched nylon cover, heavy duty and long lasting
- Speed Safety Valve, patented, smart technology for quick, easy inflating and deflating




REBEL KIT 1 RIDER, CAPACITY 170 LBS (77 KG)


AHRE-12

54 in Diameter (137 cm)

- Three-piece tow kit with towable, 50 ft (15.2 m) rope and 12-volt pump
- Heavy duty foam filled handles with knuckle guards
- Double stitched nylon cover, heavy duty and long lasting
- Speed Safety Valve, patented, smart technology for quick, easy inflating and deflating



- Heavy duty foam filled handles with knuckle guards
- Double stitched nylon cover, heavy duty and long lasting
- Speed Safety Valve, patented, smart technology for quick, easy inflating and deflating
- Easy tow rope attachment with Kwik-Connect







65 in Diameter (165 cm)

- Luxurious soft top deck
- Towable deck lends its styling from a turtle
- Heavy duty foam filled handles with knuckle guards

75 in Diameter (190 cm)

95 in Diameter (241 cm)

- Double stitched nylon cover, heavy duty and long lasting
- Speed Safety Valve, patented, smart technology for quick, easy inflating and deflating



HOT SHOT 1 RIDER, CAPACITY 170 LBS (77 KG)

AHHS-12

57 in Diameter (144 cm)

- Towable deck glides along the water easily
- · Heavy duty foam filled handles with knuckle guards
- Double stitched nylon cover, heavy duty and long lasting
- Speed Safety Valve, patented, smart technology for quick, easy inflating and deflating



SHIELD 1 RIDER, CAPACITY 170 LBS (77 KG)

AHSH-T1

56 in x 48 in (142 cm x 122 cm)

- Teardrop design with bolster fins to help keep rider in place
- Heavy duty foam filled handles with knuckle guards
- Double stitched nylon cover, heavy duty and long lasting
- Speed Safety Valve, patented, smart technology for quick, easy inflating and deflating



GRIFFIN 2 1-2 RIDER, CAPACITY 340 LBS (154 KG)

AHGR-02

70 in x 69 in (177 cm x 175 cm)

- Towable deck, broad wings help keep riders in place
- · Heavy duty foam filled handles with knuckle guards
- Double stitched nylon cover, heavy duty and long lasting
- Speed Safety Valve, patented, smart technology for quick, easy inflating and deflating



GRIFFIN 31-3 RIDER, CAPACITY 510 LBS (231 KG)

AHGR-03

70 in x 90 in (177 cm x 228 cm)

- Towable deck, broad wings help keep riders in place
- · Heavy duty foam filled handles with knuckle guards
- Double stitched nylon cover, heavy duty and long lasting
- Speed Safety Valve, patented, smart technology for quick, easy inflating and deflating









CHILL 'N THRILL 1-3 RIDER, CAPACITY 510 LBS (231 KG)

AHLT-02

77 in x 59 in (195 cm x 149 cm), Patented

- Choose to relax or ride, sit-on style with oversized backrest, drink holders
- Foam pads ensure a comfortable ride on the water, reduces chafing
- Heavy-duty, double stitched nylon cover, and wrapped, foam filled handles with knuckle guards
- Speed Safety Valve, patented, smart technology for quick, easy inflating and deflating





SHIFTY 1-2 RIDER, CAPACITY 340 LBS (154 KG)

AHFV-02

75.5 in x 53 in (191 cm x 134 cm)

- Gliding V Technology, allows riders to "shift" the wings by moving to the right/left
- Bolster fins help keep riders in place
- Heavy-duty, double stitched nylon cover, and wrapped, foam filled handles with knuckle guards
- Speed Safety Valve, patented, smart technology for quick, easy inflating and deflating













BOOYAH! 2 1-2 RIDER, CAPACITY 340 LBS (154 KG)

AHBY-02

67 in x 63 in (170 cm x 160 cm)

- Patented multi-position seating, divider walls with contoured backrests
- Foam pads ensure a comfortable ride on the water, reduces chafing
- Heavy-duty, double stitched nylon cover, and wrapped, foam filled handles with knuckle guards
- Speed Safety Valve, patented, smart technology for quick, easy inflating and deflating



BOOYAH! 3 1-3 RIDER, CAPACITY 510 LBS (231 KG)

AHBY-03

84 in x 62.5 in (213 cm x 158 cm)

- Patented multi-position seating, divider walls with contoured backrests
- Foam pads ensure a comfortable ride on the water, reduces chafing
- Heavy-duty, double stitched nylon cover, and wrapped, foam filled handles with knuckle guards
- Speed Safety Valve, patented, smart technology for quick, easy inflating and deflating

POPARAZZI 2 1-2 RIDER, CAPACITY 340 LBS (154 KG)

AHPZ-1752

75 in x 65 in (190 cm x 165 cm)



POPARAZZI 3
1-3 RIDER,
CAPACITY 510 LBS
(231 KG)

AHPZ-1750 87 in x 81 in (221 cm x 205 cm)



- Roof-topped towable, rocker bottom; choose to lie, stand, kneel
- Foam pads ensure a comfortable ride on the water, reduces chafing
- Heavy-duty, double stitched nylon cover, and wrapped, foam filled handles with knuckle guards
- Speed Safety Valve, patented, smart technology for quick, easy inflating and deflating



SLASH 1-2 RIDER, CAPACITY 340 LBS (154 KG)

AHSL-32

58 in x 48 in (147 cm x 122 cm)

- Designed to steer through the water, open back for easy boarding
- Foam pad ensures a comfortable ride on the water, reduces chafing
- Heavy-duty, double stitched nylon cover, and wrapped, foam filled handles with knuckle guards
- Speed Safety Valve, patented, smart technology for quick, easy inflating and deflating















HOLISLEIGH 1-2 RIDER, CAPACITY 340 LBS (154 KG)

AHMG-02

70 in x 53 in (177 cm x 134 cm)

- Holiday inspired sleigh-ride, to bring joy to one and all
- Foam pads ensure a comfortable ride on the water, reduces chafing
- Heavy-duty, double stitched nylon cover, and wrapped, foam filled handles with knuckle guards
- Speed Safety Valve, patented, smart technology for quick, easy inflating and deflating



CHALLENGER 1-3 RIDER, CAPACITY 510 LBS (231 KG)

AHCH-03

70 in x 99 in (177 cm x 251 cm)

- Multi-position seating, divider walls with oversized backrests
- Foam pads ensure a comfortable ride on the water, reduces chafing
- Heavy-duty, double stitched nylon cover, and wrapped, foam filled handles with knuckle guards
- Speed Safety Valve, patented, smart technology for quick, easy inflating and deflating







AHVI-F1

74 in x 59 in (187 cm x 149 cm)



VIPER 2 1-2 RIDER, CAPACITY 340 LBS (154 KG)

AHVI-F2

74 in x 73 in (187 cm x 185 cm)



VIPER 3 1-3 RIDER, CAPACITY 510 LBS (231 KG)

AHVI-F3

98 in x 74 in (248 cm x 187 cm)

- Sit-in cockpit style with supportive back rest, inflatable floor
- Heavy duty foam filled handles with knuckle guards
- Fully covered, double stitched nylon cover, heavy duty and long lasting
- Speed Safety Valve, patented, smart technology for quick, easy inflating and deflating













MACH 1 1 RIDER, CAPACITY 170 LBS (77 KG)

AHT2M1

68 in x 50 in (172 cm x 127 cm)

- Sit-in cockpit style with supportive back rest, inflatable floor
- Heavy duty foam filled handles with knuckle guards

MACH 2 1-2 RIDER, CAPACITY 340 LBS (154 KG)

AHT2M2

69 in x 69 in (175 cm x 175 cm)

MACH 3 1-3 RIDER, CAPACITY 510 LBS (231 KG)

AHT2M3

107 in x 75 in (271 cm x 190 cm)

- Partially covered, double stitched nylon cover, heavy duty and long lasting
- Speed Safety Valve, patented, smart technology for quick, easy inflating and deflating









BLAST 1*
1 RIDER,
CAPACITY
170 LBS (77 KG)
AHBL-12
54 in (137 cm)



BLAST 2 1-2 RIDER, CAPACITY 340 LBS (154 KG)

AHBL-22 83 in x 54 in (210 cm x 137 cm)



BLAST 3 1-3 RIDER, CAPACITY 510 LBS (231 KG)

AHBL-32 113 in x 54 in (287 cm x 137 cm)



BLAST 4 1-4 RIDER, CAPACITY 680 LBS (308 KG)

AHBL-42 83 in x 83 in (210 cm x 210 cm)



- \bullet Dual tow points: choose how your ride, vertically or horizontally $\!\!\!\!^*$
- Heavy duty foam filled handles with knuckle guards
- Partially covered, double stitched nylon cover, heavy duty and long lasting
- Speed Safety Valve for quick and easy inflating and deflation
- * BLAST 1 is only equipped with a single tow point.

TURBO BLAST 1 1 RIDER. **CAPACITY** 170 LBS (77 KG)

AHTB-11 56 in x 56 in (142 cm x 142 cm)



- · Aerodynamic shaped for ease-of-towing
- Heavy duty foam filled handles with knuckle guards
- Partially covered, double stitched nylon cover, heavy duty and long lasting
- Speed Safety Valve for quick and easy inflating and deflation



- · Aerodynamic shaped for ease-of-towing
- · Heavy duty foam filled handles with knuckle guards
- Partially covered, double stitched nylon cover, heavy duty and long lasting
- Speed Safety Valve for quick and easy inflating and deflation







- Sit-in style towable, inflatable floor, glides across the water
- Heavy duty foam filled handles with knuckle guards
- Partially covered, double stitched nylon cover, heavy duty and long lasting
- Speed Safety Valve, patented, smart technology for quick, easy inflating and deflating



















DOUBLE DOG 1-2 RIDER, CAPACITY 340 LBS (154 KG)

HD-22 76 in x 44 in (193 cm x 111 cm)

- Sit-on style, ballpark hot dog inspired graphics
- Foam pads ensure a comfortable ride on the water, reduces chafing

TRIPLE DOG 1-3 RIDER, CAPACITY 510 LBS (231 KG)

HD-32 102 in x 44 in (259 cm x 111 cm)

JUMBO DOG 1-5 RIDER, CAPACITY 850 LBS (385 KG)

HD-52 150 in x 44 in (381 cm x 111 cm)

- Heavy-duty, double stitched nylon cover, and wrapped, foam filled handles with knuckle guards
- Speed Safety Valve, patented, smart technology for quick, easy inflating and deflating







BOSTON

Aqua-Leisure Recreation, LLC 100 Technology Center Drive Suite 500 Stoughton, MA 02072

P: 508-587-5400 F: 508-583-4971 W: aqualeisure.com

DENVER

Aqua-Leisure Recreation, LLC 12000 E. 45th Avenue Unit 104 Denver, Colorado 80239

P: 303-733-3722 F: 303-733-8007 W: airhead.com



@airheadwatersports



@airheadwatersports



@airhead_H2O



@airhead



Subscribe at airhead.com