



POLAR[®] Elite

POLAR[®] Max

POLAR[®]

PRODUCT CATALOG

INDEX

POLAR® ELITE -----3

N20DC.....	4
N15DC.....	5

POLAR® MAX -----6

2118.....	7
1210	8

POLAR® -----9

N10DC	10
N8DC	11
N10LX	12
N8LX.....	13
N7LX.....	13

N2000 SERIES -----14

N2175	15
N2152	16
N2090	17

NORCOLD® REFRIGERATORS ---18

DC558.....	19
DE105	20
DE0061.....	21
DE0041	22
N4150	23
N4141	24
N305 - N306	25
NR751.....	26
NR740	26

NRF SERIES -----27

NRF-60	27
NRF-45.....	27
NRF-30.....	27

COOKTOPS & SINKS -----28

Thetford® Topline 160 Series.....	28
Thetford® Kitchen Center.....	28

NORCOLD® DOOR PANELS -----29

NORCOLD® VENTS-----30

NORCOLD® ACCESSORIES -----31

POLAR[®] ELITE

Polar[®] Elite refrigerators provide ample storage capacity, residential styling, DC compressor convenience and RV ready features.



N20DC

19 cu. ft. Compressor Refrigerator

Residential Styling

- Stainless steel French doors
- Glass interior shelves and clear door bins
- A sliding shelf that adjusts for various sized containers
- Integrated door-mounted digital control panel

DC Compressor Convenience

- 19 cu. ft. of storage capacity in the same cutout as a 18 cu. ft. RV refrigerator
- Unique power management system that ensures the lowest amp draw possible
- An adjustable independent thermostat for fresh and frozen compartments

RV Ready Features

- Individual compressors with separate wire inputs allow for flexibility in wire size selection
- RV standard mounting method for easy installation without any add-on brackets
- Fully integrated ergonomic door and travel latches with easy-open lighted handles
- Adjustable shelf dividers to ensure proper storage of items during transit

Energy Efficient

- Capable of running for up to 20 hours on a single battery charge
- Night mode reduces compressor and fan speed



SKU	Description	Cutout Dimensions	Listed 12V/DC Amp Draw	Typical 12V/DC Amp Draw	Weight
		H x W x D (in.)	Std. Mode	Std. Mode	Net (lb.)
N20DCSS	19 cu. ft., Stainless	69 x 36 x 24	12.50	6.50	241
N20DCIMSS	19 cu. ft., Stainless & Ice Maker	69 x 36 x 24	12.50	6.50	246

N15DC

15 cu. ft. Compressor Refrigerator

Residential Styling

- Stainless steel French doors
- Glass interior shelves and clear door bins
- A sliding shelf that adjusts for various sized containers
- Integrated door-mounted digital control panel

DC Compressor Convenience

- 15 cu. ft. of storage capacity in the same cutout as a 12 cu. ft. RV refrigerator
- Unique power management system that ensures the lowest amp draw possible
- An adjustable independent thermostat for fresh and frozen compartments

RV Ready Features

- Individual compressors with separate wire inputs allow for flexibility in wire size selection
- RV standard mounting method for easy installation without any add-on brackets
- Fully integrated ergonomic door and travel latches with easy-open lighted handles

Energy Efficient

- Capable of running for up to 27 hours on a single battery charge
- Night mode reduces compressor and fan speed



SKU	Description	Cutout Dimensions	Listed 12V/DC Amp Draw	Typical 12V/DC Amp Draw	Weight
		H x W x D (in.)	Std. Mode	Std. Mode	Net (lb.)
N15DCSS	15 cu. ft., Stainless	63 5/16 x 32 3/4 x 24	12.50	6.50	216
N15DCIMSS	15 cu. ft., Stainless & Ice Maker	63 5/16 x 32 3/4 x 24	12.50	6.50	221

POLAR[®] MAX

Designed specifically for the rigors of the road, Polar[®] Max LP gas absorption refrigerators offer quiet operation, maximum storage space and exceptional styling.



2118

18 cu. ft. LP Gas Absorption Refrigerator

RV Ready Features

- Uses silent gas absorption process with no moving parts
- Positive locking recessed door handles open easily and has a built-in travel latch
- Adjustable wire shelves have a front lip to keep food secure

Maximum Storage

- Full-width food and freezer compartments
- Covered crispers with pop-up lids protect food from spills
- Center slide-out bin between crispers optimizes space utilization

Exceptional Styling

- Cabinet-depth design for a clean and comfortable fit in RV kitchens
- Eye level exterior LCD control panel is easy to see and operate
- Available with stainless steel doors installed or black trim for optional black panel doors or custom wood panels



SKU	Description	Cutout Dimensions	Amp Draw		Weight
		H x W x D (in.)	120V/AC	12V/DC	Net (lb.)
2118*	18 cu. ft., Black Trim	69 x 36 x 24	5.00	2.75	238
2118IM*	18 cu. ft., Black Trim & Ice Maker	69 x 36 x 24	6.61	3.41	245
2118SS	18 cu. ft., Stainless	69 x 36 x 24	5.00	2.75	251
2118IMSS	18 cu. ft., Stainless & Ice Maker	69 x 36 x 24	6.61	3.41	258

*Door panels sold separately. Dimensions can be found on page 29.

1210

12 cu. ft. LP Gas Absorption Refrigerator

RV Ready Features

- Uses silent gas absorption process with no moving parts
- Embedded steel A-frame is protected from bending and corrosion
- Adjustable thermostat allows user to respond to ambient temperature changes

Maximum Storage

- Removable, adjustable shelving and door bins in fresh food and freezer compartments
- Three pull out bins in fresh food compartment for flexible storage
- Full-width fresh food compartment

Exceptional Styling

- Unique side-by-side four-door configuration
- Eye level exterior LED control panel with built-in diagnostics
- Available with stainless steel doors installed or black trim for optional black panel doors or custom wood panels



SKU	Description	Cutout Dimensions	Amp Draw		Weight
		H x W x D (in.)	120V/AC	12V/DC	Net (lb.)
1210*	12 cu. ft., Black Trim	63 5/16 x 32 3/4 x 24	1.90	3.80	193
1210IM*	12 cu. ft., Black Trim & Ice Maker	63 5/16 x 32 3/4 x 24	3.50	5.30	199
1210SS	12 cu. ft., Stainless	63 5/16 x 32 3/4 x 24	1.90	3.80	211
1210IMSS	12 cu. ft., Stainless & Ice Maker	63 5/16 x 32 3/4 x 24	3.50	5.30	217

*Door panels sold separately. Dimensions can be found on page 29.

POLAR®

The Polar® series of refrigerators offer both DC compressor and gas absorption models for the perfect fit and function for all camping styles.



N10DC

10 cu. ft. Compressor Refrigerator

Perfect Fit

- Provides 10 cu. ft of storage capacity in the same cutout as 8 cu. ft. models
- RV standard mounting method for easy installation without any add-on brackets
- Reversible doors with curved edges in stainless steel or black matte finish

Plenty of Function

- Adjustable thermostat and separate temperature zones for fresh food and freezer sections
- Glass shelves, clear door bins and dual clear crisper drawers
- Shelf retainers secure items while in transit
- Recessed edge door handles with integrated travel latch

Energy Efficiency

- LED top control panel includes venting for improved refrigerator performance
- Night Mode reduces compressor and fan speed to conserve battery charge
- Manual defrost allows user to determine the best time to defrost or conserve battery charge



SKU	Description	Cutout Dimensions	Listed 12V/DC Amp Draw	Typical 12V/DC Amp Draw	Weight
		H x W x D (in.)	Std. Mode	Std. Mode	Net (lb.)
N10DCSSR/L	10 cu. ft., Stainless	59 7/8 x 23 1/2 x 24	8.30	5.00	124
N10DCBKR/L	10 cu. ft., Black Matte	59 7/8 x 23 1/2 x 24	8.30	5.00	124

N8DC

8 cu. ft. Compressor Refrigerator

Perfect Fit

- Provides 8 cu. ft of storage capacity in the same cutout as 6 cu. ft. and 7 cu. ft. models
- RV standard mounting method for easy installation without any add-on brackets
- Reversible doors with curved edges in stainless steel or black matte finish

Plenty of Function

- Adjustable thermostat and separate temperature zones for fresh food and freezer sections
- Wire shelves, clear door bins and dual clear crispers drawers
- Shelf retainers secure items while in transit
- Recessed edge door handles with integrated travel latch

Energy Efficiency

- LED top control panel includes venting for improved refrigerator performance
- Night Mode reduces compressor and fan speed to conserve battery charge
- Manual defrost allows user to determine the best time to defrost or conserve battery charge



SKU	Description	Cutout Dimensions	Listed 12V/DC Amp Draw	Typical 12V/DC Amp Draw	Weight
		H x W x D (in.)	Std. Mode	Std. Mode	Net (lb.)
N8DCSSR/L	8 cu. ft., Stainless	52 7/8 x 23 1/2 x 24	7.90	5.00	112
N8DCBKR/L	8 cu. ft., Black Matte	52 7/8 x 23 1/2 x 24	7.90	5.00	112

N10LX

10 cu. ft. LP Gas Absorption Refrigerator

Perfect Fit

- Largest refrigerator in its class
- Provides 10 cu. ft of storage capacity in the same cutout as 8 cu. ft. models
- Tall door panels with hidden hinges and recessed door handles create a built-in look
- Optional MAGNAstrips™ act as spacers when using N1095 model doors

Plenty of Function

- Control panel with LCD display, adjustable thermostat and mode selection
- Powder-coated shelves, clear door bins and dual clear crisper drawers
- Shelf retainers secure items while in transit
- Black trim is standard. Frames accept black door panels or custom wood panels
- Optional Cold Weather Kit allows for continued refrigerator operation down to ambient temperatures of 0° F



SKU	Description	Cutout Dimensions	Amp Draw		Weight
		H x W x D (in.)	120V/AC	12V/DC	Net (lb.)
N10LXIM R/L*	10 cu. ft., Black Trim & Ice Maker	59 7/8 x 23 1/2 x 24	4.18	2.60	112
N10LX R/L*	10 cu. ft., Black Trim	52 7/8 x 23 1/2 x 24	2.50	1.36	112

*Door panels sold separately. Dimensions can be found on page 29.

N8LX

8 cu. ft. LP Gas Absorption Refrigerator

N7LX

7 cu. ft. LP Gas Absorption Refrigerator

Fit & Function

- 2-way AC/LP and 3-way AC/DC/LP models
- Tall door panels with hidden hinges and recessed door handles create a built-in look
- Control panel with LCD display, adjustable thermostat and mode selection
- Five adjustable shelves, clear door bins and dual clear crisper drawers
- Black trim is standard. Frames accept black door panels or custom wood panels
- Optional Cold Weather Kit allows for continued refrigerator operation down to ambient temperatures of 0° F



N8LX



N7LX



SKU	Description	Cutout Dimensions	Amp Draw		Weight
		H x W x D (in.)	120V/AC	12V/DC	Net (lb.)
N8LX.3R*	8 cu. ft., Black Trim, 3-Way	59 7/8 x 23 1/2 x 24	2.50	19.83	122
N8LXFR/L*	8 cu. ft., Black Trim, 2-Way w/ Fan	59 7/8 x 23 1/2 x 24	2.50	1.36	122
N8LXR/L*	8 cu. ft., Black Trim, 2-Way	59 7/8 x 23 1/2 x 24	2.50	0.93	121
N7LX.3FR*	7 cu. ft., Black Trim, 3-Way w/ Fan	52 7/8 x 23 1/2 x 24	2.50	19.93	114
N7LX.3R/L*	7 cu. ft., Black Trim, 3-Way	52 7/8 x 23 1/2 x 24	2.50	19.93	113
N7LXFR/L*	7 cu. ft., Black Trim, 2-Way w/ Fan	52 7/8 x 23 1/2 x 24	2.50	1.36	113
N7LXR/L*	7 cu. ft., Black Trim, 2-Way	52 7/8 x 23 1/2 x 24	2.50	0.93	112

*Door panels sold separately. Dimensions can be found on page 29.

N2000 SERIES

The Norcold® N2000 Series is the next generation of 12-volt refrigerators. Stylish and energy efficient these 12-volt refrigerators will fit perfectly in any RV.



N2175

6.2 cu. ft. 12-volt Refrigerator

Stylish

- Sleek black flat panel doors
- Left or right opening options
- Ergonomically designed recessed handles that don't intrude into RV living space
- Bottom freezer with generous storage space

Energy Efficient

- Low energy-consuming compressor allows refrigerators to run over 25 hours on a single battery charge
- Reduced energy consumption with advanced electronics
- Control panel with intuitive touch controls and user-friendly graphics offering energy-saving stand by and night modes



SKU	Description	Cutout Dimensions	Listed 12V/DC Amp Draw	Typical 12V/DC Amp Draw	Weight
		H x W x D (in.)	Std. Mode	Std. Mode	Net (lb.)
N2175BPR/L	6.2 cu. ft., Black Panel	49 13/64 x 20 45/64 x 23 45/64	7.00	4.70	84.90

N2152

5.3 cu. ft. 12-volt Refrigerator

Stylish

- Designed to fit in narrow spaces
- Available with sleek black flat panel doors
- Left or right opening options
- Ergonomically designed recessed handles that don't intrude into RV living space

Energy Efficient

- Low energy-consuming compressor allows refrigerators to run over 25 hours on a single battery charge
- Reduced energy consumption with advanced electronics
- Control panel with intuitive touch controls and user-friendly graphics offering energy-saving stand by and night modes



SKU	Description	Cutout Dimensions	Listed 12V/DC Amp Draw	Typical 12V/DC Amp Draw	Weight
		H x W x D (in.)	Std. Mode	Std. Mode	Net (lb.)
N2152BPR/L	5.3 cu. ft., Black Panel	59 13/64 x 16 1/2 x 22 19/64	7.00	4.00	77
N2152R/L	5.3 cu. ft., Black Trim	59 13/64 x 16 1/2 x 22 19/64	7.00	4.00	76

N2090

3.0 cu. ft. 12-volt Refrigerator

Stylish

- Designed to fit in narrow and tight spaces
- Available with sleek black flat panel doors
- Left or right opening options
- Ergonomically designed recessed handles that don't intrude into RV living space

Energy Efficient

- Low energy-consuming compressor allows refrigerators to run over 25 hours on a single battery charge
- Reduced energy consumption with advanced electronics
- Control panel with intuitive touch controls and user-friendly graphics offering energy-saving stand by and night modes



SKU	Description	Cutout Dimensions	Listed 12V/DC Amp Draw	Typical 12V/DC Amp Draw	Weight
		H x W x D (in.)	Std. Mode	Std. Mode	Net (lb.)
N2090BPR/L	3.0 cu. ft., Black Panel	38 ⁴⁵ / ₆₄ x 16 ¹ / ₂ x 19 ²⁹ / ₃₂	5.00	2.70	41.60
N2090R/L	3.0 cu. ft., Black Trim	38 ⁴⁵ / ₆₄ x 16 ¹ / ₂ x 19 ²⁹ / ₃₂	5.00	2.70	40.50

NORCOLD® REFRIGERATORS

Norcold® has over 60 years of mobile refrigerator knowledge so you can feel confident you selected a refrigerator with the right performance and necessary features.



DC558

5.5 cu. ft. 12/24-volt Refrigerator

Performance

- 12/24-volt operation with overcurrent and low voltage battery protection
- Danfoss BD Micro-Compressor

Features

- Easily reversible, self-latching door opens 150°
- White powder-coated shelves and adjustable, removable door bins
- Accommodates gallon jugs on the bottom shelf and 2-liter bottles in the door bin
- Black trim is standard. Frames accept black door panels or custom wood panels



SKU	Description	Cutout Dimensions	Amp Draw		Weight
		H x W x D (in.)	12V/DC	24V/DC	Net (lb.)
DC558*	5.5 cu. ft., Black Trim	42 5/8 x 23 1/16 x 20 1/2	3.20	1.60	57

*Door panels sold separately. Dimensions can be found on page 29.

DE105

3.3 cu. ft. DC/DE/EV Combination Refrigerator Freezer

Power Supply Options:

- Direct Current (DC) - 12 or 24-volts
- Dual Electric (DE) - AC 120-volts at 60 hertz & DC 12 or 24-volts
- European Voltage (EV) - AC 230-volts at 50 hertz and DC 12 or 24-volts

Features

- LED interior lighting
- Powder-coated wire shelves with a raised lip to keep food secure while in transit
- Two clear door bin



SKU	Description	Cutout Dimensions	Amp Draw		Weight
		H x W x D (in.)	12V/DC	24V/DC	Net (lb.)
DE105*	3.3 cu. ft., Black Trim	30 x 20 3/4 x 20 1/8	5.20	2.60	70

*Door panels sold separately. Dimensions can be found on page 29.

DE0061

7.0 cu. ft. DC/DE/EV Combination Refrigerator

Power Supply Options:

- Direct Current (DC) - 12 or 24-volts
- Dual Electric (DE) - AC 120-volts at 60 hertz & DC 12 or 24-volts
- European Voltage (EV) - AC 230-volts at 50 hertz and DC 12 or 24-volts

Features

- Two-door model with 1.7 cu. ft. freezer
- Contemporary Flushmount™ styling
- Reversible doors with adjustable, removable, large container door bin
- Top-mounted automatic temperature control



SKU	Description	Cutout Dimensions	Amp Draw				Weight
		H x W x D (in.)	12V/DC	24V/DC	120V/AC 60Hz	230V/AC 50Hz	Net (lb.)
DC-0061*	7.0 cu. ft., Black Trim	52 7/8 x 23 1/4 x 23 3/4	5.80	2.40	-	-	94
DE-0061*	7.0 cu. ft., Black Trim	52 7/8 x 23 1/4 x 23 3/4	5.80	2.40	0.80	-	94
EV-0061	7.0 cu. ft., Black Trim	52 7/8 x 23 1/4 x 23 3/4	5.80	2.40	-	0.40	94

*Door panels sold separately. Dimensions can be found on page 29.

DE0041

3.6 cu. ft. DE/EV Combination Refrigerator

Power Supply Options:

- Dual Electric (DE) - AC 120-volts at 60 hertz & DC 12 or 24-volts
- European Voltage (EV) - AC 230-volts at 50 hertz and DC 12 or 24-volts

Features

- Single door model with freezer compartment
- Contemporary Flushmount™ styling
- Reversible door with adjustable, removable, large container door bin
- Top-mounted automatic temperature control



SKU	Description	Cutout Dimensions H x W x D (in.)	Amp Draw				Weight
			12V/DC	24V/DC	120V/AC 60Hz	230V/AC 50Hz	Net (lb.)
DE-0041*	3.6 cu. ft., Black Trim	30 7/8 x 23 1/4 x 23 1/2	5.80	2.40	0.80	-	66
EV-0041*	3.6 cu. ft., Black Trim	30 7/8 x 23 1/4 x 23 1/2	5.80	2.40	-	0.40	66

*Door panels sold separately. Dimensions can be found on page 29.

N4150

5.3 cu. ft. 3-Way Refrigerator

Power Supply Options:

- Direct Current (DC) - 12-volts
- Alternating Current (AC) - AC 120-volts at 60 hertz
- LP Gas

Features

- Automatic power source selection for auto change over between gas and electric
- Electronic controls with built-in diagnostics and adjustable thermostat
- Ergonomic, pull only door latch with closure hook at the bottom of the unit
- Adjustable door bins and wire shelves
- Large and deep crisper drawers



SKU	Description	Cutout Dimensions	Amp Draw		LP Gas	Weight
		H x W x D (in.)	12V/DC	120V/AC		Net (lb.)
N4150	5.3 cu. ft., Charcoal Grey	49 3/16 x 20 3/4 x 22 1/16 to 22 25/32	17.60	2.50	Yes	85

N4141

5.0 cu. ft. 3-Way Refrigerator

Power Supply Options:

- Direct Current (DC) - 12-volts
- Alternating Current (AC) - AC 120-volts at 60 hertz
- LP Gas

Features

- Designed for narrow spaces - only 16.5 inches wide
- .5 cu. ft. freezer compartment
- LCD touch screen controls
- Manual or automatic power source selection
- Reversible doors with adjustable or removable door bins



SKU	Description	Cutout Dimensions	Amp Draw		LP Gas	Weight
		H x W x D (in.)	12V/DC	120V/AC		
N4141*	5.0 cu. ft., Black Trim	59 1/2 x 16 1/2 x 22 3/4	17.20	2.50	Yes	85

*Door panels sold separately. Dimensions can be found on page 29.

N305 – N306

2.7 cu. ft. 2 or 3-Way Refrigerator

Power Supply Options:

- Direct Current (DC) - 12-volts
- Alternating Current (AC) - AC 120-volts at 60 hertz
- LP Gas

Features

- Top manual controls with Piezo gas ignition, on/off switch and adjustable thermostat
- Flame current meter monitors gas ignition
- RV ready door latch



SKU	Description	Cutout Dimensions	Amp Draw		LP Gas	Weight
		H x W x D (in.)	12V/DC	120V/AC		
N306	2.7 cu. ft. Black, 2-Way	29 ¾ x 20 ½ x 21 ⅜	-	1.50	Yes	60
N306.3	2.7 cu. ft. Black, 3-Way	29 ¾ x 20 ½ x 21 ⅜	12.00	1.50	Yes	60
N305	2.7 cu. ft. Beige, 2-Way	29 ¾ x 20 ½ x 21 ⅜	-	1.50	Yes	60
N305.3	2.7cu. ft. Beige, 3-Way	29 ¾ x 20 ½ x 21 ⅜	12.00	1.50	Yes	60

NR751

2.7 cu. ft. DC/AC/EV Refrigerator

NR740

1.7 cu. ft. DC/AC/EV Refrigerator

Power Supply Options:

- Direct Current (DC) - 12 or 24-volts
- Alternating Current (AC) - 120-volts at 60 hertz
- European Voltage (EV) - 230-volts at 50 hertz
- Refrigerator comes with DC power cord only
- Optional AC power cords available
- See page 31 for power cord options

Features

- European styling with an easy pull handle
- Flush or proud mountable without any additional hardware
- Self-venting through lower grill
- LED interior lighting
- Removable door bins with wire retainers to keep items secure in transit



SKU	Description	Cutout Dimensions H x W x D (in.)	Amp Draw				Weight Net (lb.)
			12V/DC	24V/DC	120V/AC 60Hz	230V/AC 50Hz	
NR751BB	2.7 cu. ft., Black	20 1/2 x 18 1/2 x 21 1/16 to 23 3/16	3.60	1.80	.75	.47	49
NR751SS	2.7 cu. ft., Stainless	20 1/2 x 18 1/2 x 21 1/16 to 23 3/16	3.60	1.80	.75	.47	49
NR740BB	1.7 cu. ft., Black	20 1/2 x 15 1/4 x 17 7/8 to 19 15/16	3.60	1.80	.75	.47	41
NR740SS	1.7 cu. ft., Stainless	20 1/2 x 15 1/4 x 17 7/8 to 19 15/16	3.60	1.80	.75	.47	41

NRF SERIES



Available in three sizes, users can select the right Norcold® NRF Series portable refrigerator/freezer that fits their vehicle, adventure or appetite.

NRF-60

2.1 cu. ft. Portable Refrigerator/Freezer

NRF-45

1.6 cu. ft. Portable Refrigerator/Freezer

NRF-30

1.1 cu. ft. Portable Refrigerator/Freezer



Features:

- Hermetically sealed compressor with built-in low voltage protection
- Battery protection with three settings to prevent battery drain; will automatically turn back on when voltage returns
- Electronic temperature control panel with indicator light to alert user of issues
- Separate refrigerator only section prevents freezing of select items
- CFC-free insulation foam and refrigerant
- Reversible and removable lid
- Interior light
- DC power cord included
- Optional AC adapter available
- See page 31 for AC adapter



SKU	Description	Cutout Dimensions	Amp Draw			Power Watts	Weight Net (lb.)
		H x W x D (in.)	12V/DC	24V/DC	120V/AC		
NRF-60	2.1 cu. ft.	20 7/16 x 25 1/2 x 15 3/4	5.00	2.50	0.50	55	49.60
NRF-45	1.6 cu. ft.	16 15/16 x 25 1/2 x 15 3/4	4.60	2.30	0.50	50	44.00
NRF-30	1.1 cu. ft.	15 5/8 x 22 x 15 3/4	4.00	2.00	0.40	45	39.60

COOKTOPS & SINKS

Complete the RV kitchen with a gas cooktop and a sink and storage solution.

Thetford® Topline 160 Series Gas Cooktops

- Glass-lined cooktops with recessed burners, black knobs and a smooth, dark gray glass lid
- No-rattle design with a steel coated surface mounted frame
- 12-volt/DC electronic ignition and flame failure auto-shutoff
- Large burners 7850 BTU
- Small burners 5700 BTU



Topline 162



Topline 169

Thetford® Kitchen Center Covered Sink and Accessories

- Sink made of high quality 304 stainless steel
- Requires 1 ¼ inch drain fitting
- Tempered smoked glass lid provides additional surface space
- Includes: basin, cutlery rack, cutting board, drain and lid retainer
- All accessories will store neatly inside the sink when not in use



SKU	Description	Information	Cutout Dimensions	Order Qty	Carton Wt (lb.)	Carton Vol (cf.)
			L x W x H (in.)			
SHB16950Y	Thetford® Topline Cooktop	3 Burner w/ Glass Lid	20 ¼ x 17 ¼ x 4 ½	1	28.00	2.20
SHB16250Y	Thetford® Topline Cooktop	2 Burner w/ Glass Lid	20 ¼ x 17 ¼ x 4 ½	1	23.00	2.80
SBL1013Y	Thetford® Kitchen Center	Basin and Accessories	13 ¾ x 17 ⅝	1	16.00	1.20

Vents

Part Number	Description	Current Model Families						Previous Model Families												
		Polar® MAX		Polar®			Norcold®		Norcold®											
		2118	1210	N10	N8	N7	N4150	N4141	322/323	N260	N180	N3XX	N4XX	N5XX	N6XX	N8XX	NX6XX	NX8XX	1095	
69110022	Vent Door Assembly - White							X												
69110027	Vent Door Assembly - Black							X												
633588141	Vent - Small Euro - Winnebago White						X	X												
616319BWH	Roof Jack Base - White	X	X	X	X	X	X	X					X	X	X	X	X	X	X	X
620505BK	Small Side Vent - Upper/Lower - Black			X	X	X	X	X	X	X	X		X	X	X	X	X	X	X	X
620505CHA	Small Side Vent - Upper/Lower - Champagne			X	X	X	X	X	X	X	X		X	X	X	X	X	X	X	X
620505PW	Small Side Vent - Upper/Lower - Polar White			X	X	X	X	X	X	X	X		X	X	X	X	X	X	X	X
621156AG	Side Vent - Upper/Lower - Aero Gray - PP		X	X	X	X	X	X					X	X	X	X	X	X	X	X
621156AG-1	Side Vent - Upper/Lower - Aero Gray - ASA		X	X	X	X	X	X					X	X	X	X	X	X	X	X
621156BK	Side Vent - Upper/Lower - Black - PP		X	X	X	X							X	X	X	X	X	X	X	X
621156BK-1	Side Vent - Upper/Lower - Black - ASA		X	X	X	X							X	X	X	X	X	X	X	X
621156BW	Side Vent - Upper/Lower - Bright White - PP		X	X	X	X	X	X					X	X	X	X	X	X	X	X
621156CHA	Side Vent - Upper/Lower - Champagne - PP		X	X	X	X	X	X					X	X	X	X	X	X	X	X
621156CHA-1	Side Vent - Upper/Lower - Champagne - ASA		X	X	X	X	X	X					X	X	X	X	X	X	X	X
621156FWG	Side Vent - Upper/Lower - Four Winds Grey- ASA		X	X	X	X	X	X					X	X	X	X	X	X	X	X
621156FWT	Side Vent - Upper/Lower - Four Winds Taupe - ASA		X	X	X	X	X	X					X	X	X	X	X	X	X	X
621156OYS-1	Side Vent - Upper/Lower - Oyster - ASA		X	X	X	X	X	X					X	X	X	X	X	X	X	X
621156PW	Side Vent - Upper/Lower - Polar White - PP		X	X	X	X							X	X	X	X	X	X	X	X
621156PW-1	Side Vent - Upper/Lower - Polar White - ASA		X	X	X	X							X	X	X	X	X	X	X	X

Vents (continued)

Part Number	Description	Current Model Families						Previous Model Families											
		Polar® MAX		Polar®			Norcold®	Norcold®											
		2118	1210	N10	N8	N7	N4150	N4141	322/323	N260	N180	N3XX	N4XX	N5XX	N6XX	N8XX	NX6XX	NX8XX	1095
622293CBK	Roof Jack Cap - Black	X	X	X	X	X	X	X				X	X	X	X	X	X	X	X
622293CBW	Roof Jack Cap - Bright White	X	X	X	X	X	X	X				X	X	X	X	X	X	X	X
625161BBK	Roof Jack Base - Black	X	X	X	X	X	X	X				X	X	X	X	X	X	X	X
637318BK	Large Side Vent - Black	X	X																
637318BW	Large Side Vent - Bright White	X	X																
638406PW	Vent Door Assembly - Polar White											X							

Accessories

Part Number	Description	Current Model Families							Previous Model Families						
		Polar® MAX		Polar®			Norcold®		Norcold®						
		2118	1210	N10	N8	N7	NR751	NR740	NRF - 30/45/60	N5XX	N6XX	N8XX	NX6XX	NX8XX	1095
619020	12V Fan Kit										X	X			
634650	AC Adapter							X							
634913	Kit - Low Ambient (Cold Weather)	X	X						X	X	X	X	X	X	
635591	US AC Power Cord - 120V						X	X							
635592	EU AC Power Cord - 230V						X	X							
635593	AUS AC Power Cord - 230V						X	X							
639406	Kit - Panel Adapter - MAGNAstrips			X	X	X							X	X	
639892	12V Fan Retrofit Kit				X	X									
639971	Kit - Low Ambient (Cold Weather)			X	X	X									



About Norcold

Norcold was founded in 1959 in California to manufacture and sell specialty refrigerators to the RV and Marine industries. As the recreational industry prospered, so did Norcold, rapidly growing from a small, family company to an industry “player” with unlimited potential. Norcold’s growth and innovation continue today in Sidney, Ohio.

BIG ADVENTURES DEMAND THE BEAR.



Learn more at norcold.com
Customer Service: 1.800.444.7210 (option 2)
Email: info@norcold.com

