



LINKAGE AFRICA LTD

www.linkage-africa.com

Thinking Ahead



Linkage Africa Limited
Kenbelt Industrial Park,
Old Mombasa Rd, Off Mombasa Road
P.O. Box 51271-00100, Nairobi, Kenya
Tel: +254.20.2044580: Mob:
+254.722.814045
Email: info@linkage-africa.com



HSR15 NEXT

Genel Bilgiler

General Information

Tambur Kapasitesi Batch Capacity	kg	15
	lbs	33
Kavurma Kapasitesi Roasting Capacity	kg/sa	45
	lbs/h	99
Kavurma Zaman Roasting Time	Dakika /Minute	12-18
Isı Göstergesi Temperature Indicator	Dijital - C° - F°	
Isıtma Heating	Termal - Thermal	
Yakıt Fuel	LPG - Doğal gaz - Dizel - Odun / LPG - Natural gas - Diesel - Wood	
Gaz Bağlantısı Gas Connection	1/2- 3/4	



Head Office

Linkage Africa Limited

Along Old Mombasa Road, Off Mombasa Rd
P.O. Box 51271-00100 Nairobi, Kenya
Tel: +254(0)20 2044580, +254(0) 798 309 166
Email: info@linkage-africa.com

Arusha - Tanzania Office

EPC Linkage Africa (T) Limited

Opp. SAUT College, Along Makao Mapya Rd,
P.O. Box 14164 - Meru, Arusha, Tanzania
Tel: (+ 255) 739 666 671, (+255) 754 436 449
Email: infoepctz@linkage-africa.com

Affiliate to:

Linkage Trading Co Ltd

Along Old Mombasa Road, Off Mombasa Rd
P.O. Box 51271-00100 Nairobi, Kenya
Tel: +254(0)20 2044580, +254(0) 798 309 166
Email: info@linkage-africa.com

HSR15 NEXT

Elektriksel Bilgiler Electrical Information

Voltaj Voltage	V	110 – 220 – 380 V
Frekans Frequency	Hz	50-60 HZ

Atmosferik Brülör Atmospheric Burner

Natural Gas (NG) Kapasite Natural Gas (NG) Capacity	kW	43
Natural Gas (NG) Tüketim Natural Gas (NG) Consumption	m ³ /h	4,55
Likit Propan Gas (LPG) Kapasite Liquid Propane Gas (LPG) Capacity	kW	38
Likit Propan Gas (LPG) Tüketim Liquid Propane Gas (LPG) Consumption	kg/h	2,997

Motor Bilgileri Engine Information

Motor Sayısı Number of Engines	Piece	4
Tambur Motoru Drum Motor	kW	0,37
Tava Motoru Mixer Motor	kW	0,37
Tambur Fan Motoru Drum Fan Motor	kW	0,37
Tava Fan Motoru Mixer Fan Motor	kW	0,75
Tambur Redüktörü Drum Reducer	50 Gövde i:28	
Tava Redüktörü Mixer Reducer	50 Gövde i:70	

Premix Brülör Premix Burner

Kullanılan Brülör Burner Used	CX-50F	
Natural Gas (NG) Kapasite Natural Gas (NG) Capacity	kW min./max.	6,5 – 50
Natural Gas (NG) Tüketim Natural Gas (NG) Consumption	m ³ /h	0,68 – 5,21
Likit Propan Gas (LPG) Kapasite Liquid Propane Gas (LPG) Capacity	kW	6,5 – 50
Likit Propan Gas (LPG) Tüketim Liquid Propane Gas (LPG) Consumption	kg/h	0,51 – 3,89

Yedek Parçalar Spare Parts

Tambur Ön Rulmanı Drum Front Bearing	6205
Tambur Arka Rulmanı Drum Rear Bearing	62306
Tava Rulmanı Mixer Bearing	51105
Arka Rulman Yatağı Rear Bearing Housing	SN 507
Dişli Threaded	1/2" 19
Zincir Chain	1/2" Çift Sıra 1/2" Double Row
Kapak Rulmanlı Yataklar Cover Roller Bearings	-
Düşürme Kolu Rulmanlı Yataklar Drop Lever Roller Bearings	-
Kafa Kolu Dişli Drop Lever Gear	-
Kafa Kolu Zincir Drop Lever Chain	-

HSR15 NEXT



Artisan Connected Manual Panel	PLC Panel
Bean Temperature Air Flow Temperature Timer Drum Motor Adjust Air Flow Adjust Mixer Adjust Cooler Fan Start/Stop Burner Adjust Drum / Air Flow Start/Stop Mixer Start/Stop Burner Start/Stop Emergency Stop Lamp USB + Artisan Buzzer Main Switch	7" Screen USB Lamp Buzzer Artisan Emergency Stop Main Switch Bean Temperature Air Flow Temperature Timer Drum Motor Adjust Air Flow Adjust Mixer Adjust Cooler Fan Start/Stop Burner Adjust Drum / Air Flow Start/Stop Mixer Start/Stop Burner Start/Stop
	50 Recipe Memory 8 Point Chart Saving Past Roastings Automatic ROR Value Display Maintenance Reminder Remote Controllability/TV Mirroring Automatic saving of changes made to the recipe

**Manuel
Button**

**Manuel
Button**

**Touch
Control**

Advantages