



LINKAGE AFRICA LTD

www.linkage-africa.com

Thinking Ahead



Linkage Africa Limited
Kenbelt Industrial Park,
Old Mombasa Rd, Off Mombasa Road
P.O. Box 51271-00100, Nairobi, Kenya
Tel: +254.20.2044580: Mob:
+254.722.814045
Email: info@linkage-africa.com

HSR2,5 NEXT

Genel Bilgiler General Information

Tambur Kapasitesi Batch Capacity	kg	2,5
	lbs	5,512
Kavurma Kapasitesi Roasting Capacity	kg/sa	7,5
	lbs/h	16,536
Kavurma Zaman Roasting Time	Dakika Minute	12-18
Isı Göstergesi Temperature Indicator	Dijital - C° - F °	
Isıtma Heating	Termal - Thermal	
Yakıt Fuel	LPG - Doğal gaz - Dizel - Odun / LPG - Natural gas - Diesel - Wood	
Gaz Bağlantısı Gas Connection	1/2- 3/4	



Head Office
Linkage Africa Limited
Along Old Mombasa Road, Off Mombasa Rd
P.O. Box 51271-00100 Nairobi, Kenya
Tel: +254(0)20 2044580, +254(0) 798 309 166
Email: info@linkage-africa.com

Arusha - Tanzania Office
EPC Linkage Africa (T) Limited
Opp. SAUT College, Along Makao Mapya Rd,
P.O. Box 14164 - Meru, Arusha, Tanzania
Tel: (+ 255) 739 666 671, (+255) 754 436 449
Email: infoepctz@linkage-africa.com

Affiliate to:
Linkage Trading Co Ltd
Along Old Mombasa Road, Off Mombasa Rd
P.O. Box 51271-00100 Nairobi, Kenya
Tel: +254(0)20 2044580, +254(0) 798 309 166
Email: info@linkage-africa.com

HSR2,5 NEXT

Elektriksel Bilgiler Electrical Information

Voltaj Voltage	V	110 – 220 – 380 V
Frekans Frequency	Hz	50-60 HZ

SINCE 1954

We know you care about coffee.
We care about you too...
With the Love of Coffee...

Atmosferik Brülör Atmospheric Burner

Natural Gas (NG) Kapasite Natural Gas (NG) Capacity	kW	20
Natural Gas (NG) Tüketim Natural Gas (NG) Consumption	m ³ /h	2,116
Likit Propan Gas (LPG) Kapasite Liquid Propane Gas (LPG) Capacity	kW	16
Likit Propan Gas (LPG) Tüketim Liquid Propane Gas (LPG) Consumption	kg/h	1,262

Premix Brülör Premix Burner

Kullanılan Brülör Burner Used	CX-28F	
Natural Gas (NG) Kapasite Natural Gas (NG) Capacity	kW min./max.	4 – 28
Natural Gas (NG) Tüketim Natural Gas (NG) Consumption	m ³ /h	0,42 – 2,92
Likit Propan Gas (LPG) Kapasite Liquid Propane Gas (LPG) Capacity	kW	4 – 28
Likit Propan Gas (LPG) Tüketim Liquid Propane Gas (LPG) Consumption	kg/h	0,31 – 2,18

Motor Bilgileri Engine Information

Motor Sayısı Number of Engines	Piece	4
Tambur Motoru Drum Motor	kW	0,18
Tava Motoru Mixer Motor	kW	0,18
Tambur Fan Motoru Drum Fan Motor	kW	0,37
Tava Fan Motoru Mixer Fan Motor	kW	0,37
Tambur Redüktörü Drum Reducer	28 Gövde i:16	
Tava Redüktörü Mixer Reducer	28 Gövde i:70	

Yedek Parçalar Spare Parts

Tambur Ön Rulmanı Drum Front Bearing	6003
Tambur Arka Rulmanı Drum Rear Bearing	6304
Tava Rulmanı Mixer Bearing	51104
Arka Rulman Yatağı Rear Bearing Housing	SN 505
Dişli Threaded	Yok
Zincir Chain	Yok

HSR2,5 NEXT



Artisan Connected Manual Panel

Bean Temperature
Air Flow Temperature
Timer
Drum Motor Adjust
Air Flow Adjust
Mixer Adjust
Cooler Fan Start/Stop
Burner Adjust
Drum / Air Flow Start/Stop
Mixer Start/Stop
Burner Start/Stop
Emergency Stop
Lamp
USB + Artisan
Buzzer
Main Switch

**Manuel
Button**

PLC Panel

7" Screen
USB
Lamp
Buzzer
Artisan
Emergency Stop
Main Switch

**Manuel
Button**

Bean Temperature
Air Flow Temperature
Timer
Drum Motor Adjust
Air Flow Adjust
Mixer Adjust
Cooler Fan Start/Stop
Burner Adjust
Drum / Air Flow Start/Stop
Mixer Start/Stop
Burner Start/Stop

**Touch
Control**

50 Recipe Memory
8 Point Chart
Saving Past Roastings
Automatic ROR Value Display
Maintenance Reminder
Remote Controllability/TV Mirroring
Automatic saving of changes made to the recipe

Advantages