

Quality Guarantee Manual TRIDENT TRACTORS NICOLA'S MACHINERY PTY LTD

Table of Contents

I. Users' Instructions	1
II. New Vehicle Handover Service Sheet	3
III. Mandatory Maintenance Service Sheet	4
IV. Periodic Maintenance Service Sheet	7
V. Repair Record Sheet	8
VI. Tractor Maintenance CARDS	9

I. Users' Instructions

Dear users,

Thank you for your trust in Nicola's Machinery Pty Ltd (Nicola's Machinery). To make you correctly, reasonably and efficiently use the tractors, please read the following clauses first:

(I) Special tips:

- 1. Before using the tractors, please read this Manual carefully, no matter you have operational experience or not. This will help you operate the tractors more reasonably and efficiently;
- 2. To create more economic benefits and prolong the service life of tractors, before using the products, please read this Manual and other operation instructions of supporting engines and agricultural implements carefully, and operate, maintain and repair the tractors strictly as per the provisions in the instructions, so as to achieve the highest performance of tractors;
 - 3. To avoid any influence on tractor performance or any accident, do not arbitrarily refit the tractors;
- 4. Due to the relatively large differences in regional agricultural technology conditions and emergency situations, the use, parameters, supporting agricultural implements and operation efficiency recommended in this Manual may vary. Please select according to actual situations;
- 5. The tractors can be operated, maintained and repaired only by personnel familiar with tractor features and with relevant safe operation knowledge;
- 6. The operators must have the driving licenses of agricultural vehicles and tractors issued by local transport departments.
 - 7. To avoid any accident, the local safety regulations and road traffic rules shall be observed at any time.

(II) Users' responsibilities:

- 1. The users shall use and operate the products within the specified capacity and application ranges for the products;
 - 2. The users shall correctly service the products within the maintenance cycle;
- 3. In case of any product failures, the users shall timely notify the local dealers and keep the products in repair status. For any damages of other components due to operation of products after the failures, the users shall be responsible for the damaged components;
- 4. When applying for quality guarantee, the users shall provide the copies of complete purchasing vouchers and new vehicle handover service sheets.

(III) Disclaimers:

- 1. Premature wear and failures due to improper maintenance or use beyond the specified range;
- 2. Failures and damages due to arbitrary refitting and improper dismantling;
- 3. Failure to provide copies of product purchasing vouchers and new vehicle handover service sheets;
- 4. Any traffic accidents or operation safety accidents due to driving, operation or using, or any associated losses thereof, such as property loss or casualties;
 - 5. Damages due to force majeure;
 - 6. Unauthorized repair;
 - 7. Failures due to the repair by using non-Nicola's Machinery original spare parts;

8. Wear parts or maintenance parts in principle (except the defects existing before delivery), including but not limited to the following parts:

clutches, clutch friction plates, brake linings, filters (air, engine oil and fuel oil), common electric devices, bearings, rubber parts, sealing elements, glasswork, oil fluids (except those approved for repair) and fuel spray nozzles.

9. Products that are repaired after full damage.

This Manual will be subject to modification due to product improvement without prior notice.

Nicola's Machinery Pty Ltd

II. New Vehicle Handover Service Sheet

No:

D	ear	users	

Thank you for purchasing TRIDENT tractors.	is providing you the vehicle handover
service. Please inspect and accept as per the following contents.	

If you are familiar with the content, please give a "\scriv" in the column of "confirm", otherwise, give a "x".

S/N				Item				Confirm
1	Get familiar with the inspection positions and standards of various oil items.							
2	Grasp the operation, inspection and adjustment methods for both free stroke of clutch and free stroke of brake.					utch		
3	Grasp the	e maintenance me and hydraulic oil	-	cautions of	air filters, engin	ne oil filters, di	iesel	
4	Get familiar with the running-in requirements of tractors, as well as the repair and maintenance methods and requirements.							
5	Grasp the content, methods and requirements of daily repair of tractors.							
6	Correctly	grasp the operati	on methods of	tractors.				
7		grasp the operard grawn		of four-whe	eel drive, powe	r output, hydra	aulic	
8	Grasp the	e adjustment meth	od of suspension	on system.				
9	Check an	nd understand the	meanings of all	l safety sigr	18.			
10		hat the serial nu t with those on th			he serial numb	per of engine	are	
Name of owner	Operator Tel. E-mail							
Address		,		•		Date of procureme nt		
Product model	Serial Engine number of engine of vehicle							
Sales department	Service Date of personnel service							
User's commitmen t I have grasped the operation and maintenance requirement of the product. I will operate and maintain the products strictly as per the requirements. I will make a phone call in case of any problem.								
Comments:								
Signature of owner or operator (seal)								
Service ratin	Service rating (tick"√" in the □ by the owner) □ Satisfied □ Nearly satisfied □ not satisfied						satisfied	

III. Mandatory Maintenance Service Sheet-50H

No:

maintenance	service, and the f	following mai	ntenance serv	ices will be p	is providing rovided (refer to th n has been complet	ne maintenance se	ction in
S/N				Item			Confirm
1	Clean the air fil	ter.					
2	Replace the en and clean the of	_	•		ment and engine of	l filter element,	
3		arbox, front d	rive axle, stee	ring system	and hydraulic syste	m oil, and clean	
4	Clean the engin	e cooling sys	tem.				
5	Inspect the toe adjustments if r		wheel and th	e free stroke	es of clutch and b	rake, and make	
6	Inspect and tigh	nten all extern	al fasteners.				
7	Inject lubricating	ng grease at al	l lubricating p	points of tract	or.		
Note: If all abo	ove mentioned ite	ems are not co	ompleted, the i	mandatory m	aintenance service s	sheet is invalid.	
Name of owner		Operator		Tel.		E-mail	
Address						Date of procurement	
Product model		Serial number f vehicle		Engine model		Serial number of engine	
Sales departmen t				Service personnel		Date of service	
Comments:					Signature	e of owner or op	erator (seal)
	ng (tick" $$ " in the owner)		□ Satisfied	п	learly satisfied	□ not satisfie	d

III. Mandatory Maintenance Service Sheet-200H

No:

Dear users,						No:	
					is providing rovided (refer to the		
in the manual otherwise, given		for the mair	ntenance method	l). If any i	tem has been comp	leted, give a "✓",	
S/N			Ite	m			Confirm
1	Clean and mainta	ain oil basin	of oil-bath air fil	ter.			
2	Replace the engiand clean the oil		-	filter ele	ment and engine o	il filter element,	
3	Clean oil inlet fil	ter and scav	enge filter of lifte	er, replace	the filter core if ne	cessary.	
4	Clean and mainta	ain the core	of dry-type air fil	ter, replac	e it if necessary.		
5	Inspect the toe- adjustments if ne		wheel and the f	ree stroke	es of clutch and b	rake, and make	
6	Inspect and tight	en all extern	al fasteners.				
7	Inject lubricating	g grease at al	l lubricating poin	ts of tract	or.		
Note: If all abo	ove mentioned iten	ns are not co	ompleted, the man	ndatory m	aintenance service	sheet is invalid.	
Name of owner		Operator		Tel.		E-mail	
Address	,					Date of procurement	
Product model	nı	Serial ımber vehicle		ingine model		Serial number of engine	
Sales departmen t				ervice rsonnel		Date of service	
Comments:							
					Signature	e of owner or op	perator (seal)
Service rati	ng (tick"√" in		G 4: C 1	-			1

 \square Satisfied

the \Box by the owner)

□ Nearly satisfied

 $\hfill\Box$ not satisfied

III. Mandatory Maintenance Service Sheet-400H

Dear users,

No:

maintenance	service, and the	following n	naintenance ser	vices will be p	provided (refer to	g you the mandatory the maintenance so pleted, give a "",	
S/N				Item			Confirm
1	Clean and ma	intain oil ba	sin of oil-bath a	air filter.			
2	-	_	cating oil, diese		ement and engine	oil filter element,	
3	Clean oil inle	t filter and so	cavenge filter o	f lifter, replace	e the filter core if n	ecessary.	
4	Clean and ma	intain the co	re of dry-type a	air filter, repla	ce it if necessary.		
5	Inspect the to adjustments it		nt wheel and	the free strok	es of clutch and	brake, and make	
6	Inspect and ti	ghten all ext	ernal fasteners.				
7	Inject lubricat	ting grease a	t all lubricating	g points of trac	tor.		
8	Clean and ma	intain breath	ner filter core ar	nd the filter of	hydraulic steering	tank.	
9	Check oil leve	el of transmi	ssion case and	front drive axl	e, add oil if necess	ary.	
Note: If all abo	ove mentioned i	items are not	t completed, the	e mandatory m	naintenance service	sheet is invalid.	
Name of owner		Operato	or	Tel.		E-mail	
Address						Date of procurement	
Product model		Serial number of vehicle		Engine model		Serial number of engine	
Sales departmen t		·		Service personnel		Date of service	
Comments:					Signatu	re of owner or op 	erator (seal)
	ng (tick"√" in the owner)		□ Satisfied		Nearly satisfied	□ not satisfie	d

IV. Periodic Maintenance Service Sheet

Dear users,

To keep your machines in good conditions, we are going to provide the comprehensive inspection and maintenance of machines according to the maintenance requirements. Please prepare the oils, filter elements and other consumable materials for replacement. Thank you.

No:

S/N	Working hours of vehicle	Maintenance item	Service personnel	Signature of user	Time of service
1					
2					
3					
4					
5					
6					
7					
8					
9					

V. Repair Record Sheet

S/N	Repair record	Repair personnel	Time of repair
1			
2			
3			
4			
5			
6			
7			
8		-	

Maintenance Interval for Trident Wheel Tractor Every shift Every 50h Every 200h Every 400hEvery 800h Every 1600h NO. NO. NO. Drive shaft housing tube (TA/TE) 13 Fuel/Lubricates filter 31 Steering system oil (TA/TB/TD/TF/TG) External connecting bolt 19 Hydraulic system oil 25 Transmission system oil Engine lubricant oil Front axle Sediment cup (TA/TB/TE);Oil-water separator (TD/TF/TG) 20 Parking brake free stroke 32 Fuel tank Air reservoir drain valve Steering cylinder Front axle oil Radiator cooling fluid Steering system oil Hydraulic suction/return oil filter element 22 Brake tank oil (TD/TF/TG) Toe-in Gap engine intake/exhaust valve Main/auxiliary clutch free stroke Air filter (Cleaned every shift under severe working environment) Service brake free stroke Steering system filter element (TA/TB/TD/TF/TG) Fuel spray pressure for injector Front axle oil 6 Front/rear tire pressure 30 Hydraulic oil 12 Engine lubricant oil 18 Main /auxiliary clutch shaft 24 Brake pedal hub Cooling system Symbol description: 🖒 --Maintain O--Change O--Tighten 🖒 --Clean O--Cleanout 🔷 --Adjust 🛆 --Add grease