

Company:

**Contact:** 

## Wate **Chain of Custody**

Contact Information: Please fill out all yellow highlighted fields

**Email Address:** 

Address:

Form FO-556 V 1.0 - Water Testing COC Updated 12-27-23

<b>-</b> 41	LAB CONTROL NUMBER
er Testing	<b>Analysis Options:</b>

1	Total Coliform	/ E Coli D/A	CM 20 21 22	02220 ( 04)	(Calilart) 100	ml comp
1.	iotai Colitorm	/ E COII P/A -	- SM ZU Z1-Z3	( 9773B (-()4)	(Colliert) 100	mı samr

**2.** E. Coli Enumeration - SM 20, 21-23 9223B (-04) (Colilert) 100ml sample

**3. Fecal Coliform -** SM 20, 21-23 9221E (-04) (Colilert) 100ml sample

**4.** Aerobic Plate Count - SM 20, 21-23 9215B (-04) 1ml sample x 2 plates

5. Yeast and Mold

6. Salmonella

7. Nitrates / Nitrites

8. Lead

	In	cubator 1:	Bio	Biotrax ID # 0077 - 35 °C										
°C	ln	Incubator 2:		Biotrax ID # 0074 - 44.5 °C										
	Method Used	Media Used	Incubator	Colifrom P/A per 100 mL	E. Coli P/A per 100 mL	Total Small Wells / Plate Count 1/ 1ml	Total Large Wells / Plate Count 2/ 1ml	MPN / APC Average						
	Me	Ме	Inc	<b>Coli</b> per 1	E. C	Total Plate	Total Plate	MPN						
9														
9														
9														
9														
9														
9														
9														
9														
9														
9														

Phor	ne:								_							
Project Information			Lab Use Only				Incubator 1: Biotrax ID # 0077 - 35 °C									
Project	roject ID:		Sá	Sample on Ice? Y / N Temp Received°C		С	Incubator 2: Biotrax ID # 0074 - 44.5 °C									
Project Descrip	otion:			In	Incubation Start Date/Time:				ρ					s/ nl	s/ nl	age
PO Nun	nber:			Inc	Incubation End Date/Time:				Use	~	≰		Well:	Well	Avera	
Sampled By:			Re	Results Read Date/Time/Tech:				po	ia U	batc	e F	<b>≓</b> P/	Small	Large Coun	APC	
Sample Identification / Location Sample Type (Below) Date		Sample Date	Sample Time	Free CL2 Residuals	Requested Analysis		Method Used Media Used		Incubator	Colifrom P/A per 100 mL	<b>E. Coli P/A</b> per 100 mL	Total Small Wells / Plate Count 1/1ml	Total Large Wells / Plate Count 2/ 1ml	MPN / APC Average		
1.							1 2 3 4 5 6 7 8	9								
2.							1 2 3 4 5 6 7 8	9								
3.							1 2 3 4 5 6 7 8	9								
4.							1 2 3 4 5 6 7 8	9								
5.							1 2 3 4 5 6 7 8	9								
6.							1 2 3 4 5 6 7 8	_								
7.							1 2 3 4 5 6 7 8	_								
8.							1 2 3 4 5 6 7 8									
9.							1 2 3 4 5 6 7 8	_								
10.							1 2 3 4 5 6 7 8	9								
Samp	Sample Type Codes: PW- Potable Water NPW- Non-Potable Water BS- Biosolid Notes:															
Media Lot Number				RELINQUISHED BY:			Date & Time			RECE	RECEIVED BY:			Date & Time		
Media	1: Colilert-24	Media 2: Co	edia 2: Colilert-18													
Media 3	: Quanti-Tray 2000 Media 4: Remel Pour Tube		Tube													
Media 5	5: Idexx Bottle					Review	red By / Date									