









Yaweh 3000 TeleHandler (9m)

A. Size			E. Engine		
1	Outline (mm)	7400*2100*2900	1	Model	YC 4105
2	Wheelbase (mm)	2780	2	Type	Turbo
3	Wheeltrack (mm)	1700	3	Rated Power (KW)	110
4	Min Ground Clearance (mm)	320	4	Rated Speed (r/min)	2400
B. Performances			5	Cylinders # - Dia.	4-105
1	System Pressure (Mpa)	16	F. Driving System		
2	Weight (kg)	7000	1	Transmission	Power Shift
3	Max Speed (Km/h)	35	2	Gear	Front 2 and Back 2
4	Max Climbing Capability (°)	35	3	Hyd. Torque Converter	280 Splitted High/Low Speed
5	Minimum Turning Radius (mm)	5750	G. Steering System		
C. Telescopic Arm			1	Type	Hinged Hyd. Rotary
1	Max Lifting Height (mm)	9000	2	Turning Angle (°)	38
2	Max Unloading Height (mm)	6800	H. Bridge		
3	Max Unloading Distance (mm)	1200	1	Type	Large Wheel Edge
4	Max Loading Cap.	3000	I. Tyre		
5	Max Loading Cap. At Longest	1200	1	Dimention	16/70-24
6	Bucket Width (mm)	2000	2	Service Brake	Air/Oil Disc Brake
			3	Parking Brake	Hand Brake
			J. Others		
			1	Driving Type	Four Wheel
			2	Gear Type	Hydraulic
			3	Operating System	Electric-Hydraulic
Specific parameter changes are subject to the actual object					