







Yaweh 932-30 Backhoe Loader

A. Size			E. Engine		
1	Outline (mm)	6500*1850*2700	1	Model	YN 4100
2	Wheelbase (mm)	2240	2	Type	Turbo
3	Wheeltrack (mm)	1480	3	Rated Power (KW)	65
4	Min Ground Clearance (mm)	250	4	Rated Speed (r/min)	2400
B. Performances			5	Cylinders # - Dia.	4-100
1	System Pressure (Mpa)	28	F. Driving System		
2	Weight (kg)	5000	1	Transmission	Power Shift
3	Max Speed (Km/h)	30	2	Gear	Front 2 and Back 2
4	Max Climbing Capability (°)	30	3	Hyd. Torque Converter	265 Full High/Low Speed
5	Minimum Turning Radius (mm)	4000	G. Steering System		
C. Excavating Index			1	Type	Hinged Hyd. Rotary
1	Max Digging Depth (mm)	2000	2	Turning Angle (°)	33
2	Unloading Height (mm)	3100	H. Bridge		
3	Maximum Digging Radius (mm)	3700	1	Type	Wheel Edge
4	Bucket Width (mm)	50	I. Tyre		
5	Bucket Capacity (m ³)	0.2	1	Dimention	20.5-16
6	Max Excavation Height (mm)	4300	2	Service Brake	Air/Oil Disc Brake
7	Rotation Angle (°)	360	3	Parking Brake	Air-cut Brake
D. Loading Index			J. Fuel tank		
1	Max Unloading Height (mm)	3200	1	Fuel Tank (L)	63
1	Max Unloading Distance (mm)	800	2	Hyd. Oil Tank (L)	63
2	Bucket Width (mm)	1800	K. Others		
3	Bucket Capacity (m ³)	0.8	1	Driving Type	Four Wheel
4	Max Lifting Height (mm)	4300	2	Gear Type	Hydraulic

Specific parameter changes are subject to the actual object

