PROPOSAL FOR BID OPENING

TO: SUPERINTENDENT OF HIGHWAYS
TOWN OF SOMERS
250 ROUTE 100, P.O. BOX 281
SOMERS, NEW YORK 10589

We hereby propose to furnish materials and services to the Town of Somers Highway Department in accordance with the Specifications and Notice**, dated November 5, 2026** for materials ordered for delivery on or before December 31, 2027 at unit prices as bid below:

ITEM

1. Liquid Bituminous Asphalt

Spec. Item	Material Description	Price per Gallon in Place	
a. 702-3001 thru 3601	Asphalt Emulsions	$_____	$_____
b. 702-4101	Cationic Asphalt Emulsions	$_____	$_____
c. 702-10 thru 16	Rapid Curing Asphalt Cutbacks	$_____	$_____
d. 802-20 thru 25	Medium Curing Asphalt AC-20	$_____	$_____
e. 703-03	Penetration Grade Asphalt AC-20	$_____	$_____
f. Special Asphalt Cutback	Rapid Curing	$_____	$_____
g. 407-0101 HFMS 2H	Tack Coat Emulsion Applied	$_____	$_____

Price per Square Yard

h. Tack Coat RS1H applied at a spray rate of .03 to .05 gallons per square yard $_____

Plant Location_____

Mileage from Town Garage_____

PRICE ADJUSTMENT CLAUSE:

In view of the energy crisis asphalt cement prices may fluctuate. To adjust equally to compensate for price fluctuations the bidder shall use September 1, 2026 OGS posting. **$794.00 U.S.** per ton for the base price of asphalt cement at the time of their submission of the BID
In requesting payment, the vendor shall invoice the Town of Somers for the number of tons or gallons at the bid price. An additional statement on the same invoice form will designate the adjustment based on the percentage of asphalt cement in the particular mix. This will be either an additional payment to the vendor or a credit to the Town if the asphalt cement cost is over or under the established base price.
Price Adjustment =% of asphalt x (New FOB Terminal Price= **$794.00U.S**.Per Gallon

Documentation of the price of asphalt will be submitted with invoices.

2. **BITUMINOUS CONCRETE**

SPEC. ITEM	MATERIAL DESCRIPTION	AC-20 PER TON OF MIX	PRICE DEL. PER NET TON	PRICE FOB PER NET TON
403.118902	Base Course Type 1	5.00%	$_____	$_____
403.138902	Binder Course Type 3	5.50%	$_____	$_____
403.15	Shim Course Type 5	8.25%	$_____	$_____
18403.1780302	Top Course Type 6F3	6.40%	$_____	$_____
W18403-178302	Top Course 6F3 Warm Mix Spec	6.4%	$_____	$_____
402-128301	12.5MM Superpave Top	6%	$_____	$_____
403.19	Top Course type 7F	7.00%	$_____	$_____
714.06	Asphaltic Concrete Curb	7.50%	$_____	$_____
403.2001	Asphal. Conc. Stockpile Patching Winter Mix	7.00%	$_____	$_____

18403.1702 Asphaltic Concrete Type 6F3

Laid in Place Complete per ton	$_____
Laid in Place with Keys	$_____
Laid in Place with Tack Coat	$_____
Laid in Place with Tack & Keys	$_____

W18403-178302 Asphaltic Concrete Type 6F3 Warm Mix

Laid in Place Complete per ton	$_____
Laid in Place with Keys	$_____
Laid in Place with Tack Coat	$_____
Laid in Place with Tack & Keys	$_____

403.128301 Asphaltic Concrete Type 12.5MM Superpave Top

Laid in Place Complete Per Ton	$_____
Laid in Place with Keys	$_____
Laid in Place with Tack Coat	$_____
Laid in Place with Tack & Keys	$_____

403.11 Asphaltic Concrete Type 1

Laid in Place Complete per ton	$_____
Laid in Place with Keys	$_____
Laid in Place with Tack Coat	$_____
Laid in Place with Tack & Keys	$_____

403.13 Asphaltic Concrete Type 3

Laid in Place Complete per ton	$_____
Laid in Place with Keys	$_____
Laid in Place with Tack Coat	$_____
Laid in Place with Tack & Keys	$_____

PRICE LAID IN PLACE
PER SYD

18403.1780302 Top Course Type 6F3 6.40%
Laid in Place Complete per syd @2 in. $_____
Lain in Place Complete per syd @1.5in. $_____
W18403-178302 Top Course 6F3
Warm Mix Spec 6.4%
Laid in Place Complete per syd @2 in. $_____
Lain in Place Complete per syd @1.5in. $_____

PRICE PER SYD

Tack Coat RS1H applied at a spray rate of .03 to .05 gal. $_____

2A: Milling
Proposal Unit Price Schedule

Company Name _____

Item No.	Description	Unit	Price
1A	Driveway Key Cuts	EA.	$----------
1B	Roadway Key Cuts	EA.	$----------
2	Water Valve Adaptors	EA.	$_____
3	Area Milling	SY	$_____
4	Sub Trucking for Milling	Day	$_____
5	Tack Coat	Gal	$_____

WINTER MIX – Winter Mix must be loose and fresh. Aged stockpiles are not Acceptable

Plant Location _____
Mileage from Town Garage_____

PRICE ADJUSTMENT CLAUSE:
In view of the energy crisis asphalt cement prices may fluctuate. To adjust equally to compensate for price fluctuations bidder shall use the September 1, 2025 OGS posting **$794.00 U.S**. per ton for the base price of asphalt cement at the time of their submission of the bid. In requesting payment, the vendor shall invoice the Town of Somers for the number of tons at the bid price. An additional statement on the same invoice form will designate the adjustment based on the percentage of asphalt cement in the particular mix. This will be either an additional payment to the vendor or a credit to the Town if the asphalt cement cost is over or under the established base price.

Price Adjustment =% of asphalt*(New Average FOB Terminal Price: **$794.00** U.S.

Documentation of the price of asphalt will be submitted with invoices.

3A. **CRUSHED BLUESTONE**

NYSDOT	PER TON	PER TON	PER CYD	PER CYD

SPECIFICATION 703-2	F.O.B.	DELIVERED	F.O.B	DELIVERED
1A. (1/4")	$_____	_____	_____	_____
1ST (3/8")	$_____	_____	_____	_____
2 (3/4")	$_____	_____	_____	_____
2A (1")	$_____	_____	_____	_____
3 (1 1/2")	$_____	_____	_____	_____
703-0201 (4" TO 6")	$_____	_____	_____	_____
620-03 LITE STONE FILL	$_____	_____	_____	_____
MEDIUM STONE FILL	$_____	_____	_____	_____
CRUSHER RUN	$_____	_____	_____	_____

Plant/Quarry Location (MUST BE LISTED)

_____

_____

3B**. CRUSHED LIMESTONE**

NYSDOT SPECIFICATIONS 703-02	PER TON F.O.B.	PER TON DELIVERED	PER CYD F.O.B	PER CYD DELIVERED
2 (3/4")	$_____	_____	_____	_____
3 (1 ½")	$_____	_____	_____	_____
703-0201 (4" TO 6")	$_____	_____	_____	_____
620-03 LITE STONE FILL	$_____	_____	_____	_____
MEDIUM STONE FILL	$_____	_____	_____	_____
CRUSHER RUN	$_____	_____	_____	_____

PLANT/QUARRY LOCATION (MUST BE LISTED) _____

_____

_____

ALL BIDDERS MUST BID PER TON AND PER CYD OR BID WILL BE REJECTED

4. COURSE WASHED DARK BROWN NYS SPECIFICTION WINTER SAND

PER TON F.O.B.	PER TON DELIVERED	PER CYD F.O.B.	PER CYD DELIVERED
_____	_____	_____	_____

PLANT/QUARRY LOCATION (MUST BE LISTED) _____

_____

_____

5. COURSE SCREENED DARK BROWN WINTER SAND

PER TON F.O.B.	PER TON DELIVERED	PER CYD F.O.B.	PER CYD DELIVERED

_____ _____ _____ _____

PLANT/QUARRY LOCATION (MUST BE LISTED) _____
_____
_____

6. COURSE WASHED LONG ISLAND SAND

PER TON F.O.B.	PER TON DELIVERED	PER CYD F.O.B.	PER CYD DELIVERED
_____	_____	_____	_____

PLANT/QUARRY LOCATION (MUST BE LISTED) _____
_____
_____

7. **WASHED GRAVEL**

NYSDOT SPECIFICATION	PER TON F.O.B.	PER TON DELIVERED	PER CYD F.O.B.	PER CYD DELIVERED
3/8"	$_____	_____	_____	_____
3/4"	$_____	_____	_____	_____
1½"	$_____	_____	_____	_____

Plant/Quarry Location (MUST BE LISTED) _____
_____
_____

8A. **RUN OF BANK GRAVEL**

	PER TON F.O.B.	PER TON DELIVERED	PER CYD F.O.B.	PER CYD DELIVERED
6" Minus (-) Stone	_____	_____	_____	_____

Plant/Quarry Location (MUST BE LISTED) _____
_____
_____

B. **PROCESSED RUN OF BANK GRAVEL**

NYSDOT SPECIFICATION	PER TON F.O.B.	PER TON DELIVERED	PER CYD F.O.B.	PER CYD DELIVERED
ITEM #4 1" Minus (-) Stone	_____	_____	_____	_____

Plant/Quarry Location (MUST BE LISTED) _____
_____

9A. **ITEM #4 SHOULDER STONE - 3/4" TRAP ROCK (BLUE)**

NYSDOT SPECIFICATION	PER TON F.O.B.	PER TON DELIVERED	PER CYD F.O.B.	PER CYD DELIVERED

ITEM #4 1" (-) Trap Rock $_____ _____ _____ _____

Plant/Quarry Location (MUST BE LISTED) _____
_____
_____

ALL BIDDERS MUST BID PER TON AND PER CYD OR BID WILL BE REJECTED

9B. **ITEM #4 SHOULDER STONE - 3/4" LIMESTONE (WHITE)**

NYSDOT SPECIFICATIION	PER TON F.O.B.	PER TON DELIVERED	PER CYD F.O.B.	PER CYD DELIVERED
ITEM #4 1" (-) Limestone	$_____	_____	_____	_____

Plant/Quarry Location (MUST BE LISTED) _____
_____
_____

ALL BIDDERS MUST BID PER TON AND PER CYD OR BID WILL BE REJECTED

10.

GUIDE RAIL AND POST INSTALLATION
CORRUGATED BOX BEAM AND GUIDERAIL MATERIALS MEETING
GALVANIZED SPECIFICATIONS

1. Complete layout and installation of guide rail and posts per New York State Specifications PER LINEAL FT._____

2. Corrugated beam type guide rail-punched 6'3" PER LINEAL FT._____

3. Corrugated beam type guide rail - punched 6'3"
   Curved to special radius:
   Curved to 50' radius and up EACH_____
   Curved 40' to 50' radius EACH_____
   Curved 30' to 39' radius EACH_____
   Curved 20' to 29' radius EACH_____

4. Corrugated beam type guide rail - length 13' 6 1/2" (shop curved rail) (approach and terminal) (rotation 90 degrees) EACH_____

5. 3" X 2-3/8" I Intermediate guide rail posts -length 5'3" EACH_____

6. Flared type terminal sections 12 gauge EACH_____

7. Wrap around type terminal sections 12 gauge EACH_____

8. Concrete anchor unit with all necessary hardware EACH_____

9. Galvanized splice bolts 1-1/4" x 5/8" EACH_____

10. Galvanized post bolts 5/16" x 1-3/4" with washer & nut EACH_____

11. Galvanized post bolts 2" x 5/8" EACH_____

12. Galvanized support bolts 1/2" x 1-1/2" w/nuts no washer EACH_____

13. 6"X6"X24' box beam type guide rail including self angle, splice plates, nuts and bolts PER LINEAL FT _____

14. 6"x6" box beam type guide rail curved to special radius PER LINEAL FT_____

15. 6"x 6" box beam type guide rail shop cuts and mitered curved rail PER LINEAL FT_____

16. 6" x 6" box beam guide rail end sections EACH_____

17. 3" I beam guide rail posts 5'3" long intermediate type post for box beam rail EACH_____

18. 3" I beam guide rail posts 3'8" long end type post for box beam rail EACH_____

19. 12'6" Galvanized Driveway Turndowns EACH_____

10. CORRUGATED BOX BEAM AND GUIDERAIL MATERIALS MEETING MAYARI SPECIFICATIONS

20. Mayari corrugated beam type guide rail-punched 6'3" PER LINEAL FT _____

21. Mayari corrugated beam type guide rail -

punched 6'3" curved to special radius:

Curved to 50' radius and up EACH_____

Curved 40' to 50' radius EACH_____

Curved 30' to 39' radius EACH_____

Curved 20' to 29' radius EACH_____

22. Mayari corrugated beam type guide rail - length 13' 6-1/2" (shop curved rail) (approach and terminal) (rotation 90 degrees) EACH_____
23. 3" X 2-3/8" Mayari I intermediate guide rail posts -length 5'3" EACH_____
24. Mayari flared type terminal sections 12 gauge EACH_____
25. Mayari wrap around type terminal sections 12 gauge EACH_____
26. 6" x 6" x 24' Mayari box beam type guide rail including self angle, splice places, nuts & bolts PER LINEAL FT_____
27. 6" x 6" Mayari box beam type guide rail curved to special radius PER LINEAL FT_____
28. 6" x 6" Mayari box beam type guide rail shop cuts and mitered curved rail PER LINEAL FT_____
29. 6" x 6" Mayari box beam guide rail end sections EACH_____
30. 3" Mayari I beam guide rail posts 5'3" long intermediate type posts for box beam guide rail The bottom portion of the I beam post that is placed into the ground will be hot dipped galvanized EACH_____
31. 3" Mayari I beam guide rail posts 3'8"long end type posts for box beam guide rail EACH_____
32. 12'6" Mayari Driveway Turndowns EACH_____

10. **CORRUGATED BOX BEAM AND GUIDERAIL MATERIALS MEETING MAYARI SPECIFICATIONS**

Guide rail bidders must be able to furnish both materials and install posts and guide rail per NEW YORK STATE Specifications.

All materials to conform to NYSDOT Specifications, Section 606 and Standard Sheet 606.6 12 gauge and 606-3R1 12 gauge.

Guide rail bidders must also include a $5000.00 bid bond to guarantee delivery of material and performance of work.

Guide rail bidders must maintain sufficient stock so that guide rail materials will be delivered within 5 days after receipt of order.

11. **Liquid Calcium Chloride with Corrosion Inhibitor "Corguard"**

a. 32% Liquid Calcium Chloride with Corrosion Inhibitor

Delivered applied as per

Itemized specifications

Delivery under 4000 gallons per gal. $_____

Delivery 4000 gallons or more per gal. $_____

b. 34% Liquid Calcium Chloride with Corrosion Inhibitor

Delivered applied as per

Itemized Specifications

Delivery under 4000 gallons per gal. $_____

Delivery 4000 gallons or more per gal. $_____

12. **Liquid Magnesium Chloride with Corrosion Inhibitor "Ice-Stop CI"**

a. 25% Liquid Magnesium Chloride with Corrosion Inhibitor

Delivered applied as per

Itemized specifications

Delivery under 4000 gallons per gal. $_____

Delivery 4000 gals. or more per gal. $_____

13. **CALIBER M-2000** per gal. $ _____

14. **ENVIROBRINE**

ITEM 1 – 30% Envirobrine Delivered to a tank per gal. $_____

ITEM 2 - 30% Corrosion Inhibited Envirobrine Delivered to a tank

per gal $_____

Couplers are to be furnished at a price equal to one (1) foot of the corresponding diameter pipe.

15A. Smooth Interior Corrugated Polyethylene Pipe, Solid or Perforated

Corrugated Diameter	Polyethylene Pipe
6 Inch	$_____PER LINEAR FT.
6 Inch (Perforated)	$_____PER LINEAR FT.

12 Inch	$_____PER LINEAR FT
15 Inch	$_____PER LINEAR FT
18 Inch	$_____PER LINEAR FT
24 Inch	$_____PER LINEAR FT
30 Inch	$_____PER LINEAR FT
36 Inch	$_____PER LINEAR FT

Couplers are to be furnished at a price equal to one (1) foot of the corresponding diameter pipe.

15B. Culvert Pipe - Price Per Foot

1. Corrugated aluminum culvert pipe in 20 ft. lengths, solid or perforated, with collars and bolts for same:

6" 18 gauge_____ 12" 16 gauge_____ 15" 16 gauge_____
18" 16 gauge_____ 24" 14 gauge_____ 36" 12 gauge_____
42" 12 gauge_____ 48" 12 gauge_____ 54" 12 gauge_____
60" 12 gauge_____

16A**. PRECAST CATCH BASINS**

SUMPS WITH 6” WALLS
OUTSIDE DIMENSIONS 56”x 45”
INSIDE DIMENSIONS 44” x 33”
KNOCKOUT DIMENSIONS 24” – 36”
TYPE A 36" SUMP PLUS FLAT TOP WITH GRATE $_____COMB COST
TYPE B 48" SUMP PLUS FLAT TOP WITH GRATE $_____COMB.COST

TYPE A 36" SUMP $_____PER UNIT

TYPE B 48" SUMP $_____PER UNIT

SUMP EXTENSION (RISER) 2" $_____PER UNIT

SUMP EXTENSION (RISER) 4" $_____PER UNIT

SUMP EXTENSION (RISER) 6" $_____PER UNIT

SUMP EXTENSION (RISER) 12" $_____PER UNIT

SUMP EXTENSION (RISER) 24" $_____PER UNIT

SUMP EXTENSION (RISER) 36" **W/KNOCKOUTS** $_____PER UNIT

SUMP BOTTOM 12" **WITHOUT KNOCKOUTS** $_____PER UNIT

SUMP BOTTOM 24" **WITHOUT KNOCKOUTS** $_____PER UNIT

16B. **LARGE KNOCKOUT PRECAST CATCH BASINS**

SUMPS WITH 6" WALLS

OUTSIDE DIMENSIONS 42"W x 60"L

INSIDE DIMENSIONS 30"W x 48"L

KNOCKOUT DIMENSIONS 40" x 24" SIDE 24"x 24" END

TYPE A 36" SUMP $_____PER UNIT

* TYPE B 48" SUMP $_____PER UNIT

SUMP EXTENSION (RISER) 2" $_____PER UNIT

SUMP EXTENSION (RISER) 4" $_____PER UNIT

SUMP EXTENSION (RISER) 6" $_____PER UNIT

SUMP EXTENSION (RISER) 12" $_____PER UNIT

SUMP EXTENSION (RISER) 18" $_____PER UNIT

SUMP EXTENSION (RISER) 24" $_____PER UNIT

SUMP EXTENSION (RISER) 36" WITH **KNOCKOUTS** $_____PER UNIT

SUMP BOTTOM 24" **WITHOUT KNOCKOUTS** **$**_____PER UNIT

*MUST HAVE 12" FROM BOTTOM OF KNOCKOUT TO FLOOR OF BASIN

TYPE C 24" SUMP WITH 6" WALLS

OUTSIDE DIMENSIONS 36"W x 36"L x 30"H

INSIDE DIMENSIONS 24"W x 24"L x 24"H

KNOCKOUT DIMENSIONS 22" X 22" $_____PER UNIT

SUMP EXTENSION (RISER) 2" $_____PER UNIT

SUMP EXTENSION (RISER) 4" $_____PER UNIT

SUMP EXTENSION (RISER) 6" $_____PER UNIT

SUMP EXTENSION (RISER) 12" $_____PER UNIT

SUMP EXTENSION (RISER) 18" $_____PER UNIT

SUMP EXTENSION (RISER) 24" $_____PER UNIT

SUMP EXTENSION (RISER) 36" $_____PER UNIT

SUMP BOTTOM 12" **WITHOUT KNOCKOUTS** $_____PER UNIT

SUMP BOTTOM 24" **WITHOUT KNOCKOUTS** $_____PER UNIT

16C. FRAMES & GRATES

CAST IRON GRATES – to fit Type A & B basins with 6" and 8" curb inlets:

6" Curb Inlets (GRATE SIZE 21¾" x 47¾")

8" Curb Inlets (GRATE SIZE 20"- 21¾" x 47¾")

Without Curb Inlet (GRATE SIZE 30" X 49¼)

FRAME DIMENSIONS – OUTSIDE EDGES 36" X 55½"

TYPE A – CURB INLET

GRATE DIMENSIONS 21¾" x 47¾" $_____PER UNIT

FRAME DIMENSIONS – OUTSIDE EDGES 36" X 55½" $_____PER UNIT

8" CURB HEAD 8" X 9" X 49 ½" $_____PER UNIT

6" CURB HEAD 6" X 9" X 49 ½" $_____PER UNIT

6" CURB BACK TOP-FRAME & GRATE WITH HEAD $_____PER SET

8" CURB BACK TOP-FRAME & GRATE WITH HEAD $_____PER SET

TYPE B – WITHOUT CURB INLET

GRATE DIMENSIONS 30" X 49 ¼" $_____PER UNIT

FRAME DIMENSIONS - OUTSIDE EDGES 36" X 55 ½" $_____PER UNIT

$_____PER SET

TYPE C -

GRATE DIMENSIONS 24" x 24" $_____PER UNIT

FRAME DIMENSIONS 30" x 30" $_____PER UNIT

$_____PER SET

TYPE D -

CONCRETE FLAT TOP/W GRATE $_____PER UNIT

CONCRETE CURB TOP/W GRATE $_____PER UNIT

OUTSIDE DIMENSIONS 56 3/4" X 45 3/8" $_____PER SET

17. **READY MIX CONCRETE**

Ready Mix Concrete delivered wherever designated in the Town of Somers -

2,500 LB._____PER CYD

3,000 LB._____PER CYD

3,500 LB._____PER CYD

4,000 LB._____PER CYD

5,000 LB._____PER CYD

WINTER ADDITIVES_____

18. **REFLECTORIZED YELLOW & WHITE PAVEMENT MARKING PAINT**

UNIT PRICE PER MILE - DOUBLE YELLOW CENTER LINES -
4" WIDE - 25 MILES + OR - FIRST APPLICATION -
UP TO 5 MILES + OR - SECOND APPLICATION

UNIT PRICE PER MILE $_____

UNIT PRICE PER MILE - SINGLE WHITE EDGE LINE -
4" WIDE STRIP - MILEAGE TO BE DETERMINED

UNIT PRICE PER LANE MILE $_____

STOP LINES: 12in WIDE PRICE PER L.F $_____
STOP LINES: 18in WIDE PRICE PER L.F. $_____

19. **EPOXY REFLECTORIZED PAVEMENT MARKINGS AS PER SPECIFICATIONS**

UNIT PRICE PER LINEAR FOOT - DOUBLE YELLOW CENTER LINE -
4" WIDE PER STRIPE -

4" YELLOW - PRICE PER L.F. $_____

UNIT PRICE PER LINEAR FOOT - SINGLE WHITE EDGE LINE -
4" WIDE PER STRIPE -

4" WHITE - PRICE PER L.F. $_____
STOP BARS/CROSS WALK PRICE PER S.F. $_____

STOP LINE: 12in WIDE PRICE PER L.F. $_____

STOP LINE:	18in WIDE	PRICE PER L.F.	$_____
ARROW		(EACH)	$_____
HANDICAP PARKING		(EACH)	$_____
REMOVAL OF LINE (S)		PRICE PER S.F.	$_____
6 FOOT LETTERING		PRICE PER 6FT LETTER	$_____

20. **GRADER BLADES AND SNOW PLOW BLADES** - PER POUND BASIS

GRADER BLADES

5/8" THICK 8" WIDE FOR (1) #11 CATERPILLAR GRADER

$_____

SNOW PLOW BLADES

5/8” x 6”	PER LB.	$_____
5/8” x 8”	PER LB.	$_____
3/4" x 8”	PER LB.	$_____
1” x 8”	PER LB.	$_____
CARBIDE BLADES	PER LB.	$_____

ALL BLADES STANDARD HIGHWAY PUNCH - 8', 9', 10', 11' 12'

21. **PAVEMENT RECYCLING**

Old Pavement ground, shaped, graded and compacted and necessary additives reground or mixed in. SEE ATTACHED PACKET.

22. **HEAT SCARIFYING**

This item shall be part of a multi-step process of asphalt surface rehabilitation that consists of softening the existing flexible pavement with heat and thoroughly stirring, spinning or tumbling the mixture, applying an asphalt plasticizing or softening agent, reshaping and compacting the scarified surface and installing a surface treatment or overlay. SEE ATTACHED PACKET.

23. **PAVER PLACED SURFACE TREATMENT**

SEE ATTACHED PACKET

24. **SIGNS AND POSTS** – SEE ATTACHED PACKET

NON-COLLUSIVE BIDDING CERTIFICATION

Made pursuant to Section 103-d of the General Municipal Law of the State of New York as amended by the laws of 1966

(a) By submission of this bid, each bidder and each person signing on behalf of any bidder certifies, and in the case of a joint bid, each party thereto certifies as to its own organization, under penalty of perjury, that to the best of his knowledge and belief:

(1) The prices in this bid have been arrived at independently without collusion, consultation, communication, or agreement, for the purpose of restricting competition, as to any matter relating to such prices with any other bidder or with any competitor;

(2) Unless otherwise required by law, the prices which have been quoted in this bid have not been knowingly disclosed by the bidder and will not knowingly be disclosed by the bidder prior to the opening, directly or indirectly, to any other bidder or the any competitor; and

(3) No attempt has been made or will be made by the bidder to induce any other person, partnership or corporation to submit or not to submit a bid for the purpose of restricting competition.

(b) A bid shall not be considered for award nor shall any award be made where (a) (1) (2) and (3), above, have not been complied with; provided, however, that if in any case the bidder cannot made the foregoing certification, the bidder shall so state and shall furnish with the bid a signed statement which sets forth in detail the reasons therefore. Where (a) (1) (2) and (3), above, have not been complied with, the bid shall not be considered for award nor shall any award be made unless the head of the purchasing unit of the political subdivision, public department, agency or official thereof to which the bid is made, or his designee, determines that such disclosure was not made for the purpose of restricting competition.

DATED_____ _____

Legal Name of Person, Firm or Corp

_____

(Seal of Corporation) _____

_____

Business address of Person, Firm or Corp

By_____

Signature Title

WAIVER OF IMMUNITY PURSUANT TO 103a
OF THE GENERAL MUNICIPAL LAW OF THE STATE OF NEW YORK

The Contractor and/or Vendor and/or Supplier, pursuant to General Municipal Law, Section 103a, hereby agrees to the provisions in the law which require that upon refusal of a person, when called before a Grand Jury to testify concerning any transaction or contract had with the State, any political subdivision thereof, a Public Authority or with any public department, agency or official of the State or of any political subdivision thereof or of a public authority, to sign a Waiver of Immunity against subsequent criminal prosecution or to answer any relevant question concerning such transaction or contract.

(a) Such person, and any firm, partnership or corporation of which he is a member, partner, director or officer shall be disqualified from thereafter selling to or submitting bids to or receiving awards from or entering into any contract with any municipal corporation or fire district or any public department, agency or official thereof,

for goods, work or services, for a period of five years after such refusal, and to provide also that;

(b) Any and all contracts made with any municipal corporation or any public department, agency or official thereof, since the effective date of this Law, by such person, and by any firm, partnership, or corporation of which he is a member, partner, director or officer may be cancelled or terminated by the municipal corporation or fire district without incurring any penalty or damages on account of such cancellation or termination, but any monies owing by the municipal corporation or fire district for goods delivered or work done prior to the cancellation or termination shall be paid.

_____
AUTHORIZED SIGNATURE FOR BIDDER

_____
TITLE

(CORPORATE SEAL, if any)

(If no seal, write "No Seal"
across this place and sign)

_____
DATE

NON-COLLUSIVE BIDDING CERTIFICATE PURSUANT TO 103d OF THE GENERAL MUNICIPAL LAW OF THE STATE OF NEW YORK

(A) By submission of this bid, each bidder and each person signing on behalf of any bidder certifies, and in the case of a joint bid each party thereto certifies as to its own organization, under penalty of perjury, that to the best of knowledge and belief:

(1) The prices in this bid have been arrived at independently without collusion, consultation, communication, or agreement, for the purpose of restricting competition, as to any matter relating to such prices with any other bidder or with any competitor;

(2) Unless otherwise required by Law, the prices which have been quoted in this bid have not been knowingly disclosed by the bidder and will not knowingly be disclosed by the bidder prior to opening, directly or indirectly, to any other bidder or to any competitor; and

(3) No attempt has been made or will be made by the bidder to induce any other person, partnership or corporation to submit or not to submit a bid for the purpose of restricting competition.

(B) A bid shall not be considered for award nor shall any award be made where (a) (1) (2) & (3) have not been complied with; provided however, that if in any case the bidder cannot make the foregoing certification, the bidder shall so state and shall furnish with the bid a signed statement which sets forth in detail the reasons therefore. Where (a) (1) (2) and (3) have not been complied with, the bid shall not be considered for award nor shall any award be made unless the head of the purchasing unit of the political subdivision, public department, agency or official thereof to which the bid is made, or his designee, determines that such disclosure was not made for the purpose of restricting competition.

The fact that a bid (a) has published price lists, rates, or tariffs covering items being procured, (b) has informed prospective customers of proposed or pending publication of new or revised price lists for such items, or (c) has sold the same items to other customers at the same prices being bid, does not constitute, without more, a disclosure within the meaning of subparagraph one (a).

By submission of this bid, the undersigned hereby affirms the truth of the foregoing certification under the penalties of perjury.

_____
Signature of Bidder

ALL BIDDERS MUST SIGN
THIS CERTIFICATION PRIOR
TO THE OPENING OF THE BIDS

_____

NON-COLLUSIVE BIDDING CERTIFICTIION

By submission of this bid or proposal, the bidder certifies that:

a. This bid or proposal has been independently arrived at without collusion with any competitor or potential competitor.

b. This bid or proposal has not been knowingly disclosed and will not be knowingly disclosed, prior to the opening of bids or proposals for this project, to any other bidder, competitor or potential competitor.

c. No attempt has been or will be made to induce any other person, partnership or corporation to submit or not to submit a bid or proposal.

d. The person signing this bid or proposal certifies that he has fully informed himself regarding the accuracy of the statements contained in this certification

and under the penalties of perjury, affirms the truth thereof, such penalties being applicable to the bidder as well as to the person signing in its behalf.

e. That attached hereto is a certified copy of resolution authorizing the execution of this certificate by the signatory of this bid or proposal on behalf of the corporate bidder.

_____

_____

_____

_____