

HOMIETEC SMART HEALTH

## HOMIETEC ENTERPRISE – SMART HEALTH TECHNOLOGY

Medical grade blood pressure monitor big promotion

Good news, HOMIETEC SMART HEALTH plans to do a guest-benefit activity in the near future, so stay tuned.

Upper arm digital blood pressure monitor, model HTH-005 (B61T/B06T), the total number of stock special for customers is about 950pcs; including but not limited to 3 certifications for medical devices such as the US FDA, EU MDR, and China NMPA; medical grade Accuracy (blood pressure +/-3mmHg, heart rate +/-5%) and stability; English or Chinese voice broadcast, 3 levels of volume can be adjusted; measurement results have "blue, yellow, red" three-color display and voice broadcast (Chinese or English, optional); there is background music; the device has 120 sets of memory and 3 sets of average functions; exquisite design, travel portable, easy to wear and use; exquisite gift box, can also be used as a storage box. Welcome letters for more information, the e-mail address is homietec@outlook.com.

(Note: This product has a built-in Bluetooth wireless module, but it cannot be used because the APP needs to be upgraded. Therefore, the below price is a special price without APP and services. Follow-up APP and services are official After it goes online, it can be downloaded and used for free. Hope our customers and friends can understand well and give us a big support.)

HOMIETEC - SMART HEALTH Technology - Marketing Team-Presentation

The analogy between HOMIETEC smart blood pressure monitor and OMRON smart blood pressure monitor

(The information of Omron's smart blood pressure monitor comes from JD Mall jd.com)

(Note: The content of this document comes from machine (software) translation. If you have any improper or doubts, please write to homietec@outlook.com)

	OMRON  **  **  **  **  **  **  **  **  **	HOMÌETEC® SINAM
Selling	1098 yuan RMB (equal to 168.92 US	438 yuan RMB (equal to 67.38 US
price	Dollar)	Dollar + plus shipping cost)
Special	840 yuan RMB (7.65% off, equal to	288 yuan RMB (6.57 off, equal to 44.30
offer	129.23 US Dollar), only special offer	US Dollar + plus shipping cost, only 950
	from 20:00 on October 31st to 24:00 on	units in stock, while stocks last)
	November 3rd, 2021, the top 60 will be	
	given a 48-yuan temperature gun	

Secon	without	218 yuan RMB (4.97% off, equal to			
d		33.53 US Dollar + plus shipping cost,			
Special		Does not contain APP and services, only			
		950 units in stock, while stocks last)			
Three	without	1)Registered member for one purchase			
special		of 4 units for 198 yuan RMB (4.52% off,			
S		equal to 30.46 US Dollar + plus			
		shipping cost, Does not contain APP			
		and services, only 950 units in stock,			
		while stock lasts)			
		2) Registered member for one purchase			
		of 8 units for (personal up to purchase			
		limit) 178 yuan RMB (4.06% off, equal to			
		27.38 US Dollar + plus shipping cost,			
		Does not contain APP and services, only			
		950 units in stock, while stock lasts)			
Special	without	In particular, enjoy a free trial period of			
care 1		one month, starting from the date of			
		delivery + 7 days to + 30 days + 7 days			
		(returning to the warehouse), provided			
		that the product and packaging are in			
		good condition when returning to the			
		warehouse. (Mainland of China)			
		For out of the Mainland China areas,			
		please mail us to check with us again			
		considering higher shipping cost and			
		delivery time (may be a little longer).			
Special	without	Within 2 years from the date of			
care 2		purchase:			
		1 The same model can be upgraded,			
		but part of the payment can be			
		exchanged for a new one, and the			
		sender's shipping fee will be charged.			
		2 Buy other items, enjoy 20% off			
Functi	Systolic blood pressure	Systolic blood pressure			
on	Diastolic blood pressure	Diastolic blood pressure			

	Heart rate Heart rate					
Precisi on	Medical grade, ±3mmHg (0.4kPa) / ±5%	Medical grade, ±3mmHg (0.4kPa) / ±5%				
Certific	American Association for the	US medical device FDA (K172171,				
ation	Advancement of Medical Devices	model B06T), EU medical device MDR				
ation		,				
	(Testing Association) AAMI International	(G2180190084005, model B06T), Chinese medical device NMPA				
	Accuracy Standards, British					
	Hypertension Association BHS,	(Guangdong Medical Equipment				
	European Hypertension Association ESH,	Injection Standard 20142200322, model				
	China Medical Devices NMPA (Source:	B61T)				
	JD.com Mall)					
Warni	None	Yes, systolic blood pressure warning, 1				
ng		red button warning 2 voice broadcast				
		warning				
voice	without	Yes, there are two voice broadcasts in				
		Chinese and English, 3 levels of volume				
		can be adjusted, and silent mode can be				
		set (app version only)				
Battery	4 AAA batteries	3.7V/600mAh rechargeable battery, fully				
		charged for 3-4 hours, can be used for				
		about 150 measurements (or standby				
		for about 7-21 days)				
One	Have	Have				
key						
measu						
remen						
t						
Intellig	Have	Have				
ent						
pressu						
re						
show	Yes, the body has a digital display	No, there is no digital display on the				
		body				
Stored	Unknown	Yes, 120 sets of stored value, 3 sets of				
value		averages				
on the						
		1				

fusela		
ge		
Backgr	Unknown	Have
ound		
music		
Autom	Unknown	60 seconds
atic		
shut-		
down		
Cuff	Have	None, but there is an error prompt (the
self-		body voice broadcasts an error code
test		prompt, and the App version also
display		displays an error code prompt)
Irregul	Have	without
ar		
pulse		
wave		
display		
APP	Yes, official version, Android or Apple	Yes, Android or Apple; this product has
		a built-in Bluetooth wireless module,
		but it cannot be used because the APP
		needs to be upgraded. Therefore, this
		batch is a special service product
		without APP and services. After the
		follow-up APP and service are officially
		launched, you can download and
		download them for free use. Hope our
		customers and friends can understand
		well and give a big support.
Carryin	Have	None, but the hardened color box can
g case		be used as a collection box (also can be
		carried on travel)
Origin	import	China
Shelf life	2 years	2 Years
I LITA		

Dimen	Length 120*width 85*height 20mm	Length 121*width 67*height 28mm		
sions				
weight	240g (without battery)	237.3g (including rechargeable battery)		
Arm	220-420mm	230-360mm		
circum				
ferenc				
е				

# The following comparison of measured parameters is for reference only

Comp	High pressure 117, low pressure 69,	High pressure 120 (tolerance +3mmHg			
arison	heart rate 78	/ +2.56%), low pressure 64 (tolerance -			
of 3	(Omron Bluetooth Desktop blood	5mmHg / -7.81%), heart rate 82			
sets of	pressure monitor HEM-8732T)	(tolerance +4 / +5.12%)			
mean					
values					
measu					
red by	<b>■8993</b>				
any					
user					
Comp	High pressure 102.67, low pressure 73,	High pressure 103.17 (tolerance			
arison	heart rate: none	+0.5mmHg/+0.49%), low pressure 66.33			
of 6	(Mercury sphygmomanometer)	(tolerance -6.67mmHg/-10.06%), heart			
sets of		rate: 83.67 (none)			
mean		(HOMIETEC random blood pressure			
values		monitor device 1#)			
measu					
red by					
any					
user					
Comp	High pressure 102.67, low pressure 73,	High pressure 102.33 (tolerance -			
arison	heart rate: none	0.34mmHg/-0.33%), low pressure 64.17			
of 6	(Mercury sphygmomanometer)	(tolerance -8.83mmHg/-13.76%), heart			
sets of		rate: 81.83 (none)			
mean		(HOMIETEC random blood pressure			
values		monitor device 2#)			
measu					

red by		
any		
user		
Comp	High pressure 103.17, low pressure	High pressure 102.33 (tolerance -
arison	66.33, heart rate: 83.67	0.84mmHg/-0.82%), low pressure 64.17
of 6	(HOMIETEC random blood pressure	(tolerance -2.16mmHg/-3.37%), heart
sets of	monitor device 1#)	rate: 81.83 (tolerance -1.84/-2.24%)
mean		(HOMIETEC random blood pressure
values		monitor device 2#)
measu		
red by		
any		
user		

#### Attachment 1:


In November 2018, the actual measurement value of any HOMIETEC blood pressure monitor device of the same user and the OMRON Bluetooth blood pressure monitor HEM-8732T device is compared with reference to the attached table (the measurement accuracy is also affected by the user's status, method, time, etc., which is a non-standard answer and is for reference only.):

2018.11.15测试	测试人	时间	高压	低压	心率	
		16:44	120	64	82	
	HOMIETEC	17:15	116	63	82	
	血压计	17:39	123	64	83	
	游文清	极差	7	1	1	
		平均值	120	64	82	
		17:20	114	65	78	
	欧姆龙	17:27	118	69	80	
		17:33	120	72	75	
	游文清	极差	6	7	5	
		平均值	117	69	78	

Tolerance: high pressure +3mmHg (+2.56%), low pressure -5mmHg (-7.81%), heart rate +4 (+5.12%)

#### Attachment 2:

In November 2018, the comparison between HOMIETEC random blood pressure monitor and mercury sphygmomanometer:




Device 1#, 6 groups average: high pressure 103.17, low pressure 66.33, heart rate: 83.67 Mercury meter: 6 groups average: high pressure 102.67, low pressure 73, heart rate: none Tolerance 1#: high pressure +0.5mmHg (+0.49%), low pressure -6.67mmHg (-10.06%), heart rate: none


Device 2#, 6 groups average: high pressure 102.33, low pressure 64.17, heart rate: 81.83 Mercury meter: 6 groups average: high pressure 102.67, low pressure 73, heart rate: none Tolerance 2#: high pressure -0.34mmHg (-0.33%), low pressure -8.83mmHg (-13.76%), heart rate: none

### Attachment 3:









Welcome to contact us via Email homietec@outlook.com for more information.



Homietec Enterprise (Xiamen) Co., Ltd. is a comprehensive enterprise integrating Research and Development, Manufacturing, Sales, Retail, Online Shopping, Online expert health clinic and so on. The company was established in 2009 with a registered capital of 20 million yuan (3.5M US Dollars). It has been more than 12 years of development history.



# Main products:

- . Medical and health,
- . Massage and therapy,
- . Sports and fitness,
- . Beauty skin and body shape,
- . Maternal and baby care,
- . Healthy appliances,



"Smart Health 5+1" health solutions with below Core products:

- 1 High blood pressure solution with Smart blood pressure meter,
- 2 High blood glucose solution with Smart blood glucose meter,
- 3 High blood lipid solution with Smart blood lipid meter,
- 4 High Uric Acid solution with Smart uric acid meter,
- 5 High body fat solution with Smart body fat management,
- +1 Cancer surveillance and prevention with Smart cancer monitor,

Business mode: There are two modes of "Homietec" brand and OEM / ODM customization. The channels include online shopping and off-line stores. The current markets cover more than 30 countries or regions such as China, Europe, and the United States; more partners are welcome to come to discuss cooperation.

Business philosophy: "Smart Health, Assist Healthier" as the development philosophy, "Innovation, Brand, Quality" as the corporate purpose.

We are looking for global brand distributors as well as global OEM/ODM partners.

Welcome to contact us or visit our website www.homietec.com for more details.

**Yours Bob** 

Homietec is a Smart Health Solution

# 豪美特实业有限公司

Homietec Enterprise Co., Limited. (www.homietec.hk)

豪美特实业(厦门)有限公司

Homietec Enterprise (Xiamen) Co., Ltd. (www.homietec.com)

豪美特健康科技(厦门)有限责任公司

Homietec Health Technology (Xiamen) Co., Ltd. (www.homietectechnology.cn)

Mobile and Message: +86 13616059395. Telephone Number: +86 5925601178.

Email and Skype: <a href="mailto:bob@homietec.com">bob@homietec.com</a> / <a href="mailto:homietec@outlook.com">homietec@outlook.com</a>

Research and Manufacturing Center: Digital Economic Industrial Park, Xiamen, China (Postal Code 361011)

营销及服务中心:中国厦门市湖里区湖里大道6号502单元

Marketing / Service Center: 502, No. 6, HULI Avenue, HULI District, Xiamen, China (Postal code 361006)

This email contains secret information. Please abide by the obligation of confidentiality and do not disclose it to third parties. If you are not the correct recipient, please delete this message

immediately, thank you for your cooperation. Any complaint or suggestion, please kindly mail to bob@homietec.com / homietec@outlook.com

Homietec Technology Smart Health Solution Administration Center Research and Manufacturing Center Address: Digital Economic Industrial Park, Xiamen, China (Postal Code 361011)