

Certificate of Analysis

Company: Burrington Hill Co, LLC

Sample ID: BLC-HL-2

Lot: HL-CLTV0107-2

Matrix: Flower

Report Date: 10/23/2023

Date Analyzed: 10/23/2023

Analyst: 018

Report ID: C231013BM

Customer ID: 230815-0

Date Sampled: N/A

Date Received: 10/13/2023

Grower License #: CLTV0107

Pathogen Summary

Target Pathogens	Method	LOD (cfu/g)	Result (cfu/g)
Aspergillus - flavus, fumigatus, niger, terreus	Aspergillus AOAC PTM No. 032104	5	<LOD
STEC	STEC Virx AOAC PTM No. 121203	5	<LOD
Salmonella spp.	Salmonella II AOAC PTM No. 010803	5	<LOD



Test Methodology: Bio-Rad IQ-Check PCR Kits

cfu/g = colony forming units per gram

LOD = The lowest quantity that this method can reliably detect. Any microbial growth that was not detected is assumed to be less than the stated LOD (<LOD).

Reagent Blanks: <LOD for all analytes

This report shall not be reproduced except in full without approval of the laboratory. This is to provide assurance that parts of a report are not taken out of context. Results apply to the samples as received.

Certified by: 
 Luke Emerson Mason (Laboratory Director, Bia Diagnostics)