

Report Date: 10/24/2023



## **Certificate of Analysis**

Company: Burrington Hill Co, LLC Sample ID: GDP-HL-2

Lot: HL-CLTV0107-2

Matrix: Flower Date Analyzed: 10/20/2023

Customer ID: 230815-0 Date Sampled: N/A Analyst: 048

Grower License #: CLTV0107 Date Received: 10/13/2023 Report ID: C231013BR

## **Terpenes Summary**

Terpene	LOQ (mg/g)	Results (mg/g)	Weight (%)
α- Pinene	0.010	1.952	0.195
Camphene	0.010	0.081	0.008
β-Myrcene	0.010	3.187	0.319
b-Pinene	0.010	1.375	0.138
3-Carene	0.010	0.190	0.019
α-Terpinene	0.010	0.083	0.008
Limonene	0.010	3.694	0.369
ρ-Cymene	0.010	<loq< th=""><th><loq< th=""></loq<></th></loq<>	<loq< th=""></loq<>
Ocimene	0.010	<loq< th=""><th><loq< th=""></loq<></th></loq<>	<loq< th=""></loq<>
Eucalyptol	0.010	0.028	0.003
Y-Terpinene	0.010	0.060	0.006
Terpinolene	0.010	2.107	0.211
Linalool	0.010	1.809	0.181
Isopulegol	0.010	<loq< th=""><th><loq< th=""></loq<></th></loq<>	<loq< th=""></loq<>
Geraniol	0.010	<loq< th=""><th><loq< th=""></loq<></th></loq<>	<loq< th=""></loq<>
Caryophyllene	0.010	4.024	0.402
α-Humulene	0.010	1.885	0.189
Trans-Nerolidol	0.010	<loq< th=""><th><loq< th=""></loq<></th></loq<>	<loq< th=""></loq<>
Cis-Nerolidol	0.010	<loq< th=""><th><loq< th=""></loq<></th></loq<>	<loq< th=""></loq<>
Guaiol	0.010	0.089	0.009
Caryophyllene Oxide	0.010	0.043	0.004
α-Bisabolol	0.010	0.012	0.001
Total Terpenes		20.619	2.062

11.41%

LOQ = The lowest quantity this method can reliably detect. Any terpene that was not detected is assumed to be less than the stated LOQ (<LOQ).

Percent Moisture Terpene Methodology: Headspace Sampler, Gas Chromatography-Mass Spectrometry (GC-MS), using Perkin Elmer Clarus® SQ8 GC MS

Reagent Blanks: < LOQs for all analytes

All results reflect dry weight of material, based on % moisture of the sample.

All moisture analysis is determined by loss-on-drying measurement using OHAUS Model MB90 Moisture Content Readers.

This report shall not be reproduced except in full without approval of the laboratory.

This is to provide assurance that parts of a report are not taken out of context. Results apply to the samples as received.

Certified by:

Luke E.M

Luke Emerson Mason (Laboratory Director, Bia Diagnostics)