



Regional Anesthesia Record

_____:____ to ____:____
Date Block Time

- Interscalene Axillary
- Infraclavicular Supraclavicular
- Femoral adductor canal
- Sciatic: Popliteal Subgluteal
- Ankle

OTHER _____

- Spinal
- Epidural:
 - loss of resistance test dose

Needle: ____ gauge ____ cm type _____
 Catheter placed, left @ ____ cm

- In-plane needle approach
- No hematoma suspected
- No blood upon aspiration q5cc
- No pain on injection
- Motor response obtained @ _____ mAmp depth: ____ cm

This nerve block was requested by the surgeon Dr. _____ for post-operative pain.

signature

Anesthesiologist CRNA

Patient Name _____
MRN _____ DOB _____

ASA: 1 2 3 4

Allergies _____

full evaluation documented elsewhere

Dx _____

sitting supine prone prone

left side down right side down

HR ____ BP ____ / ____ SpO2 ____ @ ____:____

HR ____ BP ____ / ____ SpO2 ____ @ ____:____

HR ____ BP ____ / ____ SpO2 ____ @ ____:____

Sedatives given during block time:

Midazolam ____ mg @ ____:____

Fentanyl ____ mcg ____:____

____ mg ____:____

____ mg ____:____

Local anesthetic totals:

Lidocaine ____% ____ ml

Ropivacaine ____% ____ ml

Mepivacaine ____% ____ ml

Bupivacaine ____% ____ ml

Chlorprocaine ____% ____ ml

Other: _____ % ____ ml

**ULTRASOUND
PICTURE**