


YOUR TRUSTED PARTNER FOR SUPERIOR SERVICE & QUALITY



SPIRAL WOUND GASKETS & KAMMPROFILE



- COMMITMENT TO PROVIDE HIGH QUALITY PRODUCTS: Superior Sealing Services have 100% material traceability on all products with free MTR's on all orders. Highest Purity Graphite (MESC Inhibited Grade Specifications) along with APX2 if requested.
- All Spiralwound and Kammprofile gaskets have heat numbers etched on rings, including wire material.
- NO OUTSOURCING OF COMPONENTS: Select group of manufacturers that fabricates every component of gaskets within 3S Group of Companies.





SPIRAL WOUND & KAMMPROFILE GASKET MANUFACTURING






- All raw materials are PMI'd at goods receiving in both Houston & China, then marked with heat number.
- All SWG and Kammprofiles produced to 3S work instructions, which include 98% purity inhibited graphite as standard or APX-2 on request.
- Ability to produce from ½" to over 120" diameter.



MATERIAL TEST REPORTS ON-LINE

- Materials are PMI tested in both our Houston facility & China facility.
- In China the actual test readings are recorded along with the acceptable chemical breakdown.
- All MTRs' are stored on-line and customers have the ability to log on and retrieve the MTR anytime.
- Since all gaskets are fully traceable, you don't need to worry about customers coming to you after the fact needing a cert.





MATERIAL TEST REPORTS ON-LINE



TRACE MetalTrace®									SER SER	ERIOR LING VICES								
Administration		Quick Search:							171 C	1.1								
Organization Information	٠	Document Type: MTR 👻						Branch: Main	•	•			View MTR View (EZSearch)					
Security Master List Management Reports *		Vendor PO #				Date Product			Heat		Start Date		End Date					
				1				1	170819	L06-4	2							
Application									1									
Quick Search																		
EZSearch		Search View Selected It	tems En	nail Print 🔻	TraceBack 🔻 🕅	etalTrace2Me	talTrace Add To Clip	board Clear										
EZTrace		Search results returned: 1 Res	sults															
Tools		8	View	Doc #	Vendor		PO #	Product	Description	Heat	Date	Created By	Creation Date	Modified By	Modified Date			
Calculators					Ningbo St	unwell			0.2051.2151.WC									
User Settings			View	30	Sealing M Ltd	ate <mark>ria</mark> ls Co.,		Wire:0205CW-Ch	0.205" 316L Wire China	170819L06-4		Admin	12/1/2017 3:04:36 PM	Admin	12/1/2017 3:04:36 PM			
Preferences					Liu													
Log off																		
		· · · · · · · · · · · · · · · · · · ·																

MATERIAL TEST REPORTS ON-LINE



IRACE MetalTrace®										SUPER SEALIN	NG CES							
Administration	return to the previous search page																	
Organization Information	*																	
Client Information	rpt0001.PDF							1	/1							Ċ	• <u>•</u>	ē
Branches	197 1															31	and a	-
Security	*									_	1		2					
Groups																		
Application Users			h.															
Customer Users			SUPERIOR		8													
New User Request		10	SERVICES															
Master List Management	*		the second s			MA	FERIAL	TEST	CERTIF	ICATE								
leports																		
Graphical Reports	*	EN 10204 3.										Product:						
Application			o.: 3S Inventrory	CERNICI	2611.0								te No.: SW					
Quick Search	3	Client: 55 5	UPERIOR SEALING	G SERVICI	S LLC							Issuing	late:Sep.9	h 2017				
ZSearch					Chemical /	Amplusia					Mechanical Test							
ZTrace			Material Grade:		Chemicar	anarysis					Yield Strength	Tensile Strength	Elongation	Hardness				
ools		Heat No.	304 strip	%C	%Si	%Mn	%P	%S	%Ni	%Cr	Mpa	Mpa	Elongation	HRB	Corrosion			
Calculators		170819L06-4	Acceptance	≤0.08	≤0.75	≤2.00	≤0.045	≤0.030	8~10.5	17.5~19.5	≥205	≥515	≥40	≤92				
Iser Settings		170819L06-4	Test Result	0.055	0.39	0.98	0.033	0.0052	8.04	18.08	267	685	62140	100 72	A.cc			
Preferences			1. Our company is certificated by ISO 9001-2008.															
og off		Remarks	1. Our company is certificated by ISO 9001-2008. 2. Dimension tolerance and surface quality meet the requirements. 3.TG means thermo- gravimetry. Judger: Judger								nspection							
		Notes	WE HEREBY CERTIF		MATERIAL	AND THE Q	UALITY OF	THE PROD	UCTS SUPP	JED BY SU	NWELL MEET TH	E REQUIREMENTS .	AND THE R	ELEVANT ST	ANDARDS			