

4" Square Box Covers

- Thickness: 1.6mm



52C1



52C6

Cat No	Description
52C1	Flat,blank
52C6	Flat,with ½ " KO



4x2" Rectangular Box Covers

Cat No	Description
Thickness: 1.2mm	
58C1	Blank
58C7	For duplex flush receptacle
58C16	For single GFCI receptacle
58C30	For one toggle switch



58C1



58C7



58C16



58C30



4" Octagonal Box Covers



54C1



54C6

Cat No	Description
Thickness: 1.6mm	
54C1	Flat, blank
54C6	Flat, with ½ " KO.



4" Square Boxes, Drawn Type

- "4"x4"x1-1/2" Square Drawn Box with Grounding Bubble and 3 Screws
- Net Weight:287g,W/ 1/2" & 3/4" K.O.
- Side:8x1/2"+ 4x3/4"K.O.
- Bottom :2x1/2"+ 2x3/4"K.O.+ GROUNDING"



Cat No	Description	
	Side	Bottom
	1 1/2 "Deep-with Conduit KO's Thickness: 1.4mm	
52151- 1/2 & 3/4	8x1/2",4x3/4"	3x1/2",2x3/4"



4x2" Rectangular Boxes, Drawn Type

- 4"x2"x1-7/8" Rectangular Box with Grounding Bubble and 3 Screws
- 1.4mm Thick, W/ 1/2" & 3/4" K.O.
- Side: 4x1/2" + 4x3/4" K.O.,
- Bottom : 2x1/2" K.O. + GROUNDING



Cat No	Knockouts	
	Side	Bottom
1⁷/₈ "Deep-with Conduit KO's Thickness: 1.4mm		
58361- 1/2 & 3/4	4x1/2", 4x3/4"	2x1/2", 1x3/4"
2¹/₈ Deep with Conduit KO's 1.4mm thick		
58371- 1/2 & 3/4 & 1/2" K.O only	4x1/2", 4x3/4"	2x1/2", 1x3/4"



4" Octagonal Boxes, Drawn Type

- 4"x1-1/2" Octagon Drawn Box with Grounding Bubble and 3 Screws,
- 1.4mm Thick, W/ 1/2" & 3/4" K.O.
- Side: 2x1/2" + 2x3/4" K.O.,
- Bottom : 2x1/2" + 2x3/4" K.O. + GROUNDING



Cat No	Knockouts	
	Side	Bottom
1 1/2" Deep-with Conduit KO's Thickness: 1.4mm		
54151- 1/2 & 3/4	2x1/2", 2x3/4"	3x1/2", 2x3/4"

