



Marty Wilson <deputy1@denmarkmaine.org>

RE: Weekly Reports

1 message

Rand, John <john.rand@woodplc.com>

Thu, Apr 21, 2022 at 12:02 PM

To: Betty LeGoff <townmanager@denmarkmaine.org>

Cc: "Dubois, Mark, POLANDSPRINGS, MANUFACTURING" <mark.dubois@waters.nestle.com>, Marty Wilson <deputy1@denmarkmaine.org>

Hi Betty – here is an update on Weekly Reports for the last several weeks (I was away for part of this so was unable to get this update out to you):

Cold Spring production for the week ending 04-02-2022 was below 200 gpm therefore permit required weekly monitoring will not be conducted.

Cold Spring production for the week ending 04-09-2022 was below 200 gpm therefore permit required weekly monitoring will not be conducted.

Cold Spring production for the week ending 04-16-2022 was below 200 gpm therefore permit required weekly monitoring will not be conducted.

Thanks

John

From: Rand, John

Sent: Monday, March 28, 2022 10:58 AM

To: 'Betty LeGoff' <townmanager@denmarkmaine.org>

Cc: 'Dubois, Mark, POLANDSPRINGS, MANUFACTURING' <mark.dubois@waters.nestle.com>; 'Marty Wilson' <deputy1@denmarkmaine.org>

Subject: RE: Weekly Reports

Good morning Betty - Cold Spring production for the week ending 03-26-2022 was above 200 gpm therefore permit required weekly monitoring will be conducted, with a letter report to follow.

Thanks and have a good week.

John