



Marty Wilson <deputy1@denmarkmaine.org>

RE: Weekly Reports

1 message

Rand, John <john.rand@woodplc.com>

Mon, May 9, 2022 at 8:41 AM

To: Betty LeGoff <townmanager@denmarkmaine.org>

Cc: "Dubois,Mark,POLANDSPRINGS,MANUFACTURING" <mark.dubois@waters.nestle.com>, Marty Wilson <deputy1@denmarkmaine.org>

Good morning Betty -

Cold Spring production for the week ending 05-07-2022 was below 200 gpm therefore permit required weekly monitoring was not conducted.

Thanks

John

From: Rand, John

Sent: Monday, May 2, 2022 9:07 AM

To: Betty LeGoff <townmanager@denmarkmaine.org>

Cc: Dubois,Mark,POLANDSPRINGS,MANUFACTURING <mark.dubois@waters.nestle.com>; Marty Wilson <deputy1@denmarkmaine.org>

Subject: RE: Weekly Reports

Good morning Betty -

Cold Spring production for the week ending 04-23-2022 was below 200 gpm therefore permit required weekly monitoring was not conducted.

Cold Spring production for the week ending 04-30-2022 was below 200 gpm therefore permit required weekly monitoring will not conducted.

Thanks

John

From: Rand, John

Sent: Thursday, April 21, 2022 12:03 PM

To: 'Betty LeGoff' <townmanager@denmarkmaine.org>

Cc: 'Dubois,Mark,POLANDSPRINGS,MANUFACTURING' <mark.dubois@waters.nestle.com>; 'Marty Wilson'