



Marty Wilson <deputy1@denmarkmaine.org>

RE: Weekly Reports

1 message

Rand, John <john.rand@woodplc.com>

Mon, Jun 27, 2022 at 10:18 AM

To: Betty LeGoff <townmanager@denmarkmaine.org>

Cc: "Dubois, Mark, POLANDSPRINGS, MANUFACTURING" <mark.dubois@waters.nestle.com>, Marty Wilson <deputy1@denmarkmaine.org>

Good Morning Betty -

Cold Spring production for the week ending 06-25-2022 was below 200 gpm therefore permit required weekly monitoring will not be conducted.

Thanks

John

From: Rand, John

Sent: Tuesday, June 21, 2022 12:03 PM

To: 'Betty LeGoff' <townmanager@denmarkmaine.org>

Cc: 'Dubois, Mark, POLANDSPRINGS, MANUFACTURING' <mark.dubois@waters.nestle.com>; 'Marty Wilson' <deputy1@denmarkmaine.org>

Subject: RE: Weekly Reports

Good Day Betty -

Cold Spring production for the week ending 06-18-2022 was below 200 gpm therefore permit required weekly monitoring will not be conducted.

Thanks

John

From: Rand, John

Sent: Monday, June 13, 2022 9:32 AM

To: 'Betty LeGoff' <townmanager@denmarkmaine.org>

Cc: 'Dubois, Mark, POLANDSPRINGS, MANUFACTURING' <mark.dubois@waters.nestle.com>; 'Marty Wilson' <deputy1@denmarkmaine.org>

Subject: RE: Weekly Reports