

**Decorative Plumbing
Kitchen&Bath
A Global Brand**

NP

OVER 100 YEARS OF FAMILY TRADITION
ITALIAN MADE & DESIGN

CATALOG USA 4.1

EMPIRUM PALAZZANI





member of



www.palazzaniusa.com

In **1868**, the **Palazzani** family business, in Bescia Italy, began manufacturing bridge components, wooden packing crates and carriages. During World War I, the family foundry started to produce brass and bronze parts. In 1905, my family became the first manufacturer of taps in Lumezzane in Brescia and continues to this day to be very proactive in researching new and innovative solutions for plumbing fixtures for more than **30 countries**.

We can say today, "**Palazzani is a Global Brand**".

Without compromising the quality of material, design, engineering and production, Palazzani is **importing Italian decorative plumbing fixtures** at an affordable price in the USA market. Yes, that is correct, the Artisan Palazzani and Emporium will have a variety of handcrafted design product for your kitchen and bath. The Italian made products will maintain the all brass and chrome production and workmanship to sustain a product for many years of use.





"Over my life's career in my family's business heritage since 1868, I have valued Italian culture, design, and quality in the success of manufacturing. So, our future is today and tomorrow we continue to produce the finest design and quality of products for the health and lifestyle for our global customers".

Marco Palazzani



finest
Chrome
plating



Highest
quality of
brass



ind



index

ITALIAN MADE

CULTURE ■ DESIGN ■ QUALITY


Palazzani welcomes you to its prestigious headquarters in Casalmorano (CR), an establishment of 170,000 square feet on an industrial land of 365,000 square feet, created to house technicians, materials, state-of-the-art machinery and an organization whose first commitment is to complete customer satisfaction. In our new showroom of 5,000 square feet you can see all our production.

company

Selected materials,
first-class workmanship
ensure **quality,**
outstanding durability and
using lead free brass.



Hand
pouring
of brass



The
production cycle
is entirely performed
in the plant.



Over 100 years of Italian Culture

innovation,
development
and quality



Factory workers 1905.



The Bonomi's family.



1905

1927

1930

1950

Over 90 workers just in the foundry.



Great Grandfather
Cav. **Luigi Bonomi**,
President from 1905-1947.



Grandfather Comm.
Natale Bonomi, 2nd generation, from
1927, and President from 1947-1982.



Over 100 years of Italian Culture



In 1955 our relatives engineered and designed the first Gnutti Transfer Machine for the family business; the equipment became the best technology for faucets.



Dott. **Italo Palazzani**,
since 1962 and President
since 1982.



Anna Maria Bonomi,
member of Board since
1964.



The new prestigious headquarters
opening in Casalmorano.

1950

1955

1959

1962

1964

1985

2001



Uncle **Luigi Bonomi**,
3rd generation, 1959.



Marco Palazzani
is the fourth
generation
of the family.



Dott. **Marco Palazzani**
Vice President since 1985.

universal concealed system

pressure balance



992707 992706 **unico®**

universal concealed system

thermostatic valve




unico® 922772 992774 992776

Our rough valves

maybe installed
with a variety
of external trims.



- 1: The rough valves may be installed **with all design collections**.
- 2: Install **unico®**, the universal concealed body when fitting metal pipes.
- 3: When installing taps you can choose from among many ranges of single lever or thermostatic mixers, without the need for adapters or initial installation modifications. **Unico®** is designed for transforming itself into the single-lever or thermostatic mixer according to the customer's choice, thus permitting economic management of the installation. Also **unico®** is available in the version with an incorporated diverter and with **2** and **3 ways diverter**.



The simplest way to install
and choose your shower mixer

thermostatic valve

37°
39°
high
performance
38°

■ Palazzani invites you to a world of comfort and safety by using our energy and water saving shower system.

Acquaclima® technology provides constant flow of water temperature.

■ To avoid high temperature, **Acquaclima®** has a 38°C max stop button. This feature provides an internal anti-scalding system. You may enjoy a temperature a constant temperature setting.

■ **Acquaclima®** is an easy installation and maintenance.

Comfort, water saving,
energy saving, safety,
easy installation and **maintenance.**

[cold start] Automatic Energy Saving

Our Certifications

Our certifications are available on line www.csagroup.org

Hot water only when needed

Palazzani launches the **ColdStart** technology for the **Italo** and **Bella** faucet lines.

ColdStart reduces energy requirements **CO2 emissions**, using current technology. The innovative command ergonomics launches a new trend in the sanitaryware sector.

With **Palazzani ColdStart technology**, cold water flows when the handle is in the middle position. When the handle is in the central position with standard faucets, the water heater is activated immediately. However in the **ColdStart** faucet the water pipes are not filled with hot water instantly. The user can set the handle to the left. Remember, the right position of lever is not moveable.



Excellent arguments in favor of ColdStart

Your main sales argument is considered by the potential for savings. In fact, the purchase of a mixer with **ColdStart** technology allows a considerable saving of energy and even money.

From private customers to large hotels: the **ColdStart** assortment is certainly of interest for sale in the design activity.



Declaration of Conformity

All Palazzani's taps with valve and mixers with the cartridge in ceramic disc are according to **UNI EN 817**.

All Palazzani's taps with thermostatic valves are according to **UNI EN 1111**.

All Palazzani's electronic taps are according to **UNI EN 15091**.

Brass Declaration

All Palazzani's taps are made with the **brass conform** to:

- Brass CW 614N-UNI EN 12164 (turnig brass)
- Brass CW 617N-UNI EN 12165 (molding brass)
- Brass CuZn 37 Pb-UNI EN 753s (casting brass)


■ The faucet is designed and industrialized in PALAZZANI technical office to endure over time and that is why every product must pass stringent internal testing and challenging tests in our laboratories.

Chrome-plating

The Palazzani's Chrome plating is according to **UNI EN 248**.

The chrome-plating is designed to withstand a test of more than 200 hours in saline ambient. The taps surfaces are coated with layers of nickel and chrome up to 20 microns thickness.

▪ **Antonio Bullo** is not only a successful sculptor and teacher of Industrial Design of the I.S.I.A. of Faenza, Italy, but is also an Italian designer, whose large part of activity is dedicated to design the bathroom ambience. He has achieved important success designing ceramics, taps and faucets and has obtained important awards, but above all he has always earned consumer appreciation for the innovation, useful practicality and purity of his work's unmistakable lines. In this catalogue you'll find the products designed by Antonio Bullo for Palazzani.



Antonio Bullo

▪ **Andrea Zani** graduates in industrial design at Machina Lonati Fashion and Design Institute in 2005. His vocation as an industrial designer takes him to a constant quest for realities where craftsmanship of products and search for new lines blend. This allows him to create objects with innovative design that perfectly fit with the daily demands of the market. His portfolio consists of essentials objects with a rigorous shape but timeless. His collaboration with Palazzani concerns the restyling of some series of taps.



Andrea Zani

designers

expo trade show

Now, producing special finishes... Copper, Gold, Dark Brushed Nickel...
in the Adams Collection, the gold is 24K plating with Swarovski handles. All Made in Italy!



EXPO

Salone del Mobile (International Bathroom
Exhibition) - Milan


Cersaie - Bologna

ISH - Frankfurt

IdéoBain - Parigi

KBIS - Las Vegas / Orlando

Unicera - Istanbul



references



Hard Rock Hotel - Miami - USA



Hotel Trianon Palace - Versailles - Francia



Rotana Hotel - Erbil



Main Street Cupertino Residence - Cupertino - USA



Sheraton Hotel - Jeddah - Arabia Saudita



Crystal Palace Hotel - Trapani - Italia



Baia dei Mulini Resort - Trapani - Italia



Radisson Blu Resort & Spa - Corsica - Francia



Hotel Galles Best Western - Milano - Italia

HOW TO ORDER YOUR FAUCET WITH CORRECT CODE

EXAMPLE

How to order 073010
in Chrome?

- Single lever mixer for bathroom sink,
with waste Click-Clack 1 1/4".
max flow: 1.2 GPM.

FINISHES

10 Chrome

073010



SERIES:

Young
sink mixer

FINISH:

10 Chrome

073010 + 10

07301010

This is your complete
code for a Young sink
mixer in **Chrome**.

This method is valide for all items in the Young range.

073010
single lever mixer for
bathroom sink

young

- Single lever mixer for bathroom sink, with waste Click-Clack 1 1/4". max flow: 1.2 GPM.

FINISHES
10 Chrome

073010



h: 7 7/8"

- Single lever mixer for bathroom sink, without waste. max flow: 1.2 GPM.

FINISHES
10 Chrome

073011



h: 7 7/8"

- Single lever mixer for bathroom sink, with extended spout and waste Click-Clack 1 1/4". max flow: 1.2 GPM.

FINISHES
10 Chrome

073078



h: 9"

- Single lever mixer for bidet, with waste Click-Clack 1 1/4". max flow: 1.2 GPM.

FINISHES
10 Chrome

074010



h: 7 7/8"

- Waste Click-Clack 1 1/4" with overflow.

FINISHES
10 Chrome

991424



- Pair (2) of concealed stop valves 3/4" with volume control.

FINISHES
10 Chrome

071241



- Single lever mixer for bathroom sink, with extended spout without waste. max flow: 1.2 GPM.

FINISHES
10 Chrome

073045



h: 9"

- Tall single lever mixer for bathroom sink, with waste Click-Clack 1 1/4". max flow: 1.2 GPM.

FINISHES
10 Chrome

073077



h: 15 3/4"

- Tall single lever mixer for bathroom sink, without waste. max flow: 1.2 GPM.

FINISHES
10 Chrome

073018




h: 15 3/4"

- Wall mounted spout for bath-tub.

FINISHES
10 Chrome

992121



l: 8 10/64"

- Complete deck-mount Roman bathtub faucet mixer 4 holes, with diverter on the spout, handshower and flexible Gliss shower hose, 59" length, connection 1/2". max flow: 6.3 GPM.

FINISHES
10 Chrome

071394




l: 7"



Floor standing bath-shower mixer, with flexible metal shower hose, 59" length, connection 1/2", cover material chrome and handshower. max flow: 6.5 GPM.

FINISHES
10 Chrome

071156



h: 36" 1/2

- **Complete** concealed Pressure Balance single lever mixer for shower. flow rate: 6.5 GPM (45 PSI).

FINISHES
10 Chrome

992707+072011

Complete
PRESSURE BALANCE



- **Rough In**, concealed Pressure Balance valve for shower. flow rate: 6.5 GPM (45 PSI).

FINISHES
10 Chrome

992707

Rough in
PRESSURE BALANCE



- **Trim**, external parts for Pressure Balance shower valve (992707).

FINISHES
10 Chrome

072011

Trim
PRESSURE BALANCE



- **Complete** concealed 3/4" 2 ways diverter without stop and with volume control. flow rate: 12 GPM (45 PSI).

FINISHES
10 Chrome

992713NS+412570

Complete
2 WAYS DIVERTER
use only with
pressure balance



- Works only with code 992707

- **Rough In**, concealed 3/4" 2 ways diverter without stop and with volume control. flow rate: 12 GPM (45 PSI).

FINISHES
10 Chrome

992713NS

Rough in
2 WAYS DIVERTER
use only with
pressure balance



- **Trim**, external parts for 2 ways shower diverter valve (992713NS).

FINISHES
10 Chrome

412570

Trim
2 WAYS DIVERTER
use only with
pressure balance



- **Complete** concealed Pressure Balance single lever mixer for bath shower with automatic diverter. flow rate: 6.5 GPM (45 PSI).

FINISHES
10 Chrome

992706+071021

Complete
PRESSURE BALANCE
with diverter



- **Rough In**, concealed Pressure Balance valve for bath shower mixer with automatic diverter. flow rate: 6.5 GPM (45 PSI).

FINISHES
10 Chrome

992706

Rough in
PRESSURE BALANCE
with diverter



- **Trim**, external parts for Pressure Balance shower valve (992706), with automatic diverter.

FINISHES
10 Chrome

071021

Trim
PRESSURE BALANCE
with diverter



- **Complete** concealed 3/4" 3 ways diverter without stop and with volume control. flow rate: 12 GPM (45 PSI).

FINISHES
10 Chrome

992714NS+412571

Complete
3 WAYS DIVERTER
use only with
pressure balance



- Works only with code 992707

- **Rough In**, concealed 3/4" 3 ways diverter without stop and with volume control. flow rate: 12 GPM (45 PSI).

FINISHES
10 Chrome

992714NS

Rough in
3 WAYS DIVERTER
use only with
pressure balance



- **Trim**, external parts for 3 ways shower diverter valve (992714NS).

FINISHES
10 Chrome

412571

Trim
3 WAYS DIVERTER
use only with
pressure balance



- **Complete** 3/4" concealed thermostatic valve for shower with built-in 3/4" ceramic discs with 90° and volume control. flow rate: 10 GPM (45 PSI).

FINISHES
10 Chrome

992772+412501

Complete
THERMOSTATIC
with volume control



- **Rough In.** 3/4" concealed thermostatic valve for shower with built-in 3/4" ceramic discs with 90° and volume control. flow rate: 10 GPM (45 PSI).

FINISHES
10 Chrome

992772

Rough in
THERMOSTATIC
with volume control



- **Trim,** external parts for thermostatic valve (992772) for shower.

FINISHES
10 Chrome

412501

Trim
THERMOSTATIC
with volume control



- **Complete** 3/4" concealed thermostatic valve for shower with ceramic discs diverter, 3 outlets, stop function and with volume control. flow rate: 10 GPM (45 PSI).

FINISHES
10 Chrome

992776+412505

Complete
THERMOSTATIC
with 3 ways diverter



- **Rough In.** 3/4" concealed thermostatic valve for shower with built-in 3/4" ceramic discs diverter, 3 outlets, stop function and volume control. flow rate: 10 GPM (45 PSI).

FINISHES
10 Chrome

992776

Rough in
THERMOSTATIC
with 3 ways diverter



- **Trim,** external parts for thermostatic valve (992776) for shower.

FINISHES
10 Chrome

412505

Trim
THERMOSTATIC
with 3 ways diverter



- **Complete** 3/4" concealed thermostatic valve for shower with ceramic discs diverter, 2 outlets, stop function and volume control. flow rate: 10 GPM (45 PSI).

FINISHES
10 Chrome

992774+412503

Complete
THERMOSTATIC
with 2 ways diverter



- **Rough In.** 3/4" concealed thermostatic valve for shower with built-in 3/4" ceramic discs diverter, 2 outlets, stop function and volume control. flow rate: 10 GPM (45 PSI).

FINISHES
10 Chrome

992774

Rough in
THERMOSTATIC
with 2 ways diverter



- **Trim,** external parts for thermostatic valve (992774) for shower.

FINISHES
10 Chrome

412503

Trim
THERMOSTATIC
with 2 ways diverter



- **Complete** concealed 3/4" thermostatic valve. flow rate: 12 GPM (45 PSI).

FINISHES
10 Chrome

992709+41 2568

Complete
THERMOSTATIC
valve



- **Rough In** concealed 3/4" thermostatic valve. flow rate: 12 GPM (45 PSI).

FINISHES
10 Chrome

992709

Rough in
THERMOSTATIC
valve



- **Trim** 3/4" thermostatic valve (992709). flow rate: 12 GPM (45 PSI).

FINISHES
10 Chrome

41 2568

Trim
THERMOSTATIC
valve



- **Complete** concealed 3/4", 2 ways diverter with stop and with volume control. flow rate: 12 GPM (45 PSI).

FINISHES
10 Chrome

992713+41 2570

Complete
2 WAYS DIVERTER
use only with
thermostatic valve



- Works only with code 992709 (Thermostatic Mixer)

- **Rough In** concealed 3/4", 2 ways diverter with stop and with volume control. flow rate: 12 GPM (45 PSI).

FINISHES
10 Chrome

992713

Rough in
2 WAYS DIVERTER
use only with
thermostatic valve



- **Trim**, external parts for 2 ways shower diverter valve (992713).

FINISHES
10 Chrome

41 2570

Trim
2 WAYS DIVERTER
use only with
thermostatic valve



- **Complete** concealed stop valve 3/4" ceramic discs 90° with volume control. flow rate: 13 GPM (45 PSI).

FINISHES
10 Chrome

992712+41 2569

Complete
VOLUME CONTROL
use only with
thermostatic valve



- Works only with code 992709 (Thermostatic Mixer)

- **Rough In** concealed stop valve 3/4" ceramic discs 90° with volume control. flow rate: 13 GPM (45 PSI).

FINISHES
10 Chrome

992712

Rough in
VOLUME CONTROL
use only with
thermostatic valve



- **Trim**, external parts for stop valve (992772) for shower. flow rate: 12 GPM (45 PSI).

FINISHES
10 Chrome

41 2569

Trim
VOLUME CONTROL
use only with
thermostatic valve



- **Complete** concealed 3/4", 3 ways diverter with stop and with volume control. flow rate: 12 GPM (45 PSI).

FINISHES
10 Chrome

992714+41 2571

Complete
3 WAYS DIVERTER
use only with
thermostatic valve



- Works only with code 992709 (Thermostatic Mixer)

- **Rough In** concealed 3/4", 3 ways diverter with stop and with volume control. flow rate: 12 GPM (45 PSI).

FINISHES
10 Chrome

992714

Rough in
3 WAYS DIVERTER
use only with
thermostatic valve




- **Trim**, external parts for 3 ways shower diverter valve (992714).

FINISHES
10 Chrome

41 2571

Trim
3 WAYS DIVERTER
use only with
thermostatic valve





young

COMPLETE **SHOWER KIT**
PRESSURE BALANCE WITH
2 WAYS DIVERTER

10 Chrome

07K047

composed by



9926E2

- Luxury horizontal brass shower arm 13 1/2".

FINISHES
10 Chrome



992687

- ABS showerhead 8" x 8".

FINISHES
10 Chrome



992706+071021

- **Complete** concealed Pressure Balance single lever mixer for bath shower with automatic diverter. flow rate: 6.5 GPM (45 PSI).


FINISHES
10 Chrome



992121

- Wall mounted spout for bath-tub.

FINISHES	LIST PRICE
10 Chrome	\$ 355.00



young

COMPLETE **SHOWER KIT**
THERMOSTATIC WITH
2 WAYS DIVERTER

10 Chrome

41K048

composed by



9926E2

- Luxury horizontal brass shower arm 13 1/2".

FINISHES
10 Chrome



992687

- ABS showerhead 8" x 8".

FINISHES
10 Chrome



992774+412503

- **Complete** 3/4" concealed thermostatic valve for shower with built-in 3/4" ceramic discs diverter, 2 outlets, stop function and volume control. flow rate: 10 GPM (45 PSI).

FINISHES
10 Chrome



9910A9


- Fixed bracket in brass with water delivery included, flexible metal shower hose, 59" length, connection 1/2" and handshower in abs 1" x 1". max flow: 2 GPM.

FINISHES
10 Chrome


All specs are available on
www.palazzaniusa.com

All specs are available on
www.palazzaniusa.com


073010




073011




073078




992707+072011




992706+071021




992713NS+412570




073045




073077




073018




992714NS+412571




992772+412501




992774+412503




074010




991424




071241




992776+412505




992709+412568




992712+412569




992121




071394




071156



992713+412570



992714+412571



HOW TO ORDER YOUR FAUCET WITH CORRECT CODE

EXAMPLE

How to order 083010 in Chrome?

- Single handle faucet for bathroom sink, with waste Click-Clack 1 1/4", max flow: 1.2 GPM.
- | FINISHES | |
|----------|----------------------|
| 10 | Chrome |
| 38 | Matt Black |
| 43 | Matt White |
| 49 | Brushed Steel Finish |
| 68 | Polish nickel |

083010



SERIES: Wild sink mixer
FINISH: 10 Chrome

083010 + 10

08301010

This is your complete code for a Wild sink mixer in **Chrome**.

This method is valide for all items in the Wild range.



083010
single lever mixer for
bathroom sink



38



49



68



FINISHES

10 Chrome / 38 Matt Black / 43 Matt White
49 Brushed Steel finish / 68 Polished Nickel

Single lever mixer for bathroom sink, with waste Click-Clack 1 1/4". max flow: 1.2 GPM.

- FINISHES
- 10 Chrome

38 Matt Black

43 Matt White

49 Brushed Steel Finish

68 Polish nickel

083010



h: 5 1/2"

Single lever mixer for bathroom sink, without waste. max flow: 1.2 GPM.

- FINISHES
- 10 Chrome

38 Matt Black

43 Matt White

49 Brushed Steel Finish

68 Polish nickel

083011



h: 5 1/2"

Single lever mixer for bathroom sink, with extended spout and waste Click-Clack 1 1/4". max flow: 1.2 GPM.

- FINISHES
- 10 Chrome

38 Matt Black

43 Matt White

49 Brushed Steel Finish

68 Polish nickel

083078



h: 6 3/4"

3 holes washbasin mixer, swivel spout with waste Click-Clack 1 1/4". max flow: 1.8 GPM.

- FINISHES
- 10 Chrome

38 Matt Black

43 Matt White

49 Brushed Steel Finish

68 Polish nickel

083040



h: 5 5/32"

Wall mounted 3 holes washbasin faucet. max flow: 1.8 GPM.

- FINISHES
- 10 Chrome

38 Matt Black

43 Matt White

49 Brushed Steel Finish

68 Polish nickel

083060



h: 11 1/16"

Single lever mixer for bathroom sink, with extended spout without waste. max flow: 1.2 GPM.

- FINISHES
- 10 Chrome

38 Matt Black

43 Matt White

49 Brushed Steel Finish

68 Polish nickel

083045



h: 6 3/4"

Tall single lever bathroom mixer with waste Click-Clack 1 1/4". max flow: 1.2 GPM.

- FINISHES
- 10 Chrome

38 Matt Black

43 Matt White

49 Brushed Steel Finish

68 Polish nickel

083077



h: 13 1/8"

Tall single lever bathroom mixer without waste. max flow: 1.2 GPM.

- FINISHES
- 10 Chrome

38 Matt Black

43 Matt White

49 Brushed Steel Finish

68 Polish nickel

083018



h: 13 1/8"

Single lever mixer for bidet, with waste Click-Clack 1 1/4". max flow: 1.2 GPM.

- FINISHES
- 10 Chrome

38 Matt Black

43 Matt White

49 Brushed Steel Finish

68 Polish nickel

084010



h: 5" 3/4"

Waste Click-Clack 1 1/4" with overflow.

- FINISHES
- 10 Chrome


38 Matt Black

43 Matt White

49 Brushed Steel Finish

68 Polish nickel

991424



Wall mounted spout for bath-tub.

- FINISHES
- 10 Chrome

38 Matt Black

43 Matt White

49 Brushed Steel Finish

68 Polish nickel

992112



h: 9 3/16"

- **Complete** concealed Pressure Balance single lever mixer for shower. flow rate: 6.5 GPM (45 PSI).

FINISHES
10 Chrome
38 Matt Black
43 Matt White
49 Brushed Steel Finish
68 Polish nickel

992707+082011

Complete
PRESSURE BALANCE



- **Rough In**, concealed Pressure Balance valve for shower. flow rate: 6.5 GPM (45 PSI).

FINISHES
10 Chrome

992707

Rough in
PRESSURE BALANCE



- **Trim**, external parts for Pressure Balance shower valve (992707).

FINISHES
10 Chrome
38 Matt Black
43 Matt White
49 Brushed Steel Finish
68 Polish nickel

082011

Trim
PRESSURE BALANCE



- **Complete** concealed 3/4" 2 ways diverter without stop and with volume control. flow rate: 12 GPM (45 PSI).

FINISHES
10 Chrome
38 Matt Black
43 Matt White
49 Brushed Steel Finish
68 Polish nickel

992713NS+922570

Complete
2 WAYS DIVERTER
use only with
pressure balance



- Works only with code 992707

- **Rough In**, concealed 3/4" 2 ways diverter without stop and with volume control. flow rate: 12 GPM (45 PSI).

FINISHES
10 Chrome

992713NS

Rough in
2 WAYS DIVERTER
use only with
pressure balance



- **Trim**, external parts for 2 ways shower diverter valve (992713NS).

FINISHES
10 Chrome
38 Matt Black
43 Matt White
49 Brushed Steel Finish
68 Polish nickel

922570

Trim
2 WAYS DIVERTER
use only with
pressure balance



- **Complete** concealed Pressure Balance single lever mixer for bath shower with automatic diverter. flow rate: 6.5 GPM (45 PSI).

FINISHES
10 Chrome
38 Matt Black
43 Matt White
49 Brushed Steel Finish
68 Polish nickel

992706+081021

Complete
PRESSURE BALANCE
with diverter



- **Rough In**, concealed Pressure Balance valve for bath shower mixer with automatic diverter. flow rate: 6.5 GPM (45 PSI).

FINISHES
10 Chrome

992706

Rough in
PRESSURE BALANCE
with diverter



- **Trim**, external parts for Pressure Balance shower valve (992706), with automatic diverter.

FINISHES
10 Chrome
38 Matt Black
43 Matt White
49 Brushed Steel Finish
68 Polish nickel

081021

Trim
PRESSURE BALANCE
with diverter



- **Complete** concealed 3/4" 3 ways diverter without stop and with volume control. flow rate: 12 GPM (45 PSI).

FINISHES
10 Chrome
38 Matt Black
43 Matt White
49 Brushed Steel Finish
68 Polish nickel

992714NS+922571

Complete
3 WAYS DIVERTER
use only with
pressure balance



- Works only with code 992707

- **Rough In**, concealed 3/4" 3 ways diverter without stop and with volume control. flow rate: 12 GPM (45 PSI).

FINISHES
10 Chrome

992714NS

Rough in
3 WAYS DIVERTER
use only with
pressure balance



- **Trim**, external parts for 3 ways shower diverter valve (992714NS).

FINISHES
10 Chrome
38 Matt Black
43 Matt White
49 Brushed Steel Finish
68 Polish nickel

922571

Trim
3 WAYS DIVERTER
use only with
pressure balance



- **Complete** 3/4" concealed thermostatic valve for shower with built-in 3/4" ceramic discs with 90° and volume control. flow rate: 10 GPM (45 PSI).

FINISHES
10 Chrome
38 Matt Black
43 Matt White
49 Brushed Steel Finish
68 Polish nickel

992772+922501

Complete
THERMOSTATIC
with volume control



- **Rough In**, 3/4" concealed thermostatic valve for shower with built-in 3/4" ceramic discs with 90° and volume control. flow rate: 10 GPM (45 PSI).

FINISHES
10 Chrome

922772

Rough in
THERMOSTATIC
with volume control



- **Trim**, external parts for thermostatic valve (992772) for shower.

FINISHES
10 Chrome
38 Matt Black
43 Matt White
49 Brushed Steel Finish
68 Polish nickel

922501

Trim
THERMOSTATIC
with volume control



- **Complete** 3/4" concealed thermostatic valve for shower with ceramic discs diverter, 3 outlets, stop function and with volume control. flow rate: 10 GPM (45 PSI).

FINISHES
10 Chrome
38 Matt Black
43 Matt White
49 Brushed Steel Finish
68 Polish nickel

992776+922505

Complete
THERMOSTATIC
with 3 ways diverter



- **Rough In**, 3/4" concealed thermostatic valve for shower with built-in 3/4" ceramic discs diverter, 3 outlets, stop function and volume control. flow rate: 10 GPM (45 PSI).

FINISHES
10 Chrome

992776

Rough in
THERMOSTATIC
with 3 ways diverter



- **Trim**, external parts for thermostatic valve (992776) for shower.

FINISHES
10 Chrome
38 Matt Black
43 Matt White
49 Brushed Steel Finish
68 Polish nickel

922505

Trim
THERMOSTATIC
with 3 ways diverter



- **Complete** 3/4" concealed thermostatic valve for shower with ceramic discs diverter, 2 outlets, stop function and volume control. flow rate: 10 GPM (45 PSI).

FINISHES
10 Chrome
38 Matt Black
43 Matt White
49 Brushed Steel Finish
68 Polish nickel

992774+922503

Complete
THERMOSTATIC
with 2 ways diverter



- **Rough In**, 3/4" concealed thermostatic valve for shower with built-in 3/4" ceramic discs diverter, 2 outlets, stop function and volume control. flow rate: 10 GPM (45 PSI).

FINISHES
10 Chrome

992774

Rough in
THERMOSTATIC
with 2 ways diverter



- **Trim**, external parts for thermostatic valve (992774) for shower.

FINISHES
10 Chrome
38 Matt Black
43 Matt White
49 Brushed Steel Finish
68 Polish nickel

922503

Trim
THERMOSTATIC
with 2 ways diverter



- **Complete** concealed 3/4" thermostatic valve. flow rate: 12 GPM (45 PSI).

FINISHES
10 Chrome
38 Matt Black
43 Matt White
49 Brushed Steel Finish
68 Polish nickel

992709+922568

Complete
THERMOSTATIC
valve



- **Rough In** concealed 3/4" thermostatic valve. flow rate: 12 GPM (45 PSI).

FINISHES
10 Chrome

992709

Rough in
THERMOSTATIC
valve



- **Trim** 3/4" thermostatic valve (992709). flow rate: 12 GPM (45 PSI).

FINISHES
10 Chrome
38 Matt Black
43 Matt White
49 Brushed Steel Finish
68 Polish nickel

922568

Trim
THERMOSTATIC
valve



- **Complete** concealed 3/4", 2 ways diverter with stop and with volume control. flow rate: 12 GPM (45 PSI).

FINISHES
10 Chrome
38 Matt Black
43 Matt White
49 Brushed Steel Finish
68 Polish nickel

992713+922570

Complete
2 WAYS DIVERTER
use only with
thermostatic valve



- Works only with code 992709 (Thermostatic Mixer)

- **Rough In** concealed 3/4", 2 ways diverter with stop and with volume control. flow rate: 12 GPM (45 PSI).

FINISHES
10 Chrome

992713

Rough in
2 WAYS DIVERTER
use only with
thermostatic valve



- **Trim**, external parts for 2 ways shower diverter valve (992713).

FINISHES
10 Chrome
38 Matt Black
43 Matt White
49 Brushed Steel Finish
68 Polish nickel

922570

Trim
2 WAYS DIVERTER
use only with
thermostatic valve



- **Complete** concealed stop valve 3/4" ceramic discs 90° with volume control. flow rate: 13 GPM (45 PSI).

FINISHES
10 Chrome
38 Matt Black
43 Matt White
49 Brushed Steel Finish
68 Polish nickel

992712+922569

Complete
VOLUME CONTROL
use only with
thermostatic valve



- Works only with code 992709 (Thermostatic Mixer)

- **Rough In** concealed stop valve 3/4" ceramic discs 90° with volume control. flow rate: 13 GPM (45 PSI).

FINISHES
10 Chrome

992712

Rough in
VOLUME CONTROL
use only with
thermostatic valve



- **Trim**, external parts for stop valve (992772) for shower. flow rate: 12 GPM (45 PSI).

FINISHES
10 Chrome
38 Matt Black
43 Matt White
49 Brushed Steel Finish
68 Polish nickel

922569

Trim
VOLUME CONTROL
use only with
thermostatic valve



- **Complete** concealed 3/4", 3 ways diverter with stop and with volume control. flow rate: 12 GPM (45 PSI).

FINISHES
10 Chrome
38 Matt Black
43 Matt White
49 Brushed Steel Finish
68 Polish nickel

992714+922571

Complete
3 WAYS DIVERTER
use only with
thermostatic valve



- Works only with code 992709 (Thermostatic Mixer)

- **Rough In** concealed 3/4", 3 ways diverter with stop and with volume control. flow rate: 12 GPM (45 PSI).

FINISHES
10 Chrome

992714

Rough in
3 WAYS DIVERTER
use only with
thermostatic valve



- **Trim**, external parts for 3 ways shower diverter valve (992714).

FINISHES
10 Chrome
38 Matt Black
43 Matt White
49 Brushed Steel Finish
68 Polish nickel

922571


Trim
3 WAYS DIVERTER
use only with
thermostatic valve




All specs are available on
www.palazzaniusa.com

All specs are available on
www.palazzaniusa.com


083010




083011




083078




992706+081021




992713NS+922570




992714NS+922571




083045




083077




083018




992772+922501




992774+922503




992776+922505




083040




083060




084010




992709+922568




992712+922569




992713+922570




991424




992112



992707+082011



992714+922571



HOW TO ORDER YOUR FAUCET WITH CORRECT CODE



EXAMPLE

How to order 023010 in Matt White?

Single lever mixer for bathroom sink, with waste Click-Clack 1 1/4". max flow: 1.2 GPM.

FINISHES	
10	Chrome
34	Matt Copper
36	Brushed Dark nickel
38	Matt Black
43	Matt White
49	Brushed Steel Finish
68	Polish nickel

023010



SERIES:
Mimo
sink mixer

FINISH:
43 Matt
White

023010 + 43

02301043

This is your complete code for a Mimo sink mixer in **Matt White**.

This method is valide for all items in the Mimo range.



FINISHES

10 Chrome / 34 Matt Copper / 36 Brushed Dark Nickel
38 Matt Black / 43 Matt White / 49 Brushed Steel finish
68 Polished Nickel

mimo



023010
single lever mixer for
bathroom sink

- Single lever mixer for bathroom sink, with waste Click-Clack 1 1/4" max flow: 1.2 GPM.

FINISHES
10 Chrome
34 Matt Copper
36 Brushed Dark nickel
38 Matt Black
43 Matt White
49 Brushed Steel Finish
68 Polish nickel

023010



- Single lever mixer for bathroom sink, without waste. max flow: 1.2 GPM.

FINISHES
10 Chrome
34 Matt Copper
36 Brushed Dark nickel
38 Matt Black
43 Matt White
49 Brushed Steel Finish
68 Polish nickel

023011



- Single lever mixer for bathroom sink, with extended spout and waste Click-Clack 1 1/4". max flow: 1.2 GPM.

FINISHES
10 Chrome
34 Matt Copper
36 Brushed Dark nickel
38 Matt Black
43 Matt White
49 Brushed Steel Finish
68 Polish nickel

023078



- 3 holes washbasin faucet swivel spout with waste Click-Clack 1 1/4". max flow: 1.8 GPM.

FINISHES
10 Chrome
34 Matt Copper
36 Brushed Dark nickel
38 Matt Black
43 Matt White
49 Brushed Steel Finish
68 Polish nickel

023040



023010
single lever mixer for
bathroom sink

- Single lever mixer for bathroom sink, with extended spout without waste. max flow: 1.2 GPM.

FINISHES
10 Chrome
34 Matt Copper
36 Brushed Dark nickel
38 Matt Black
43 Matt White
49 Brushed Steel Finish
68 Polish nickel


023045



- Tall single lever bathroom mixer, with waste Click-Clack 1 1/4". max flow: 1.2 GPM.

FINISHES
10 Chrome
34 Matt Copper
36 Brushed Dark nickel
38 Matt Black
43 Matt White
49 Brushed Steel Finish
68 Polish nickel


023077



- Tall single lever bathroom mixer without waste. max flow: 1.2 GPM.

FINISHES
10 Chrome
34 Matt Copper
36 Brushed Dark nickel
38 Matt Black
43 Matt White
49 Brushed Steel Finish
68 Polish nickel

023018



- Wall mounted 3 holes washbasin faucet. max flow: 1.8 GPM.

FINISHES
10 Chrome
34 Matt Copper
36 Brushed Dark nickel
38 Matt Black
43 Matt White
49 Brushed Steel Finish
68 Polish nickel

023060



- Single lever mixer for bidet, without waste. max flow: 1.2 GPM.

FINISHES
10 Chrome
34 Matt Copper
36 Brushed Dark nickel
38 Matt Black
43 Matt White
49 Brushed Steel Finish
68 Polish nickel

024111



- Waste Click-Clack 1 1/4" with overflow.

FINISHES
10 Chrome
34 Matt Copper
36 Brushed Dark nickel
38 Matt Black
43 Matt White
49 Brushed Steel Finish
68 Polish nickel

991424



Washbasin round trap.

- FINISHES
- 10 Chrome
 - 34 Matt Copper
 - 36 Brushed Dark nickel
 - 38 Matt Black
 - 43 Matt White
 - 49 Brushed Steel Finish
 - 68 Polish nickel

991443



Wall mounted spout for bath-tub.

- FINISHES
- 10 Chrome
 - 34 Matt Copper
 - 36 Brushed Dark nickel
 - 38 Matt Black
 - 43 Matt White
 - 49 Brushed Steel Finish
 - 68 Polish nickel

992112



Complete deck-mount Roman bathtub faucet mixer 4 holes, complete with diverter on the spout, handshower and flexible Gliss shower hose, 59" length, connection 1/2". max flow: 6.3 GPM.

- FINISHES
- 10 Chrome
 - 34 Matt Copper
 - 36 Brushed Dark nickel
 - 38 Matt Black
 - 43 Matt White
 - 49 Brushed Steel Finish
 - 68 Polish nickel


121394



Floor standing bath shower mixer, with flexible metal shower hose, 59" length, connection 1/2" and handshower. max flow: 6.5 GPM.

- FINISHES
- 10 Chrome
 - 34 Matt Copper
 - 36 Brushed Dark nickel
 - 38 Matt Black
 - 43 Matt White
 - 49 Brushed Steel Finish
 - 68 Polish nickel

121156



023060
wall mounted 3 holes



- **Complete** concealed Pressure Balance single lever mixer for shower. flow rate: 6.5 GPM (45 PSI).

FINISHES
10 Chrome
34 Matt Copper
36 Brushed Dark nickel
38 Matt Black
43 Matt White
49 Brushed Steel Finish
68 Polish nickel

992707+102011

Complete
PRESSURE BALANCE



- **Rough In**, concealed Pressure Balance valve for shower. flow rate: 6.5 GPM (45 PSI).

FINISHES
10 Chrome

992707

Rough in
PRESSURE BALANCE



- **Trim**, external parts for Pressure Balance shower valve (992707).

FINISHES
10 Chrome
34 Matt Copper
36 Brushed Dark nickel
38 Matt Black
43 Matt White
49 Brushed Steel Finish
68 Polish nickel

102011

Trim
PRESSURE BALANCE



- **Complete** concealed 3/4" 2 ways diverter without stop and with volume control. flow rate: 12 GPM (45 PSI).

FINISHES
10 Chrome
34 Matt Copper
36 Brushed Dark nickel
38 Matt Black
43 Matt White
49 Brushed Steel Finish
68 Polish nickel

992713NS+102570

Complete
2 WAYS DIVERTER
use only with
pressure balance



- Works only with code 992707

- **Rough In**, concealed 3/4" 2 ways diverter without stop and with volume control. flow rate: 12 GPM (45 PSI).

FINISHES
10 Chrome

992713NS

Rough in
2 WAYS DIVERTER
use only with
pressure balance



- **Trim**, external parts for 2 ways shower diverter valve (992713NS).

FINISHES
10 Chrome
34 Matt Copper
36 Brushed Dark nickel
38 Matt Black
43 Matt White
49 Brushed Steel Finish
68 Polish nickel

102570

Trim
2 WAYS DIVERTER
use only with
pressure balance



- **Complete** concealed Pressure Balance single lever mixer for bath shower with automatic diverter. flow rate: 6.5 GPM (45 PSI).

FINISHES
10 Chrome
34 Matt Copper
36 Brushed Dark nickel
38 Matt Black
43 Matt White
49 Brushed Steel Finish
68 Polish nickel

992706+101021

Complete
PRESSURE BALANCE
with diverter



- **Rough In**, concealed Pressure Balance valve for bath shower mixer with automatic diverter. flow rate: 6.5 GPM (45 PSI).

FINISHES
10 Chrome

992706

Rough in
PRESSURE BALANCE
with diverter



- **Trim**, external parts for Pressure Balance shower valve (992706), with automatic diverter.

FINISHES
10 Chrome
34 Matt Copper
36 Brushed Dark nickel
38 Matt Black
43 Matt White
49 Brushed Steel Finish
68 Polish nickel

101021

Trim
PRESSURE BALANCE
with diverter



- **Complete** concealed 3/4" 3 ways diverter without stop and with volume control. flow rate: 12 GPM (45 PSI).

FINISHES
10 Chrome
34 Matt Copper
36 Brushed Dark nickel
38 Matt Black
43 Matt White
49 Brushed Steel Finish
68 Polish nickel

992714NS+102571

Complete
3 WAYS DIVERTER
use only with
pressure balance



- Works only with code 992707

- **Rough In**, concealed 3/4" 3 ways diverter without stop and with volume control. flow rate: 12 GPM (45 PSI).

FINISHES
10 Chrome

992714NS

Rough in
3 WAYS DIVERTER
use only with
pressure balance



- **Trim**, external parts for 3 ways shower diverter valve (992714NS).

FINISHES
10 Chrome
34 Matt Copper
36 Brushed Dark nickel
38 Matt Black
43 Matt White
49 Brushed Steel Finish
68 Polish nickel

102571

Trim
3 WAYS DIVERTER
use only with
pressure balance



• **Complete** 3/4" concealed thermostatic valve for shower with built-in 3/4" ceramic discs with 90° and volume control. flow rate: 10 GPM (45 PSI).

FINISHES
10 Chrome
34 Matt Copper
36 Brushed Dark nickel
38 Matt Black
43 Matt White
49 Brushed Steel Finish
68 Polish nickel

992772+962501

Complete
THERMOSTATIC
with volume control



• **Rough In,** 3/4" concealed thermostatic valve for shower with built-in 3/4" ceramic discs with 90° and volume control. flow rate: 10 GPM (45 PSI).

FINISHES
10 Chrome

992772

Rough in
THERMOSTATIC
with volume control



• **Trim,** external parts for thermostatic valve (992772) for shower.

FINISHES
10 Chrome
34 Matt Copper
36 Brushed Dark nickel
38 Matt Black
43 Matt White
49 Brushed Steel Finish
68 Polish nickel

962501

Trim
THERMOSTATIC
with volume control



• **Complete** 3/4" concealed thermostatic valve for shower with ceramic discs diverter, 3 outlets, stop function and with volume control. flow rate: 10 GPM (45 PSI).

FINISHES
10 Chrome
34 Matt Copper
36 Brushed Dark nickel
38 Matt Black
43 Matt White
49 Brushed Steel Finish
68 Polish nickel

992776+962505

Complete
THERMOSTATIC
with 3 ways diverter



• **Rough In,** 3/4" concealed thermostatic valve for shower with built-in 3/4" ceramic discs diverter, 3 outlets, stop function and volume control. flow rate: 10 GPM (45 PSI).

FINISHES
10 Chrome

992776

Rough in
THERMOSTATIC
with 3 ways diverter



• **Trim,** external parts for thermostatic valve (992776) for shower.

FINISHES
10 Chrome
34 Matt Copper
36 Brushed Dark nickel
38 Matt Black
43 Matt White
49 Brushed Steel Finish
68 Polish nickel

962505

Trim
THERMOSTATIC
with 3 ways diverter



• **Complete** 3/4" concealed thermostatic valve for shower with ceramic discs diverter, 2 outlets, stop function and volume control. flow rate: 10 GPM (45 PSI).

FINISHES
10 Chrome
34 Matt Copper
36 Brushed Dark nickel
38 Matt Black
43 Matt White
49 Brushed Steel Finish
68 Polish nickel

992774+962503

Complete
THERMOSTATIC
with 2 ways diverter



• **Rough In,** 3/4" concealed thermostatic valve for shower with built-in 3/4" ceramic discs diverter, 2 outlets, stop function and volume control. flow rate: 10 GPM (45 PSI).

FINISHES
10 Chrome

992774

Rough in
THERMOSTATIC
with 2 ways diverter



• **Trim,** external parts for thermostatic valve (992774) for shower.

FINISHES
10 Chrome
34 Matt Copper
36 Brushed Dark nickel
38 Matt Black
43 Matt White
49 Brushed Steel Finish
68 Polish nickel

962503

Trim
THERMOSTATIC
with 2 ways diverter



- **Complete** concealed 3/4" thermostatic valve. flow rate: 12 GPM (45 PSI).

FINISHES
10 Chrome
34 Matt Copper
36 Brushed Dark nickel
38 Matt Black
43 Matt White
49 Brushed Steel Finish
68 Polish nickel

992709+962568



- **Rough In** concealed 3/4" thermostatic valve. flow rate: 12 GPM (45 PSI).

FINISHES
10 Chrome

992709



- **Trim** 3/4" thermostatic valve (992709). flow rate: 12 GPM (45 PSI).

FINISHES
10 Chrome
34 Matt Copper
36 Brushed Dark nickel
38 Matt Black
43 Matt White
49 Brushed Steel Finish
68 Polish nickel

962568



- **Complete** concealed 3/4", 2 ways diverter with stop, flow rate: 12 GPM (45 PSI).

FINISHES
10 Chrome
34 Matt Copper
36 Brushed Dark nickel
38 Matt Black
43 Matt White
49 Brushed Steel Finish
68 Polish nickel


992713+962570



- **Rough In** concealed 3/4", 2 ways diverter with stop, flow rate: 12 GPM (45 PSI).

FINISHES
10 Chrome

992713



- **Trim**, external parts for 2 ways shower diverter valve (992713).

FINISHES
10 Chrome
34 Matt Copper
36 Brushed Dark nickel
38 Matt Black
43 Matt White
49 Brushed Steel Finish
68 Polish nickel


962570



- **Complete** concealed stop valve 3/4" ceramic discs 90° with volume control. flow rate: 13 GPM (45 PSI).

FINISHES
10 Chrome
34 Matt Copper
36 Brushed Dark nickel
38 Matt Black
43 Matt White
49 Brushed Steel Finish
68 Polish nickel


992712+962569



- **Rough In** concealed stop valve 3/4" ceramic discs 90° with volume control. flow rate: 13 GPM (45 PSI).

FINISHES
10 Chrome

992712



- **Trim**, external parts for stop valve (992772) for shower. flow rate: 12 GPM (45 PSI).

FINISHES
10 Chrome
34 Matt Copper
36 Brushed Dark nickel
38 Matt Black
43 Matt White
49 Brushed Steel Finish
68 Polish nickel


962569



- **Complete** concealed 3/4", 3 ways diverter with stop, flow rate: 12 GPM (45 PSI).

FINISHES
10 Chrome
34 Matt Copper
36 Brushed Dark nickel
38 Matt Black
43 Matt White
49 Brushed Steel Finish
68 Polish nickel


992714+962571



- **Rough In** concealed 3/4", 3 ways diverter with stop, flow rate: 12 GPM (45 PSI).

FINISHES
10 Chrome

992714



- **Trim**, external parts for 3 ways shower diverter valve (992714).


FINISHES
10 Chrome
34 Matt Copper
36 Brushed Dark nickel
38 Matt Black
43 Matt White
49 Brushed Steel Finish
68 Polish nickel

962571




All specs are available on
www.palazzaniusa.com


992707+102011




992714NS+102571



992776+962505



992709+962568 992712+962569 992713+962570 992714+962571



HOW TO ORDER YOUR FAUCET WITH CORRECT CODE

EXAMPLE

How to order 553225 in Chrome?

Single handle faucet for bathroom sink, swivel spout, with pop-up waste 1 1/4", max flow: 1.2 GPM.


FINISHES

10	Chrome
50	Bronze
51	Copper
68	Polish nickel

553225




SERIES: Porter sink mixer **FINISH:** 10 Chrome



This is your complete code for a Porter sink mixer in **Chrome**.

This method is valide for all items in the Porter range.

porter



FINISHES
10 Chrome / **50** Bronze
51 Copper / **68** Polished Nickel

- 3 holes bathroom sink faucet with pop-up waste 1 1/4". max flow: 1.2 GPM.

FINISHES
10 Chrome
50 Bronze
51 Copper
68 Polish nickel

553020




h: 5 33/64"

- Single lever mixer for bathroom sink, swivel spout, with pop-up waste 1 1/4". max flow: 1.2 GPM.

FINISHES
10 Chrome
50 Bronze
51 Copper
68 Polish nickel

553225




h: 11 7/32"

- Single hole bidet faucet, swivel spout, with pop-up waste 1 1/4". max flow: 1.2 GPM.

FINISHES
10 Chrome
50 Bronze
51 Copper
68 Polish nickel

554226



h: 8 55/64"

- Pair (2) of concealed stop valves 3/4" with volume control.

FINISHES
10 Chrome
50 Bronze
51 Copper
68 Polish nickel

551241



- Wall mounted spout for bath-tub.

FINISHES
10 Chrome
50 Bronze
51 Copper
68 Polish nickel

992195



l: 9 1/2"

- Complete deck-mount Roman bathtub faucet mixer 4 holes, complete with valve, diverter on the spout, handshower and flexible Gliss shower hose, 59" length, connection 1/2". max flow: 7.3 GPM.

FINISHES
10 Chrome
50 Bronze
51 Copper
68 Polish nickel

551010



h: 6 11/16"

553225
single lever mixer for
bathroom sink

- **Complete** concealed Pressure Balance single lever mixer for shower. flow rate: 6.5 GPM (45 PSI).

FINISHES
10 Chrome
50 Bronze
51 Copper
68 Polish nickel

992707+362011

Complete
PRESSURE BALANCE



- **Rough In**, concealed Pressure Balance valve for shower. flow rate: 6.5 GPM (45 PSI).

FINISHES
10 Chrome

992707

Rough in
PRESSURE BALANCE



- **Trim**, external parts for Pressure Balance shower valve (992707).

FINISHES
10 Chrome
50 Bronze
51 Copper
68 Polish nickel

362011

Trim
PRESSURE BALANCE




- **Complete** 3/4" concealed thermostatic valve for shower with built-in 3/4" ceramic discs with 90° and volume control. flow rate: 10 GPM (45 PSI).

FINISHES
10 Chrome
50 Bronze
51 Copper
68 Polish nickel

992772+422501

Complete
THERMOSTATIC
with volume control



- **Rough In**, 3/4" concealed thermostatic valve for shower with built-in 3/4" ceramic discs with 90° and volume control. flow rate: 10 GPM (45 PSI).

FINISHES
10 Chrome

992772

Rough in
THERMOSTATIC
with volume control



- **Trim**, external parts for thermostatic valve (992772) for shower.

FINISHES
10 Chrome
50 Bronze
51 Copper
68 Polish nickel

422501

Trim
THERMOSTATIC
with volume control



- **Complete** concealed Pressure Balance single lever mixer for bath shower with automatic diverter. flow rate: 6.5 GPM (45 PSI).

FINISHES
10 Chrome
50 Bronze
51 Copper
68 Polish nickel

992706+361021

Complete
PRESSURE BALANCE
with diverter



- **Rough In**, concealed Pressure Balance valve for bath shower mixer with automatic diverter. flow rate: 6.5 GPM (45 PSI).

FINISHES
10 Chrome

992706

Rough in
PRESSURE BALANCE
with diverter



- **Trim**, external parts for Pressure Balance shower valve (992706), with automatic diverter.

FINISHES
10 Chrome
50 Bronze
51 Copper
68 Polish nickel

361021

Trim
PRESSURE BALANCE
with diverter



- **Complete** 3/4" concealed thermostatic valve for shower with ceramic discs diverter, 2 outlets, stop function and volume control. flow rate: 10 GPM (45 PSI).

FINISHES
10 Chrome
50 Bronze
51 Copper
68 Polish nickel

992774+422503

Complete
THERMOSTATIC
with 2 ways diverter



- **Rough In**, 3/4" concealed thermostatic valve for shower with built-in 3/4" ceramic discs diverter, 2 outlets, stop function and volume control. flow rate: 10 GPM (45 PSI).

FINISHES
10 Chrome

992774

Rough in
THERMOSTATIC
with 2 ways diverter



- **Trim**, external parts for thermostatic valve (992774) for shower.

FINISHES
10 Chrome
50 Bronze
51 Copper
68 Polish nickel

422503

Trim
THERMOSTATIC
with 2 ways diverter



All specs ara available on
www.palazzaniusa.com

• **Complete** 3/4" concealed thermostatic valve for shower with ceramic discs diverter, 3 outlets, stop function and with volume control. flow rate: 10 GPM (45 PSI).

• **Rough In**, 3/4" concealed thermostatic valve for shower with built-in 3/4" ceramic discs diverter, 3 outlets, stop function and volume control. flow rate: 10 GPM (45 PSI).

• **Trim**, external parts for thermostatic valve (992776) for shower.

FINISHES
10 Chrome
50 Bronze
51 Copper
68 Polish nickel

FINISHES
10 Chrome

FINISHES
10 Chrome
50 Bronze
51 Copper
68 Polish nickel

992776+422505

Complete
THERMOSTATIC
with 3 ways diverter



992776

Rough in
THERMOSTATIC
with 3 ways diverter




422505


Trim
THERMOSTATIC
with 3 ways diverter




553020




553225




554226




551241




992195




551010




992707+362011




992706+361021




992772+422501



992774+422503



992776+422505



HOW TO ORDER YOUR FAUCET WITH CORRECT CODE

EXAMPLE

How to order 483010
in Chrome?

- Single lever mixer for bathroom sink,
with pop-up waste 1 1/4".
max flow: 1.2 GPM.

FINISHES


10 Chrome

483010



SERIES:
Porter
sink mixer

FINISH:
10 Chrome



This is your complete
code for a Pin sink
mixer in **Chrome**.

This method is valide for all items in the Pin range.

Pin



483010
**single lever mixer for
bathroom sink**

· Single lever mixer for bathroom sink, with pop-up waste 1 1/4". max flow: 1.2 GPM.

FINISHES
10 Chrome

483010



· Single lever mixer for bathroom sink, without waste. max flow: 1.2 GPM.

FINISHES
10 Chrome


483011



· 3 holes washbasin mixer, swivel spout with waste Click-Clack 1 1/4". max flow: 1.8 GPM.

FINISHES
10 Chrome

483040



· Tall single lever bathroom mixer with waste Click-Clack 1 1/4". max flow: 1.2 GPM.

FINISHES
10 Chrome

483077



· Tall single lever bathroom mixer, without waste. max flow: 1.2 GPM.

FINISHES
10 Chrome

483018



· Single lever mixer for bidet, without waste. max flow: 1.2 GPM.

FINISHES
10 Chrome

484011



· Waste Click-Clack 1 1/4" with overflow.

FINISHES
10 Chrome

991424



· Wall mounted spout for bath-tub.

FINISHES
10 Chrome

992112



- **Complete** concealed Pressure Balance single lever mixer for shower. flow rate: 6.5 GPM (45 PSI).

FINISHES
10 Chrome

992707+482011

Complete
PRESSURE BALANCE



- **Rough In**, concealed Pressure Balance valve for shower. flow rate: 6.5 GPM (45 PSI).

FINISHES
10 Chrome

992707

Rough in
PRESSURE BALANCE



- **Trim**, external parts for Pressure Balance shower valve (992707).

FINISHES
10 Chrome

482011

Trim
PRESSURE BALANCE



- **Complete** concealed 3/4" 2 ways diverter without stop and with volume control. flow rate: 12 GPM (45 PSI).

FINISHES
10 Chrome

992713NS+482583

Complete
2 WAYS DIVERTER
use only with
thermostatic valve



- Works only with code 992707

- **Rough In**, concealed 3/4" 2 ways diverter without stop and with volume control. flow rate: 12 GPM (45 PSI).

FINISHES
10 Chrome

992713NS

Rough in
2 WAYS DIVERTER
use only with
thermostatic valve



- **Trim**, external parts for 2 ways shower diverter valve (992713NS).

FINISHES
10 Chrome

482583

Trim
2 WAYS DIVERTER
use only with
thermostatic valve



- **Complete** concealed Pressure Balance single lever mixer for bath shower with automatic diverter. flow rate: 6.5 GPM (45 PSI).

FINISHES
10 Chrome

992706+481021

Complete
PRESSURE BALANCE
with diverter



- **Rough In**, concealed Pressure Balance valve for bath shower mixer with automatic diverter. flow rate: 6.5 GPM (45 PSI).

FINISHES
10 Chrome

992706

Rough in
PRESSURE BALANCE
with diverter



- **Trim**, external parts for Pressure Balanced shower valve (992706), with automatic diverter.

FINISHES
10 Chrome

481021

Trim
PRESSURE BALANCE
with diverter



- **Complete** concealed 3/4" 3 ways diverter without stop and with volume control. flow rate: 12 GPM (45 PSI).

FINISHES
10 Chrome

992714NS+482584

Complete
3 WAYS DIVERTER
use only with
thermostatic valve



- Works only with code 992707

- **Rough In**, concealed 3/4" 3 ways diverter without stop and with volume control. flow rate: 12 GPM (45 PSI).

FINISHES
10 Chrome

992714NS

Rough in
3 WAYS DIVERTER
use only with
thermostatic valve



- **Trim**, external parts for 3 ways shower diverter valve (992714NS).

FINISHES
10 Chrome

482584

Trim
3 WAYS DIVERTER
use only with
thermostatic valve





483077
**tall single lever mixer
for bathroom sink**

HOW TO ORDER YOUR FAUCET WITH CORRECT CODE

EXAMPLE

How to order 883010
in Chrome?

- Single lever mixer for bathroom sink,
with pop-up waste 1 1/4".
max flow: 1.2 GPM.

FINISHES

10 Chrome

883010



SERIES:

88

sink mixer

FINISH:

10 Chrome

883010 + 10

88301010

This is your complete
code for a 88 sink mixer
in **Chrome**.

This method is valide for all items in the 88 range.



883077
**tall single lever mixer
for bathroom sink**

88



883010
single lever mixer for
bathroom sink

- Single lever mixer for bathroom sink, with pop-up waste 1 1/4". max flow: 1.2 GPM.

FINISHES
10 Chrome

883010



h: 5 23/32"

- Single lever mixer for bathroom sink, without waste. max flow: 1.2 GPM.

FINISHES
10 Chrome

883011




h: 5 23/32"

- 3 holes washbasin mixer, swivel spout with waste Click-Clack 1 1/4". max flow: 1.8 GPM.

FINISHES
10 Chrome

883040



l: 5 5/32"

- Single lever mixer for bidet, with waste Click-Clack 1 1/4". max flow: 1.2 GPM.

FINISHES
10 Chrome

884010



h: 5 47/64"

- Tall single lever bathroom mixer with waste Click-Clack 1 1/4". max flow: 1.2 GPM.

FINISHES
10 Chrome

883077



h: 10 27/64"

- Tall single lever bathroom mixer, without waste. max flow: 1.2 GPM.

FINISHES
10 Chrome

883018



h: 10 27/64"

- Waste Click-Clack 1 1/4" with overflow.

FINISHES
10 Chrome


991424













- Wall mounted spout for bath-tub.

FINISHES
10 Chrome

992112



l: 9 3/16"



HOW TO ORDER YOUR FAUCET WITH CORRECT CODE

EXAMPLE

How to order 913010
in Chrome?


- Single lever mixer for bathroom sink,
with pop-up waste.
max flow: 1.2 GPM.

FINISHES
10 Chrome

913010



SERIES: Italo
sink mixer FINISH: 10 Chrome



91301010

This is your complete
code for a Italo sink
mixer in **Chrome**.

This method is valide for all items in the Italo range.



913010
single lever mixer for
bathroom sink

italio

- Single lever mixer for bathroom sink, with pop-up waste 1 1/4". max flow: 1.2 GPM.

FINISHES
10 Chrome

913010



- Single lever mixer for bathroom sink, without waste. max flow: 1.2 GPM.

FINISHES
10 Chrome

913011



- Tall single lever bathroom mixer with pop-up waste 1 1/4". max flow: 1.2 GPM.

FINISHES
10 Chrome

913078



- Tall single lever bathroom mixer, without waste. max flow: 1.2 GPM.

FINISHES
10 Chrome

913045



- Single lever mixer for bidet, with pop-up waste 1 1/4". max flow: 1.2 GPM.

FINISHES
10 Chrome

914010



- Waste Click-Clack 1 1/4".

FINISHES
10 Chrome


991424



- Wall mounted spout for bath-tub.

FINISHES
10 Chrome

992112



- Wall mounted spout for bath-tub with diverter.

FINISHES
10 Chrome

9921H1

Available from January 2021



- **Complete** concealed Pressure Balance single lever mixer for shower. flow rate: 6.5 GPM (45 PSI).

FINISHES
10 Chrome

992707+912011

Complete
PRESSURE BALANCE



- **Rough in**, concealed Pressure Balance valve for shower. flow rate: 6.5 GPM (45 PSI).

FINISHES
10 Chrome

992707

Rough in
PRESSURE BALANCE



- **Trim**, external parts for Pressure Balance shower valve (992707).

FINISHES
10 Chrome

912011

Trim
PRESSURE BALANCE



- **Complete** concealed Pressure Balance single lever mixer for bath shower with automatic diverter. flow rate: 6.5 GPM (45 PSI).

FINISHES
10 Chrome

992706+911021

Complete
PRESSURE BALANCE
with diverter



- **Rough in**, concealed Pressure Balance valve for bath shower mixer with automatic diverter. flow rate: 6.5 GPM (45 PSI).

FINISHES
10 Chrome

992706

Rough in
PRESSURE BALANCE
with diverter



- **Trim**, external parts for Pressure Balance shower valve (992706), with automatic diverter.

FINISHES
10 Chrome

911021

Trim
PRESSURE BALANCE
with diverter



italo
COMPLETE SHOWER KIT
PRESSURE BALANCED
WITH 2 WAY DIVERTER

10 Chrome

91K041



992706+911021

- **Complete** concealed Pressure Balance single lever mixer for bath shower with automatic diverter. flow rate: 6.5 GPM (45 PSI).

FINISHES
10 Chrome

composed by

9926V3

- Horizontal 5 1/2" brass arm.

FINISHES
10 Chrome

9926R6

- Abs headshower, Ø 3 5/32", horizontal brass arm. max flow: 1.8 GPM.

FINISHES
10 Chrome

992112

- Wall mounted spout for bath-tub.

FINISHES
10 Chrome

italo
COMPLETE SHOWER KIT
PRESSURE BALANCED

10 Chrome

91K055



992707+912011

- **Complete** concealed Pressure Balance single lever mixer for shower. flow rate: 6.5 GPM (45 PSI).

FINISHES
10 Chrome

composed by

9926V3

- Horizontal 5 1/2" brass arm.

FINISHES
10 Chrome

9926R6

- Abs headshower, Ø 3 5/32", horizontal brass arm. max flow: 1.8 GPM.

FINISHES
10 Chrome

9921H1

- Wall mounted spout for bath-tub with diverter.

Available from January 2021

FINISHES
10 Chrome

Available from January 2021

italo

COMPLETE SHOWER KIT
PRESSURE BALANCED WITH
1 WAY DIVERTER

10 Chrome

91K043



composed by

9920M8

- Slide rail in brass Ø 7", with swivel bracket in abs, flexible metal shower hose, 59" length, connection 1/2", handshower 3 jets spray in abs. max flow: 2 GPM.

FINISHES
10 Chrome

992707+912011

- Complete** concealed Pressure Balance single lever mixer for shower. flow rate: 6.5 GPM (45 PSI).

FINISHES
10 Chrome

9926M3

- Water delivery in brass.

FINISHES
10 Chrome

italo

COMPLETE SHOWER KIT
PRESSURE BALANCED WITH
1 WAY DIVERTER

10 Chrome

91K042



composed by

9926V3

- Horizontal 5 1/2" brass arm.

FINISHES
10 Chrome

9926R6

- Abs headshower Ø 3 5/32", max flow: 2 GPM.

FINISHES
10 Chrome


992707+912011

- Complete** concealed Pressure Balance single lever mixer for shower. flow rate: 6.5 GPM (45 PSI).


FINISHES
10 Chrome

All specs are available on
www.palazzaniusa.com


913010




913011




913078




913045




914010




991424




992112




9921H1



992707+912011



992706+911021



HOW TO ORDER YOUR FAUCET WITH CORRECT CODE



EXAMPLE

How to order 973010
in Chrome?

- Single lever mixer for bathroom sink,
with waste Click-Clack 1 1/4".
max flow: 1.2 GPM.

FINISHES

10 Chrome

973010



SERIES:

Bella
sink mixer

FINISH:

10 Chrome

973010 + 10

97301010

This is your complete
code for a Bella sink
mixer in **Chrome**.

This method is valide for all items in the Bella range.

973010
single lever mixer for
bathroom sink



bella

- Single lever mixer for bathroom sink, with pop-up waste 1 1/4". max flow: 1.2 GPM.

FINISHES
10 Chrome

973010



- Single lever mixer for bathroom sink, without waste. max flow: 1.2 GPM.

FINISHES
10 Chrome

973011



- Single lever mixer for bathroom sink, with pop-up waste 1 1/4". max flow: 1.2 GPM.

FINISHES
10C Chrome

973010 C



- Single lever mixer for bathroom sink, with extended spout without waste. max flow: 1.2 GPM.

FINISHES
10C Chrome

973011 C



- Tall single lever bathroom mixer, without waste. max flow: 1.2 GPM.

FINISHES
10 Chrome

973018



- Single lever mixer for bidet, with pop-up waste 1 1/4". max flow: 1.2 GPM.

FINISHES
10 Chrome

974010



- Waste Click-Clack 1 1/4" with overflow.

FINISHES
10 Chrome


991424



- Wall mounted spout for bath-tub.

FINISHES
10 Chrome

992112



- Wall mounted spout for bath-tub with diverter.

FINISHES
10 Chrome

9921H1

Available from January 2021



- **Complete** concealed Pressure Balance single lever mixer for shower. flow rate: 6.5 GPM (45 PSI).

FINISHES
10 Chrome

992707+912011

Complete
PRESSURE BALANCE



- **Rough In**, concealed Pressure Balance valve for shower. flow rate: 6.5 GPM (45 PSI).

FINISHES
10 Chrome

992707

Rough in
PRESSURE BALANCE



- **Trim**, external parts for Pressure Balance shower valve (992707).

FINISHES
10 Chrome

912011

Trim
PRESSURE BALANCE



- **Complete** concealed Pressure Balance single lever mixer for bath shower with automatic diverter. flow rate: 6.5 GPM (45 PSI).

FINISHES
10 Chrome

992706+911021

Complete
PRESSURE BALANCE
with diverter



- **Rough In**, concealed Pressure Balance valve for bath shower mixer with automatic diverter. flow rate: 6.5 GPM (45 PSI).

FINISHES
10 Chrome

992706

Rough in
PRESSURE BALANCE
with diverter



- **Trim**, external parts for Pressure Balance shower valve (992706), with automatic diverter.

FINISHES
10 Chrome

911021

Trim
PRESSURE BALANCE
with diverter



bella

COMPLETE SHOWER KIT
PRESSURE BALANCED WITH
2 WAYS DIVERTER

10 Chrome

91K044

composed by

9926V2

- Horizontal 5 1/2" brass arm.

FINISHES
10 Chrome



992686

- Abs headshower, Ø 3 5/32", horizontal brass arm. max flow: 1.8 GPM.

FINISHES
10 Chrome



992706+911021

- **Complete** concealed Pressure Balance single lever mixer for bath shower with automatic diverter. flow rate: 6.5 GPM (45 PSI).

FINISHES
10 Chrome



991023

- Fixed bracket in brass with water delivery, flexible metal shower hose, 59" length, connection 1/2" and handshower in abs Ø 1". max flow: 2 GPM.

FINISHES
10 Chrome



All specs are available on
www.palazzaniusa.com

bella

COMPLETE SHOWER KIT
PRESSURE BALANCED
2 WAY DIVERTER

10 Chrome

91K045



992706+911021

- **Complete** concealed Pressure Balance single lever mixer for shower. flow rate: 6.5 GPM (45 PSI).

FINISHES
10 Chrome

composed by

9926V2

- Horizontal 5 1/2" brass arm.

FINISHES
10 Chrome

992686

- Abs headshower, Ø 3 5/32", horizontal brass arm. max flow: 1.8 GPM.

FINISHES
10 Chrome

992112


- Wall mounted spout for bath-tub.

Available from May 2020


FINISHES
10 Chrome




973010




973011




973010C




973011C




973018




974010




991424



992112



9921H1



bella

COMPLETE SHOWER KIT
PRESSURE BALANCED

10 Chrome

91K054



992707+912011

- **Complete** concealed Pressure Balance single lever mixer for shower. flow rate: 6.5 GPM (45 PSI).

FINISHES
10 Chrome

composed by

9926V2

- Horizontal 5 1/2" brass arm.

FINISHES
10 Chrome

992686

- Abs headshower, Ø 3 5/32", horizontal brass arm. max flow: 1.8 GPM.

FINISHES
10 Chrome

9921H1


- Wall mounted spout for bath-tub with diverter.

Available from January 2021


FINISHES
10 Chrome



992707+912011



992706+911021



Available from January 2021

HOW TO ORDER YOUR FAUCET WITH CORRECT CODE



EXAMPLE

How to order 127092
in Chrome?

- Single lever shampoo and rinse mixer with pull-out shower. max flow: 1.2 GPM.

FINISHES
10 Chrome

127092



SERIES: Hair Dresser
sink mixer **FINISH:** 10 Chrome

127092 + 10

12709210

This is your complete
code for a Shampoo
sink mixer in **Chrome**.

This method is valide for all items in the Shampoo range.

shampoo and rinse



- Single lever shampoo and rinse mixer with pull-out shower, vacuum bracket. max flow: 1.2 GPM.

FINISHES
10 Chrome

127092

[drop
stop]



L: 6 1/2"

- Single lever thermostatic shampoo and rinse mixer with pull-out shower, vacuum bracket. max flow: 1.2 GPM.

FINISHES
10 Chrome


137092

[drop
stop]




L: 6 1/2"

technical drawings



technical drawings



[drop
on the floor
stop]

- The mixers for deck mounting on bath-tub or haidresser, when provided with a pull-out shower, are equipped with the special **drop-stop®** device that prevents water to penetrate through the flexible housing orifice.



HOW TO ORDER YOUR FAUCET WITH CORRECT CODE

EXAMPLE

How to order 125326
in Chrome?

- Single lever kitchen faucet with swivel
spout max flow: 1.2 GPM.

FINISHES


10 Chrome

125314



SERIES:
Kitchen
sink mixer

FINISH:
10 Chrome



This is your complete
code for a Kitchen sink
mixer in **Chrome**.

This method is valide for all items in the Kitchen range.



105337
single lever kitchen
faucet

- Single lever kitchen faucet with swivel spout. max flow: 1.2 GPM.

FINISHES
10 Chrome

125314

idrotech



h: 14 61/64"

- Single lever kitchen mixer with swivel spout. max flow: 1.2 GPM.

FINISHES
10 Chrome

125362

idrotech



h: 7 1/64"

- Single lever kitchen mixer with swivel spout and pull-out shower. max flow: 1.2 GPM.

FINISHES
10 Chrome

125363

idrotech



h: 7 1/64"

125357
single lever sink mixer



kitchen

- Single lever kitchen faucet with swivel spout.
max flow: 1.2 GPM.

FINISHES
10 Chrome

075361



- Single lever kitchen faucet with swivel spout.
max flow: 1.2 GPM.

FINISHES
10 Chrome

105355



- Single lever kitchen faucet with swivel spout.
max flow: 1.2 GPM.

FINISHES
10 Chrome

105337



- Single lever kitchen faucet with swivel spout and pull-out shower.
max flow: 1.2 GPM.

FINISHES
10 Chrome

105358



125350
single lever sink mixer

- Single lever kitchen faucet with swivel spout.
max flow: 1.2 GPM.

FINISHES
10 Chrome

485317



- Single lever kitchen faucet with swivel spout.
max flow: 1.2 GPM.

FINISHES
10 Chrome

885353



- Single lever kitchen faucet with swivel spout and pull-out shower.
max flow: 1.2 GPM.

FINISHES
10 Chrome

265330



- Single lever kitchen faucet with swivel spout and pull-out shower.
max flow: 1.2 GPM.

FINISHES
10 Chrome

355330



- Single lever kitchen faucet with swivel spout.
max flow: 1.2 GPM.

FINISHES
10 Chrome


885354



- Single lever kitchen faucet with swivel spout.
max flow: 1.2 GPM.

FINISHES
10 Chrome

555815



265330
single lever kitchen faucet



Single lever sink mixer with swivel spout.
max flow: 1.2 GPM.

- FINISHES
- 10 Chrome

38 Matt Black

43 Matt White

49 Brushed Steel Finish

50 Bronze

125360

idrotech



h: 11 7/8"

Single lever sink mixer, with pull-out shower.
max flow: 1.2 GPM.

- FINISHES
- 10 Chrome

38 Matt Black

43 Matt White

49 Brushed Steel Finish

50 Bronze

125357

idrotech



h: 13 3/16"

Single lever sink mixer with swivel spout
and pull-out shower.
max flow: 1.2 GPM.

- FINISHES
- 10 Chrome

38 Matt Black

43 Matt White

49 Brushed Steel Finish

50 Bronze

125350

digit



h: 17 13/64"

Single lever sink mixer with swivel spout.
max flow: 1.2 GPM.

- FINISHES
- 10 Chrome

38 Matt Black

43 Matt White

49 Brushed Steel Finish

085353

wild



h: 12 53/64"

Single lever sink mixer with swivel spout.
max flow: 1.2 GPM.

- FINISHES
- 10 Chrome

38 Matt Black

43 Matt White

49 Brushed Steel Finish

50 Bronze

53 Gold

025353

mimo



h: 12 53/64"




emporium kitchen


All specs are available on
www.palazzaniusa.com

All specs are available on
www.palazzaniusa.com


125314




125362




125363




355330




125360




125357




075361




105355




105337




125350




085353




025353




105358




485317




885353




885354



555815



265330



HOW TO ORDER YOUR FAUCET WITH CORRECT CODE



EXAMPLE

How to order 995808
in Chrome?

- Inox headshower, 11 13/16" x
11 13/16", ceiling installation.
max flow: 2.0 GPM.

FINISHES

10 Chrome

995808

[easy
clean]



SERIES:

Shower
sink mixer

FINISH:

10 Chrome

995808 + 10

99580810

This is your complete
code for a Shower in
Chrome.

This method is valide for all items in the Shower range.



The easy way
to remove limescale

[easy
clean]



PALAZZANI

· Inox headshower, 11 13/16" x 11 13/16",
ceiling installation. max flow: 2.0 GPM.

FINISHES
10 Chrome

995808

[easy
clean]



· Inox headshower, 11 13/16" x 11 13/16",
2 ceiling outlets. max flow: 2.0 GPM.

FINISHES
10 Chrome

995809

[easy
clean]



· Inox headshower, Ø 11 1/32", ceiling
installation. max flow: 2.0 GPM.

FINISHES
10 Chrome

995810

[easy
clean]





· Inox headshower, 21" x 6 1/2", wall mounted. max flow: 2.0 GPM.

- FINISHES
- 10 Chrome

9926H4

[easy clean]



· Inox headshower, 21" x 6 1/2", 2 outlets, wall mounted. max flow: 2.0 GPM.

- FINISHES
- 10 Chrome

36 Brushed dark nickel

38 Matt Black

49 Brushed Steel Finish

9926H5

[easy clean]



· Brass headshower, 12" x 12", horizontal brass arm. max flow: 2.0 GPM.

- FINISHES
- 10 Chrome

9926A9+9926V2

[easy clean]



· Inox headshower, Ø 12", horizontal brass arm. max flow: 2.0 GPM.

- FINISHES
- 10 Chrome

9926V6+9926V2

[easy clean]



· Brass headshower, Ø 12", horizontal brass arm. max flow: 2.0 GPM.

- FINISHES
- 10 Chrome

9926A7+9926V2

[easy clean]



· Wall mounted brass spout. max flow: 2.0 GPM.

- FINISHES
- 10 Chrome

38 Matt Black

43 Matt White

49 Brushed Steel Finish

9926L2



· Inox flat profile headshower, 12" x 12", horizontal brass arm. max flow: 2.0 GPM.

- FINISHES
- 10 Chrome

9926C1+9926V2

[easy clean]



· Inox headshower, Ø 8", horizontal brass arm. max flow: 1.8 GPM.

- FINISHES
- 10 Chrome

9926B8+9926V2

[easy clean]



· Inox flat profile headshower, 8" x 8", horizontal brass arm. max flow: 1.8 GPM.

- FINISHES
- 10 Chrome

9926B9+9926V2

[easy clean]



· Brass headshower, 8" x 8", horizontal brass arm. max flow: 1.8 GPM.

- FINISHES
- 10 Chrome

34 Matt Copper

36 Brushed dark nickel

38 Matt Black

43 Matt White

49 Brushed Steel Finish

50 Bronze

53 Gold

68 Polish Nickel

992636+9926V2

[easy clean]



- Abs headshower, 8" x 8", horizontal brass arm. max flow: 1.8 GPM.

FINISHES
10 Chrome

992687+9926V2



- Brass headshower, Ø 8", horizontal brass arm. max flow: 1.8 GPM.

FINISHES
10 Chrome

992610+9926V2



- Abs headshower, Ø 8", horizontal brass arm. max flow: 1.8 GPM.

FINISHES
10 Chrome

992686+9926V2



- Abs headshower, Ø 5", horizontal brass arm. max flow: 1.8 GPM.

FINISHES
10 Chrome

9926D9+9926V2



- Abs headshower, Ø 3", horizontal brass arm. max flow: 1.8 GPM.

FINISHES
10 Chrome

9926R6+9926V2

[easy clean]



- Abs headshower, Ø 3", 3 jets spray, horizontal brass arm. max flow: 1.8 GPM.

FINISHES
10 Chrome

9926R7+9926V2

[easy clean]



- Inox headshower, 8" x 8", max flow: 1.8 GPM.

FINISHES
10 Chrome

9926B9

[easy clean]



- Abs headshower, 8" x 8", max flow: 1.8 GPM.

FINISHES
10 Chrome

992687

[easy clean]



- Brass headshower, 8" x 8", max flow: 1.8 GPM.

FINISHES
10 Chrome
34 Matt Copper
36 Brushed dark nickel
38 Matt Black
43 Matt White
49 Brushed Steel Finish
50 Bronze
53 Gold
68 Polish Nickel

992636

[easy clean]



- Brass headshower, Ø 12", max flow: 2.0 GPM.

FINISHES
10 Chrome
34 Matt Copper
36 Brushed dark nickel
38 Matt Black
43 Matt White
49 Brushed Steel Finish
50 Bronze
53 Gold
68 Polish Nickel

9926A7

[easy clean]



- Brass headshower, 12" x 12", max flow: 2.0 GPM.

FINISHES
10 Chrome
34 Matt Copper
36 Brushed dark nickel
38 Matt Black
43 Matt White
49 Brushed Steel Finish
50 Bronze
53 Gold
68 Polish Nickel

9926A9

[easy clean]



- Inox headshower, Ø 12", max flow: 2.0GPM.

FINISHES
10 Chrome

9926V6

[easy clean]



- Inox headshower, 12" x 12", max flow: 2.0 GPM.

FINISHES
10 Chrome

9926C1

[easy clean]




- Abs headshower, Ø 12", max flow: 2.0 GPM.

FINISHES
10 Chrome

9926A6

[easy clean]





· Brass headshower, Ø 8",
max flow: 1.8 GPM.

- FINISHES
- 10 Chrome

34 Matt Copper

36 Brushed dark nickel

38 Matt Black

43 Matt White

49 Brushed Steel Finish

50 Bronze

53 Gold

68 Polish Nickel

992610

[easy
clean]



· Inox headshower, Ø 8",
max flow: 1.8 GPM.

- FINISHES
- 10 Chrome

9926B8

[easy
clean]



· Abs headshower, Ø 8",
max flow: 1.8 GPM.

- FINISHES
- 10 Chrome

992686

[easy
clean]



· Luxury horizontal Ø 13 1/2" brass arm.

- FINISHES
- 10 Chrome

34 Matt Copper

36 Brushed dark nickel

38 Matt Black

43 Matt White

49 Brushed Steel Finish

50 Bronze

53 Gold

68 Polish Nickel

9926V2



· Vertical Ø 8" brass arm.

- FINISHES
- 10 Chrome

34 Matt Copper

36 Brushed dark nickel

38 Matt Black

43 Matt White

49 Brushed Steel Finish

50 Bronze

53 Gold

68 Polish Nickel

9926E3



· Vertical 6" brass arm.

- FINISHES
- 10 Chrome

34 Matt Copper

36 Brushed dark nickel

38 Matt Black

43 Matt White

49 Brushed Steel Finish

50 Bronze

53 Gold

68 Polish Nickel

9926M5



· Inox headshower, Ø 5",
max flow: 1.8 GPM.

- FINISHES
- 10 Chrome

9926D9

[easy
clean]



· Abs headshower, Ø 3 5/32",
max flow: 1.8 GPM.

- FINISHES
- 10 Chrome

9926R6

[easy
clean]



· Abs headshower, Ø 3 5/32", 3 jets
spray, max flow: 1.8 GPM.

- FINISHES
- 10 Chrome

9926R7

[easy
clean]



· Luxury horizontal 13 1/2" brass arm.

- FINISHES
- 10 Chrome

34 Matt Copper

36 Brushed dark nickel

38 Matt Black

43 Matt White

49 Brushed Steel Finish

50 Bronze

53 Gold

68 Polish Nickel

9926E2



· Horizontal Ø 5 1/2" brass arm.

- FINISHES
- 10 Chrome

34 Matt Copper

36 Brushed dark nickel

38 Matt Black

43 Matt White

49 Brushed Steel Finish

50 Bronze

53 Gold

68 Polish Nickel

9926V3



· Horizontal 5 1/2" brass arm.

- FINISHES
- 10 Chrome

34 Matt Copper

36 Brushed dark nickel

38 Matt Black

43 Matt White


49 Brushed Steel Finish

50 Bronze

53 Gold

68 Polish Nickel

995811



enrichium
shower

- Thermostatic mixer, shower column, shower rose, diverter, flexible metal shower hose, 59" length, connection 1/2" and handshower. max flow: 1.8 GPM.

FINISHES
10 Chrome

412068

[acqua
clima] [easy
clean]



- Thermostatic mixer, shower column, shower rose, diverter, flexible metal shower hose, 59" length, connection 1/2" and handshower. max flow: 1.8 GPM.

FINISHES
10 Chrome

962068

[acqua
clima] [easy
clean]



- Slide rail in brass, .6" x .6", with swivel bracket in abs, flexible metal shower hose, 59" length, connection 1/2", handshower in abs. max flow: 1.8 GPM.

FINISHES
10 Chrome


9920B3



- Slide rail in brass, Ø .7", with swivel bracket in abs, flexible metal shower hose, 59" length, connection 1/2", handshower in abs. max flow: 1.8 GPM.

FINISHES
10 Chrome

992080



emmerium shower

· Slide rail in brass, Ø .7", with swivel bracket in abs, flexible metal shower hose, 59" length, connection 1/2", handshower 3 jets spray in abs. max flow: 1.8 GPM.

FINISHES
10 Chrome

992091



· Slide rail in brass, Ø .7", with swivel bracket in abs, flexible metal shower hose, 59" length, connection 1/2", handshower in abs. max flow: 1.8 GPM.

FINISHES
10 Chrome

9920M7



· Slide rail in brass, Ø .7", with swivel bracket in abs, flexible metal shower hose, 59" length, connection 1/2", handshower 3 jets spray in abs. max flow: 1.8 GPM.

FINISHES
10 Chrome

9920M8



· Slide rail in brass, Ø .7", with swivel bracket in abs, flexible metal shower hose, 59" length, connection 1/2", handshower in abs. max flow: 1.8 GPM.

FINISHES
10 Chrome

9920N4



· Slide rail in brass, Ø .7", with swivel bracket in abs, flexible metal shower hose, 59" length, connection 1/2", handshower in abs. max flow: 1.8 GPM.

FINISHES
10 Chrome

9920N5



· Slide rail in brass, Ø .7", with swivel bracket in abs.

FINISHES
10 Chrome


9920C2



· Slide rail in brass, Ø .7", with swivel bracket in abs.

FINISHES
10 Chrome
50 Bronze
51 Copper
53 Gold
68 Polish Nickel

992052



shower

· Slide rail in brass, Ø .7", with swivel bracket in abs.

FINISHES
10 Chrome
34 Matt Copper
36 Brushed dark nickel
38 Matt Black
43 Matt White
49 Brushed Steel Finish
50 Bronze
53 Gold
68 Polish Nickel

· Slide rail in brass, .6" x .6", with swivel bracket in abs.

FINISHES
10 Chrome

· Slide rail in brass, Ø .7", with swivel bracket in abs.

FINISHES
10 Chrome

· Handshower in brass Ø 2".
max flow: 1.8 GPM.

FINISHES
10 Chrome
50 Bronze
51 Copper
53 Gold
68 Polish Nickel

· Handshower in abs Ø 3 1/2"
max flow: 1.8 GPM.

FINISHES
10 Chrome

· Handshower in abs Ø 4".
max flow: 1.8 GPM.

FINISHES
10 Chrome

· Handshower in abs Ø 5".
max flow: 1.8 GPM.

FINISHES
10 Chrome

992086



992041



992084



991120




991111



991116



991118



· Handshower in abs Ø 4", 3 jets
spray. max flow: 1.8 GPM.

FINISHES
10 Chrome

· Handshower in abs, Ø 3", 3 jets spray.
max flow: 1.8 GPM.

FINISHES
10 Chrome
38 Matt Black
43 Matt White

· Handshower in abs 1" x 1".
max flow: 1.8 GPM.

FINISHES
10 Chrome
34 Matt Copper
36 Brushed dark nickel
38 Matt Black
43 Matt White
49 Brushed Steel Finish
50 Bronze
53 Gold


· Handshower in abs, Ø 1 1/32".
max flow: 1.8 GPM.

FINISHES
10 Chrome
34 Matt Copper
36 Brushed dark nickel
38 Matt Black
43 Matt White
49 Brushed Steel Finish
50 Bronze
53 Gold

991117




991112



991106



991205



· Acrylic soap dish for slide rail Ø .7" / .8" / .1".

FINISHES
10 Chrome

9920E7



shower

· Swivel bracket in brass with water delivery, flexible metal shower hose, 59" length, connection 1/2", handshower in abs Ø 2 11/64". max flow: 1.8 GPM.

FINISHES
10 Chrome
50 Bronze
51 Copper
53 Gold
68 Polish Nickel

9910H1



· Fixed bracket in brass with water delivery, flexible Gliss shower hose, 59" length, connection 1/2" and handshower in abs Ø 3 1/2". max flow:1.8 GPM.

FINISHES
10 Chrome

9910C4



· Fixed bracket in brass with water delivery, flexible metal shower hose, 59" length, connection 1/2" and handshower in abs Ø 1". max flow: 1.8 GPM.

FINISHES
10 Chrome
34 Matt Copper
36 Brushed dark nickel
38 Matt Black
43 Matt White
49 Brushed Steel Finish
50 Bronze
53 Gold

991023



· Fixed bracket in brass.

FINISHES
list price
10 Chrome
34 Matt Copper
36 Brushed dark nickel
38 Matt Black
43 Matt White
49 Brushed Steel Finish
50 Bronze
53 Gold
68 Polish Nickel

9910B4



· Fixed bracket in brass.

FINISHES
10 Chrome

991045



· Swivel bracket in abs.

FINISHES
10 Chrome

991031



· Fixed bracket in brass with water delivery, Gliss flexible hose, length 59" connections 1/2" and handshower in abs 1" x 1". max flow: 1.8 GPM.

FINISHES
10 Chrome
34 Matt Copper
36 Brushed dark nickel
38 Matt Black
43 Matt White
49 Brushed Steel Finish
50 Bronze
53 Gold

9910A9



· Handshower in abs shut-off. max flow: 1.8 GPM.

FINISHES
10 Chrome

991189



· Fixed bracket in abs, flexible metal shower hose, 59" length, connection 1/2" and shut-off handshower in abs. max flow: 1.8 GPM.

FINISHES
10 Chrome

9910B1



· Swivel bracket in abs.

FINISHES
10 Chrome

991026



· Swivel bracket in brass.

FINISHES
10 Chrome

991050



· Swivel bracket in brass.

FINISHES
10 Chrome

9910L5





· Fixed bracket in brass with water delivery.

- FINISHES
- 10 Chrome

34 Matt Copper

36 Brushed dark nickel

38 Matt Black

43 Matt White

49 Brushed Steel Finish

50 Bronze

53 Gold

68 Polish Nickel

991088



· Fixed bracket in brass with water delivery.

- FINISHES
- 10 Chrome

34 Matt Copper

36 Brushed dark nickel

38 Matt Black

43 Matt White

49 Brushed Steel Finish

50 Bronze

53 Gold

68 Polish Nickel

9910B3



· Water delivery in brass.

- FINISHES
- 10 Chrome

34 Matt Copper

36 Brushed dark nickel

38 Matt Black

43 Matt White

49 Brushed Steel Finish

50 Bronze

53 Gold

68 Polish Nickel

9926M3



· Water delivery in brass.

- FINISHES
- 10 Chrome

991063



· Flexible metal shower hose, 59" length, connection 1/2", cover material chrome.

- FINISHES
- 10 Chrome

34 Matt Copper

36 Brushed dark nickel

38 Matt Black

43 Matt White

49 Brushed Steel Finish

50 Bronze

51 Copper

53 Gold

68 Polish Nickel

991006



· Water delivery in brass.

- FINISHES
- 10 Chrome

34 Matt Copper

36 Brushed dark nickel

38 Matt Black

43 Matt White

49 Brushed Steel Finish

50 Bronze

53 Gold

68 Polish Nickel

9926M2



· Water delivery in brass.

- FINISHES
- 10 Chrome

991011



· Water delivery in brass.

- FINISHES
- 10 Chrome

991012



· Abs body spray, 5" x 5". max flow: 0.9 GPM.

- FINISHES
- 10 Chrome

9926L4



· Abs body spray, Ø 5". max flow: 0.9 GPM.

- FINISHES
- 10 Chrome

9926L6



· Body spray in brass 1.65" x 1.65". max flow: 0.9 GPM.

- FINISHES
- 10 Chrome


9926L7



· Body spray in brass Ø 2". max flow: 0.9 GPM.

- FINISHES
- 10 Chrome

9926L8





































All specs are available on
www.palazzaniusa.com

All specs are available on
www.palazzaniusa.com

995808 	995809 	995810 	9926H4 	9926D9+9926V2 	9926R6+9926V2 	9926R7+9926V2 	9926A7
9926H5 	9926L2 	9926C1+9926V2 	9926A9+9926V2 	9926A9 	9926B9 	992687 	992636
9926V6+9926V2 	9926A7+9926V2 	9926B8+9926V2 	9926B9+9926V2 	9926V6 	9926C1 	9926A6 	992610
992636+9926V2 	992687+9926V2 	992610+9926V2 	992686+9926V2 	9926B8 	992686 	9926D9 	9926R6

All specs are available on
www.palazzaniusa.com

All specs are available on
www.palazzaniusa.com

9926R7 	9926V2 	9926E3 	9926M5 	9920C2 	992052 	992086 	992041 
9926E2 	9926V3 	995811 	412068 	992084 	991120 	9920E7 	991117 
962068 	9920B3 	992080 	992091 	991111 	991116 	991118 	991112 
9920M7 	9920M8 	9920N4 	9920N5 	991106 	9910H1 	991205 	9910C4 

HOW TO ORDER YOUR FAUCET WITH CORRECT CODE



EXAMPLE

How to order 994363
in Chrome?


Single towel rail 18".

FINISHES	
10	Chrome

994363



SERIES: Accessories **FINISH:** 10 Chrome



This is your complete
code for a Accessories
in **Chrome**.

This method is valide for all items in the Accessories range.



accessories

· Single towel rail 18".

FINISHES
10 Chrome

994363



· Single towel rail 24".

FINISHES
10 Chrome

994364



· Towel ring.

FINISHES
10 Chrome

994365



· Bath robe hook.

FINISHES
10 Chrome

994367



· Toilet roll holder.

FINISHES
10 Chrome

994371



accessories

· Single towel rail 18".

FINISHES
10 Chrome

994386



· Single towel rail 24".

FINISHES
10 Chrome

994387



· Towel ring.

FINISHES
10 Chrome

994388



· Bath robe hook.

FINISHES
10 Chrome

994389



· Horizontal toilet roll holder.

FINISHES
10 Chrome

994397



- Single towel rail 12".
- Single towel rail 18".
- Single towel rail 24".
- Soap dispenser complete with reservoir for liquid soap.
- 3 liters dustbin with lid and basket.

FINISHES
10 Chrome

9943A7



FINISHES
10 Chrome

9943A8



FINISHES
10 Chrome

9943A9



FINISHES
10 Chrome

9943C5



FINISHES
10 Chrome

9943D4



- Bath robe hook.
- Toilet roll holder.
- Toilet roll holder.
- 5 liters dustbin with lid and basket.
- 12 liters dustbin with lid and basket.

FINISHES
10 Chrome

9943H3



FINISHES
10 Chrome

9943B4



FINISHES
10 Chrome

9943B5



FINISHES
10 Chrome

9943D5



FINISHES
10 Chrome

9943D6



accessories

· 3 liters dustbin with lid and basket.

FINISHES
43 White

9943H6



· 5 liters dustbin with lid and basket.

FINISHES
43 White

9943E1



· 12 liters dustbin with lid and basket.

FINISHES
43 White

9943E2



· 3 liters dustbin with lid and basket.

FINISHES
38 Black

9943E3



· 5 liters dustbin with lid and basket.

FINISHES
38 Black

9943E4



· 12 liters dustbin with lid and basket.

FINISHES
38 Black \$ 127.00

9943E5



accessories

All specs are available on
www.palazzaniusa.com

All specs are available on
www.palazzaniusa.com

994363	994364	994365	9943A9	9943H3	9943B4	
994367	994371	994386	9943B5	9943C5	9943D4	
994387	994388	994389	9943D5	9943D6	9943H6	9943E1
994397	9943A7	9943A8	9943E2	9943E3	9943E4	9943E5



- Built-in bathroom sink with waste ceramic cover, without overflow.

LIST PRICE _____

kubik50



- Built-in bathroom sink with waste ceramic cover, without overflow.

LIST PRICE _____

C53302



zena

- Built-in bathroom sink with waste ceramic cover, without overflow.

LIST PRICE _____

debug



C53306

- Top mount bathroom sink with taphole and overflow.

LIST PRICE _____

C52301




snap70

sinks


All specs are available on
www.palazzaniusa.com

NOTE


C64304




C53306



C53302



C52301





spare
parts

· Cartridge without distributor, Ø 1 3/64".

FINISHES
99

990220



CLICK: 371020 - 372010 - 372062 - 372063 - 372064 - 372065
SHAMPOO AND RINSE: 127092 - 405334 - 407092
CUCINA: 095348 - 105358 - 105360 - 123042 - 125115 - 125313 - 125314 - 125317 - 125326 - 125327 - 125348 - 125350 - 125363 - 125364 - 125362 - 125365 - 265330 - 355010 - 355115 - 355317 - 355330 - 405014 - 405025 - 405115 - 405317 - 405330 - 485115 - 485317 - 645426
DIGIT: 102012 - 101022 - 121089 - 123089 - 123114 - 124043
FORMULA ELLE: 771020 - 772010 - 772062 - 772063 - 772064 - 772065
IDROTECH: 121011 - 121012 - 121015 - 121020 - 121025 - 121033 - 121034 - 121045 - 121058 - 121059 - 121074 - 121089 - 121150 - 122010 - 122015 - 122043 - 122062 - 122063 - 122064 - 122065 - 122092 - 122116 - 123010 - 123011 - 123012 - 123013 - 123014 - 123018 - 123042 - 123043 - 123063 - 123077 - 123114 - 124010 - 124011 - 124043
MIMO: 022012 - 021022
MIS: 561020 - 562010 - 562063 - 562064 - 562065
PIN: 481022 - 482012
PORTER: 361020 - 362010 - 362067 - 362068 - 362069 - 362070
TRACK: 091012 - 091015 - 091020 - 091025 - 092010 - 092020 - 092026 - 092027 - 092062 - 092063 - 092064 - 092065
YOUNG: 071020 - 072010
88: 881020 - 882010

· Cartridge with distributor, Ø 1 3/64".

FINISHES
99

990210



KITCHEN: 235011 - 235012 - 235315 - 235316 - 265017 - 265309 - 265315 - 265325 - 355013 - 355316 - 355320 - 355325 - 405010 - 405013 - 405316 - 405320 - 405325 - 485011
PIN: 481010 - 481012 - 481013 - 481015 - 481095 - 482015 - 482020 - 482097 - 482116 - 483010 - 483011 - 483018 - 483077 - 483110 - 483111 - 484010 - 484011 - 484011 - 484110 - 484111

■ Other details are available on request

· Cartridge pressure balance for concealed showers Ø 1 3/64".

FINISHES
99

990205



· Cartridge without distributor, Ø 1 3/8".

FINISHES
99

990251



BELLA: 972015
SHAMPOO AND RINSE: 447092
KITCHEN: 025339 - 025353 - 025354 - 085339 - 085354 - 435017 - 435115 - 445017 - 445115 - 475014 - 475017 - 475115 - 475339 - 885115 - 885339 - 885353 - 885354
DIGIT: 101010 - 101012 - 101015 - 102015 - 102020 - 103010 - 103011 - 103018 - 103038 - 103045 - 103077 - 103101 - 103102 - 103110 - 103111 - 103114 - 103138 - 103145 - 104010 - 104011 - 104110 - 104111
MIMO: 021010 - 021012 - 021015 - 022015 - 022020 - 022116 - 022143 - 023018 - 023038 - 023045 - 023077 - 023114 - 023152 - 023153
TRACK: 093010 - 093011 - 093018 - 093045 - 093077 - 093078 - 093079 - 093080 - 093081 - 093085 - 093086 - 093087 - 093088 - 094010 - 094011
WILD: 081010 - 081012 - 081015 - 082015 - 082020 - 082116 - 082143 - 083101 - 083102 - 083153 - 084010 - 084011
YOUNG: 071010 - 071012 - 071015 - 072020 - 072026 - 072126 - 072143 - 073010 - 073011 - 073014 - 073038 - 073045 - 073154 - 073155 - 073156 - 073157 - 073077 - 073018 - 073158 - 073159 - 074010 - 074011
88: 882068

· Cartridge with distributor, Ø 1 3/8".

FINISHES
99

990250



BELLA: 971010 - 971012 - 971015 - 973010 - 973011 - 974010 - 974011
MIMO: 023010 - 023011 - 023110 - 023111 - 024010 - 024011 - 024110 - 024111
WILD: 083018 - 083038 - 083045 - 083077
88: 881010 - 881012 - 881015 - 882015 - 882020 - 883010 - 883011 - 883018 - 883077 - 883110 - 883111 - 884010 - 884011 - 884110 - 884111

■ Other details are available on request

emporium

· Cartridge without distributor, Ø 63/64".

FINISHES
99

990253



KITCHEN: 565020
CLACK: 031012 - 031015 - 031025 - 031096 - 032020 - 032026 - 033010 - 033011 - 033018 - 033038 - 033045 - 033077 - 033081 - 033097 - 034010 - 034011
CLICK: 371012 - 371015 - 371025 - 371096 - 372020 - 372026 - 373010 - 373011 - 373018 - 373038 - 373045 - 373077 - 373081 - 373097 - 374010 - 374011
MIS: 561012 - 561015 - 561025 - 562020 - 562026 - 563010 - 563011 - 563013 - 563018 - 563038 - 563045 - 563081 - 563083 - 563084 - 564010 - 564011

· Cartridge without distributor, Ø 63/64".

FINISHES
99

990265



DIGIT: 103148
KITCHEN: 105337 - 095339

· Thermostatic cartridge 3/4".

FINISHES
99

990252



CLICK: 212410 - 212414 - 212425 - 212426 - 212427
DIGIT: 962066 - 962410 - 962414 - 962417 - 962418 - 962420 - 962424 - 962425 - 962426 - 962427 - 962428
MIS: 012410 - 012414 - 012425 - 012426 - 012427 - 012428
TRACK: 412066 - 412068 - 412410 - 412414 - 412417 - 412418 - 412420 - 412424 - 412425 - 412426 - 412427 - 412428

· Standard headvalve 1/2".

FINISHES
99

991930



KITCHEN: 505010 - 505440 - 505445

· Ceramic headvalve right 1/2", 90°.

FINISHES
99

991910



KITCHEN: 555010 - 555060 - 555440 - 555815 - 625425
FORMULA MULTI: 621158 - 621159 - 621160 - 621384 - 622044 - 622046 - 622060 - 622075 - 623040 - 623220 - 623222 - 624020 - 624030 - 624220
MIS: 011013 - 011383 - 011384 - 011385 - 013030 - 013064
PORTER: 551010 - 551020 - 551022 - 552014 - 552015 - 553020 - 553050 - 553106 - 553225 - 554020 - 554030 - 554050 - 554226 - 555060
TRACK: 412060 - 412063 - 412128

· Ceramic headvalve left 1/2", 90°.

FINISHES
99

991915



KITCHEN: 555010 - 555060 - 555440 - 555815 - 625425
FORMULA MULTI: 621158 - 621159 - 621160 - 621384 - 622044 - 622046 - 622060 - 622075 - 623040 - 623220 - 623222 - 624020 - 624030 - 624220
MIS: 011013 - 011383 - 011384 - 011385 - 013030 - 013064
PORTER: 551010 - 551020 - 551022 - 552014 - 552015 - 553020 - 553050 - 553106 - 553225 - 554020 - 554030 - 554050 - 554226 - 555060

■ Other details are available on request

■ Other details are available on request

· Ceramic headvalve 1/2", 180°.

FINISHES
99

991920



ADAMS: 521011 - 521015 - 521020 - 521022 - 521133 - 521134 - 521146 - 521147 - 522014 - 522015 - 522117 - 522118 - 523025 - 523050 - 523080 - 523106 - 523110 - 523240 - 523242 - 523510 - 523613 - 524020 - 524021 - 524030 - 524120 - 524215 - 525060

· Ceramic headvalve left 3/4", 90°.

FINISHES
99

991925



CLICK: 212414
DIGIT: 962414 - 962418 - 966420
MIS: 012414
TRACK: 412414 - 412418 - 416420

· Extended shaft of concealed diverter right 1/2".

FINISHES
10 Chrome

991937



ITALIA: 731240
RETRO: 501180 - 501240

· Extended shaft ceramic of concealed diverter right 1/2", 90°.

FINISHES
10 Chrome

991952



ADAMS: 521080 - 521240 - 523060
FORMULA MULTI: 621240 - 621383 - 621384 - 621385 - 623060
MIS: 021240
PORTER: 553060 - 551240 - 551180

· Extended shaft ceramic of concealed diverter left 1/2", 90°.

FINISHES
10 Chrome

991953



PORTER: 553060 - 551240 - 551180

· Cover plate 4"

FINISHES
10 Chrome

9916A4



· Cover plate 8"

FINISHES
10 Chrome

9916A5



■ Other details are available on request

■ Other details are available on request

spare parts

· Extension 1 37/64" for concealed shower mixer Ø 1 37/64". (code 992707)

FINISHES
99

992720



· Extension 1 37/64" for concealed shower with diverter Ø 1 37/64". (code 992706)

FINISHES
99

992725




How to use extension for concealed pressure balance valves

Product	Description	Extension	Extension
		shower mixer	shower with diverter
		992720	992725
992707	pressure balance	1	
992706	pressure balance + automatic diverter		1

· Extension concealed 3/4" thermostatic valve. (code 992709).

FINISHES
02


992793



· Extension concealed 3/4", 2 ways diverter with stop, (code 992713).

FINISHES
02


992797



· Extension concealed stop valve 3/4" ceramic discs 90° with volume control. (code 992712).

FINISHES
02

992794



How to use extension for concealed thermostatic valves

Product	Description	Extension	Extension	Extension
		thermostatic	diverter 3/4"	faucet 3/4"
		99279302	99279702	99279402
992772	thermostatic + faucet 3/4"	1		1
992774	thermostatic + diverter 2 ways	1	1	
992776	thermostatic + diverter 3 ways	1	1	

Product	Description	Extension	Extension	Extension
		thermostatic	diverter 3/4"	faucet 3/4"
		99279302	99279702	99279402
992709	thermostatic valve	1		
992712	concealed stop valve			1
992713	diverter 2 ways x thermostatic		1	
992714	diverter 3 ways x thermostatic		1	
992713NS	diverter 2 ways x pressure balance		1	
992714	diverter 3 ways x pressure balance		1	



www.palazzaniusa.com

PALAZZANI USA, Inc - Distribution

WAREHOUSE

Warehouse - Kennesaw, Georgia USA

Corporate - Coral Gables, Florida

Office telephone - (305) 651-4470

Email - sales@palazzaniusa.com

For orders use this email: orders@palazzaniusa.com

Mobile orders (954) 471-1111

www.palazzaniusa.com



Palazzani.eu srl

Headquarters & Factory

Office telephone +39 0374-74141

Fax telephone +39 0374-74524