



MARRERO  
ARMOR

SPRING // 2025 CATALOG



# **Armor Protection We Stand Behind, So You Can Too**

## **Mission. Passion. Commitment.**

Established in 2020, Marrero Armor LLC is the continuation of a driven determination shared by the founders to provide the best lifesaving ballistic equipment possible. Leveraging our experience in ballistic performance, feature design and material sciences, Marrero Armor continues to follow a passion to protect our warriors, both civilian and military, through the development of industry leading ballistic products.

## **OUR TEAM**

**Hans Marrero**  
Co-Founder

**Brian Beckwith**  
Co-Founder

# Industry Leading Shield Attributes

## What sets our shields apart from, and above, the rest?

**Marrero Armor's manufacturing formula is a trade secret and is what differentiates our armor from all others. It is how we achieve industry leading stopping power combined with light weight.**

### Our shields...

...are constructed of 100% Ultra High Molecular Weight Polyethylene (UHMWPE). Our material delivers an armor solution with unmatched ballistic stopping power.

...go far beyond the NIJ minimum requirements to defeat the 7.62x51mm (M80) NATO round.

...provide multiple hit protection against the 7.62x39mm MSC and 5.56mm M193 up to 77gr. Our "Tactical" series Level III shield also defeats the following special threats:

- 300 Win Mag (LC)
- 6.5 Creedmoor (LC)
- .30-06 Springfield (LC)

...offer a unique Double Cutout (DCO) design that allows for simultaneous use of the viewport, protection for the officer and tactical employment of either a handgun or rifle weapon system;

...have an optional 4"x6" clear, NO TINT viewport that has a V50 rating of 3220 fps;

- Uniquely designed by us and has a lifetime guarantee against delamination;

...have an optional Tactical Cover that facilitates mission success in multiple ways:

- First, it protects the valuable viewport from scratches when the shield is not in use;
- Secondly, it affords the operator an opportunity to "kit up" the shield with mission critical items on both the front and back of the shield so operational pauses can be avoided.

...our handles are positioned to ensure the viewport is centered on the eye of the operator from the normal carry position;

- This allows for skeletal vice muscular load bearing, thus reducing muscle fatigue and allowing the operator to stay in the fight longer;
- Our standard handle is 11" horizontal or an optional "Tri-Grip" handle.

...in sizes larger than 34" high, have an additional 2" inches of head protection above the viewport;

...only utilize hardened steel and ballistically tested washers and bolts.





Level III Tactical Shield  
#T20302

# BALLISTIC SHIELDS



**We know tapered cuts look cool.  
What isn't cool is a bullet in the  
femoral artery!**



**NO TAPERED CUTS AND EDGE-TO-EDGE  
PROTECTION HELP KEEP YOU ALIVE !!**

**MORE PROTECTION  
AT A LIGHTER WEIGHT  
FOR LESS MONEY**

**WHY SETTLE FOR LESS ?!?**

# LEVEL HG2 / IIIA

## PATROL SHIELD

**MARRERO**  
ARMOR

**Exceeds NIJ Standards**

**NO TAPERED CUTS!**

We don't taper the cuts on our shields to save weight. The added surface area we provide maximizes YOUR protection.

Our Patrol Shield series is **the lightest in the industry at 7.4 lbs.** Either our standard straight bar or optional Tri-Grip handle give perfect balance, and a clear viewport lets you see threats as they are.



## SPECIFICATIONS

<b>MODEL:</b>	<b>MA3A (Patrol Series)</b>
<b>SIZES:</b>	20x 30   20x34   24x36
<b>WEIGHT:</b>	<b>7.4 lbs / 3.36 kg</b> (20x30) <b>9.9 lbs w/ viewport</b> (20x30)
<b>THINNESS:</b>	0.3 in / 0.76 cm
<b>OPTIONS:</b>	Double Cutout (DCO) / Rectangle (R) shape 4" x 6" Clear Ballistic Viewport Tactical Cover Tri-Grip angled handle FoxFury Taker B10 or B30 light

**Exceeds NIJ HG2 and IIIA**

Test results available upon request

Manufacturing weight tolerance:  $\pm 5\%$

## SPECIAL THREATS DEFEATED

- .44 Magnum SJHP 240gr
- .357 SIG FMJ FN 125gr
- .45 ACP 230gr
- .357 Magnum JSP 158gr
- 9mm FMJ RN 124gr
- .40 S&W FMJ 180gr
- FN 5.7 x 28mm 28gr
- 12ga slug 1-1/8oz



**ULTRA LIGHT.**  
**STRONG.**  
**AFFORDABLE.**  
**EDGE-TO-EDGE PROTECTION.**

Made in USA

[MARREROARMOR.COM](http://MARREROARMOR.COM) / [INFO@MARREROARMOR.COM](mailto:INFO@MARREROARMOR.COM)



# LEVEL RF1 / III

## TACTICAL SHIELD

MARRERO  
ARMOR

**Exceeds NIJ Standards**

**NO TAPERED CUTS!**

We don't taper the cuts on our shields to save weight. The added surface area we provide maximizes YOUR protection.

The Level RF1 / III Tactical Shield series **protects against certain Armor Piercing (AP) and steel core threats.**

Either our standard straight bar or optional Tri-Grip handle give perfect balance, and a clear viewport lets you see threats as they are.



## SPECIFICATIONS

<b>MODEL:</b>	<b>TMA3 (Tactical Series)</b>
<b>SIZES:</b>	14x22   20x30   20x34   24x36   20x40   22x48
<b>WEIGHT:</b>	<b>15 lbs / 6.8 kg</b> (20x30) <b>18.3 lbs w/ viewport</b> (20x30)
<b>THINNESS:</b>	<b>0.75 in / 1.9 cm</b>
<b>OPTIONS:</b>	Double Cutout (DCO) / Rectangle (R) shape 4" x 6" Clear Ballistic Viewport Tactical Cover Tri-Grip angled handle FoxFury Taker B30 1000 lumen light

Manufacturing weight tolerance:  $\pm 5\%$

**Exceeds NIJ 0108.01**

Test results available upon request

## THREATS DEFEATED

- 30-06 Springfield (180gr / 2663 fps)
- 7.62 x 51mm (M80 147gr / 2780 ft/s)
- 7.62 x 39mm (**Chinese/Russian MSC, LC**)
- 5.56 x 45mm (M193 up to **77gr**)
- 5.45 x 39mm **MSC**
- + all lesser threats



**ULTRA LIGHT.**  
**STRONG.**  
**AFFORDABLE.**  
**EDGE-TO-EDGE PROTECTION.**

Made in USA

MARREROARMOR.COM / INFO@MARREROARMOR.COM

# LEVEL RF1 / III

## LIGHTWEIGHT SHIELD

MARRERO  
ARMOR

**Exceeds NIJ Standards**

**NO TAPERED CUTS!**

We don't taper the cuts on our shields to save weight. The added surface area we provide maximizes YOUR protection.

**At 12.5 lbs**, the Level RF1 / III Lightweight Shield series **is the lightest shield at this protection level in the industry!** Effective at stopping threats up to 180gr 30-06!

Either our standard straight bar or optional Tri-Grip handle give perfect balance, and a clear viewport lets you see threats as they are.



## SPECIFICATIONS

<b>MODEL:</b>	<b>LWMA3 (Lightweight Series)</b>
<b>SIZES:</b>	20x30   20x34
<b>WEIGHT:</b>	<b>12.5 lbs</b> / 5.7 kg (20x30) <b>15.8 lbs</b> / 7.0kg w/ viewport (20x30)
<b>THINNESS:</b>	<b>0.56 in</b> / 1.4 cm
<b>OPTIONS:</b>	Double Cutout (DCO) / Rectangle (R) shape 4" x 6" Clear Ballistic Viewport Tactical Cover Tri-Grip angled handle FoxFury Taker B30 - 1000 lumen light

**Exceeds NIJ 0108.01**

Test results available upon request

Manufacturing weight tolerance:  $\pm 5\%$

## THREATS DEFEATED

- 30-06 Springfield (180gr / 2663 fps)
- 7.62 x 51mm (M80 147gr / 2780 ft/s)
- 7.62 x 39mm (**Chinese/Russian MSC, LC**)
- 5.56 x 45mm (M193 up to **77**gr)
- 5.45 x 39mm (**MSC**)
- + all lesser threats



**ULTRA LIGHT.  
STRONG.  
AFFORDABLE.  
EDGE-TO-EDGE  
PROTECTION.**

Made in USA

MARREROARMOR.COM / INFO@MARREROARMOR.COM



# LEVEL RF1 / III

## RAPID DEPLOYMENT SHIELD

**MARRERO**  
ARMOR

### Life Saving Protection that Rides Shotgun!

Don't be exposed, ride with RF1 rifle protection at your side. **At 9.25 lbs**, this lightweight shield offers every patrol car immediate protection against unexpected ambush threats!

## SPECIFICATIONS

<b>MODEL:</b>	<b>TMA3 (Tactical Series)</b>
<b>SIZE:</b>	14x22 Rectangle
<b>WEIGHT:</b>	<b>9.25 lbs</b> / 4.2 kg
<b>THINNESS:</b>	<b>0.75 in</b> / 1.9 cm
<b>OPTIONS:</b>	Tri-Grip angled handle FoxFury Taker B30 - 1000 lumen light

Manufacturing weight tolerance:  $\pm 5\%$



**Exceeds NIJ 0108.01**

Test results available upon request

## THREATS DEFEATED

- .30-06 Springfield (LC)
- 7.62 x 51mm (M80 147gr / 2780 ft/s)
- 7.62 x 39mm (**Chinese/Russian MSC**, LC)
- 5.56 x 45mm (M193 up to **77gr**)
- 5.45 x 39mm **MSC**
- + all lesser threats



**ULTRA  
ACCESSIBLE.  
STRONG.  
ULTRA LIGHT.  
AFFORDABLE.**

Made in USA

[MARREROARMOR.COM](http://MARREROARMOR.COM) / [INFO@MARREROARMOR.COM](mailto:INFO@MARREROARMOR.COM)

# DOUBLE CUTOUT SHIELD WEIGHTS

The industry standard for the testing of ballistic panels (shields), is an antiquated NIJ Standard from 1985, 0108.01 - it tests only to the .308 / M80 ball.

We hold our shields to a higher standard and design them to exceed the performance requirements of the new standards for hard body armor, NIJ Standards 0101.07 (Ballistic Resistance) & 0123.00 (Test Threats).

Not only do we exceed these standards, we have the lightest pounds per square foot (psf) pairings of features and performance in the industry today.

In the below chart, choose your Level of protection, the size shield, and go across to the appropriate weight in lbs. for either a Viewport or not.



Double Cutout (DCO)		
	No Viewport (lbs)	w/ Viewport (lbs)
<b>Level HG2 / IIIA</b>	<b>Model LWMA3A</b>	<b>Patrol Series</b>
20 x 30	7.4	9.9
20 x 34	7.7	10.2
24 x 36	8.2	10.7
<b>Level RF1 / III</b>	<b>Model LWMA3</b>	<b>Lightweight Series</b>
20 x 30	12.5	15.8
20 x 34	14.3	17.6
<b>Level RF1 / III</b>	<b>Model TMA3</b>	<b>Tactical Series</b>
20 x 30	15.0	18.3
20 x 34	17.2	20.5
20 x 40	20.5	23.8
24 x 36	22.0	25.3
22 x 48	27.5	30.8

Note: All weights in lbs, all sizes in inches. Manufacturing weight tolerance  $\pm 5\%$



# RECTANGLE SHIELD WEIGHTS

The industry standard for the testing of ballistic panels (shields), is an antiquated NIJ Standard from 1985, 0108.01 - it tests only to the .308 / M80 ball.

We hold our shields to a higher standard and design them to exceed the performance requirements of the new standards for hard body armor, NIJ Standards 0101.07 (Ballistic Resistance) & 0123.00 (Test Threats).

Not only do we exceed these standards, we have the lightest pounds per square foot (psf) pairings of features and performance in the industry today.

In the below chart, choose your Level of protection, the size shield, and go across to the appropriate weight in lbs. for either a Viewport or not.



Rectangle (R)			
No Viewport (lbs)		w/ Viewport (lbs)	
Level HG2 / IIIA	Model LWMA3A	Patrol Series	
20 x 30	8.2		10.7
20 x 34	8.5		11.0
24 x 36	9.2		11.5
Level RF1 / III	Model LWMA3	Lightweight Series	
20 x 30	13.9		17.2
20 x 34	15.7		19.0
Level RF1 / III	Model TMA3	Tactical Series	
20 x 30	16.7		20.0
20 x 34	18.9		22.2
20 x 40	22.2		25.6
24 x 36	24.0		27.3
22 x 48	29.3		32.6

Note: All weights in lbs, all sizes in inches. Manufacturing weight tolerance  $\pm 5\%$

**Customize the carry of mission essential equipment** with the Tactical Shield Cover and our Patent Pending mounting rail:

*Body Cam | Light | Magazine | Holster | Smoke | Flashbang | Med kit | FLEX-Cuffs | Taser® | etc.*

**Avoid critical delays** and have peace of mind knowing the tools of the trade you need are with you.

**Protect the Viewport** and accessorize the front and back of your shield with lifesaving tools.



## SPECS

<b>MODEL:</b>	<b>MAC</b>
<b>SIZES:</b>	20x30   20x34   20x40   24x36   22x48
<b>WEIGHT:</b>	1.5 lbs (20x30)
<b>MATERIAL:</b>	1000 Denier Cordura Nylon with PALS webbing
<b>OPTIONS:</b>	Embroidering: "POLICE"   "SHERIFF"   Custom Double Cutout (DCO) or full Rectangle (R) Color: Black or Ranger Green

## FEATURES

- PALS webbing on the front and back to customize the carry of tactical accessories
- Form fitting design to ensure a secure fit
- Detachable embroidered viewport covers for storage and protection of shield and viewport
- Heavy-duty material with reinforced stitching
- Fits both LEVEL III and IIIA shields of any size



# SHIELD HANDLES

**MARRERO**  
ARMOR

**Our Shields are perfectly balanced!**

**Our Handles offer you a choice for your preferred carry method.**

All Marrero Armor handles are positioned to give the shield perfect balance. The shield wants to stay vertical when held, which is critical. It doesn't lean either into or away from the operator.

Our custom handles are positioned so the optional Viewport is in a tactical ready position at the carry, without a need to manipulate the shield position first. This reduces fatigue and keeps you in the fight longer.

Our standard issue **"Horizontal" Handle** measures 11" across, allowing for either a single hand or dual hand carry.

Our optional **"Tri Grip" Handle** offers ambidextrous grip options. Whether you prefer the Horizontal grip, angled grip, or if you prefer to switch between the two depending on the tactics needed, the "Tri Grip" Handle gives you those tactical options.



## HANDLE SPECS

### HORIZONTAL (Standard)

**SIZE:** 11" wide

**MATERIAL:** Aluminum / Polyurea coating / Rubber grip

### "Tri Grip" (Optional)

**SIZE:** L Angle 5.5" Horiz 6" R Angle 5.5"

**MATERIAL:** Aluminum / Polyurea coating / Rubber grip / End Caps  
**Note:** Angled Handle adds .75 lbs to advertised shield weights

## Adaptive. Reliable. Innovative.

Marrero Armor proudly offers FoxFury® lighting solutions to compliment all our ballistic shields.

### When mounted with our Tactical Cover:

- Wires are concealed
- Custom pouch houses the battery pack
- Location of light is operator determined (Left, Middle, Right)
- Light operation switch is integrated onto the Handle

Put things where YOU think they make tactical sense!

Don't settle for a light in the middle of your shield that acts as a bullet magnet!

Affix a FoxFury® TAKER B10 or B30 light to our Tactical Shield Cover or directly to the shield. Avoid critical delays and have peace of mind knowing the tools of the trade you need are with you.

FoxFury® lights use premium materials and are engineered to thrive in worst case scenarios, including all weather and under water conditions.



**MODEL:** 480-331  
**P/N:** FFTB30  
**LUMENS:** 1000



**MODEL:** 940K-010S  
**P/N:** FFTB10  
**LUMENS:** 490



Modes of operation: MOMENTARY, HIGH, LOW, TURBO-STROBE™:



# HARD ARMOR PLATES

A man with a beard and sunglasses, wearing a black tactical vest and cap, holding a handgun. The vest has a "POLICE" patch. The background is a blurred outdoor setting.

◀ Tactical Plate Carrier  
#MA-TC



# Industry Leading Plate Attributes

## What sets our plates apart from, and above, the rest?

**Marrero Armor's manufacturing formula is a trade secret and is what differentiates our armor from all others. It is how we achieve industry leading stopping power combined with light weight.**

### Our Rifle Rated Hard Armor Plates (HAP)...

...far exceed the multi-hit ballistic requirements for both NIJ Standards 0101.06 and the upcoming 0101.07 which changes armor classifications, test methods and test threats;

...are constructed of 100% Ultra High Molecular Weight Polyethylene (UHMWPE). Our material delivers an armor solution with unmatched ballistic stopping power.

...go far beyond the compliance requirements for both the 0101.06 and the newly released 0101.07 NIJ Standards as noted here:

- |                                       |                          |
|---------------------------------------|--------------------------|
| • M855 "Green Tip" 62gr               | (Model RF2001 only)      |
| • 300 Win Mag (LC)                    | (Models 300HAP & RF2001) |
| • 6.5 Creedmoor (LC)                  | (Models 300HAP & RF2001) |
| • .30-06 Springfield (LC)             | (All Models)             |
| • 7.62x39mm (AK-47 MSC Ball, Type 56) | (All Models)             |
| • 5.56x45mm (M193 up to 77gr)         | (All Models)             |
| • 5.45x39mm (AK-74 MSC)               | (All Models)             |

...are available in sizes:

- |                                  |                             |
|----------------------------------|-----------------------------|
| • 10"x12"                        | (All Models)                |
| • 8"x10"                         | (Models 300HAP & 300LW)     |
| • SAPI: XS, S, M, L, XL          | (Model 300LW only)          |
| • Side: 6"x6", single curve      | (All Models)                |
| • Speed plate: 5"x7", 5"x8" flat | (Model 300LW only, no foam) |

...have industry leading V50 threat velocities:

- During NIJ certification testing, armor panels are subjected to "V50" testing. This is a velocity whereby a given threat type will fully penetrate the armor panel 50% of the time. The higher the V50 velocity, the better engineered and more protective is the plate.
- Our M80 V50 velocities are above 3200 fps;

...are pressed in an ergonomic multi-curve shape that conforms to the torso for maximum comfort;

...utilize proprietary ballistic foam for ultimate protection, backface reduction and comfort;

# LEVEL HG2 / IIIA

## HARD ARMOR PLATE (HAP)

**MARRERO**  
ARMOR

Our Type HG2 / IIIA plate exceeds NIJ standards for soft body armor and provides protection from handgun and shotgun rounds in a hard armor form. This ultralight standalone plate is multi-curve for a comfortable fit. Type IIIA plates are not intended to defeat a rifle threat.



## SPECIFICATIONS

**MODEL:** MA3A-HAP  
**P/N:** 3AHAP  
**SIZE:** 10" x 12"  
**WEIGHT:** .95 lbs / .43 kg  
**THINNESS:** 0.3 in / 0.76 cm  
**MATERIAL:** UHMWPE

Manufacturing tolerance:  $\pm 5\%$  wt.

**NIJ 0101.06 Compliant**  
**NIJ 0101.07 Compliant**

Test results available upon request

**ULTRA LIGHT.**

**AFFORDABLE.**

**STRONG.**

**EDGE-TO-EDGE  
PROTECTION.**

## THREATS DEFEATED

- .44 Magnum SJHP 240gr
- .357 SIG FMJ FN 125gr
- .45 ACP 230gr
- .357 Magnum JSP 158gr
- 9 x 19mm FMJ RN 124gr
- .40 S&W FMJ 180gr
- FN 5.7 x 28mm 28gr
- 12ga slug 1-1/8oz



Made in USA

[MARREROARMOR.COM](http://MARREROARMOR.COM) / [INFO@MARREROARMOR.COM](mailto:INFO@MARREROARMOR.COM)

# LEVEL RF1 / III

MARRERO  
ARMOR

## HARD ARMOR PLATE (HAP)

Our NIJ compliant Level RF1 / III hard armor plate provides superior protection in a comfortable, light and ergonomic fit. **The 300HAP stops large hunting rounds** but is not intended to stop all steel core, penetrating, incendiary or armor piercing ammunitions - only those specified below.



## SPECIFICATIONS

**MODEL:** MA3-HAP

**P/N:** 300HAP

**Warranty:** 5 years

**SIZES:** Torso: 10x12 | 8x10 multi-curve  
Side: 6x6 single curve

**WEIGHT:** 3.1 lbs / 1.4 kg (10x12)

**THINNESS:** 1.0 in / 2.54 cm

**MATERIAL:** Advanced composite

**NIJ 0101.06 Compliant**  
**NIJ 0101.07 Compliant**

Test results available upon request

**ULTRA LIGHT. AFFORDABLE.**  
**STRONG. EDGE-TO-EDGE**  
**PROTECTION.**

Manufacturing tolerance:  $\pm 5\%$  wt.

## THREATS DEFEATED

- 300 Win Mag (210gr / 2900 ft/s)
- 30-06 Springfield (220 gr)
- 7.62 x 51mm (M80 147gr / 2780 ft/s)
- 6.5 Creedmoor (147gr / 2663 ft/s)
- 7.62 x 39mm (Type 56/Chinese/Russian **MSC**)
- 5.56 x 45mm (M193 55, **62** & **77gr**)
- 5.45 x 39mm (**MSC**)
- + all lesser threats



Made in USA

MARREROARMOR.COM / INFO@MARREROARMOR.COM



# LEVEL RF1 / III

MARRERO  
ARMOR

## LIGHTWEIGHT HARD ARMOR PLATE (HAP)

Our NIJ 0101.06 **Listed Level III** "Lightweight" stand-alone hard armor plate provides beyond NIJ 0101.07 RF1 protection and is **the lightest psf plate at this level on the market. Effective at stopping threats up to 180gr 30-06!**

This HAP has been special threat tested only to the threats specified below.

## SPECIFICATIONS

<b>MODEL:</b>	MA3-LWHAP
<b>P/N:</b>	300LW
<b>Warranty:</b>	<b>10 years</b>
<b>SIZES:</b>	Torso: 10x12   8x10 multi-curve SAPI: XS, S, Med, Lg, XL Side: 6x6 single curve Speed Plate: 5x7 flat
<b>WEIGHT:</b>	<b>2.2 lbs</b> / 1.0 kg (10x12)
<b>THINNESS:</b>	<b>0.8 in</b> / 2.0 cm
<b>MATERIAL:</b>	Advanced composite



**NIJ 0101.06 Certified**  
**NIJ 0101.07 Compliant**

Test results available upon request

**ULTRA LIGHT.**

**AFFORDABLE.**

**STRONG.**

**EDGE-TO-EDGE  
PROTECTION.**

Manufacturing tolerance: +5% wt.

## THREATS DEFEATED

- 7.62 x 51mm (M80 147gr / 2780 ft/s)
- 30-06 Springfield (180 gr / 2671 ft/s)
- 6.5 Creedmoor (147gr / 2663 ft/s)
- 7.62 x 39mm (Type 56/Chinese/Russian **MSC**)
- 5.56 x 45mm (M193 55, **62** & **77**gr)
- 5.45 x 39mm (**MSC**)
- + all lesser threats



Made in USA

MARREROARMOR.COM / INFO@MARREROARMOR.COM

# LEVEL RF1 / III

MARRERO  
ARMOR

## CARRIER PLATE

Our NIJ 0101.06 **Listed Level III** "**Lightweight**" stand-alone hard armor plate **WITHOUT THE FOAM!** Slide this ultra thin and light stand-alone rifle protection inside your carrier, **IN FRONT of your soft armor** of any kind or level to get full RF1/Level III rifle protection! **Effective at defeating threats up to 180gr 30-06!**

This plate has been special threat tested only to the threats specified below.

## SPECIFICATIONS

<b>MODEL:</b>	MA3-LWCP
<b>P/N:</b>	300LWCP
<b>Warranty:</b>	<b>10 years</b>
<b>SIZES:</b>	Torso: 10x12   8x10 multi-curve SAPI: XS, S, Med, Lg, XL Side: 6x6 single curve Speed Plate: 5x7 & 5x8 flat
<b>WEIGHT:</b>	<b>2.0 lbs</b> / .9 kg (10x12)
<b>THINNESS:</b>	<b>0.5 in</b> / 1.3 cm
<b>MATERIAL:</b>	Advanced composite

Manufacturing tolerance: +5% wt.

## THREATS DEFEATED

- 7.62 x 51mm (M80 147gr / 2780 ft/s)
- 30-06 Springfield (180 gr / 2671 ft/s)
- 6.5 Creedmoor (147gr / 2663 ft/s)
- 7.62 x 39mm (Type 56/Chinese/Russian **MSC**)
- 5.56 x 45mm (M193 55, **62** & **77**gr)
- 5.45 x 39mm (**MSC**)
- + all lesser threats



**NIJ 0101.06 Compliant**  
**NIJ 0101.07 Compliant**

Test results available upon request

**ULTRA LIGHT.**  
**STRONG.**

**AFFORDABLE.**  
**EDGE-TO-EDGE PROTECTION.**



Made in USA

MARREROARMOR.COM / INFO@MARREROARMOR.COM



# LEVEL RF2 / III

MARRERO  
ARMOR

## SPECIAL THREAT HARD ARMOR PLATE (HAP)

Our **NIJ 0101.06 Listed Level III** stand-alone plate provides protection beyond the NIJ 0101.07 RF2 Standard.

**Multi-shot protection against the 5.56 x 45mm / M855 Green Tip!**

This plate is not intended to stop all penetrating steel core or armor piercing ammunitions, only those specified below.

## SPECIFICATIONS

<b>MODEL:</b>	MA3-P-HAP
<b>P/N:</b>	RF2001
<b>Warranty:</b>	<b>10 years</b>
<b>SIZES:</b>	Torso: 10x12 multi-curve
<b>WEIGHT:</b>	<b>4.1 lbs</b> / 1.9 kg
<b>THINNESS:</b>	1.0 in / 2.54 cm
<b>MATERIAL:</b>	Advanced composites

Manufacturing tolerance:  $\pm 5\%$  any specification



**NIJ 0101.06 Certified**  
**NIJ 0101.07 Compliant**

Test results available upon request

**ULTRA LIGHT. AFFORDABLE.**  
**STRONG. EDGE-TO-EDGE PROTECTION.**

## THREATS DEFEATED

- 5.56 x 45mm (**M855 Green Tip** 62gr / 3115 ft/s)
- 7.62 x 51mm (M80 147gr / 2780 ft/s)
- 30-06 Springfield (180 gr / 2671 ft/s)
- 6.5 Creedmoor (147gr / 2663 ft/s)
- 7.62 x 39mm (Type 56/Chinese/Russian **MSC**)
- 5.56 x 45mm (M193 55, **62** & **77**gr)
- 5.45 x 39mm (**MSC**)
- + all lesser threats



Made in USA

MARREROARMOR.COM / INFO@MARREROARMOR.COM



# TACTICAL PLATE CARRIER

## 2 or 4 Plates - All in One - You Decide

**MARRERO**  
ARMOR

Our mission has always been to provide warriors with the best protection possible in a versatile platform.

Why invest in a limited option carrier? Your missions change and your gear should be able to change with them.

Our plate carrier system comes standard with a cummerbund vest for integration of side plates. Need to lighten the load? Simply remove the cummerbund and you have a lightweight and versatile tactical solution for your gear.



### PLATE CARRIER SPECS

- **MODEL:** MA-TC
- **P/N:** TPC
- **Size:** 32" - 54" waist size  
Adjustable shoulder
- **Plate capacity:** Four (4)
  - 2 - front/back, up to 10.25" x 13.25" (SAPI Lg)
  - 2 - side plates, up to 6"x 8"
- **Available in:** Ranger Green, Coyote Tan, Black

### FEATURES

- PALS webbing for modular attachments
- Removeable cummerbund with pockets for side plates
- Heavy duty quick release buckles
- Emergency drag handle
- Adjustable padded shoulder straps with PALS guides
- Wire routing loops
- Breathable padded mesh liner
- Easy access plate pockets



# SOFT ARMOR

Model : VINTAC ▶  
#V-INTAC





# SOFT ARMOR

Our NIJ certified soft armor comes in everything from a concealed solution to a tactical outer carrier - complete with accessories like throat, groin and bicep protection. We also offer soft armor backpack inserts.

There are two styles of soft armor, FUSION and IMPEDOR. Each of these styles are available in either HG1 / II or HG2 / IIIA.

The IMPEDOR SERIES HG2 /IIIA has passed structured FEMALE NIJ compliance testing.

**Don't see what you exactly need? No problem!**

**Get in touch with us at [info@marreroarmor.com](mailto:info@marreroarmor.com) to customize your perfect solution.**





# SOFT ARMOR

## CARRIER FEATURES

- 5-year manufacturer warranty on soft armor
  - Standard or Laser cut MOLLE / PALS webbing
  - Internal plate pockets
  - Front zipper or side opening for easy donning / doffing
  - High flexibility and low weight
  - Durable Nylon or Polyester with high strength thread
  - Inner fabric made of high strength 3D spacer mesh
  - High strength hook & loop fasteners
  - 2-year manufacturer warranty on carriers
- Available in: BK - Black / RG - Ranger Green / DN - Dark Navy / CAM - Camouflage

## BALLISTIC PERFORMANCE

### FUSION SERIES

#### SPECIAL THREAT TESTING:

- FN SS197 40 grain V0
- Win SXT 9mm +P+ V0
- 7.62x25 Tokarev 85 grain V0
- .357 SIG Win SXT 125 grain V0
- Speer GD .357 Mag V0
- 2 grain RCC V50: 3013 fps
- 4 grain RCC V50: 2545 fps
- 16 grain RCC V50: 2225 fps
- 17 grain FSP V50: 2077 fps
- .44 Mag V50: 1615 fps
- .357 Sig V50: 1735 fps

### IMPEDOR SERIES

#### SPECIAL THREAT TESTING:

- |                              |               |
|------------------------------|---------------|
| • 9mm 124gr GDHP V0:         | 6-shot Passed |
| • 9mm Ranger-T V0:           | 6-shot Passed |
| • .40 cal Ranger-T V0:       | 6-shot Passed |
| • FN SS197SR V0:             | 6-shot Passed |
| • FN SS195LF V0:             | 6-shot Passed |
| • .44 MAG Hydra-Shok V0:     | 6-shot Passed |
| • 12 gauge 1 oz Slug V0:     | 6-shot Passed |
| • 7.62x25, 85gr, Tokarev V0: | 6-shot Passed |
| • 357 SIG V50:               | 1887 fps      |
| • .44 MAG V50:               | 1696 fps      |
| • 2 gr RCC V50:              | 2927 fps      |
| • 4 gr RCC V50:              | 2508 fps      |
| • 16 gr RCC V50:             | 2245 fps      |
| • 64 gr RCC V50:             | 1761 fps      |
| • 17 gr FSP V50:             | 2083 fps      |
| • 9mm 124gr V50:             | 1698 fps      |

• Abbreviated FBI Protocol: Passed 4 Panel Sequence

# SOFT ARMOR

## CARRIERS



### The Tactical Outer Vest

P/N: V-INTAC

- Fully adjustable Velcro® shoulders
- NIJ certified Level HG1/II or HG2/IIIA soft armor panels
- High strength hook & loop fasteners
- Optional throat, bicep and/or groin assembly
- Provides for quick plate insertion/removal - up to SAPI Lg
- Built-in side protection plate pockets - up to 6"x8"
- Large Velcro® ID patch area
- Fully adjustable front cummerbund
- Reinforced large officer down strap
- Helmet profiled neck protection



Ensure complete coverage with the **Throat** accessory



Increase your coverage and maintain mobility with the **Bicep** accessory



Protect the femoral artery and pelvic triangle with the **Groin** accessory





# SOFT ARMOR

## CARRIERS



### The "Phenom" Tactical Vest

P/N: PHENOM

- The name says it all! A "**Phenomenal**" vest/carrier system!
- NIJ certified Level HG1/II or HG2/IIIA soft armor panels
- Ambidextrous Quick Release system
- Adjustable shoulder straps
- Available with either FUSION or IMPEDOR soft armor inserts
- Comes complete with Velcro® 2 x comm pouches, 2 x cummerbund magazine holders, 3 mag pouch
- Plate insert pockets, front and back
- Laser cut MOLLE made of durable material
- 3D spacer mesh inner fabric keeps you cool
- High strength hook & loop fasteners
- Will integrate with the Throat, Bicep and Groin accessories



Ensure complete coverage with the **Throat** accessory



Increase your coverage and maintain mobility with the **Bicep** accessory



Protect the femoral artery and pelvic triangle with the **Groin** accessory



### The "GTAC" Series

P/N: V-GTAC



- The perfectly blended solution between tactical and uniform
- NIJ certified Level HG1/II or HG2/IIIA soft armor panels
- Standard with MOLLE webbing, front and back
- Front and rear internal plate pockets
- Front opening zipper for easy donning / doffing
- High flexibility and low weight
- Durable Nylon or Polyester with high strength thread
- Front and rear internal plate pockets
- High flexibility and low weight
- Optional: Inner fabric made of high strength 3D spacer mesh

# SOFT ARMOR

## CARRIERS



### Uniform Outer Carrier (UOC)

P/N's: V-UOC (shown) / V-TUOC (w/ MOLLE)

- Customize your UOC carrier with the look and functionality you want
- Available with or without MOLLE webbing, front and back
- Available with front Zipper/Velcro® or side Velcro® openings
- Available in either Nylon or Polyester with high strength nylon thread
- Front and rear internal plate pockets
- High flexibility and low weight
- Optional: 3D spacer mesh inner fabric keeps you cool

### Concealable Vest

P/N's: V-MANTIS (shown) / V-LYCOS



- NIJ Level HG1/II or HG2/IIIA soft armor panels
- Dual plate pocket for 5x8 to 8x10 trauma inserts
- V-MANTIS style panels are interchangeable with the UOC series of carriers
- V-LYCOS style panels are interchangeable with the Phenom carrier
- Adjustable side and top Velcro® fastenings for a tailored fit
- Large straps for a secure hold and adjustable shoulders
- High flexibility and low weight soft armor panels







**Armor Protection We Stand Behind,  
So You Can Too**