

Level III Tactical Shield
#T20302

POLICE

BALLISTIC SHIELDS

Marrero Shield Attributes

What sets our shields apart from, and above, the rest?

Our proprietary manufacturing formulas and processes are how we achieve industry leading ballistic stopping power combined with lightweight solutions.

Our Shield...

...is constructed of 100% Ultra High Molecular Weight Polyethylene (UHMWPE). Our material delivers an armor solution with unmatched ballistic stopping power.

...goes far beyond the minimum requirements of the NIJ Standard 0101.07.

...rifle shields provide multiple hit protection against the following standard and special threats:

• .30-06 Springfield	(JSP 180gr)	(All Models)
• 7.62x54R	(FMJ LC 148gr)	(All Models)
• 7.62x51	(M80 147gr)	(All Models)
• 6.5 Creedmoor	(SP 158gr)	(All Models)
• 7.62x39	(Type 56 MSC)	(All Models)
• 5.56x45	(M193 up to 77gr)	(All Models)
• 5.45x39	(7N6 SC 53gr)	(All Models)

...offers a unique Double Cutout (DCO) design that allows for the ambidextrous tactical employment of either a handgun or long gun weapon platform;

...has an optional 4"x6" clear, NO TINT, viewport that has a **V50 rating of 3220 fps vs the M80**;

- A proprietary design and has a lifetime guarantee against delamination;

...has an optional Tactical Cover that facilitates mission success in multiple ways:

- It protects the viewport from scratches when the shield is not in use;
- It affords the operator an opportunity to "kit up" the shield with mission critical items on both the front and back of the shield so operational pauses can be avoided;
- It provides for the best possible wire management system.

...has protective strips on both the top and bottom of the shield for added durability;

...handles are positioned to ensure the viewport is centered on the eye of the operator at the normal "carry" position;

- This allows for skeletal, vice muscular, load bearing, thus reducing muscle fatigue and allowing the operator to stay in the fight longer;
- Our horizontal handle comes standard or the optional "Tri-Grip" handle.

...in sizes larger than 34" high, have an additional 2" inches of head protection above the viewport;

...only utilizes hardened steel and ballistically tested hardware.

**We know tapered cuts look cool.
What isn't cool is a bullet in the
femoral artery!**



**NO TAPERED CUTS AND EDGE-TO-EDGE
PROTECTION HELP KEEP YOU ALIVE !!**

**MORE PROTECTION
AT A LIGHTER WEIGHT
FOR LESS MONEY**

WHY SETTLE FOR LESS ?!?

RF1 / LEVEL III

"LIGHTWEIGHT" SHIELD SERIES

MARRERO
ARMOR®

Exceeds NIJ Standards

At **12.5 lbs**, the RF1 / Level III Lightweight Shield series **is the lightest shield at this protection level in the industry!** Effective at defeating threats up to **180gr 30-06!**

We don't taper the cuts on our shields to save weight. The added surface area we provide maximizes YOUR protection.

Either our standard straight bar or optional Tri-Grip handle give perfect balance, and a clear viewport lets you see threats as they are.



SPECIFICATIONS

MODEL:	LWMA3 (Lightweight Series)
SIZES:	20x30 20x34 24x36
WEIGHT:	12.5 lbs / 5.7 kg (20x30) 15.8 lbs w/ viewport (20x30)
THINNESS:	0.56 in / 1.4 cm
OPTIONS:	Double Cutout (DCO) / Rectangle (R) shape 4" x 6" Clear Ballistic Viewport Tactical Cover Tri-Grip angled handle Lights: FoxFury or TacMount Solutions

Exceeds NIJ 0108.01 / 0101.06 / 0101.07 Standards

Test results available upon request

Manufacturing weight tolerance: $\pm 5\%$

THREATS DEFEATED

- 30-06 Springfield (180gr JSP / 2727 fps)
- 7.62 x 54R (148gr FMJ / 2810 ft/s)
- 7.62 x 51 (147gr M80 / 2780 ft/s)
- 6.5 Creedmoor (156gr SP / 2429 ft/s)
- 7.62 x 39 (123gr MSC, LC)
- 5.56 x 45 (77gr M193)
- 5.45 x 39 (53gr 7N6 SC)
- + all lesser threats



**ULTRA LIGHT.
STRONG.
EDGE-TO-EDGE
PROTECTION.**

Made in USA

MARREROARMOR.COM / INFO@MARREROARMOR.COM

RF1 / LEVEL III

"TACTICAL" SHIELD SERIES

MARRERO
ARMOR®

Exceeds NIJ Standards

The RF1 / Level III Tactical Shield series defeats threats listed below, that include certain MSC and SP variants. **Effective at stopping LC threats up to 180gr 30-06!**

We don't taper the cuts on our shields to save weight. The added surface area we provide maximizes YOUR protection.

Either our standard straight bar or optional Tri-Grip handle give perfect balance, and a clear viewport lets you see threats as they are.



SPECIFICATIONS

MODEL:	TMA3 (Tactical Series)
SIZES:	14x22 20x30 20x34 24x36 20x40 22x48
WEIGHT:	15 lbs / 6.8 kg (20x30) 18.3 lbs w/ viewport (20x30)
THINNESS:	0.75 in / 1.9 cm
OPTIONS:	Double Cutout (DCO) / Rectangle (R) shape 4" x 6" Clear Ballistic Viewport Tactical Cover Tri-Grip angled handle Lights: FoxFury or TacMount Solutions

Exceeds NIJ 0108.01 / 0101.06 / 0101.07 Standards

Test results available upon request

Manufacturing weight tolerance: $\pm 5\%$

THREATS DEFEATED

- 30-06 Springfield (180gr JSP / 2727 fps)
- 7.62 x 54R (148gr FMJ / 2810 ft/s)
- 7.62 x 51 (147gr M80 / 2780 ft/s)
- 6.5 Creedmoor (156gr SP / 2429 ft/s)
- 7.62 x 39 (123gr MSC, LC)
- 5.56 x 45 (77gr M193)
- 5.45 x 39 (53gr 7N6 SC)
- + all lesser threats



**ULTRA LIGHT.
STRONG.
EDGE-TO-EDGE
PROTECTION.**

Made in USA

MARREROARMOR.COM / INFO@MARREROARMOR.COM

RF1 / LEVEL III

RAPID DEPLOYMENT SHIELD

MARRERO
ARMOR®

Protection that Rides Shotgun!

Don't be exposed, ride with RF1 rifle protection at your side that is **effective at stopping LC threats up to 180gr 30-06!**

At 9.25 lbs, this lightweight shield offers every patrol car immediate protection against unexpected or ambush threats!

SPECIFICATIONS

MODEL: TMA3 (Tactical Series)
SIZE: 14x22 Rectangle
WEIGHT: 9.25 lbs / 4.2 kg
THINNESS: 0.75 in / 1.9 cm
OPTIONS: Tri-Grip angled handle

Manufacturing weight tolerance: $\pm 5\%$



Exceeds NIJ 0108.01 / 0101.06 / 0101.07 Standards

Test results available upon request



**ULTRA LIGHT.
STRONG.
EDGE-TO-EDGE
PROTECTION.**

THREATS DEFEATED

- 30-06 Springfield (180gr JSP / 2727 fps)
- 7.62 x 54R (148gr FMJ / 2810 ft/s)
- 7.62 x 51 (147gr M80 / 2780 ft/s)
- 6.5 Creedmoor (156gr SP / 2429 ft/s)
- 7.62 x 39 (123gr MSC, LC)
- 5.56 x 45 (77gr M193)
- 5.45 x 39 (53gr 7N6 SC)
- + all lesser threats



Made in USA

MARREROARMOR.COM / INFO@MARREROARMOR.COM

HG2 / LEVEL IIIA

PATROL SHIELD

MARRERO
ARMOR®

Exceeds NIJ Standards

NO TAPERED CUTS!

We don't taper the cuts on our shields to save weight. The added surface area we provide maximizes YOUR protection.

Our Patrol Shield series is **the lightest in the industry at 7.4 lbs.** Either our standard straight bar or optional Tri-Grip handle give perfect balance, and a clear viewport lets you see threats as they are.



SPECIFICATIONS

MODEL:	MA3A (Patrol Series)
SIZES:	30 20x34 24x36
WEIGHT:	7.4 lbs / 3.36 kg (20x30) 9.9 lbs w/ viewport (20x30)
THINNESS:	0.3 in / 0.76 cm
OPTIONS:	Double Cutout (DCO) / Rectangle (R) shape 4" x 6" Clear Ballistic Viewport Tactical Cover Tri-Grip angled handle Lights: FoxFury or TacMount Solutions

Manufacturing weight tolerance: $\pm 5\%$

Exceeds NIJ HG2 and IIIA

Test results available upon request

**ULTRA LIGHT.
STRONG.
AFFORDABLE.
EDGE-TO-EDGE
PROTECTION.**

SPECIAL THREATS DEFEATED

- .44 Magnum (SJHP 240gr)
- .357 SIG (FMJ FN 125gr)
- .45 ACP (230gr)
- .357 Magnum (JSP 158gr)
- 9mm (FMJ RN 124gr)
- .40 S&W (FMJ 180gr)
- FN 5.7 x 28mm (28gr)
- 12ga (Slug 1-1/8oz)



Made in USA

MARREROARMOR.COM / INFO@MARREROARMOR.COM

TRAINING SHIELD

NON-BALLISTIC

MARRERO
ARMOR®

TRAIN LIKE YOU FIGHT !

FIGHT LIKE YOU TRAIN !

Save your valuable ballistic shield for when it's needed!

Designed to take the wear and tear of training, the Marrero Training Shields mimic the balance and feel of our industry leading ballistic shields.

A seamless transition from training to real world operations.

SPECIFICATIONS

MODEL:	TS (Training Shield)
SIZES:	20x 30 20x34
STYLE:	Double Cutout (DCO) / Rectangle (R)
WEIGHT:	DCO 15.4 lbs w/ 4x6 viewport / cover (20x30) DCO 16.5 lbs w/ 4x6 viewport / cover (20x34)
THINNESS:	0.6 in
STANDARD:	Horizontal Handle 4x6 Clear Non-Ballistic Viewport Blue Tactical Cover
OPTIONS:	Tri-Grip Handle TacMount or FoxFury® Light SAM Picatinny Rail



Training Shield (TS)
shown with
Shield Accessory Mount (SAM)
Picatinny Rail

ULTRA LIGHT.

STRONG.

AFFORDABLE.

THREATS DEFEATED


- **NONE!**
- **NON-BALLISTIC!**

DOUBLE CUTOUT SHIELD WEIGHTS

Our unique Double Cutout (DCO) shield design offers superior tactical flexibility.

The base of the DCO allows for either arm, handgun or long gun stability. Whether it is utilized by the shield operator or your team member, let the shield be your base for accurate fire.

The DCO is positioned for natural sight alignment through the clear viewport.



Double Cutout (DCO)		
	No Viewport (lbs)	w/ Viewport (lbs)
Level RF1 / III	Lightweight Series	
20 x 30	12.5	15.8
20 x 34	14.2	17.5
24 x 36	17.0	20.3
Level RF1 / III	Tactical Series	
20 x 30	15.0	18.3
20 x 34	17.2	20.5
20 x 40	20.5	23.8
24 x 36	22.0	25.3
22 x 48	27.5	30.8
Level HG2 / IIIA	Patrol Series	
20 x 30	7.4	9.9
20 x 34	7.7	10.2
24 x 36	8.2	10.7

Note: All weights in lbs, all sizes in inches. Manufacturing weight tolerance $\pm 5\%$

RECTANGLE SHIELD WEIGHTS

Our Rectangle (R) shield design offers added protection while maintaining tactical flexibility. Available in sizes 14" x 22" up to 22" x 48", choose the size that fits your mission.

The Rectangle shield maximizes protection coverage for you and your team while providing ease of mind knowing you are behind the best armor in the industry.

How well can we cover three operators?
Take a look at the job our 22x48 shield does!!



Rectangle (R)		
	No Viewport (lbs)	w/ Viewport (lbs)
Level RF1 / III	Lightweight Series	
20 x 30	13.9	17.2
20 x 34	15.6	18.9
24 x 36	18.4	21.7
Level RF1 / III	Tactical Series	
14 x 22	9.25	Not Offered
20 x 30	16.7	20.0
20 x 34	18.9	22.2
20 x 40	22.2	25.6
24 x 36	24.0	27.3
22 x 48	29.3	32.6
Level HG2 / IIIA	Patrol Series	
20 x 30	8.2	10.7
20 x 34	8.5	11.0
24 x 36	9.2	11.5

Note: All weights in lbs, all sizes in inches. Manufacturing weight tolerance $\pm 5\%$



**Armor Protection We Stand Behind,
So You Can Too !**

