

Certificate of Analysis

Company: Quintessential Botanicals 118 Jenny Lane Cabot, VT 05647 Customer ID: 191030-21 Grower License #: s-000001672	Sample ID: Sativa Hash Ball Lot: N/A Matrix: Concentrate Date Sampled: N/A Date Received: 2/13/2024	Report Date: 2/19/2024 Date Analyzed: 2/16/2024 Analyst: 057 Report ID: C240213AP
---	--	--

Cannabinoid Summary

Cannabinoid Profile	LOQ (mg/g)	Concentration (mg/g)	Weight (%)
CBDVA	0.0005	<LOQ	<LOQ
CBDV	0.0012	<LOQ	<LOQ
CBDA	0.0008	13.41	1.34
CBGA	0.0008	33.85	3.38
CBG	0.0019	4.04	0.40
CBD	0.0019	<LOQ	<LOQ
THCV	0.0021	<LOQ	<LOQ
CBN	0.0013	<LOQ	<LOQ
Δ9-THC	0.0020	21.09	2.11
Δ8-THC	0.0019	<LOQ	<LOQ
THC-A	0.0034	497.41	49.74
CBC	0.0024	<LOQ	<LOQ
Total THC		457.32	45.73
Total CBD		11.76	1.18
Total Cannabinoids		569.80	56.98

45.73% Total THC	1.18% Total CBD
56.98% Total Cannabinoids	2.11% Δ9-THC
N/A Percent Moisture	1 : 0 THC : CBD Ratio

Cannabinoids Methodology: High Performance Liquid Chromatography (HPLC) using PerkinElmer FLEXAR™ with Photo Diode Array Detector (PDA)

Total CBD and total THC are calculated values, to account for assumed decarboxylation from the acid form (THCA or CBDA) to the neutral form, causing weight loss of the acid group. These values are calculated as follows:
 Total THC = (THCA x 0.877) + Δ9-THC Total CBD = (CBDA x 0.877) + CBD
 Ratio of Total CBD: Total THC Reagent Blanks: < LOQs for all analytes


LOQ = The lowest quantity that this method can reliably detect. Any cannabinoid that was not detected is assumed to be less than the stated LOQ (<LOQ).

All results reflect dry weight of material, based on % moisture of the sample.


Measurement of Uncertainty (MU): the parameter, associated with the result of a measurement, that characterizes the dispersion of the values that could reasonably be attributed to the particular quantity subject to measurement.
 Δ9-THC MU = ±0.005% Total THC MU = ±0.007%

All other cannabinoid MU values are available upon request.

All moisture analysis is determined by loss-on-drying measurement using OHAUS Model MB90 Moisture Content Readers.



This report shall not be reproduced except in full without approval of the laboratory. This is to provide assurance that parts of a report are not taken out of context. Results apply to the samples as received.

Certified by: 
 Luke Emerson Mason (Laboratory Director, Bia Diagnostics)